

Day 6 of training

CSS OUTLINE

WHAT IS CSS OUTLINE

The CSS outline is a line drawn around an element, outside its border, to make it stand out. It is often used to highlight elements when they are selected or focused.

Unlike borders, outlines do not take up space.

Difference Between Border and Outline

Border	**Outline**	
-----	-----	
Inside the element	Outside the element	
Takes space and affects layout	Does not take space	
Can set different sides	Same on all sides	
Can be rounded	Cannot be rounded	
Used for design	Used for highlighting (like focus)	

Text Vertical Alignment in CSS

Vertical alignment in CSS means aligning text vertically within its container or relative to other elements.

vertical-align:

Value	Description	
-----	-----	
`top`	Aligns text to the top	
`middle`	Aligns text to the middle	
`bottom`	Aligns text to the bottom	
`baseline`	Aligns text to the baseline of the parent	
`sub`	Aligns as subscript	
`super`	Aligns as superscript	

box-sizing: border-box:

box-sizing: border-box means the total size of the element includes content, padding, and border.

So if you set width: 200px, that includes the padding and border — it won't grow bigger.

Universal Selector ---> it use to handle default css

syntax

```
*{  
  
}
```

Block Elements:

Definition:

Block elements take full width of the page (from left to right) and start on a new line.

Examples: <div>, <p>, <h1> to <h6>, , , <section>

Behavior:

Always starts on a new line

Can set width, height, margin, padding

2. Inline Elements:

Definition:

Inline elements take only as much width as needed by the content and do not start on a new line.

Examples: , <a>, , ,

Behaviour:

Does not break into a new line

Cannot set width or height

3. Inline-Block Elements:

Definition:

Inline-block elements behave like inline (stay in the same line), but you can set width and height like block.

Examples: `<button>`, `<input>`, or any element styled as:

`display: inline-block;`

Behavior:

Sits in line with other elements

You can set width, height, margin, and padding

CSS inheritance

Inheritance in CSS means some properties are automatically passed from parent to child elements.

It helps avoid repeating the same styles.

Example:

```
<div style="color: red;">
```

```
<p>This is a paragraph.</p>
```

```
</div>
```

The `<p>` inside `<div>` inherits the red color.

You don't need to write `color: red;` for `<p>` again.

Common Inherited Properties:

color

font-size

font-family

line-height

visibility

Not Inherited by Default:

margin

padding

border

width, height

background