


Business Requirements:

- Develop a smart system, similar to ChatGPT, capable of analyzing trillions of validated data points.
- The AI solution must rely solely on officially sanctioned information rather than informal sources, such as social media.
 - o It should comprehend the guidelines that accountants follow when providing official data and ensure compliance with these standards.
 - o It needs to incorporate thousands of equations that govern the official data. Validation of these equations is performed meticulously each month.

Outcome: The final product should synthesize this information to generate a comprehensive, two-page essay discussing the strategies of different banks and the prevailing market conditions.

Data Layout Instructions

- The FIS team primarily utilizes a single catalog. Within this catalog, there is a schema named “views_db.” This schema hosts regulatory returns collected from banks. Each regulatory return is organized into its own table.



- Each view is structured in a specific manner (refer to the Z4 view below).

The screenshot shows a data catalog interface. On the left, there's a 'Catalog' sidebar with a search bar and a list of views. The main area displays a table of data. The table has columns: TIME_SERIES_NAME, BANK_CODE, DATA_POINT_ADDRESS, DATE, and VALUE. The data is filtered to show a sample of 15 rows.

	TIME_SERIES_NAME	BANK_CODE	DATA_POINT_ADDRESS	DATE	VALUE
1	RZ4.OCB.V9104	OCB	V9104	2024-01-31	3.3783057
2	RZ4.OCB.V9097	OCB	V9097	2024-01-31	5203734.0
3	RZ4.OCB.V9089	OCB	V9089	2023-02-28	0.0
4	RZ4.OCB.V9088	OCB	V9088	2024-03-31	0.0
5	RZ4.OCB.V9086	OCB	V9086	2023-03-31	0.0
6	RZ4.OCB.V9081	OCB	V9081	2023-08-31	0.0
7	RZ4.OCB.V9078	OCB	V9078	2023-07-31	0.0
8	RZ4.OCB.V9067	OCB	V9067	2023-10-31	0.0
9	RZ4.OCB.V9060	OCB	V9060	2024-03-31	445444.0
10	RZ4.OCB.V9059	OCB	V9059	2023-01-31	5481.0
11	RZ4.OCB.V9057	OCB	V9057	2023-11-30	1169473.0
12	RZ4.OCB.V9054	OCB	V9054	2023-07-31	724241.0
13	RZ4.OCB.V9033	OCB	V9033	2022-02-28	57750.0
14	RZ4.OCB.V9032	OCB	V9032	2023-10-31	0.0
15	RZ4.OCB.V9037	OCB	V9037	2023-09-30	0.0

- In terms of organization, within the table 'time_series,' the time series names match those in 'prd_financial_institutions_cat' with two nuances:
 - o The time series names are written in lowercase letters. Each name has the suffix '#rrs.'
 - o For example, the entry rz4.oab.v1045#rrs in 'prd_metadata_cat' (under 'metadata_db' -> 'time_series') contains descriptions and metadata for RZ4.OAB.V1045. The description elucidates the various references of the name. For instance:
 - The Z4 return is titled 'Balance sheet by booking location.'
 - Financial institution AB refers to the 'Royal Bank of Canada.'
 - The Z4 datapoint V1045 signifies 'Total Assets.'
 - Consequently, rz4.oab.v1045#rrs encapsulates all this information within the timeseries description.
- **Challenge** : The biggest challenge will be understanding the context of what RZ4.OAB.V1045 is and what an RBC time series means. Navigating this complexity will likely be the most difficult part..
- There's one instruction document per table, and there's one set of equations per table. one can map the instructions and equations to the time series.
- there's approximately about 3,000 data points are collected each month for each of the 80 banks, spanning multiple years
- The business has about 300 views but they can use about 50 of them

