

**Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2025-26**

Clinical Material in Hospital

Name of College/Institute: - SIDDHAGIRI NURSING INSTITUTE

Faculty: NURSING

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute/ College shall execute a MoU with any institute for affiliations of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on website	YES	Available
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	YES	Available
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual 1:3	YES	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	YES	Adequate
d.	Clinical facilities for PG to be verified:- (As per MSR)	NA	
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	YES	Adequate
<ul style="list-style-type: none"> • As per Central Council Norms/University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark “Adequate” & do not attach any Documents it should be available on college website • In case of “Inadequate”, it must be marked as “Inadequate” with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on website & are true as per my knowledge & Belief

Any Other, Please Specify:-

Date:-

Chairman of LIC

Member Of LIC



Dean/Principal Stamp & Signature

Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

Member Of LIC



महाराष्ट्र MAHARASHTRA

● 2023 ●

CP 056712



13 AUG 2024
दिनांक

26.8.24

मुद्रांक शुल्क रकम - ५०.

इहत नोंद करणार आहे का - होय / नाही, नोंदाणी होणारे दु.नि.कार्ड.

वित्ताचा प्रकार / अनुच्छेद क्रमांक / कारण ----- ६२८८

मुद्रांक विकल घेणाऱ्याचे नांव व पत्ता Siddhagiri Nursing Institute

मुलग्या पक्षकाराचे नांव व पत्ता ----- ५८८८

हस्ते नांव व पत्ता ----- लेटिंग स्टॉले

बोबदला रकम ----- मिळवाराचे बर्जन -----

मुद्रांक विक्रेताची सही /

परवाना तसेच मुद्रांक विक्रीचे ठिकाण नांव व पत्ता - वंडकात सिताराम पिंपळे

(संघ इंडर) ला. नं. १११/CC,
फोड नं. २६०९०३२ बहालाची बंडर, शांव नं. ५-२८ लोकारा

मुद्रांक विकल घेणाऱ्याची सही /

- 8 AUG 2024
STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR (M.S.)

Sub: Request for permission to post student of Siddhagiri Nursing Institute for clinical
Experience.



MEMORANDUM OF UNDERSTANDING

BETWEEN

SIDDHAGIRI GURUKUL FOUNDATIONS
SIDDHAGIRI NURSING INSTITUTE
KANERI, TAL-KARVEER, DIST-KOLHAPUR-416 234
HERE AFTER IT WILL BE CALLED BY PARTY NO.1 is

AND

SIDDHAGIRI HOSPITAL AND RESEARCH CENTRE
KANERI, TAL-KARVEER,
DIST-KOLHAPUR-416 234



No. of Correction
on this Page - Nil

The Siddhagiri Gurukul Foundation, Kaneri Tal. Karveer, Dist. Kolhapur we the Siddhagiri Nursing Institute have B. Sc. Nursing Course from the year 2020 with intake Capacity of 40 student, GNM (40 capacity) we are in the process of the proposal of enhancement of the B.Sc Nursing seats from 40 intake capacity to 60 seats; we have also proposed for starting P.B.B.Sc (N) course with intake capacity of 60 seat and M. Sc (N) with intake capacity of 20 seats. There by we will be posting our students to your hospital in rotation.

Mental Health Nursing is integral part of the syllabus and student acquire expected to acquire clinical experience Mental Health Nursing Unit

This Mou is signed for

1. Posting of the nursing student for clinical experience.

Nursing student will be allowed of post in the above said
the terms and condition will be as follows,

■ Student will be supervised by faculty members of siddhagiri foundation, siddhagiri nursing institute Tal. Karveer, Dist. Kolhapur

■ No stipend will be paid to the students

■ Transport for the student will be arranged by siddhagiri nursing institute

■ for rendering nursing care as part of clinical posting, material will be provided by party no 2 (Hospital) free of cost


■ Breakages and losses will be recovered as per existing policy of party no 2 (Hospital)

2. During posting in specialized area like OPD, Psychiatric Ward, ECT Room, help of nursing and medical staff for teaching purpose of party no 2 (Hospital) can be sight by party no 1 (Siddhagiri nursing institute) for which no fees will be charged

3. Research work-

The student and/or faculty of Siddhagiri nursing can use the data of the hospital for research purpose however they should take prior permission of competent authority depending on contribution/help of the hospital staff, it will be either individual publication or in association of the hospital staff.

No. of Correction
on this Page - Nil



The Siddhagiri Gurukul Foundation, Kaneri Tal. Karveer, Dist. Kolhapur we the Siddhagiri Nursing Institute have B. Sc. Nursing Course from the year 2020 with intake Capacity of 40 student, GNM (40 capacity) we are in the process of the proposal of enhancement of the B.Sc Nursing seats from 40 intake capacity to 60 seats; we have also proposed for starting P.B.B.Sc (N) course with intake capacity of 60 seat and M. Sc (N) with intake capacity of 20 seats. There by we will be posting our students to your hospital in rotation.

Medsurg , ortho , cardiac, Neuro, Urology , ENT, Ophthalmology, Nursing is integral part of the syllabus and student acquire expected to acquire clinical experience of the said area.

This Mou is signed for

1. Posting of the nursing student for clinical experience.

Nursing student will be allowed of post in the above said the terms and condition will be as follows,

- Student will be supervised by faculty members of siddhagiri foundation, siddhagiri nursing Institute Tal. Karveer, Dist. Kolhapur

- No stipend will be paid to the students

- Transport for the student will be arranged by siddhagiri nursing institute

- for rendering nursing care as part of clinical posting, material will be provided by party no 2 (Hospital) free of cost

- Breakages and losses will be recovered as per existing policy of part no 2 (Hospital)

2. During posting in specialized area like OPD, Psychiatric Ward, ICU, Deluxe Room, Semi Deluxe Room, OT, help of nursing and medical staff for teaching purpose of party no 2 (Hospital) can be sight by party no 1 (Siddhagiri nursing institute) for which no fees will be charged

3. Research work-

The student and/or faculty of Siddhagiri nursing can use the data of the hospital for research purpose however they should take prior permission of competent authority depending on contribution/help of the hospital staff, it will be either individual publication or in association of the hospital staff.

No. of Correction
on this Page - Nil

No. of Correction
on this Page - Nil

Notary Regd. St. No. 20854
Date 11 SEP 2021

Advocates & Notary
BALI B. (SPL), G.D.C.A.
ARUN VASANTRAO PATEL
F.4, First Floor, 2186, C. Tara Chambers,
Opp. Shrawan Cafe / Lodge, Laxmipur
KOLHAPUR 416 001, Maharashtra
Advocates & Notary
BALI B. (SPL), G.D.C.A.

BEFORE ME
Gauri M.

Name: Satyajeet B. Kharade
Address: Kamemi, Maharashtra

Signature:

Name: Dr. Prakash Bharamgoudar
Address: Siddhagiri Hospital & Research Centre
Kaneri, Kolhapur - 416 234 (Mash)

Signature:

Dr. Prakash Bharamgoudar
Kolhapur
Medical Superintendent
Siddhagiri Hospital
Medical Superintendent
Kaneri, Kolhapur - 416 234 (Mash)
Siddhagiri Hospital & Research Centre
Medical Superintendent
Kolhapur
Dr. Prakash Bharamgoudar

Name: Sayali A. Patil
Address: Kamemi, Maharashtra

Signature:

Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234
PRINCIPAL

Signature:

WINNERSSES (Part No. - I & II)
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

Signature:

PRINCIPAL

Signature:

for the period of five years.

4. The MOU between the Siddhagiri Nursing Institute & Siddhagiri Hospital and research centre, Kolhapur is a precursor to the detailed management agreement that both parties are in the process of formally executing which will set out the terms and conditions, rules of this partnership for the period of five years.





मुलायीकरण

आरोग्य विभाग, जिल्हा परिषद, कोल्हापूर

(सन १९४९ च्या दि बॉम्बे नसिंग होम्स रजिस्ट्रेशन अऱ्कटच्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि बॉम्बे नसिंग होम्स रजिस्ट्रेशन अऱ्कट, १९४९ अन्वये

◆ प्रमाणपत्र ◆

डॉ. श्री./श्रीमती कृष्णदासी ठारी यांचे
कृष्ण ठारी मर, तो. करवीर

येथील नसिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नसिंग होम व मॅटर्निटी होम चालविण्यास परवाना देणीत येत आहे.

रजिस्ट्रेशन क्रमांक :- 171

प्रसुतीसाठी कॉटस् :- 20

रजिस्ट्रेशन दिनांक :-

इतर रुबणांसाठी कॉटस् :- 80

ठिकाण :- कोल्हापूर

सर्टिफिकेट दिल्याचा दिनांक :- २५.३.२०२३

सदरचे सर्टिफिकेट दिनांक :- ३१/०३/२०२५ पर्यंत कार्यवाहीत राहील.

Y
जिल्हा आरोग्य अधिकारी
जिल्हा परिषद, कोल्हापूर

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

No:- Format1.0/PSO/UAN No.0000172002/CO/2401001518

Date: 12/01/2024

To,
M/s. Siddhagiri Hospital & Research Center,
Plot No. 1045/1, A/P: Kaneri Grampanchayat,
Tal: Karveer, Dist: Kolhapur - 416234.
Email:siddhagiri.arogyadham@gmail.com
Contact No.:9405265544



Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Your application for grant of renewal of Consent to Operate And BMW Authorization received to MPCB, HQ, Sion, Mumbai on 10.09.2023.
2. This office email dated 07.10.2023.
3. SCN for refusal of application dated 08.12.2023.
4. Required Information uploaded by you on 25.12.2023 and 28.12.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **06-06-2023 To 10-07-2025**
2. The capital investment of the HCF is **₹1575.02** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 56555.00 M² with Built-up area 17319.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 100 valid upto 31-03-2025)
 - I. General Beds : **60 Nos**
 - II. ICCU/ICU Beds : **20 Nos**
 - III. Maternity Beds : **20 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 45 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		25	Kg/Day	For gardening & manure

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14.** You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15.** Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16.** This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17.** Penal fee for delay in submission of application of Rs. 1,712 submitted by you has been received by the Board.
- 18.** You shall submit the Bank Guarantee of Rs 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice.
- 19.** You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Kolhapur for verification purpose.



Ramdasrao

155a7b4d
bd1a7b52
eaff294c
46a50fea
17606b41
64507544
5c2f7563
8d34615f

Signed by: Dr.Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2024-01-12 12:41:55 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	80000.00	MPCB-DR-19567	11/06/2023	NEFT
2	1712.00	TXN2306003056	21/06/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	45.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	30	As per clause 'C'	100% Recycle & reuse for cleaning, washing, flushing and gardening purpose.
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.**
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.**
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.**
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.**

Annexure - II

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981
and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 160 KVA	Diesel	8.00 Ltr/Hr	3.00
2	DG set 160 KVA	Diesel	8.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	180.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	300.00		
		d) Expired or Discarded Medicines	20.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	55.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



20523



महाराष्ट्र MAHARASHTRA

● 2023 ●

CP 056713



- 8 AUG 2024

STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR (M.S.)

दिनांक 13 AUG 2024 दि.क्र. २८५७०६ मुद्रांक शुल्क रकम - ५००

दस्त नोंद करणार आहे का - होय / नाही, नांदणी होणारे दु.नि.कार्या. -----

इस्तीचा प्रकार / अनुच्छेद क्रमांक / कारण -----

मुद्रांक विकत वेणाऱ्याचे नाव व पता Siddhagiri Nursing Institute

दुसऱ्या पत्रकाराचे नाव व पता ----- कोरीभट्ट -----

हरते नाव व पता ----- जेहीम डोरु -----

पोबदला रकम ----- मिळकरीवे कर्तव्य -----

मुद्रांक विक्रेत्याची सही / -----

परगाना तसेच मुद्रांक येण्याचे ठिकाण नाव व स्तू - घंडकात सिलाराम पिंपळे

(स्टॅम्प होऱ) ला. नं. १११/CC.

फोड नं. २६०९०३२ महालक्ष्मी घरसे, शोऱ नं. १२-२८ कोल्हापूर

प्रांग विकत घेणाऱ्याची सही /


Sub: Request for permission to post student of Siddhagiri Nursing Institute for clinical
Experience.MEMORANDUM OF UNDERSTANDING

BETWEEN

SIDDHAGIRI GURUKUL FOUNDATIONS
SIDDHAGIRI NURSING INSTITUTE
KANERI, TAL-KARVEER, DIST-KOLHAPUR-416 234
HERE AFTER IT WILL BE CALLED BY PARTY NO.1 IS

AND

SWASTIK HOSPITAL
NEAR MAHAVIR GARDEN,
NAGALA PARK,
KOLHAPUR.No. of Correction
on this Page - III



The Siddhagiri Gurukul Foundation, Kaneri Tal. Karveer, Dist. Kolhapur we the Siddhagiri Nursing Institute have B. Sc. Nursing Course from the year 2020 with intake Capacity of 40 student, GNM (40 capacity) we are in the process of the proposal of enhancement of the B.Sc Nursing seats from 40 intake capacity to 60 seats; we have also proposed for starting P.B.B.Sc (N) course with intake capacity of 60 seat and M. Sc (N) with intake capacity of 20 seats. There by we will be posting our students to your hospital in rotation.

Mental Health Nursing is integral part of the syllabus and student acquire expected to acquire clinical experience Mental Health Nursing Unit

This Mou is signed for

1. Posting of the nursing student for clinical experience.

Nursing student will be allowed of post in the above said
the terms and condition will be as follows,

■ Student will be supervised by faculty members of siddhagiri foundation, siddhagiri nursing Institute Tal. Karveer, Dist. Kolhapur

■ No stipend will be paid to the students

■ Transport for the student will be arranged by siddhagiri nursing institute

■ for rendering nursing care as part of clinical posting, material will be provided by party no 2 (Hospital) free of cost

■ Breakages and losses will be recovered as per existing policy of part no 2 (Hospital)

2. During posting in specialized area like OPD, Psychiatric Ward, ECT Room, help of nursing and medical staff for teaching purpose of party no 2 (Hospital) can be sight by party no 1 (Siddhagiri nursing institute) for which no fees will be charged

3. Research work-

The student and/or faculty of Siddhagiri nursing can use the data of the hospital for research purpose however they should take prior permission of competent authority depending on contribution/help of the hospital staff, it will be either individual publication or in association of the hospital staff.

4. The MOU between the Siddhagiri Nursing Institute & Swastik Hospital, Kolhapur is a precursor to the detailed management agreement that both parties are in the process of formally exciting which will set out the terms and conditions, rules of this partnership for the period of five years.



atvelasav

PRINCIPAL
Siddhagiri Nursing Institute
Kaneri, Kolhapur
Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234
WINNESSES (Part No. - I & II)

Signature: *[Signature]*

Name: Satyajeet B. Kharade

Address: Kaneri

Signature: *[Signature]*

Name: Prasad J. Nevekar

Address: Kaneri

b. g. l.

Medical Superintendent
Swastik Hospital
Kolhapur CHougule
M.D. (Psych.) D.P.M. (Borm)
143 A/12, E, SWASTIK HOSPITAL
Near Mahavir Garden, Assembly Road,
KOLHAPUR - 416 001 Ph. 0231-2658295

Signature: *[Signature]*


Name: Keselba Ro. Lokhande

Address: AIP... Kolhapur

Signature: *[Signature]*

Name: Sachin P. Pawar

Address: Sangli



BEFORE ME
31/08/2028
ARUN VASANTRAO PATIL
B.A.LL.B.(SPL), G.D.C & A.
Advocate & Notary
P.A. First Floor, 2186, 'C' Tara Chambers,
Opp. Sharada Cafe / Lodge, Laxmi puri,
KOLHAPUR. Mob. 9764912826

- 3 SEP 2024

Notary Regi. Sr. No. 20523
2023.

No. of Correction
on this Page - NIII



Renewal of License For Psychiatric Hospital / Nursing Home

I, Dr. Sadhana Tawade, Director of Health Services, Maharashtra State Mumbai by the authority vested in me by the State Mental Health Authority vide Government Notification PHD No. MIS-1088/CR-188/PH-3 Dt. 29th March 1995 under section 8 of Mental Health Act 1987 hereby declare that I am satisfied after inspection of Subashik Psychiatric Hospital.

I hereby allow renewal of license for the Psychiatric Hospital/Nursing Home by Dr. Parasuram Monappa Chougule
At 143, A/12, Near Mahavir Garden, Assembly
Road, Kolhapur. Tel No.
From 17/02/2021 till 16/02/2026
License No. 27/2021

SEAL

Licensing Authority
Government of Maharashtra

Place: MUMBAI

Date:



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

Certificate No.: 11512020

Certificate

This is to state that Dr. Parshwanath M. Chougule
Name of the health care establishment

Swastik Hospital

Availing our common treatment facility for
Bio-Medical Waste handling and disposal
since 16/10/2020. The number of beds
registered with us is 50 Beds.

This certificate remains valid up to 31/03/2025
[Subject to compliance of the Bio-Medical
waste Management and handling)
Rules 1998 and its amendments]

Issued on. 31/03/2024 Authorised Signature

All Certificates issued before this date remain cancelled



R.S. No. 206, S.S. No. 29, 'E' Ward, Kasaba Bawada, Near
Drainage Plant, Behind Circuit House, Kolhapur-416 003
Mobile : 99701 68017, 93711 00621, 99229 70440

Bio-Medical
Waste
Treatment



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

20522



महाराष्ट्र MAHARASHTRA
13 AUG 2024

● 2023 ●

CP 056717



दिनांक • • वि.क्र. २६०९० मुद्रांक शुल्क रकम - ५०/-
दस्त नोंद यशस्वार आहे का - होय / नाही, नोंदणी होणारे दु.नि.कार्ड.-----
दस्तावा प्रकार / अनुच्छेद क्रमांक / कारण -----
मुद्रांक विकल घेणाऱ्याची नांव व पता - Siddhagiri Nursing Institute.
ऐसुंचा पत्रकाराची नांव व पता -----
हस्ते नांव व पता - श्रीहीत - श्रीठित
पोदला रकम - मिळकातीले बर्णन -----
मुद्रांक विकलत्याची सही /
परवाना तसेच मुद्रांक विकलत्याचे टिकाऊ नांव व पता - चंद्रकात सिंहाराम पिंपळे
कोड नं. २६०९०३२ महालक्ष्मी रोड, शर्प नं. १-२८ कोल्हापूर
मुद्रांक विकल घेणाऱ्याची सही /



- 8 AUG 2024



STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR (M.S.)

Sub: Request for permission to post student of Siddhagiri Nursing Institute for clinical Experience.

MEMORANDUM OF UNDERSTANDING

BETWEEN

SIDDHAGIRI GURUKUL FOUNDATIONS
SIDDHAGIRI NURSING INSTITUTE
KANERI, TAL-KARVEER, DIST-KOLHAPUR-416 234
HERE AFTER IT WILL BE CALLED BY PARTY NO.1 is
AND
MASAI CHILDREN'S HOSPITAL
LUGADI OL RD, NEAR MAHANAGAR PALIKA,
KAVALPUR, KOLHAPUR.



No. of Correction
on this Page - Nil



The Siddhagiri Gurukul Foundation, Kaneri Tal. Karveer, Dist. Kolhapur we the Siddhagiri Nursing Institute have B. Sc. Nursing Course from the year 2020 with intake Capacity of 40 student, GNM (40 capacity) we are in the process of the proposal of enhancement of the B.Sc Nursing seats from 40 intake capacity to 60 seats; we have also proposed for starting P.B.B.Sc (N) course with intake capacity of 60 seat and M. Sc (N) with intake capacity of 20 seats. There by we will be posting our students to your hospital in rotation.

Child Health Nursing is integral part of the syllabus and student acquire expected to acquire clinical experience Child Health Nursing Unit

This Mou is signed for

1. Posting of the nursing student for clinical experience.

Nursing student will be allowed of post in the above said
the terms and condition will be as follows,

■ Student will be supervised by faculty members of siddhagiri foundation, siddhagiri nursing Institute Tal. Karveer, Dist. Kolhapur

■ No stipend will be paid to the students

■ Transport for the student will be arranged by siddhagiri nursing institute

■ for rendering nursing care as part of clinical posting, material will be provided by party no 2 (Hospital) free of cost

■ Breakages and losses will be recovered as per existing policy of party no 2 (Hospital)

2. During posting in specialized area like OPD,NICU,PICU,General ward help of nursing and medical staff for teaching purpose of party no 2 (Hospital) can be sight by party no 1 (Siddhagiri nursing institute) for which no fees will be charged

3. Research work-

The student and/or faculty of Siddhagiri nursing can use the data of the hospital for research purpose however they should take prior permission of competent authority depending on contribution/help of the hospital staff, it will be either individual publication or in association of the hospital staff.

4. The MOU between the Siddhagiri Nursing Institute &Masai Hospital, Kolhapur is a precursor to the detailed management agreement that both parties are in the process of formally exciting which will set out the terms and conditions, rules of this partnership for the period of five years.

No. of Correction
on this Page - N!!!



PRINCIPAL
Siddhagiri Nursing Institute
Kaneri, Kolhapur
Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur 416 234
WINNESSES (Part No. I & II)

Signature: Rajesh

Name: Satyaajeet B. Charade

Address: Kaneri

Signature: Shieekh

Name: Prasad J. Nevarrekar

Address: Kaneri



Arun

Medical Superintendent
Masai Children's Hospital,
Kolhapur

Dr. UDAY PATIL
MDDCH
Reg. No. 63676

Signature: Nikam


Name: Shilpa Nikam

Address: Pratibha Nagar, Kolhapur

Signature: Shaikh

Name: Tousif Shaikh

Address: Samrat Nagar
Kolhapur



BEFORE ME
B. A. U. D. P. 03/09/25.
ARUN VASANTRAO PATIL
B.A.L.B.(SPL), G.D.C.& A.
Advocate & Notary
F.4, First Floor, 2186, 'C' Tara Chambers,
Opp. Sharada Cafe / Lodge, Laxmipuri,
KOLHAPUR. Mob. 9764912826

- 3 SEP 2024

*Notary Regi. Sr. No. 20522
2024.*

No. of Correction
on this Page - NIL

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: <http://mpcb.gov.in>

Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

No:- Format1.0/CC/UAN No.0000147085/CO/2305002213

Date: 29/05/2023

To,
M/s. MASAI CHILDREN's HOSPITAL
1st and 2nd Floor, Shree Safalya Appt., 'C' Ward,
Lugadi Lane,
Somvar Peth, Kolhapur-416002,

Email:masaihospital@rediffmail.com
Contact No.:9975373356



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.


- Ref:**
1. Bio-Medical Waste Authorization granted by the Board vide no.RO-KOLHAPUR/BMW_AUTH/2108000513/2021 dated 26.08.2021
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/09/2022
 3. Minutes of 24th CC meeting held on 22.12.2022
 4. SCN for refusal for CCA issued on 17.01.2023
 5. Your reply submitted vide letter dated 25.01.2023
 6. Minutes of 36th CC meeting held on 20.03.2023
 7. Your reply submitted vide letter dated 24.04.2023, 25.05.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Consent 1st operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV)** and **Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-06-2022 To 31-05-2027**
2. The capital investment of the HCF is **₹661.41** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1275.90 M² with Built-up area 3654.07 M².
4. **Activities Included**
 - a. Total Number of Beds : **103 Nos.** (As per BNH certificate no. 202 valid upto 31-03-2025)

M/s. MASAI HOSPITAL/CO/UAN No.MPCB-CONSENT-0000147085/Indus-Id.82153 (29-05-2023 04:02:13 pm)
/QMS.PO6_F02/00

Page 1 of 10



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.



5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**.
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	-NA-	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.



11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall submit revised BNH registration copy with incorporation of bed number within a period of three months.
18. You shall submit the bank guarantee of INR 1.50 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



9f7e2c12
757d2635
343589d0
4b1a5c34
baa6fec3
812f96ec
68958ee5
eee1668b

Signed by: Dr. Amar R. Supate
 Principal Scientific Officer
 For and on behalf of,
 Maharashtra Pollution Control Board
 pso@mpcb.gov.in
 2023-05-29 16:26:54 IST

Received Consent/Authorization fee -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	MPCB-DR-14098	15/09/2022	NEFT
2	25000.00	MPCB-DR-14097	15/09/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
 - They are directed to ensure the compliance of the consent conditions.
 - SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00


B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	18	As per clause 'C'	Partly on land for gardening and rest for flushing.
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D.** You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E.** You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F.** The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G.** You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Annexure - II

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981
and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG SET	Diesel	5.00 Ltr/Hr	11.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	40.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	30.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		




Principal

**Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234**

SCHEDULE-II

Responsibilities of the Health Care Facility


1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated: 16/11/2009 as amended.




SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.


Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance.			
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00


Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




Principal

Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

KOLHAPUR MUNICIPAL CORPORATION



(Health Department)

FORM 'C'



(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act. 1949

CERTIFICATE

No. 202

This is to Certify that Shri / Smt. DR. UDAY SARJERAO PATIL has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of MASAI CHILDRENS HOSPITAL situated at 1837 CLUGDI LANE SOMWAR PETH KOLHAPUR and has been authorised to carry on the said nursing home.

Registration No. : 202

Date of Registration : 15-Apr-1998

Place : Kolhapur

Date of issue of Certificate : 31-May-2022

This Certificate of registration shall be valid up to 31-Mar-2025

The name of DR. UDAY SARJERAO
PATIL

Local Supervising Authority

Kolhapur Municipal Corporation.

Kolhapur.

Medical Officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

20524



महाराष्ट्र MAHARASHTRA

● 2023 ●

CP 056718

13 AUG 2024

दिनांक दि.क्र. २४८७७ मुद्रांक शुल्क रकम - ५ रु.

दस्त नांव करणार आहे का-होय / नाही, नोंदवी होणारे द.नि.कार्ड. -----

इस्तम्बा प्रकार / अनुच्छेद क्रमांक / कारण -----

मुद्रांक विकल घेणाऱ्याचे नांव व पता - Siddhagiri Nursing Institute

कुसंस्था पतकाराचे नांव व पता ----- कर्णीरी मठ

कुसंस्था नांव व पता - कर्णीरी मठ

मुद्रांक विकल घेणाऱ्याची सही /

परवाना तसेच मुद्रांक विकल ठिकाण नांव व बळा - लढकात सिलाराम विंग्ले

(स्ट्रिंग लेटर) ला. नं. १११/CC,

पृष्ठांक विकल घेणाऱ्याची सही /



- 8 AUG 2024

STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR (S.)

Sub: Request for permission to post student of Siddhagiri Nursing Institute for clinical Experience.

MEMORANDUM OF UNDERSTANDING

BETWEEN

SIDDHAGIRI GURUKUL FOUNDATIONS
SIDDHAGIRI NURSING INSTITUTE
KANERI, TAL-KARVEER, DIST-KOLHAPUR-416 234
HERE AFTER IT WILL BE CALLED BY PARTY NO.1 IS

AND

NICE ADVANCED NEONATAL CARE CENTRE
AND CHILDREN'S CLINIC
ISHANT EMERALD, 6TH LN, OPPOSITE SHREERAM VIDYLAY,

No. of Correction
On this Page - Nil

The Siddhagiri Gurukul Foundation, Kaneri Tal. Karveer, Dist. Kolhapur we the Siddhagiri Nursing Institute have B. Sc. Nursing Course from the year 2020 with intake Capacity of 40 student, GNM (40 capacity) we are in the process of the proposal of enhancement of the B.Sc Nursing seats from 40 intake capacity to 60 seats; we have also proposed for starting P.B.B.Sc (N) course with intake capacity of 60 seat and M. Sc (N) with intake capacity of 20 seats. There by we will be posting our students to your hospital in rotation.

Child Health Nursing is integral part of the syllabus and student acquire expected to acquire clinical experience Child Health Nursing Unit

This Mou is signed for

1. Posting of the nursing student for clinical experience.

Nursing student will be allowed of post in the above said
the terms and condition will be as follows,

■ Student will be supervised by faculty members of siddhagiri foundation, siddhagiri nursing Institute Tal. Karveer, Dist. Kolhapur

■ No stipend will be paid to the students

■ Transport for the student will be arranged by siddhagiri nursing institute

■ for rendering nursing care as part of clinical posting, material will be provided by party no 2 (Hospital) free of cost

■ Breakages and losses will be recovered as per existing policy of party no 2 (Hospital)

2. During posting in specialized area like OPD, NICU, PICU, General ward, help of nursing and medical staff for teaching purpose of party no 2 (Hospital) can be sight by party no 1 (Siddhagiri nursing institute) for which no fees will be charged

3. Research work-

The student and/or faculty of Siddhagiri nursing can use the data of the hospital for research purpose however they should take prior permission of competent authority depending on contribution/help of the hospital staff, it will be either individual publication or in association of the hospital staff.

4. The MOU between the Siddhagiri Nursing Institute & Nice Hospital, Kolhapur is a precursor to the detailed management agreement that both parties are in the process of formally exciting which will set out the terms and conditions, rules of this partnership for the period of five years.

D. Patrekar

PRINCIPAL

Siddhagiri Nursing Institute

Principal

Kaneri, Kolhapur
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

WINNESSES (Part No. - I & II)

Signature: S. Patil

Name: Satyajeet B. Kharade

Address: Kaneri

Vijay Mali

Medical Superintendent

Nice Hospital,

Kolhapur **Dr. Vijay Mali**

M.D. IMNCI, FICNP (U.K.)

Reg. No.- 77807

NICE Hospital, Kolhapur

P. Desai

Signature: P. Desai

Name: Jyoti S. Desai

Address: KII. Bawad, Kolhapur

Signature: S. Patil



Name: Prasad J. Nevald

Address: Kanelli

A. Patil

Name: Dinkar K. Bursud

Address: KII. Bawad, Kolhapur



BEFORE ME

30/09/24
ARUN VASANTRAO PATIL

B.A.LL.B.(SPL), G.D.C & A.

Advocate & Notary

F. L. First Floor, 2186, 'C' Tara Chambers,
Opp. Sharada Cafe / Lodge, Laximpuri,
KOLHAPUR. Mob. 9764912526

- 3 SEP 2024

Notary Regi. Sr. No.

20524
2025

No. of Correction
on this Page - Nil



महाराष्ट्र MAHARASHTRA

● 2023 ●

CP 056715

13 AUG 2024

दिनांक वि. क. १३०८
दस नोंद करणार आहे का - होट/नाही, नोंदणी होशारे दु. नि. काळी, -----
दस्तावा प्रकार / अनुच्छेद क्रमांक / कारण -----
मुदांक विकल घेणाऱ्याचे नांव व वत Siddhagiri Nursing Institute
दुसऱ्या पक्षाकाराचे नांव व पता -----
हस्ते नांव व पता -----
पोदला रक्कम -----
मुदांक विकेत्याची सही /
परवाना तसेच मुदांक घिकीचे ठिकाण नांव व पता -----
वंदकात सिताराम यिवळे
(स्टॉप लैंडर) ला. नं. १११/८८,
घटांग घिक घेणाऱ्याची सही /

Sub: Request for permission to post student of Siddhagiri Nursing Institute for clinical Experience.



MEMORANDUM OF UNDERSTANDING

BETWEEN

SIDDHAGIRI GURUKUL FOUNDATIONS
SIDDHAGIRI NURSING INSTITUTE
KANERI, TAL-KARVEER, DIST-KOLHAPUR-416 234
HERE AFTER IT WILL BE CALLED BY PARTY NO.1 is

AND

SACHIN MULTISPECIALITY HOSPITAL
2ND FLOOR, THE ICON BUILDING, 6TH LN,
NEAR SARADA MEDICAL, RAJARAMPURI, KOLHAPUR.

No. of Correction
on this Page - Nil!



The Siddhagiri Gurukul Foundation, Kaneri Tal. Karveer, Dist. Kolhapur we the Siddhagiri Nursing Institute have B. Sc. Nursing Course from the year 2020 with intake Capacity of 40 student, GNM (40 capacity) we are in the process of the proposal of enhancement of the B.Sc Nursing seats from 40 intake capacity to 60 seats; we have also proposed for starting P.B.B.Sc (N) course with intake capacity of 60 seat and M. Sc (N) with intake capacity of 20 seats. There by we will be posting our students to your hospital in rotation.

Medical Department, Ortho, cardiac, Nephrology, Surgery Department, Nursing is integral part of the syllabus and student acquire expected to acquire clinical experience of the said area.

This Mou is signed for

1. Posting of the nursing student for clinical experience.
Nursing student will be allowed of post in the above said
the terms and condition will be as follows,

- Student will be supervised by faculty members of siddhagiri foundation, siddhagiri nursing Institute Tal. Karveer, Dist. Kolhapur
- No stipend will be paid to the students
- Transport for the student will be arranged by siddhagiri nursing institute
- for rendering nursing care as part of clinical posting, material will be provided by party no 2 (Hospital) free of cost
- Breakages and losses will be recovered as per existing policy of part no 2 (Hospital)


2. During posting in specialized area like OPD, Ortho Department , Special Ward, General Ward, HDU, OT,MICU ,SICU, Deluxe Room, Cathlab, help of nursing and medical staff for teaching purpose of party no 2 (Hospital) can be sight by party no 1 (Siddhagiri nursing institute) for which no fees will be charged

3. Research work-

The student and/or faculty of Siddhagiri nursing can use the data of the hospital for research purpose however they should take prior permission of competent authority depending on contribution/help of the hospital staff, it will be either individual publication or in association of the hospital staff.

4. The MOU between the Siddhagiri Nursing Institute & Sachin Hospital, Kolhapur is a precursor to the detailed management agreement that both parties are in the process of formally exciting which will set out the terms and conditions, rules of this partnership for the period of five years.

No. of Correction
on this Page - Nil



PRINCIPAL

Siddhagiri Nursing Institute
Kaneri, Kolhapur

Principal

Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234
WINNESSES (Part No. - I & II)

Signature:

Name: Satyajeet B. Khamde.

Address: Kaneri.....

Signature:

Name: Prasad S. Naikar

Address: Kaneri.....

Medical Superintendent
Sachin Hospital
Kolhapur CEO
SACHIN MULTISPECIALITY HOSPITAL

Signature:


Name: Shanti Giri

Address: A. Kolhapur.

Signature:

Name: Parmit A. Deobade

Address: Kolhapur.



Notary Regi. Sr. No. 20521
2025

BEFORE ME
B.S. 03/10/2024
ARUN VASANTRAO PATIL
B.A.LL.B.(SPL), G.D.C.&A.
Advocate & Notary
F.4, First Floor, 2186, 'C' Tara Chambers,
Opp. Saarada Cafe / Lodge, Laxmi puri,
KOLHAPUR. Mob. 9764912826
- 3 SEP 2024

No. of Correction
on this Page - Nil

भारतीय गैर न्यायिक
भारत INDIA

₹. 500



FIVE HUNDRED
RUPEES

पाँच सौ रुपये

Rs. 500

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

● 2023 ●

CP 056714



13 AUG 2023 दि.क्र. २८४०० मुद्रांक शुल्क स्वरूप - ५००
वस्तु नोंद करणार आहे का-होय/नाही, नोंदणी होणारे ए.नि.कार्डा.-----
वस्ताचा प्रकार / अनुच्छेद क्रमांक / कारण -----
मुद्रांक विकल घेणाऱ्याचे नाव व पता Siddhagiri Nursing Institute
दुसऱ्या पतकाकाराचे नाव व पता -----
हस्ते नाव व पता -----
पोषदला रखण्याचे नाव व पता -----
मुद्रांक विक्रेत्याची सही /
परवाना तसेच मुद्रांक विक्रीचे ठिकाण नाव व पता - बंद्रकात लिताराम विपळे
(संदेश वृंदव) सा. नं. १११/८८.



- 8 AUG 2023
STAMP HEAD CLERK
TREASURY OFFICE
101 NAGAR, MUMBAI S.T.

Shubh
मुद्रांक विक्रेत घाणाऱ्याची सही/
कोड नं. २८०९०३२ महाराष्ट्री वैश्व, शॉप नं. १-२८ जोल्हा

Sub: Request for permission to post student of Siddhagiri Nursing Institute for clinical
Experience.

MEMORANDUM OF UNDERSTANDING

BETWEEN

SIDDHAGIRI GURUKUL FOUNDATIONS
SIDDHAGIRI NURSING INSTITUTE
KANERI, TAL-KARVEER, DIST-KOLHAPUR-416 234
HERE AFTER IT WILL BE CALLED BY PARTY NO.1 is


AND

SAISPASH CHILDREN HOSPITAL
BELBAG CHOWK,
KOLHAPUR.

No. of Corrections
On This Page 0

Principal

Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234



The Siddhagiri Gurukul Foundation, Kaneri Tal. Karveer, Dist. Kolhapur we the Siddhagiri Nursing Institute have B. Sc. Nursing Course from the year 2020 with intake Capacity of 40 student, GNM (40 capacity) we are in the process of the proposal of enhancement of the B.Sc Nursing seats from 40 intake capacity to 60 seats; we have also proposed for starting P.B.B.Sc (N) course with intake capacity of 60 seat and M. Sc (N) with intake capacity of 20 seats. There by we will be posting our students to your hospital in rotation.

Child Health Nursing is integral part of the syllabus and student acquire expected to acquire clinical experience Child Health Nursing Unit

This Mou is signed for

1. Posting of the nursing student for clinical experience.

Nursing student will be allowed of post in the above said
the terms and condition will be as follows,

■ Student will be supervised by faculty members of siddhagiri foundation, siddhagiri nursing Institute Tal. Karveer, Dist. Kolhapur

■ No stipend will be paid to the students

■ Transport for the student will be arranged by siddhagiri nursing institute

■ for rendering nursing care as part of clinical posting, material will be provided by party no 2 (Hospital) free of cost

■ Breakages and losses will be recovered as per existing policy of part no 2 (Hospital)

2. During posting in specialized area like OPD, ~~—~~, PICU, General ward , Special Ward, help of nursing and medical staff for teaching purpose of party no 2 (Hospital) can be sight by party no 1 (Siddhagiri nursing institute) for which no fees will be charged

3. Research work-

The student and/or faculty of Siddhagiri nursing can use the data of the hospital for research purpose however they should take prior permission of competent authority depending on contribution/help of the hospital staff, it will be either individual publication or in association of the hospital staff.

4. The MOU between the Siddhagiri Nursing Institute & Saisparsh Hospital, Kolhapur is a precursor to the detailed management agreement that both parties are in the process of formally exciting which will set out the terms and conditions, rules of this partnership for the period of five years.

No. of Corrections
On This Page *one*

~~PRINCIPAL~~


Siddhagiri Nursing Institute

Kaneri, Kolhapur

~~Principal~~


Siddhagiri Nursing Institute

Kaneri, Kolhapur - 416 234 (M)

Signature: 




Name: Savayejee B. Kharade.

Address: Kaneri

Signature: 

Name: Mr. Shreyas Thorat

Address: Kuneri



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

Medical Superintendent

Saisprsh Hospital

Sai Sparsh Children's Hospital

(Advanced Neonatal & Pediatric Critical Care Center)

Add - 2807 / 8 A, B Ward, Rohini Building,


Mangalwar Path, Belbagi, Kolhapur

Mobile: +91 98221 21122

Signature: 

Name: Dr. Anil Girwalkar.

Address:

Signature: 

Name: Mrs. Vrushali Yelkar

Address:

BEFORE ME


12/3/2025

UDAYKUMAR B. PATIL
Advocate & Notary
3, Kusum Apts., Behind -
Vishwanath Co-op. Hsg. Soc.
Takala, Rajarampuri 5th Lane (E)
KOLHAPUR - 416 003 2527905

12 SEP 2024

No. of Corrections Noted and Registered at Serial
On This Page ✓ Number 629/2024

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR

Tel. No. (0231) 2692952/2660448,
E-mail: rokolhapur@mpcb.gov.in



Udyog Bhavan,
Near Collector Office,
Kolhapur - 4160003.



"Your service is our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORIZATION

UAN: MPCB-BMW AUTH- 0000035868

[AUTHORIZATION FOR GENERATION, COLLECTION, RECEPTION, SEGREGATION, DISPOSAL OF BIO-MEDICAL WASTES UNDER RULE 7(4)]

- I. RO-KOL/BMW-AUTH/211000142 Date-15/11/2021
- II. M/s. SAI SPARSH CHILDREN'S HOSPITAL hereby granted an authorization for generation of biomedical waste on the premises situated at C.S.NO-2807/8/A, B WARD, BARALE PASSAGE, MANGALWAR PETH, DIST. KOLHAPUR.
- III. This authorization shall be in force for a period up to 30-06-2024. An application shall be made by the occupier/operator for renewal 1 Months before expiry of earlier authorization.
- IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds 40.

TERMS AND CONDITIONS OF AUTHORIZATION

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical Waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 as amended 2016 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste Categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Qty.In (Kg/M)	Segregation Color Coding	Treatment & Disposal
1	Yellow	a) Human Anatomical Waste. Cat-1	10.0		

Ravi 15/11/2021

Page 1 | 4



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

		b) Animal Anatomical Waste. Cat-2		
		c) Soiled Waste.Cat-6	05.0	Yellow Colored non-Chlorinated plastic bags
		d)Expired or Discarded Medicines. Cat-5	05.0	
		e) Chemical Waste.cat-10		
		f) Chemical liquid Waste.cat-8	0.0	Separate collection system leading to effluent treatment system
		g)Discarded linen, mattresses beddings contaminated with Blood or body fluid.	—	Yellow colored non - chlorinated plastic bags or suitable packing material.
		h)Microbiology Biotechnology and other clinical Laboratory Waste.	0.0	Autoclave safe plastic bags or containers.
2	Red	Contaminated waste (Recyclable)	—	Red colored non chlorinated plastic bags or container.
3	White (Translu- cent)	Waste Sharps including Metals.cat-4	10.0	Puncture proof, leak proof, tamper proof container.
4	Blue	Glass ware. Metallic body implants	—	Cardboard boxes with blue colored marking.

* No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to common BMW Treatment & Disposal facility authorized by MPCB i.e. M/s. S.S. Services Ichalkaranji for Biomedical Waste shall send the BMW regularly to CBMWTFD for its scientific treatment & disposal.

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
8. (i) MW shall be treated and disposed of in accordance with Schedule I; and in Compliance with the standards prescribed in Schedule V of said Rules.
(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and Incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended 2016 and authorized by MPCB.
BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
(iv) Not notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
(v) No untreated BMW shall be kept stored beyond a period of 48 hours.

Ranji 15/11/2021

Page 214

10.

STANDARDS FOR WASTE AUTOCLAVING:

The autoclave shall be dedicated for the purposes of disinfecting and treating bio-Medical waste-

- (I) when operating a gravity flow autoclave, medical waste shall be subjected to:
 (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square Inch (psi) for an autoclave residence time of not less than 60 minutes; or
 (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
 - (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) Recording of operational parameters:- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) Validation test: Spore testing. – The autoclave shall completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1x 10⁴ spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

- 11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
- 12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
 (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
- 13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form-III to the prescribed authority forthwith.
- 14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

Page 3/4




Principal
Siddhagiri Nursing Institute
 Kaneri, Kolhapur - 416 234

15. As per Board circular No. MPCB/PSO/BMW/B-1825 Dated. 10 April 2013. You shall submit following bank guarantees to Regional Office, M. P. C. Board, Kolhapur which valid upto one year within a 15 days to ensure the compliance of following conditions:

Sr. No.	Condition to be complied	Compliance Timeline	BG Amt. (Rs)	Validity (Months)
A) Operation and Maintenance				
01	To segregate and Handle BMW as per the Conditions of Authorization/BMW Rules.	Continuous	25000/-	31/12/2022
B) Records				
02	To maintain records of BMW and submission of Annual report in Form - II before 31 st January.	Continuous	15000/-	31/12/2022
03	To maintain records of BMW material received/delivered to authorized party/CBMWTSDF (Transporters only)	Continuous	10000/-	31/12/2022
B) Performance				
03	To Provided Effluent Treatment Plant	Continuous	50000/-	31/12/2022
Bank Guarantee Total Amount of Rs.		100000/-		

16. Hospital authority shall strictly adhere number of beds as per the activity for which Hospital authority has applied in the application form. In case during visit any variation observed the said Authorization will be revoked with immediate effect and Board will initiate stringent legal action against the Hospital authority.

For and on behalf of the
Maharashtra Pollution Control Board

Ravindra Andhale
15/11/2021

(Ravindra Andhale)
Regional Officer, Kolhapur

To,
M/s. SAI SPARSH CHILDREN'S HOSPITAL
C.S.NO-2807/8/A, B WARD, BARALE PASSAGE,
MANGALWAR PETH, DIST. KOLHAPUR.

Copy Submitted for information to & Compliance:

- i. The Sub-Regional Officer, M.P.C. Board Kolhapur.
- ii. The Chief Account Officer, MPC Board Mumbai

Received Authorization fee of -

Sr. No.	Description	Payment added	Transaction No.	Date	Status
1	Fees	7500/-			

KOLHAPUR MUNICIPAL CORPORATION

(Health Department)



FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act, 1949

CERTIFICATE

No. 512

This is to Certify that Shri. / Smt. DR VYANKATESH A. TARKASBAND & DR VIJAY K. GAVADE has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of SAI SPARSH CHILDRENS HOSPITAL NEONATAL & PEDIATRIC CRITICAL CARE CENTRE situated at CSN 2807 8 A B WARD BARALE PASSAGE MANGALWAR PETH KOLHAPUR and has been authorised to carry on the said nursing

Registration No. : 512

Date of Registration : 28-Sep-2021

Place : Kolhapur

Date of issue of Certificate : 28-Sep-2021

This Certificate of registration shall be valid up to 31-Mar-2024

The name of DR VYANKATESH A.

TARKASBAND & DR VIJAY K. GAVADE

Local Supervising Authority

Kolhapur Municipal Corporation

Kolhapur.

Medical officer of Health

Kolhapur Municipal Corporation

(Signature of the registering authority.)



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

भारतीय गैर न्यायिक
भारत INDIA

रु. 500

FIVE HUNDRED
RUPEES

पाँच सौ रुपये

Rs. 500

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

© 2023 ©

CP 060758

दि १३ SEP २०२४ नं. १४ स्टॅम्प किमत रुपये

श्री Siddhagiri Nursing Institute

गांधी रोड, कलाशनिकोट, कर्वेर, कोल्हापुर ४१६२३४
त्यांचे भरती रु


असे स्टॅम्प दिले

श्री सुनेत राजाराम देसाई

स्टॅम्प घृण्डर
ला. नं. ५५/२०००-०१
नाहीसिद्ध वारांती परिवर, कोल्हापुर
फोळ नं. ३६०९०५५

STAMP HEAD CLERK,
TREASURY OFFICE,
KOLHAPUR (M.S)

14 AUG ?




MEMORANDUM OF UNDERSTANDING

BETWEEN

Siddhagiri Gurukul Foundations
Siddhagiri Nursing Institute

AND

Apple Saraswati Multispecialty Hospital



This Memorandum of Understanding (MOU) entered into this day of 13th September 2024 between Siddhagiri Gurukul Foundations, Siddhagiri Nursing Institute at Kaneri, Tal - Karveer, Dist - Kolhapur (herein after referred to as Hospital) of the first part, and

atvekar
For Apple Hospitals & Research Institute !

Regina David Satvekar

Principal

Siddhagiri Nursing Institute

Kaneri, Kolhapur - 416 234

Kaneri, Kolhapur - 416 234

Gul

No. of Correction
On this page N

No. of Correction
On this page N



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234



Apple Saraswati Multispecialty Hospital (A Venture of Apple Hospitals and Research Institutes Limited) - ASMH an organization having its office at 804/2,805/2, Circuit House to Kadamwadi Road, Bhosalewadi, Kolhapur-416003 (Maharashtra State) (hereinafter referred to as ASMH) of the second part.

WHEREAS,

1. Party of the first part has approached party of the second part for providing clinical experience to their nursing students on rotational basis

The party of the first part is having Nursing Institute for conducting GNM Nursing course with 40 students, B.Sc. Nursing course with the approval for 40 students. Currently they have applied for P.B.B.Sc. course with 30 student capacity, M.SC nursing course with 10 students and enhancement of existing B.Sc nursing course student capacity with 20 students

Medsurg, Ortho, cardiac, Neuro, Urology, Oncology, BNPS, ENT, Pediatric, OBG . Nursing is integral part of the syllabus and party of the second part should provide clinical experience regarding aforesaid clinical areas.

It is hereby agreed by and between both the parties that:

- i. Student will be supervised by the faculty members of the party of the first part.
- ii. Party of the first part will be entirely responsible for transportation of the students and arrangement of their food or any other arrangement if required.
- iii. The party of the second part will facilitate for providing training in the respective clinical areas to the nursing staff deployed by the party of the first part and by doing this no payment will be charged be made to the learning students.

Decision regarding the posting of particular nursing staff in the specialized clinical areas will be entirely taken by the party of the second part.

The party of the second part will not charge any fees to the party of the first part for providing training to their students.

- iv. The party of the first part should follow the duty shifts decided by the party of the first part while deploying the nursing staff for the purpose of the training.

For Apple Hospitals & Research Institute L



Regina David Satvekar
Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

G.W.
Director




No. of Correction
On this page 11


- GOVT OF INDIA
- v. The party of the Second part will take care of all the precautionary measures in respect of their female student's safety and security. In no circumstances party of the second part will be held responsible
 - vi. In case of any breakage or losses incurred by the students then these shall be indemnified by the Party of the first part.
 - vii. For rendering the services relating to the nursing care while posting, the student may use the material as well as instruments of the party of the second part under the supervision of senior nursing staff or medical officer employed by the party of the second part.
 - viii. Students deployed by the party of the first part for the purpose of training should adhere to the code of conduct designed by the party of the second part for the nursing staff.
 - ix. This tie up arrangement would be valid for a period of 1 year from the date of signing of this MOU.

For Siddhagiri Nursing Institute	For Apple Saraswati Multispecialty Hospital
 Signature	 Signature
NAME-REGINA DAVID SATVEKAR DESIGNATION- PRINCIPAL Date- 13/09/2024	NAME- SANYOGEETA J. AWATE DESIGNATION- EXECUTIVE DIRECTOR Date- 13/09/2024
	

Regina David Satvekar
Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234


For Apple Hospitals & Research Institute Ltd.



Before Me

VIJAY B. MAHAJAN
B.S.L., LL.B.
Advocate & Notary
2344, 'C' Ward, Shaniwar Peth,
KOLHAPUR 416 001. 9422414921
Notary Regd. No. 2242/2024

T 3 SEP 2024

No. of Corrections
On this page



A/p. Kaneri,
Dist. Kolhapur
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

Principal

Subject: Decision for your application UAN MPCB-CONSENT-0000150174 considered under '34th Consent Committee Meeting of 2022-23-Agenda B-Consent to Operate'

From: MPCB Web Portal <portalsupport@mpcb.gov.in> on Wed, 15 Mar 2023 16:01:23

To: appledocs@rediffmail.com

Greetings Apple Hospitals & Research Institute Ltd.

Your case with UAN number MPCB-CONSENT-0000150174 was discussed in 34th Consent Committee Meeting of 2022-23-Agenda B-Consent to Operate. Please find below decision:

Final Recommendation: Committee noted that HCE has applied for Renewal of CCA for 200 beds. Applicant has submitted all required information except NOC of CGWA. After due deliberation, it was decided to grant CCA renewal of CCA from 04.06.2022 to 31.05.2025 as per BG regime subject to submission of NOC of GCWA, Nagpur, if applicable.

Decision: APPROVED

Disclaimer

This mail is auto generated with respect to your active and application for valid recipient if not valid please discard. This is not the spam.

In case of dispute, jurisdiction with respect to Maharashtra jurisdiction



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515

Website: <http://mpcb.gov.in>

E-mail: pso@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai - 400 022

Red/LSI

Date: 10/06/2020.

Consent No: Format 1.0/BO/PSO/CC-2006000417

To,
M/s. Apple Hospitals and Research Institute Ltd.,
804/2, 805/2, Circuit House to Kadamwadi Road,
Bhosalewadi,
Dist. Kolhapur 416 002.
Email: appledocs@rediffmail.com

- Sub : Combined Consent to Operate & BMW Authorization under RED Category.**
- Ref :**
1. Your BMW Authorization & Consent application resubmitted to MPCB, HQ, Sion, Mumbai on 07/01/2020
 2. Report submitted by SRO- Kolhapur
 3. Minutes of 11th CC- meeting held on 13.01.2020
 4. SCN for Refusal issued on 24.01.2020
 5. Reply submitted by applicant on 30.01.2020
 6. This office reminder to SRO- Kolhapur on 31.01.2020
 7. Reply of SRO- Kolhapur vide email on 20.03.2020

Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The conditional consent to operate is granted for period from 04.06.2019 to 04.06.2022
2. The capital investment of the HCE is Rs. 59.72 Crore.
(As per C. A. Certificate submitted)
3. The Consent is valid for the Activity of –

Sr. No.	Activity	Beds
1	Hospital	200 Nos.
a)	Total Plot Area	22257.7 sq. mtrs
b)	Total Built up Area	11160.0 sq. mtrs

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	-	As per Schedule -I	On land for gardening
2.	Domestic effluent	60.0	As per Schedule -I	

M/s Apple Hospitals and Research Institute Ltd., Kolhapur

page 1 of 9



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (160.0, 125.0 & 62.5 KVA)	3 No.	As per Schedule - II

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/ Year	--


7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

9. This consent is issued subject to conditions mentioned below.

- i) The "authorized Person" M/s. Apple Hospitals & Research Institute Ltd, Kolhapur shall comply with the provisions of the Environment (Protection) Act 1986, and Rules made there under.
- ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply E Notification 14.09.2006 by obtaining Environment Clearance.
- iv) You shall submit details of Management and Handling of outdated, discarded unused Cytotoxic drugs generated in the Cancer centers, research and health care facilities in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 30th June every year.
- v) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2006 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- (vi) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags in HCEs within two years;
- (vii) You shall establish Bar code system within one year.
- (viii) You shall ensure that the liquid waste is treated and disposed by all the occupant operator of a CBWTF in accordance with the Water Act, 1974;


M/s Apple Hospitals and Research Institute Ltd., Kolhapur



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

- (viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.
- (ix) You shall submit separate Bank Guarantee of Rs 1,50,000/- towards compliance of condition mentioned at Annexure – IV to Regional Office, Kolhapur within 30 days.
- (xi) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Kolhapur for verification purpose.
- (xiii) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees

For and on behalf of the
Maharashtra Pollution Control Board



(E. Rayendiran)
Member Secretary

Received Consent / Authorization fee of –

Sr. No.	Amount (₹)	Dr no.	Date
1	2,00,000/-	5451827	06.06.2019
2	75,000/-	TXN2001000410	04.01.2020
Remaining fee of Rs. 1,30,000/- in the earlier CCA shall be considered to grant this CCA			

Copy to:

1. Regional Officer - MPCB , Kolhapur and Sub -Regional Officer – Kolhapur, MPCB – They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.



Schedule-I

I) Terms & Conditions for compliance of Water Pollution Control


- 1) A] You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by Chlorination and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
- B] The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E P Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable
Limiting Concentration in mg/l, except for pH		
01	pH	6.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
05	COD	250
06	Total Suspended Solids	100
08	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modification to treatment and disposal system or an extension or addition thereto.
- 3) You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) You shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

II) Water Consumption

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling and boiler feed etc.,	—
2.	Domestic purpose	70.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	—
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	—
5	Other such as agriculture, gardening, etc.	—



Schedule-II

Terms & conditions for compliance of Air Pollution Control


1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/day
1	D.G. Set (160.0, 125.0 & 62.5 KVA)	3.0, 3.0 & 3.0	Diesel	40.0

2. The applicant shall provide stack of adequate height to operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:
- | | | |
|--------------------|---------------|------------------------|
| Particulate matter | Not to exceed | 150 mg/Nm ³ |
|--------------------|---------------|------------------------|
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

M/s Apple Hospitals and Research Institute Ltd., Kolhapur

page 5 of 9




Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 734

Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal	
1	Yellow	a) Human Anatomical waste	150.0	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB i.e. M/s. Kolhapur Municipal Corporation, CBMWTSDF, Kolhapur	
		b) Animal Anatomical Waste	--			
		c) Soiled Waste	450.0			
		d) Expired or Discarded Medicines	40.0			
		e) Chemical Waste	--	Separate collection system leading to effluent treatment system		
		f) Chemical Liquid Waste	--			
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	12.0			
		h) Microbiology Biotechnology and other clinical laboratory waste	80.0			
2	Red	Contaminated waste (Recyclable)	260.0	Yellow coloured non-chlorinated plastic bags or containers		
3	White (Translucent)	Waste sharps including Metals	70.0	Puncture proof, Leak proof, tamper proof container		
4	Blue	a) Glassware	250.0	Leak proof and puncture proof boxes with Blue colored marking		
		b) Metallic body implants	--			




Schedule-IV : Bank Guarantees

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. Apple Hospital & Research Institute Ltd, Kolhapur

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A) 1	Operation and Maintenance To Segregate and Handle BMW as per Rule	Continuous	50,000/-
2	Operation and Maintenance of combined waste water treatment plant to achieve prescribed discharged standards	Continuous	50,000/-
I (B) 1	Records To Maintain records of BMW and submission of Annual Report in Form -II before 30th June	Continuous	25,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000/-
		Total	1,50,000/-
Rupees One Lakh Fifty Thousand only			

Note : You shall submit the B.G. valid for additional 4 month period after the validity of your granted CCA.

M/s Apple Hospitals and Research Institute Ltd, Kolhapur



Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

Schedule-V


General Conditions

The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Kolhapur, the 30th day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste Rules, 2016 and submit the Annual Returns to RO- Kolhapur as per Rule Hazardous Waste Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

M/s Apple Hospitals and Research Institute Ltd., Kolhapur

page 8 of 9




Principal
Siddhagiri Nursing Institute
Kaneri, Kolhapur - 416 234

- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) You should not cause any nuisance in surrounding area.
- 16) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) You shall maintain good housekeeping.
- 18) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office, Kolhapur by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 22) You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
- 23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
- 24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

-----0000-----