

[illegible]

Activity or Experiment-Based Risk Assessment Form					
Laboratory:	E1	Name of Experiment/Activity:	Parachute Drop Test		FYP/Project/Activities
Location:	E2 to E1 link bridge	Name of student/RF/RE/RS/staff:	Luo Senyu	Name of PI/Supervisor:	Soh Eng Keng
Last Review Date:	13/03/2024	Next Review Date:	12/03/2025	Doc no. RA/EG4301/ASI431/2023-2	

1. Hazard Identification				2. Risk Evaluation & Control									
No.	Task	Hazards	Possible Consequences	Existing Risk Control (if any)	S	L	R	Additional / New Risk Control	S	L	R	Action By	Deadline
1.	Drop Parachute with Payload	Falling Object from height	Injury by object fallen from height	Cordon off a 5m radius no entry zone on ground - drop zone Coordination between parachute team and ground team Ground team to confirm no personnel within drop zone before giving command to the parachute team to drop parachute	3	1	3						

Conducted by: (Name, designation)		Luo Senyu		Approved by: (Name, designation)		Soh Eng Keng, Supervisor	
Signature:				Signature:			
Date:		13/03/2024		Date:		14/3/24	
Conducted in the presence of: (name of student/RF/RE/RS/staff)		Hoang Vinh An					
Signature:							
Date:		13/03/2024					

Risk Assessment Matrix

		Likelihood		
		Likely	Possibly	Unlikely
Severity	Low	3	2	1
	Med	6	4	2
	High	9	6	3

Risk = Likelihood x Severity

RISK	DECISION PROCESS
< 3	RISK ACCEPTABLE
3, 4	CONSIDER ADDITIONAL RISK CONTROL
> 4	ADDITIONAL RISK CONTROL REQUIRED

Likelihood

- | | | |
|---|-------------|--|
| 1 | Unlikely | Not likely to occur (has not occurred in the PI's Lab or similar Lab setup.) |
| 2 | Possible | Possible or known to occur (has occurred in the PI's Lab or Similar Lab setup.) |
| 3 | Very Likely | Common or repeating occurrence (has occurred repetitively in the PI's Lab or similar Lab setup.) |

Severity

- | | | |
|---|--------|--|
| 1 | Low | (e.g. No injury, injury or ill-health requiring first aid treatment only - includes minor cuts and bruises, irritation, ill-health with temporary discomfort) |
| 2 | Medium | (e.g. Injury requiring medical treatment or ill-health leading to disability – includes lacerations, burns, sprains, minor fractures, dermatitis, deafness, work-related upper limb disorders) |
| 3 | High | (e.g. Fatal, serious injury or life-threatening occupational disease – includes amputations, major fractures, multiple injuries, occupational cancer, acute poisoning and fatal diseases) |

Severity - Consider the magnitude/severity of the consequences of the Risk Factor occurring and then list this as 3 (High), 2 (Moderate) or 1 (Low). Severity normally will not change unless there is a physical change to the equipment or process.

Likelihood - Team should rely upon their experience and consider realistic scenarios. Listed below are examples of factors that may be considered in determining the likelihood.

- Past experience / incidents
- Complexity of the activity
- Number of personnel involved in the activity (e.g. all personnel, a limited number of trained personnel, etc)
- Frequency of use or execution
- Degree of control (involvement of contractors)
- Strength/completeness of administrative controls
- Sufficiency/formality of training
- Other....