Exp-8

NMap Host Discovery

Aim:

To discover live hosts using Nmap (ARP, ICMP, TCP/UDP) on the Try Hack Me platform

Introduction:-

Nmap is a free & open source n/w scanning tool used to discover live hosts & identify services running on the n/w. Host discovery is performed before port scanning to determine which systems are online. Nmap supports different host discovery techniques using ARP, ICMP, TCP & UDP.

Nmap Host discovery using ARP:-

ARP is used to discover hosts on the same local subnet. Nmap sends ARP requests & live hosts respond with ARP replies. The PR is used for ARP-based host discovery.


Nmap Host discovery using ICMP:-

ICMP provides different req/reply mechanisms for discovering live hosts. Nmap suggests ICMP Echo (-PE), Timestamp (-PP) and address mask (-pm) scans.

Scanned with OKEN Scanner

Nmap Host discovery using TCP & UDP:-

When ICMP is filtered, Nmap can use TCP & UDP packets to determine whether a host is online. TCP host discovery includes TCP SYN Ping (-PS) & TCP ACK Ping (-PA), while UDP host discovery uses -PU.



Edit

Result:-

Thus, live hosts in the network were successfully discovered using techniques such as ARP, ICMP & TCP, UDP ping scans.

Scanned with OKEN Scanner