
Api Documentation

Api Documentation

Apache 2.0

admin-controller: Admin Controller




POST /admin/login login

Response Class (Status 200)

OK

```
Model Example Value
    "password": "string",
   "username": "string"
Response Content Type ▼/* ▼
Parameters
                                                              Parameter
Parameter
             Value
                                           Description
                                                                           Data Type
                                                              Type
admin
                                                              body
                                           admin
              (required)
                                                                           Model Example Value
                                                                             {
                                                                               "password": "string",
                                                                               "username": "string"
             Parameter content type:
              application/json ➤
Response Messages
HTTP Status
Code
                 Reason
                                        Response Model
                                                                                                Headers
201
                 Created
401
                 Unauthorized
403
                 Forbidden
404
                 Not Found
 Try it out!
```

| GET /admir | n/logout | | logout |
|---------------------|--------------|----------------|---------|
| Response Me | ssages | | |
| HTTP Status Code | Reason | Response Model | Headers |
| 200 | OK | | |
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| 404 | Not Found | | |



| arameters | | | | |
|---------------------|------------|----------------|-------------------|-----------|
| Parameter | Value | Description | Parameter Type | Data Type |
| username | (required) | username | path | string |
| Response Me | essages | | | |
| HTTP Status Code | Reason | Response Model | | Headers |
| 200 | OK | | | |
| | | | | |

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| Try it out! | | | |

```
getAllAdmins
GET
       /admins
Response Class (Status 200)
OK
Model Example Value
 [
     "password": "string",
     "username": "string"
   }
Response Content Type ▼/* ➤
Response Messages
HTTP Status
                                                                                           Headers
                Reason
                                      Response Model
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

basic-error-controller: Basic Error Controller

```
Response Class (Status 200)
OK

Model Example Value

{
    "empty": true,
    "model": {},
    "modelMap": {},
    "reference": true,
    "status": "100 CONTINUE",
```

```
"view": {
     "contentType": "string"
   },
   "viewName": "string"
Response Content Type text/html >
Response Messages
HTTP Status
                Reason
                                                                                             Headers
                                       Response Model
Code
204
                No Content
401
                Unauthorized
403
                Forbidden
 Try it out!
```

```
errorHtml
GET
       /error
Response Class (Status 200)
OK
Model Example Value
 {
   "empty": true,
   "model": {},
   "modelMap": {},
   "reference": true,
   "status": "100 CONTINUE",
   "view": {
     "contentType": "string"
   },
   "viewName": "string"
Response Content Type text/html >
Response Messages
HTTP Status
                Reason
                                      Response Model
                                                                                           Headers
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

HEAD /error errorHtml

Response Class (Status 200)

OK

Model Example Value

```
"empty": true,
"model": {},
"modelMap": {},
"reference": true,
"status": "100 CONTINUE",
"view": {
    "contentType": "string"
},
    "viewName": "string"
```

Response Content Type text/html >

Response Messages

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 204 | No Content | | |
| 401 | Unauthorized | | |
| 403 | Forbidden | | |

OPTIONS /error errorHtml

Response Class (Status 200)

OK

Model Example Value

```
{
  "empty": true,
  "model": {},
  "modelMap": {},
  "reference": true,
  "status": "100 CONTINUE",
  "view": {
     "contentType": "string"
  },
  "viewName": "string"
}
```

Response Content Type text/html >

Response Messages

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 204 | No Content | | |
| 401 | Unauthorized | | |
| 403 | Forbidden | | |

PATCH /error errorHtml

Response Class (Status 200)

OK

```
Model Example Value
```

```
"empty": true,
"model": {},
"modelMap": {},
"reference": true,
"status": "100 CONTINUE",
"view": {
   "contentType": "string"
},
   "viewName": "string"
}
```

Response Content Type text/html >

Response Messages

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 204 | No Content | | |
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| Try it out! | | | |

POST /error errorHtml

Response Class (Status 200)

OK

Model Example Value

```
"empty": true,
"model": {},
"modelMap": {},
"reference": true,
"status": "100 CONTINUE",
"view": {
    "contentType": "string"
},
    "viewName": "string"
}
```

Response Content Type text/html >

Response Messages

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|---------|----------------|---------|
| 201 | Created | | |

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

```
PUT
       /error
                                                                                                 errorHtml
Response Class (Status 200)
OK
Model Example Value
   "empty": true,
   "model": {},
   "modelMap": {},
   "reference": true,
   "status": "100 CONTINUE",
   "view": {
     "contentType": "string"
   },
   "viewName": "string"
Response Content Type text/html >
Response Messages
HTTP Status
                                                                                           Headers
                Reason
                                      Response Model
Code
201
                Created
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```


category-controller: Category Controller


```
Response Class (Status 200)
OK


Model Example Value


[ {
    "categoryid": 0,
```

```
"name": "string"
   }
 ]
Response Content Type ▼/* ▼
Response Messages
HTTP Status
Code
                 Reason
                                        Response Model
                                                                                                Headers
401
                 Unauthorized
403
                 Forbidden
404
                 Not Found
 Try it out!
```











| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

| DELETE /admin | deleteCategory | | | |
|---------------------|----------------|----------------|-------------------|-----------|
| Parameters | | | | |
| Parameter | Value | Description | Parameter Type | Data Type |
| category_id | (required) | category_id | path | integer |
| Response Mes | ssages | | | |
| HTTP Status Code | Reason | Response Model | | Headers |
| 200 | ОК | | | |
| 204 | No Content | | | |
| 401 | Unauthorized | | | |
| 403 | Forbidden | | | |
| Try it out! | | | | |

/admin/category/{category_id} getCategoryById GET Response Class (Status 200) OK Model Example Value "categoryid": 0, "name": "string" Response Content Type ▼/* ➤ **Parameters** Parameter Type

Description

Data Type

Value

Parameter

| Parameter | Value | Description | Parameter Type | Data Type |
|---------------------|--------------|----------------|-------------------|-----------|
| category_id | (required) | category_id | path | integer |
| Response Mes | ssages | | | |
| HTTP Status Code | Reason | Response Model | | Headers |
| 401 | Unauthorized | | | |
| 403 | Forbidden | | | |
| 404 | Not Found | | | |
| Try it out! | | | | |

cutomer-controller: Cutomer Controller

```
/categories
                                                                                            getAllCategories
GET
Response Class (Status 200)
OK
Model Example Value
 [
     "categoryid": 0,
     "name": "string"
   }
Response Content Type ▼/* ➤
Response Messages
HTTP Status
                                                                                            Headers
                Reason
                                       Response Model
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

```
Pesponse Class (Status 200)

OK


Model Example Value
```

```
"brand": "string",
      "category": {
        "categoryid": 0,
        "name": "string"
      "name": "string",
      "price": 0,
      "productid": 0
Response Content Type */* >
Parameters
                                                                         Parameter
Parameter
                Value
                                                  Description
                                                                                       Data Type
                                                                         Type
category_id
                                                  category_id
                                                                         path
                (required)
                                                                                       integer
Response Messages
HTTP Status
                Reason
                                        Response Model
                                                                                              Headers
Code
401
                 Unauthorized
403
                 Forbidden
404
                Not Found
 Try it out!
```

/products GET getAllProducts Response Class (Status 200) OK Model Example Value ["brand": "string", "category": { "categoryid": 0, "name": "string" }, "name": "string", "price": 0, "productid": 0 Response Content Type | */* ∨ Response Messages **HTTP Status** Headers Reason Response Model Code 401 Unauthorized

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|-----------|----------------|---------|
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

product-controller : Product Controller



Response Class (Status 200)
OK
Model Example Value

```
"brand": "string",
      "category": {
        "categoryid": 0,
        "name": "string"
      },
      "name": "string",
      "price": 0,
      "productid": 0
Response Content Type ▼/* ▼
Parameters
                                                                         Parameter
Parameter
                Value
                                                  Description
                                                                                       Data Type
                                                                         Type
category_id
                (required)
                                                  category_id
                                                                         path
                                                                                       integer
Response Messages
HTTP Status
                                        Response Model
                                                                                              Headers
                 Reason
Code
401
                 Unauthorized
403
                 Forbidden
404
                 Not Found
 Try it out!
```

/admin/product/name/{product_name} getProductByName GET Response Class (Status 200) OK Model Example Value ["brand": "string", "category": { "categoryid": 0, "name": "string" }, "name": "string", "price": 0, "productid": 0 Response Content Type ▼/* ➤ **Parameters** Parameter Parameter Value Description Data Type Type

product_name

path

string

product_name

(required)



```
/admin/product/{category_id}
                                                                                                   addProduct
POST
Response Class (Status 200)
OK
Model Example Value
   "brand": "string",
   "category": {
     "categoryid": 0,
     "name": "string"
   },
   "name": "string",
   "price": 0,
   "productid": 0
 }
Response Content Type ▼/* ▼
Parameters
                                                             Parameter
Parameter
               Value
                                           Description
                                                                          Data Type
                                                             Type
product
                                                             body
                (required)
                                           product
                                                                          Model Example Value
                                                                             "brand": "string",
                                                                             "category": {
                                                                               "categoryid": 0,
                                                                               "name": "string"
               Parameter content type:
                                                                             },
                                                                             "name": "string",
                application/json ∨
                                                                             "price": 0,
                                                                             "productid": 0
                                                                           }
category_id
                                                             path
               (required)
                                           category_id
                                                                          integer
Response Messages
HTTP Status
                Reason
                                        Response Model
                                                                                              Headers
Code
201
                Created
```

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

```
/admin/product/{category_id}
PUT
                                                                                                updateProduct
Response Class (Status 200)
OK
Model Example Value
   "brand": "string",
   "category": {
      "categoryid": 0,
     "name": "string"
   },
   "name": "string",
   "price": 0,
   "productid": 0
 }
Response Content Type ▼/* ▼
Parameters
                                                             Parameter
Parameter
               Value
                                           Description
                                                                         Data Type
                                                             Type
product
                                                             body
                                           product
                (required)
                                                                         Model Example Value
                                                                             "brand": "string",
                                                                             "category": {
                                                                               "categoryid": 0,
                                                                               "name": "string"
               Parameter content type:
                                                                             },
                                                                             "name": "string",
                application/json ➤
                                                                             "price": 0,
                                                                             "productid": 0
                                                                           }
category_id
               (required)
                                           category_id
                                                             path
                                                                         integer
Response Messages
HTTP Status
                                                                                              Headers
                Reason
                                       Response Model
Code
201
                 Created
```

401

Unauthorized

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|-----------|----------------|---------|
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

| DELETE /admi | n/product/{product_id | } | | deleteProduct |
|---------------------|-----------------------|----------------|-------------------|---------------|
| Parameters | | | | |
| Parameter | Value | Description | Parameter Type | Data Type |
| product_id | (required) | product_id | path | integer |
| Response Me | essages | | | |
| HTTP Status Code | Reason | Response Model | | Headers |
| 200 | OK | | | |
| 204 | No Content | | | |
| 401 | Unauthorized | | | |
| 403 | Forbidden | | | |
| Try it out! | | | | |

/admin/product/{product_id} GET getProductByName Response Class (Status 200) OK Model Example Value "brand": "string", "category": { "categoryid": 0, "name": "string" }, "name": "string", "price": 0, "productid": 0 } Response Content Type ▼/* ➤ **Parameters** Parameter Value Data Type Parameter Description Туре

product_id

path

integer

product_id

(required)

Response Messages HTTP Status Reason Response Model Headers 401 Unauthorized 403 Forbidden 404 Not Found Try it out!

```
/admin/products
GET
                                                                                              getAllProducts
Response Class (Status 200)
OK
Model Example Value
 [
     "brand": "string",
     "category": {
       "categoryid": 0,
       "name": "string"
      },
     "name": "string",
      "price": 0,
      "productid": 0
Response Content Type ▼/* ▼
Response Messages
HTTP Status
                Reason
                                       Response Model
                                                                                            Headers
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

purchase-controller: Purchase Controller

```
Response Class (Status 200)
OK
Model Example Value

[
| "date": "2020-10-05T10:35:14.248Z",
```

```
"product": {
        "brand": "string",
        "category": {
          "categoryid": 0,
          "name": "string"
        },
        "name": "string",
Response Content Type */* >
Parameters
                                                                         Parameter
Parameter
              Value
                                                  Description
                                                                                       Data Type
                                                                         Type
date
                                                                         path
                                                  date
              (required)
                                                                                       string
Response Messages
HTTP Status
                                                                                               Headers
                 Reason
                                        Response Model
Code
401
                 Unauthorized
403
                 Forbidden
404
                 Not Found
 Try it out!
```

/admin/purchase/product/{product_id} getPurchaseByProduct GET Response Class (Status 200) OK Model Example Value ["date": "2020-10-05T10:35:14.257Z", "product": { "brand": "string", "category": { "categoryid": 0, "name": "string" "name": "string", Unrice". A Response Content Type | */* ➤ **Parameters** Parameter Parameter Value Description Data Type Туре product_id path (required) product id integer Response Messages **HTTP Status** Reason Response Model Headers

Code

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

```
/admin/purchase/user/{user_id}
GET
                                                                                         getPurchaseByUser
Response Class (Status 200)
OK
Model Example Value
 [
   {
      "date": "2020-10-05T10:35:14.266Z",
      "product": {
       "brand": "string",
        "category": {
          "categoryid": 0,
          "name": "string"
        },
        "name": "string",
        Unrice!! A
Response Content Type ▼/* ▼
Parameters
                                                                      Parameter
Parameter
              Value
                                                Description
                                                                                    Data Type
                                                                      Type
user_id
              (required)
                                                user_id
                                                                      path
                                                                                    integer
Response Messages
HTTP Status
                Reason
                                       Response Model
                                                                                            Headers
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

| delete /admin | /purchase/{purch | ase_id} | | deletePurchase |
|---------------|------------------|-------------|-------------------|----------------|
| Parameters | | | | |
| Parameter | Value | Description | Parameter Type | Data Type |
| purchase_id | (required) | purchase_id | path | integer |
| | | | | |

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 200 | OK | | |
| 204 | No Content | | |
| 401 | Unauthorized | | |
| 403 | Forbidden | | |

```
/admin/purchase/{purchase_id}
                                                                                            getPurchaseById
GET
Response Class (Status 200)
OK
Model Example Value
   "date": "2020-10-05T10:35:14.279Z",
   "product": {
     "brand": "string",
     "category": {
       "categoryid": 0,
        "name": "string"
     },
     "name": "string",
     "price": 0,
      "nroductid" A
Response Content Type ▼/* ▼
Parameters
                                                                       Parameter
Parameter
               Value
                                                 Description
                                                                                     Data Type
                                                                       Type
purchase_id
                                                 purchase_id
                                                                       path
               (required)
                                                                                     integer
Response Messages
HTTP Status
                Reason
                                       Response Model
                                                                                            Headers
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

POST /admin/purchase/{user_id}/{product_id}

addPurchase

Response Class (Status 200)

OK

```
Model Example Value
   "date": "2020-10-05T10:35:14.286Z",
   "product": {
      "brand": "string",
      "category": {
        "categoryid": 0,
        "name": "string"
      },
      "name": "string",
      "price": 0,
Response Content Type ▼/* ➤
Parameters
                                                         Parameter
Parameter
               Value
                                        Description
                                                                     Data Type
                                                         Туре
purchase
                                                         body
                                        purchase
               (required)
                                                                     Model Example Value
                                                                         "date": "2020-10-05T10:35:14.289Z",
                                                                         "product": {
                                                                           "brand": "string",
                                                                           "category": {
                                                                             "categoryid": 0,
               Parameter content type:
                                                                             "name": "string"
               application/json ∨
                                                                           "name": "string",
                                                                           "price": 0,
                                                                           "productid": 0
user_id
                                                         path
               (required)
                                        user id
                                                                     integer
product_id
                                                         path
               (required)
                                        product_id
                                                                     integer
Response Messages
HTTP Status
                 Reason
                                        Response Model
                                                                                                Headers
Code
201
                 Created
401
                 Unauthorized
403
                 Forbidden
404
                 Not Found
 Try it out!
```

PUT /admin/purchase/{user_id}/{product_id} updatePurchase

Response Class (Status 200)

OK

Model Example Value

```
"date": "2020-10-05T10:35:14.303Z",
   "product": {
      "brand": "string",
      "category": {
        "categoryid": 0,
        "name": "string"
      },
      "name": "string",
      "price": 0,
      "nroductid" A
Response Content Type ▼/* ➤
Parameters
                                                         Parameter
Parameter
               Value
                                        Description
                                                                     Data Type
                                                         Type
purchase
                                        purchase
                                                         body
               (required)
                                                                     Model Example Value
                                                                       {
                                                                         "date": "2020-10-05T10:35:14.308Z",
                                                                         "product": {
                                                                           "brand": "string",
                                                                           "category": {
                                                                             "categoryid": 0,
               Parameter content type:
                                                                             "name": "string"
               application/json ➤
                                                                           },
                                                                           "name": "string",
                                                                           "price": 0,
                                                                           "productid": 0
user_id
                                                         path
               (required)
                                        user id
                                                                     integer
product_id
               (required)
                                        product_id
                                                         path
                                                                     integer
Response Messages
HTTP Status
                 Reason
                                        Response Model
                                                                                                Headers
Code
201
                 Created
401
                 Unauthorized
403
                 Forbidden
404
                 Not Found
 Try it out!
```

GET /admin/purchases

getAllPurchases


Response Class (Status 200)


OK

Model | Example Value

```
{
     "date": "2020-10-05T10:35:14.319Z",
      "product": {
        "brand": "string",
        "category": {
         "categoryid": 0,
         "name": "string"
        "name": "string",
        Unrice". A
Response Content Type ▼/* ➤
Response Messages
HTTP Status
                Reason
                                                                                           Headers
                                      Response Model
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

user-controller: User Controller





/admin/user updateUser PUT Response Class (Status 200) OK Model Example Value { "age": 0, "emailid": "string", "firstname": "string", "lastname": "string", "password": "string", "purchaselist": [{ "date": "2020-10-05T10:35:14.341Z", "product": { "hrand": "ctring" Response Content Type ▼/* ➤ **Parameters**

Parameter


Type

Data Type

Description

Parameter

Value



| DELETE /adm | nin/user/{user_id} | | | deleteUser |
|---------------------|--------------------|----------------|-------------------|------------|
| Parameters | | | | |
| Parameter | Value | Description | Parameter Type | Data Type |
| user_id | (required) | user_id | path | integer |
| Response M | lessages | | | |
| HTTP Status Code | Reason | Response Model | | Headers |
| 200 | OK | | | |
| 204 | No Content | | | |
| 401 | Unauthorized | | | |
| 403 | Forbidden | | | |
| Try it out! | | | | |

| GET /admin/user/{user_id} | getUserById |
|-----------------------------------|-------------|
| Response Class (Status 200) OK | |
| Model Example Value | |

```
"age": 0,
   "emailid": "string",
   "firstname": "string",
   "lastname": "string",
   "password": "string",
   "purchaselist": [
        "date": "2020-10-05T10:35:14.359Z",
        "product": {
          Uhrandlı Uctrinal
Response Content Type */* >
Parameters
                                                                       Parameter
Parameter
              Value
                                                Description
                                                                                     Data Type
                                                                       Type
user id
              (required)
                                                 user id
                                                                       path
                                                                                     integer
Response Messages
HTTP Status
                                                                                             Headers
                Reason
                                       Response Model
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

/admin/users getAllUser GET Response Class (Status 200) OK Model Example Value [{ "age": 0, "emailid": "string", "firstname": "string", "lastname": "string", "password": "string", "purchaselist": ["date": "2020-10-05T10:35:14.373Z", Unraductu. S Response Content Type ▼/* ▼ Response Messages **HTTP Status** Reason Response Model Headers Code

401

Unauthorized

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|-----------|----------------|---------|
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

```
GET
       /admin/users/age/{age}
                                                                                              getUserByAge
Response Class (Status 200)
OK
Model Example Value
 [
   {
      "age": 0,
     "emailid": "string",
     "firstname": "string",
     "lastname": "string",
     "password": "string",
      "purchaselist": [
          "date": "2020-10-05T10:35:14.384Z",
          "nroduct". S
Response Content Type */* >
Parameters
                                                                       Parameter
Parameter
              Value
                                                Description
                                                                                    Data Type
                                                                       Туре
              (required)
                                                                       path
age
                                                age
                                                                                    integer
Response Messages
HTTP Status
                                                                                            Headers
                Reason
                                       Response Model
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

```
Response Class (Status 200)
OK
Model Example Value

{
  "age": 0,
```

```
"emailid": "string",
   "firstname": "string",
   "lastname": "string",
   "password": "string",
    "purchaselist": [
        "date": "2020-10-05T10:35:14.391Z",
        "nroduct". S
Response Content Type ▼/* ▼
Parameters
                                                                        Parameter
Parameter
              Value
                                                 Description
                                                                                      Data Type
                                                                        Type
emailid
                                                 emailid
                                                                        path
              (required)
                                                                                      string
Response Messages
HTTP Status
                Reason
                                        Response Model
                                                                                              Headers
Code
401
                 Unauthorized
403
                 Forbidden
404
                 Not Found
 Try it out!
```

/admin/users/firstname/{firstname} getUserByFirstName GET Response Class (Status 200) OK Model Example Value [{ "age": 0, "emailid": "string", "firstname": "string", "lastname": "string", "password": "string", "purchaselist": ["date": "2020-10-05T10:35:14.405Z", "nroduct" · S Response Content Type ▼/* ▼ **Parameters** Parameter Parameter Value Description Data Type Type firstname path (required) firstname string Response Messages

Response Model

Headers

HTTP Status

Code

Reason

| HTTP Status Code | Reason | Response Model | Headers |
|---------------------|--------------|----------------|---------|
| 401 | Unauthorized | | |
| 403 | Forbidden | | |
| 404 | Not Found | | |
| Try it out! | | | |

```
/admin/users/lastname/{lastname}
GET
                                                                                        getUserByLastName
Response Class (Status 200)
OK
Model Example Value
 [
   {
     "age": 0,
     "emailid": "string",
     "firstname": "string",
     "lastname": "string",
     "password": "string",
      "purchaselist": [
          "date": "2020-10-05T10:35:14.417Z",
         "nroduct". S
Response Content Type ▼/* ▼
Parameters
                                                                      Parameter
Parameter
              Value
                                                Description
                                                                                    Data Type
                                                                      Type
lastname
              (required)
                                                lastname
                                                                      path
                                                                                    string
Response Messages
HTTP Status
                Reason
                                      Response Model
                                                                                           Headers
Code
401
                Unauthorized
403
                Forbidden
404
                Not Found
 Try it out!
```

[BASE URL: /, API VERSION: 1.0]