

Rajalakshmi Engineering College

Name: Siddharth KP
Email: 241501203@rajalakshmi.edu.in
Roll no: 2116241501203
Phone: 9944675311
Branch: REC
Department: AI & ML - Section 1
Batch: 2028
Degree: B.E - AI & ML

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException AtTheRateException DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.*;
```

```
class DotException extends Exception {  
    public DotException(String msg) {  
        super(msg);  
    }  
}
```

```
class AtTheRateException extends Exception {  
    public AtTheRateException(String msg) {  
        super(msg);  
    }  
}
```

```
class DomainException extends Exception {  
    public DomainException(String msg) {  
        super(msg);  
    }  
}
```

```
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        String email = sc.nextLine();  
        sc.close();  
  
        try {  
            validateEmail(email);  
            System.out.println("Valid email address");  
        } catch (DotException | AtTheRateException | DomainException e) {  
            System.out.println(e.getClass().getSimpleName() + ": " + e.getMessage());  
            System.out.println("Invalid email address");  
        }  
    }  
}
```

```

    }
}

static void validateEmail(String email) throws DotException,
AtTheRateException, DomainException {
    if (email.startsWith(".") || email.endsWith(".") || email.contains(".."))
        throw new DotException("Invalid Dot usage");

    int atCount = email.length() - email.replace("@", "").length();
    if (atCount != 1 || email.startsWith("@") || email.endsWith("@") ||
email.contains("@@"))
        throw new AtTheRateException("Invalid @ usage");

    int atIndex = email.indexOf('@');
    int dotIndex = email.lastIndexOf('.');
    if (dotIndex < atIndex || dotIndex == email.length() - 1)
        throw new DotException("Invalid Dot usage");

    String domain = email.substring(dotIndex + 1);
    List<String> validDomains = Arrays.asList("com", "in", "net", "biz");
    if (!validDomains.contains(domain))
        throw new DomainException("Invalid Domain");
}
}

```

Status : Correct

Marks : 10/10