

# Rajalakshmi Engineering College

Name: Siddharth KP  
Email: 241501203@rajalakshmi.edu.in  
Roll no: 2116241501203  
Phone: 9944675311  
Branch: REC  
Department: AI & ML - Section 1  
Batch: 2028  
Degree: B.E - AI & ML

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 10\_Q3

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : COD

##### 1. Problem Statement

Priya is analyzing encrypted messages in a research project. She wants to analyze the frequency of each character in a given paragraph. The characters should be stored in a TreeMap so that the output is sorted in ascending order of characters automatically.

You are required to build a Java program that:

Uses a `TreeMap<Character, Integer>` to count how many times each character appears in the message. Ignores spaces and considers only alphabets (case-sensitive). Outputs the frequencies of characters in sorted order.

You must use a TreeMap in the class named MessageAnalyzer.

***Input Format***

The first line of input contains an integer n, the number of lines in the message.

The next n lines each contain a string (the encrypted message line).

### **Output Format**

The first line of output prints: "Character Frequency:"

Then print each character and its frequency in the format: "<character>: <count>"

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 2  
Hello World  
Java

Output: Character Frequency:

H: 1

J: 1

W: 1

a: 2

d: 1

e: 1

l: 3

o: 2

r: 1

v: 1

### **Answer**

```
// You are using Java
import java.util.*;
class MessageAnalyzer
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);
        int n = Integer.parseInt(sc.nextLine());
        TreeMap<Character, Integer> freqMap = new TreeMap<>();
        for (int i = 0; i < n; i++)
        {
```

```
String line = sc.nextLine();
for (int j = 0; j < line.length(); j++)
{
    char ch = line.charAt(j);
    if (Character.isAlphabetic(ch))
    {
        if (freqMap.containsKey(ch))
        {
            freqMap.put(ch, freqMap.get(ch) + 1);
        }
        else
        {
            freqMap.put(ch, 1);
        }
    }
}
System.out.println("Character Frequency:");
for (Map.Entry<Character, Integer> entry : freqMap.entrySet())
{
    System.out.println(entry.getKey() + ": " + entry.getValue());
}
sc.close();
}
```

**Status :** Correct

**Marks :** 10/10