EXP 3 - LOGIN PAGE

CODE:

INDEX.HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Freelance Service - Login</title>
<link rel="stylesheet" href="style.css">
</head>

<body>

<div class="login-container">
  <h2>Freelance Service Login</h2>

  <form id="loginForm">

    <div class="input-group">
      <label>Email</label>
      <input type="email" id="email" placeholder="Enter your email" required>
    </div>

    <div class="input-group">
      <label>Password</label>
      <input type="password" id="password" placeholder="Enter password" required>
```

```
 </div>
      <button type="submit">Login</button>
      <p id="message"></p>
   </form>
</div>
<script src="script.js"></script>
</body>
</html>
```

CSS:

```
body{
   font-family: Arial;
   background:#f2f2f2;
   display:flex;
   justify-content:center;
   align-items:center;
   height:100vh;
}

.login-container{
   background:white;
   padding:30px;
   border-radius:10px;
   width:320px;
   box-shadow:0 0 10px rgba(0,0,0,0.2);
}

h2{
   text-align:center;
}
```

```
.input-group{
    margin-bottom:15px;
}

input{
    width:100%;
    padding:10px;
    margin-top:5px;
}

button{
    width:100%;
    padding:10px;
    background:#007BFF;
    border:none;
    color:white;
    font-size:16px;
    cursor:pointer;
}

button:hover{
    background:#0056b3;
}

#message{
    text-align:center;
    margin-top:10px;
    color:red;
}
```

JAVA SCRIPT:

```
document.getElementById("loginForm").addEventListener("submit", function(e){

e.preventDefault();

let email = document.getElementById("email").value;
let password = document.getElementById("password").value;
let message = document.getElementById("message");

// demo login credentials
let correctEmail = "user@freelance.com";
let correctPassword = "123456";

if(email === correctEmail && password === correctPassword){

   message.style.color = "green";
   message.innerText = "Login Successful!";

   // redirect to dashboard
   setTimeout(()=>{
      window.location.href = "dashboard.html";
   },1000);

}else{
   message.style.color = "red";
   message.innerText = "Invalid Email or Password";
}
```

```
});
```

DASHBOARD:

```
<!DOCTYPE html>
<html>
<head>
<title>Dashboard</title>
</head>

<body>
<h1>Welcome to Freelance Service Dashboard</h1>
<p>You are successfully logged in.</p>
</body>

</html>
```

OUTPUT: