

ONIQ Step 11D — WALKING render diagnosis

Generated by the arap-step-11d-diagnosis workflow. Image: ghcr.io/siddharthamondal1002-droid/oniq-sparkle-pay/arap-cpu@sha256:d0fb43f5f0b2252ff62fc5bee15e121de2ece6d21711de39801d25878d520955 · [run](#)

Question

Step 11C's render gate failed both eligible gateway characters with *character left the frame or vanished*. The gate cannot tell a mesh that drifts off its ground from a correct mesh that the BVH root carries out of a fixed camera's view. This report measures the two readings apart, per clip, and compares each gateway character with the reference character rendered by the same driver in the same image.

Summary

clip	reading	first edge	gone	exit	drift x px/f	height rel. std	fill rel. std	height Δ	fill Δ	gate
87c2b756-a832-48dc-b97b-7a3235ddee5c-s-shot002	TRANSLATION_DOMINANT	159	237	right	0.964	0.0082	0.0062	-0.006	-0.006	FAIL
87c2b756-a832-48dc-b97b-7a3235ddee5c-s-shot004	TRANSLATION_DOMINANT	346	526	right	0.589	0.0204	0.0089	-0.009	-0.007	FAIL
reference-char1	TRANSLATION_DOMINANT	138	189	right	1.215	0.0085	0.0102	-0.010	-0.014	FAIL

Finding

The walk-off is the driver's, not the characters'. Every clip measured here, the gateway characters and the reference character the image ships alike, reads TRANSLATION_DOMINANT: the silhouette's centroid drifts steadily toward the exit edge while its height and fill hold, and the foot line stays put until the exit. The reference character, which passes the runtime's own render floors, fails the existing render gate on the same reasons as the gateway characters. Under this driver and the fixed reference camera the gate's in-frame and foot-line criteria fail any character, so Step 11C's verdicts on these characters are not evidence of deform drift.

What the numbers do not say: whether the deform is *good*. They say the mesh kept its shape while it walked, and that the gate as applied cannot see past the camera. Which fix to take is the owner's decision: follow the character with the camera, neutralise the driver's root translation for QC renders, or measure in a character-centred frame. Each changes the QC setup, none changes the envelope.

Gateway characters the existing gate failed: 87c2b756-a832-48dc-b97b-7a3235ddee5c-s-shot002, 87c2b756-a832-48dc-b97b-7a3235ddee5c-s-shot004. Those verdicts stand as recorded; this report explains them, it does not overturn them.

corpus: OWNER_AUTHORIZED_GATEWAY_CORPUS, owner-only, the two eligible primaries of the 2026-08-31 film, plus the reference character the image ships

gate: l3RenderQc default thresholds; diagnosis parameters are analysis parameters, not gates

source: run 33662521801 on commit ef56ebdc, rebuilt from its transfer file with the same builder

87c2b756-a832-48dc-b97b-7a3235ddee5c-s-shot002


TRANSLATION_DOMINANT — the centroid moved steadily toward the exit edge while height and fill held; the mesh kept its shape and the camera did not follow.

rig: detector 0.9703, keypoint mean 0.6932, min 0.4904, crop [375, 351]


gate statistics: mean fill 12.534%, min 0.005%, foot range 80/500 px, static pairs 0/269

gate verdict: character left the frame or vanished on some frames; foot line roamed 16% of canvas (> 15% — unstable deform)


silhouette centroid (px)



silhouette height and width (px)



silhouette fill (% of canvas)



strip.jpg



87c2b756-a832-48dc-b97b-7a3235ddee5c-s-shot004


TRANSLATION_DOMINANT — the centroid moved steadily toward the exit edge while height and fill held; the mesh kept its shape and the camera did not follow.

rig: detector 0.9157, keypoint mean 0.3304, min 0.091, crop [598, 325]


gate statistics: mean fill 4.881%, min 0.0%, foot range 63/500 px, static pairs 7/589

gate verdict: character left the frame or vanished on some frames


silhouette centroid (px)



silhouette height and width (px)



silhouette fill (% of canvas)



strip.jpg




reference-char1

TRANSLATION_DOMINANT — the centroid moved steadily toward the exit edge while height and fill held; the mesh kept its shape and the camera did not follow.


gate statistics: mean fill 11.127%, min 0.008%, foot range 125/500 px, static pairs 0/210

gate verdict: character left the frame or vanished on some frames; foot line roamed 25% of canvas (> 15% — unstable deform)


silhouette centroid (px)



silhouette height and width (px)



silhouette fill (% of canvas)



strip.jpg



What this does and does not change

Nothing. The envelope, the render gate and production routing are untouched; allowPoseWarp stays false. The reading is evidence for the next decision, which is the owner's: whether the QC render should follow the character or neutralise the driver's root translation before the gate is applied.