https://iplexplorer.vercel.app/

100	100	100	100
Performance	Accessibility	Best Practices	SEO

▲ 0–49 ■ 50–89 ● 90–100

100

Performance

Metrics

● First Contentful Paint	0.4 s	● Time to Interactive	0.4 s
● Speed Index	0.6 s	● Total Blocking Time	0 ms
● Largest Contentful Paint	0.4 s	● Cumulative Layout Shift	0

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

Opportunities — These suggestions can help your page load faster. They don't directly affect the Performance score.

Opportunity	Estimated Savings
■ Remove unused JavaScript	0.28 s

Remove unused JavaScript to reduce bytes consumed by network activity. Learn more.

If you are not server-side rendering, split your JavaScript bundles with `React.lazy()`. Otherwise, code-split using a third-party library such as loadable-components.

Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend.js	437.9 KiB	271.6 KiB
…chunks/framework.cdbdac0….js (iplexplorer.vercel.app)	73.9 KiB	29.4 KiB

Minify JavaScript — 0.16 s

Minifying JavaScript files can reduce payload sizes and script parse time. Learn more.

If your build system minifies JS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. Learn more.

Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend.js	437.9 KiB	182.3 KiB

Diagnostics — More information about the performance of your application. These numbers don't directly affect the Performance score.

User Timing marks and measures — 4 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more.

Use the React DevTools Profiler, which makes use of the Profiler API, to measure the rendering performance of your components. Learn more.

Name	Type	Start Time	Duration

Name	Type	Start Time	Duration
Next.js-before-hydration	Measure	0 ms	664.7 ms
Next.js-hydration	Measure	664.7 ms	16.81 ms
beforeRender	Mark	664.72 ms	
afterHydrate	Mark	681.53 ms	

Keep request counts low and transfer sizes small — 14 requests • 564 KiB

To set budgets for the quantity and size of page resources, add a budget.json file. Learn more.

Resource Type	Requests	Transfer Size
Total	14	563.6 KiB
Script	10	554.9 KiB
Document	2	4.4 KiB
Stylesheet	2	4.3 KiB
Image	0	0 KiB
Media	0	0 KiB
Font	0	0 KiB
Other	0	0 KiB
Third-party	4	441.1 KiB

Largest Contentful Paint element — 1 element found

This is the largest contentful element painted within the viewport. Learn More

Element

This app has data of IPL 2017 divided into 3 categories - 1. Players - list of …
`<p class="text-lg text-gray-500 mt-3 dark:text-gray-300">`

Avoid long main-thread tasks — 1 long task found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn more

Show 3rd-party resources (0)

URL	Start Time	Duration
https://iplexplorer.vercel.app	270 ms	82 ms

Avoid non-composited animations — 2 animated elements found

Animations which are not composited can be janky and increase CLS. Learn more

Element

svg

```
<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="transition-colors text-gray-600 dark:text-gray-50 hover:text-gray-900">
```

- Unsupported CSS Property: color
- Unsupported CSS Property: border-bottom-color
- Unsupported CSS Property: border-left-color
- Unsupported CSS Property: border-right-color
- Unsupported CSS Property: border-top-color
- Unsupported CSS Property: color

svg

```
<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor" class="transition-colors text-gray-600 dark:text-gray-50 hover:text-gray-900">
```

- Unsupported CSS Property: color
- Unsupported CSS Property: border-bottom-color
- Unsupported CSS Property: border-left-color
- Unsupported CSS Property: border-right-color
- Unsupported CSS Property: border-top-color
- Unsupported CSS Property: color

Passed audits (28)

- Eliminate render-blocking resources

  Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn more.

- Properly size images

  Serve images that are appropriately-sized to save cellular data and improve load time. Learn more.

- Defer offscreen images

  Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn more.

- Minify CSS

  Minifying CSS files can reduce network payload sizes. Learn more.

  

  If your build system minifies CSS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. Learn more.

- Remove unused CSS

  Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. Learn more.

- Efficiently encode images

  Optimized images load faster and consume less cellular data. Learn more.

- Serve images in next-gen formats

  Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more.

- Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn more.

- Preconnect to required origins

Warnings: A `<link rel=preconnect>` was found for "https://fonts.gstatic.com" but was not used by the browser. Only use `preconnect` for important origins that the page will certainly request.

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. Learn more.

- Initial server response time was short — Root document took 70 ms

Keep the server response time for the main document short because all other requests depend on it. Learn more.

~~Show 3rd-party resources~~ (0)

URL	Time Spent
https://iplexplorer.vercel.app	70 ms

- Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. Learn more.

If you are using React Router, minimize usage of the `<Redirect>` component for route navigations.

- Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. Learn more.

- Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. Learn more.

- Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. Learn more

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

Avoid serving legacy JavaScript to modern browsers — Potential savings of 0 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Learn More

Show 3rd-party resources (0)

URL		Potential Savings
…pages/index-d04acea….js (iplexplorer.vercel.app)		0.1 KiB
…pages/index-d04acea….js:1:33830 (iplexplorer.vercel.app)	`@babel/plugin-transform-classes`	
`chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend.js`		0.1 KiB
/build/react_devtools_backend.js:10785:11 (fmkadmapgofadopljbjfkapdkoienihi)	`@babel/plugin-transform-regenerator`	
… chunks/f607878….20da196….js (iplexplorer.vercel.app)		0.1 KiB
… chunks/f607878….20da196….js:1:34331 (iplexplorer.vercel.app)	`@babel/plugin-transform-classes`	

Avoids enormous network payloads — Total size was 564 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn more.

Show 3rd-party resources (1)

URL	Transfer Size
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend.js	437.9 KiB
…chunks/framework.cdbdac0….js (iplexplorer.vercel.app)	73.9 KiB
…pages/index-d04acea….js (iplexplorer.vercel.app)	19.9 KiB
…chunks/f607878….20da196….js (iplexplorer.vercel.app)	13.4 KiB
…chunks/main-b5da8d0….js (iplexplorer.vercel.app)	6.9 KiB
https://iplexplorer.vercel.app	3.3 KiB
…css/e0cf669….css (iplexplorer.vercel.app)	3.2 KiB
/css2?family=Inter:wght@300;400;700;900&display=swap (fonts.googleapis.com)	1.1 KiB
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/data/js/extn-utils.html	1 KiB
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/data/js/extn-utils.js	1 KiB

● Uses efficient cache policy on static assets — 0 resources found

A long cache lifetime can speed up repeat visits to your page. Learn more.

● Avoids an excessive DOM size — 59 elements

A large DOM will increase memory usage, cause longer style calculations, and produce costly layout reflows. Learn more.

Consider using a “windowing” library like `react-window` to minimize the number of DOM nodes created if you are rendering many repeated elements on the page. Learn more. Also, minimize unnecessary re-renders using `shouldComponentUpdate`, `PureComponent`, or `React.memo` and

skip effects only until certain dependencies have changed if you are using the `Effect` hook to improve runtime performance.

Statistic	Element	Value
Total DOM Elements		59
Maximum DOM Depth	`<path d="M2.5 8a5.5 5.5 0 0 1 8.25-4.764.5.5 0 0 0 .5-.866A6.5 6.5 0 1 0 14.5 8a.5.…">`	9
Maximum Child Elements	`<body class="bg-white dark:bg-my-black" cz-shortcut-listen="true">`	11

Avoid chaining critical requests

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn more.

Maximum critical path latency: **70 ms**

Initial Navigation

└ https://iplexplorer.vercel.app **- 70 ms, 3.32 KiB**

JavaScript execution time — 0.1 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn more.

~~Show 3rd-party resources~~ (0)

URL	Total CPU Time	Script Evaluation	Script Parse
https://iplexplorer.vercel.app	137 ms	36 ms	30 ms
`Unattributable`	81 ms	4 ms	0 ms

Minimizes main-thread work — 0.3 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn more

Category	Time Spent
Script Evaluation	123 ms
Other	99 ms
Script Parsing & Compilation	60 ms
Parse HTML & CSS	24 ms
Style & Layout	16 ms
Rendering	15 ms
Garbage Collection	13 ms

● All text remains visible during webfont loads

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more.

● Minimize third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn more.

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Fonts	1 KiB	0 ms

● Avoid large layout shifts

These DOM elements contribute most to the CLS of the page.

● Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. Learn more.

● Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. Learn more.

- Image elements have explicit `width` and `height`

  Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn more

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Additional items to manually check (10) — These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

- The page has a logical tab order

  Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more.

- Interactive controls are keyboard focusable

  Custom interactive controls are keyboard focusable and display a focus indicator. Learn more.

- Interactive elements indicate their purpose and state

  Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn more.

- The user's focus is directed to new content added to the page

  If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn more.

- User focus is not accidentally trapped in a region

  A user can tab into and out of any control or region without accidentally trapping their focus. Learn more.

- Custom controls have associated labels

  Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more.

- Custom controls have ARIA roles

  Custom interactive controls have appropriate ARIA roles. Learn more.

- Visual order on the page follows DOM order

  DOM order matches the visual order, improving navigation for assistive technology. Learn more.

- Offscreen content is hidden from assistive technology

  Offscreen content is hidden with display: none or aria-hidden=true. Learn more.

- HTML5 landmark elements are used to improve navigation

  Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more.

Passed audits (15)

- `[aria-*]` attributes match their roles

  Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. Learn more.

- `[aria-hidden="true"]` is not present on the document `<body>`

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. Learn more.

- [aria-*] attributes have valid values

  Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more.

- [aria-*] attributes are valid and not misspelled

  Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more.

- Buttons have an accessible name

  When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more.

- The page contains a heading, skip link, or landmark region

  Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more.

- Background and foreground colors have a sufficient contrast ratio

  Low-contrast text is difficult or impossible for many users to read. Learn more.

- Document has a <title> element

  The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more.

- ARIA IDs are unique

  The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn more.

- Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more.

- `<html>` element has a `[lang]` attribute

  If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more.

- `<html>` element has a valid value for its `[lang]` attribute

  Specifying a valid BCP 47 language helps screen readers announce text properly. Learn more.

- Form elements have associated labels

  Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more.

- Links have a discernible name

  Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn more.

- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

  Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more.

Not applicable (26)

- `[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more.

- `[aria-hidden="true"]` elements do not contain focusable descendents

  Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn more.

- ARIA input fields have accessible names

  When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- `[role]`s have all required `[aria-*]` attributes

  Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more.

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

  Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more.

- `[role]`s are contained by their required parent element

  Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more.

- `[role]` values are valid

  ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more.

- ARIA toggle fields have accessible names

  When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more.

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

  When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn more.

- Definition list items are wrapped in `<dl>` elements

  Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn more.

- `[id]` attributes on active, focusable elements are unique

  All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. Learn more.

- No form fields have multiple labels

  Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn more.

- `<frame>` or `<iframe>` elements have a title

  Screen reader users rely on frame titles to describe the contents of frames. Learn more.

- Image elements have `[alt]` attributes

  Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more.

- `<input type="image">` elements have `[alt]` text

  When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn more.

- Presentational `<table>` elements avoid using `<th>`, `<caption>` or the `[summary]` attribute.

  A table being used for layout purposes should not include data elements, such as the th or caption elements or the summary attribute, because this can create a confusing experience for screen reader users. Learn more.

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

  Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more.

- List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements

  Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. Learn more.

- The document does not use `<meta http-equiv="refresh">`

  Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more.

- `<object>` elements have `[alt]` text

  Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. Learn more.

- No element has a `[tabindex]` value greater than 0

  A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more.

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

  Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more.

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

  Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more.

- `[lang]` attributes have a valid value

  Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn more.

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

  When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more.

- `<video>` elements contain a `<track>` element with `[kind="description"]`

  Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes. Learn more.

Best Practices

Passed audits (16)

- Uses HTTPS

  All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more.

- Links to cross-origin destinations are safe

  Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. Learn more.

- Avoids requesting the geolocation permission on page load

  Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more.

- Avoids requesting the notification permission on page load

  Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more.

- Avoids front-end JavaScript libraries with known security vulnerabilities

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. Learn more.

- Allows users to paste into password fields

  Preventing password pasting undermines good security policy. Learn more.

- Displays images with correct aspect ratio

  Image display dimensions should match natural aspect ratio. Learn more.

- Serves images with appropriate resolution

  Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn more.

- Page has the HTML doctype

  Specifying a doctype prevents the browser from switching to quirks-mode. Learn more.

- Properly defines charset

  A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more.

- Avoids `unload` event listeners

  The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the `pagehide` or `visibilitychange` events instead. Learn More

- Avoids Application Cache

  Application Cache is deprecated. Learn more.

- Detected JavaScript libraries

  All front-end JavaScript libraries detected on the page. Learn more.

Name	Version

Name	Version
React	
Next.js	10.0.3

- Avoids deprecated APIs

  Deprecated APIs will eventually be removed from the browser. Learn more.

- No browser errors logged to the console

  Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more

- Page has valid source maps

  Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more.

Not applicable (1)

- Fonts with `font-display: optional` are preloaded

  Preload `optional` fonts so first-time visitors may use them. Learn More

SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. Learn more.

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices.

- Structured data is valid

  Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more.

Passed audits (9)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

  Add a `<meta name="viewport">` tag to optimize your app for mobile screens. Learn more.

- Document has a `<title>` element

  The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more.

- Document has a meta description

  Meta descriptions may be included in search results to concisely summarize page content. Learn more.

- Page has successful HTTP status code

  Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more.

- Links have descriptive text

Descriptive link text helps search engines understand your content. Learn more.

- Links are crawlable

  Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn More

- Page isn't blocked from indexing

  Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more.

- Document has a valid `hreflang`

  hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more.

- Document avoids plugins

  Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more.

Not applicable (5)

- robots.txt is valid

  If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more.

- Image elements have `[alt]` attributes

  Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more.

- Document has a valid `rel=canonical`

  Canonical links suggest which URL to show in search results. Learn more.

- Document uses legible font sizes

  Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. Learn more.

- Tap targets are sized appropriately

  Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. Learn more.

Runtime Settings

URL	https://iplexplorer.vercel.app/
Fetch Time	Dec 26, 2020, 6:00 PM GMT+5:30
Device	Emulated Desktop
Network throttling	40 ms TCP RTT, 10,240 Kbps throughput (Simulated)
CPU throttling	1x slowdown (Simulated)
Channel	devtools
User agent (host)	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/87.0.4280.88 Safari/537.36
User agent (network)	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/84.0.4143.7 Safari/537.36 Chrome-Lighthouse
CPU/Memory Power	1794
Axe version	3.5.5

Generated by **Lighthouse** 6.4.0 | File an issue