

AI-Native CRM — Module Guide

User Manual: what every module does and how it fits together

Audience: every user, evaluator, and administrator of the platform. **Scope:** a module-by-module explanation of the application — what each module is for, the screens it provides, what you can do in it, how it connects to the rest of the CRM, and where AI assists. **Companion document:** *Persona-Wise Workflow Guide* (step-by-step tasks for each role).

How to read this guide. Screen paths in `monospace` are the in-app routes (the part of the URL after the host). The left navigation **adapts to your role and your tenant's enabled modules**, so you may not see every module listed here. Labels can be renamed by your administrator (e.g. "Opportunities" → "Deals"); the behaviour is the same.

How the platform is organised

The CRM is a single, multi-tenant workspace that unifies the full customer lifecycle behind one governed AI layer:

Layer	Modules
Acquire	Leads, Campaigns, Social, SDR & Inside-Sales workspaces
Sell	Accounts, Contacts, Opportunities & Pipeline, Business Development, Presales
Channel	Partners, Resellers (deal registration)
Serve & retain	Support / Tickets, Customer Success, Customer Query, Customer Portal
Enable	Training, Knowledge Base & RAG
Govern AI	AI Assistant, AI Actions / Agents / Prompts
Operate	Dashboards & Analytics, Notifications, Approvals, Workflows
Administer	Administration (RBAC, Modules, Theme, Terminology, Custom Fields, Audit)

Every module shares the same foundations:

- **Tenant isolation** — you only ever see your own organisation's data; cross-tenant access is impossible by design.
 - **Role-based access control (RBAC)** — each module exposes a consistent set of permissions (`view` , `create` , `edit` , `delete` , `assign` , `approve` , `export` , `import` , `configure` , `use_ai` , `manage_ai` , `manage_workflow` , `view_dashboard`). If a screen or button is missing, your role doesn't grant it.
 - **Audit trail** — sensitive events (logins, permission denials, exports, configuration changes, AI runs) are recorded.
 - **Governed AI** — AI is available throughout, but **sensitive AI outputs require human review** before they're considered usable, and grounded answers cite their sources.
 - **Soft delete** — most "Delete" actions archive a record (restorable by an admin) rather than destroying data.
-

1. Dashboards & Analytics

Path: `/dashboard` , `/analytics`

Purpose. Your landing overview and the analytics workspace for pipeline, campaigns, support, customer-success health, and executive rollups.

What you can do

- Open role-relevant dashboards; **set a personal default dashboard** that opens on sign-in.
- Apply **date filters**, **drill down** into widgets, and **export** (exports are audit-logged).
- Create and manage your own **saved views**.

Works with. Reads from every operational module (Leads, Opportunities, Campaigns, Support, CS). Visibility is role-aware — you only see dashboards your permissions grant (`*.view_dashboard`).

AI here. Executive insight summaries and widget explanations via the AI Assistant.

2. Leads

Path: `/leads` , `/leads/new` , `/leads/:leadId`

Purpose. Capture and qualify prospective customers before they become accounts and opportunities. In the seeded education demo, Leads holds 200+ education organisations (pre-schools,

K12 schools, colleges, universities, coaching institutes, tuition centres, professional-studies and vocational institutions) tagged with the eLite SIS products they fit.

What you can do

- Create, edit, score, assign, and status leads (status/source are configurable option sets).
- Filter, search, sort, and use saved views to work a queue.
- Convert/hand off qualified leads to inside sales or an account executive.

Works with. SDR & Inside-Sales workspaces (queues), Accounts/Contacts/Opportunities (conversion), Campaigns (membership and attribution).

AI here. Lead summaries, intent detection, and follow-up draft emails (sensitive drafts return for review).

3. Accounts

Path: `/accounts` , `/accounts/:accountId`

Purpose. The organisations you sell to and serve — the relationship hub.

What you can do

- Maintain account records, owners, related contacts, and opportunities.
- Review the account **timeline** (meetings, emails, notes).

Works with. Contacts, Opportunities, Customer Success (managed accounts), Support (customer context), Resellers/Partners (sourced accounts), Customer Portal (a portal user is linked to an account).

AI here. Account brief / relationship summary on demand.

4. Contacts

Path: `/contacts` , `/contacts/:contactId`

Purpose. The people inside accounts — decision-makers, champions, and end users.

What you can do. Create and maintain contacts, associate them with accounts, campaigns, and activities; keep notes and timelines current.

Works with. Accounts, Leads, Campaigns (members), Opportunities (stakeholders), Support (requesters).

5. Opportunities & Pipeline

Path: `/opportunities` , `/opportunities/new` , `/opportunities/:id`

Purpose. Manage active deals from creation through close on a stage-based pipeline.

What you can do

- Run the full opportunity lifecycle: create, edit, set value/close date, and move **stages** (role-aware; some transitions may require permission).
- Work the **Kanban pipeline** or list; spot stalled deals.
- Stage changes are audited.

Works with. Accounts/Contacts (relationships), Resellers (deal registration links a reseller to an opportunity), Presales/BD (deal support), Dashboards (pipeline metrics and forecast).

AI here. Deal summaries and next-step suggestions.

6. Sales Workspaces — SDR & Inside Sales

Path: `/sales/sdr` , `/sales/inside-sales`

Purpose. Focused, prioritised cockpits for the two front-line selling motions.

- **SDR workspace** — a prioritised lead queue for prospecting and qualification, with next steps.
- **Inside-sales workspace** — progress qualified leads into opportunities and manage a book of smaller deals.

Works with. Leads, Accounts, Contacts, Opportunities. Managers get team dashboards and can reassign work.

AI here. Lead summaries and follow-up drafts inside the queue.

7. Business Development

Path: `/business-development`

Purpose. Drive strategic pipeline and partnerships beyond standard inbound sales.

What you can do. Create and track BD initiatives and their pipeline entries; link related accounts/opportunities; record progress and next steps.

Works with. Partners/Resellers and Presales collaboration; Opportunities.

8. Presales

Path: [/presales](#)

Purpose. Support deals with technical qualification, demos, and proposals.

What you can do. Track presales engagements and deliverables linked to opportunities; record technical qualification, demo notes, and proposal status.

Works with. Opportunities (deal support), AI Actions (proposal outlines route for review before sending).

9. Campaigns (Marketing)

Path: [/campaigns](#) , [/campaigns/new](#)

Purpose. Plan and run marketing programs and manage marketing-sourced pipeline.

What you can do

- Full campaign lifecycle: create, edit, set type/dates/goals, and manage **members** (target leads/contacts).
- Track performance on the campaign dashboard.

Works with. Leads/Contacts (membership and attribution), Dashboards (campaign metrics).

AI here. Campaign plans, email copy, and audience suggestions (sensitive → review).

10. Social

Path: [/social](#) , [/social/new](#)

Purpose. Create, schedule, and track social media content.

What you can do. Compose posts, set channel and schedule, and track engagement on the post detail screen.

AI here. Captions and hashtag suggestions (sensitive → review).

11. Partners

Path: [/partners](#)

Purpose. Manage partner relationships and partner-sourced pipeline.

What you can do. Maintain partner records, tiers, contacts, and engagement notes; track partner-sourced opportunities.

Works with. Business Development, Resellers, Opportunities.

12. Resellers

Path: `/resellers`

Purpose. Manage resellers, **deal registration**, and channel pipeline with margins.

What you can do. Maintain reseller records; **register deals** (links a reseller to an opportunity with margin/agreement details); track status through a scoped pipeline (visibility scoped to the resellers/owners you're permitted to see).

AI here. Reseller-growth insights.

13. Support / Tickets

Path: `/support` , `/tickets`

Purpose. Resolve customer issues and manage the support queue and SLAs.

What you can do

- Create, triage, update, assign, escalate, and resolve **tickets** with full history and customer context.
- Managers oversee assignment, escalation, and support dashboards.
- Review AI customer-query sessions that escalated into tickets.

Works with. Accounts/Contacts (customer context), Customer Query (escalations), Customer Portal (customer-raised tickets), Knowledge Base (answers).

AI here. Suggested replies and ticket summaries (sensitive → review).

14. Customer Success

Path: `/customer-success`

Purpose. Drive adoption, health, onboarding, and renewals. Variants: Onboarding, Scaled, Enterprise, plus CS Head oversight.

What you can do. Manage assigned accounts, **health scores**, onboarding plans, and playbooks; monitor at-risk accounts; CS Head sees portfolio rollups.

Works with. Accounts (managed accounts), Dashboards (health), Training (adoption).

AI here. Health-indicator explanations and account briefs.

15. Training

Path: `/training`

Purpose. Build and deliver learning paths, courses, and learner progress tracking — internal enablement and customer training.

Works with. Knowledge Base, Customer Portal (assigned training for external users).

16. Knowledge Base & RAG

Path: `/knowledge` , `/knowledge/articles` , `/knowledge/upload` , `/knowledge/rag-console` , knowledge-gap dashboard

Purpose. Curate the knowledge that grounds every AI answer, and inspect how retrieval works.

What you can do

- Author, review, **approve**, and **publish** articles. Only approved + published, permission-appropriate articles are used by AI retrieval and the customer-query bot.
- Upload documents and use the **RAG console** to preview what the AI would retrieve for a query and verify permission filtering.
- Review **knowledge gaps** (recurring unanswered queries) and close them by authoring articles.

Works with. AI Assistant / Customer Query (grounding + citations), Support (answers), Customer Portal (browsable articles).

17. Customer Query (AI Bot Review)

Path: `/customer-query` , `/customer-query/gaps`

Purpose. The review surface for questions the AI bot handled or escalated.

What you can do. Inspect sessions the bot escalated (low confidence, no approved answer, or sensitive topics), review the grounded answer and citations, take over or convert to a ticket, and see the **knowledge gaps** that tell authors what to write next.

Works with. Knowledge Base (gaps → articles), Support (escalations → tickets), Customer Portal (where end users ask).

18. Customer Portal (External)

Path: `/portal/*`

Purpose. A self-service workspace for external customers — fully scoped to their own organisation.

What customers can do

- **Dashboard** — their overview.
- **Tickets** — raise and track support tickets.
- **Ask AI** — get answers grounded **only** in approved knowledge with citations, or an automatic escalation (often creating a ticket) when no confident answer exists.
- **Knowledge** — browse permitted articles.
- **Training** — access assigned training.
- **Profile** — manage their details.

Works with. Support, Knowledge Base, Customer Query, Training. Portal users are linked to an account and never see another customer's data.

19. AI Assistant

Path: `/ai-assistant` , `/ask-ai` , `/ai-help`

Purpose. A governed assistant available across the app wherever your permissions allow (`ai.use_ai`).

How it behaves. Prompts come from a managed registry (never hardcoded), every run is logged, **sensitive outputs require human review**, and retrieval-grounded answers cite their sources rather than fabricating.

Works with. Every module that exposes summaries/drafts; Knowledge Base for grounding; Approvals for sensitive output review.

20. AI Actions, Agents & Prompts (AI Governance)

Path: `/ai-actions` , `/ai-agents` , `/ai-prompts` , plus tenant AI settings and usage logs

Purpose. The control room for the AI layer.

What you can do

- **AI Actions** (`/ai-actions`) — review predefined AI task runs and **approve/reject** sensitive outputs (audit-logged; only approved outputs are usable).
- **Prompt Registry** (`/ai-prompts`) — versioned, approvable prompt templates; callers reference them by `templateKey` .
- **Agent Registry** (`/ai-agents`) — agents with declared tools, data scope, and human-approval rules.

- Configure tenant **AI settings** (provider/model, rate limit, redaction, logging) and monitor **usage logs**.

Works with. Every AI touchpoint runs through this one governed gateway; Approvals and Audit enforce governance.

21. Notifications

Path: `/notifications`

Purpose. In-app notifications with per-user **preferences** (what you're notified about) and **mark read / mark all read**.

Works with. Workflows and Approvals (event sources).

22. Approvals

Path: `/approvals`

Purpose. A generic approval inbox used by workflows and sensitive actions.

What you can do. Review approval requests, **approve/reject**, and comment. Approvals are permissioned and audited.

Works with. Workflows (steps), AI Actions (sensitive output review), Notifications.

23. Workflows

Path: `/workflows`

Purpose. Automations with conditions and actions, managed by admin/ops users.

What you can do. Create and manage automations; runs integrate with **Approvals** and **Notifications**.

Works with. Notifications, Approvals, and any module the automation acts on.

24. Administration

Path: `/admin` → `rbac`, `modules`, `theme`, `terminology`, `custom-fields`, plus audit/governance

Purpose. Configure the tenant without code changes.

What you can do

- **RBAC** (`/admin/rbac`) — create roles and assign module permissions.
- **Modules** (`/admin/modules`) — enable/disable modules per tenant (disabled modules disappear from navigation).

- **Theme** (`/admin/theme`) — colours and logo.
- **Terminology** (`/admin/terminology`) — rename objects to match your vocabulary.
- **Custom Fields** (`/admin/custom-fields`) — extend business objects.
- Review the **audit log** and data-governance settings.

Works with. Every module (it governs what they show and what they're called). All changes are audit-logged.

Cross-cutting at a glance

Capability	Where	Note
Sign in / sessions	<code>/login</code> , <code>/profile</code>	Lockout after repeated failures; secure refresh-token sessions
Role-aware navigation	Everywhere	Missing menu = permission or disabled module
Configurable labels	Admin → Terminology	Labels may differ from this guide; behaviour is identical
Human-in-the-loop AI	AI Actions / Approvals	"Pending review" outputs aren't usable until approved
Grounded answers	Knowledge Base / RAG	AI cites sources and escalates instead of guessing
Auditability	Admin → Audit	Logins, denials, exports, config, AI runs

*Companion: see the **Persona-Wise Workflow Guide** for end-to-end, step-by-step tasks per role, each with a ready-to-use demo login. Source of record: `docs/user-guides/USER_MANUAL.md` and the [Documentation Index](#).*