[HTTP is (Statelers but not sessionless) etTTP protosel is statelers but headers like cookie can be used to make Stateful sersion \* Two HTTP rejust On't share semon mlers we use some cookie in both HTTP Respons Regust

HTTP Regust

Method	Path	Protoco	l versic	n	
		/			
GET	/ H	₩ HTTP/1.1	L		
		loper.mo		.org	
		<b>†</b>			
		Heade	ers		
 	Boo	Ly Copp	ional)	)	
		Depend	on:	Regist	
		Method	type	<ul><li></li><li></li></ul>	
k Method	lo p	biET -	· · ·	; OP	7/0N
k Method		057	CRUD	COL	VNECT ACF
					= A O

1. 1 1.	. ,	\sigma_\s	POSS		•]		•			•	•			•			
Protocol version			Status code				Status message										
	НТ	TP	/1.	1	2	.00		Oł									
	cad	che	- C C		rol	:	out	oli	С,	10: max							
							ł	Hea	ıdeı	rs							
					Bi		¥ {	مهو	L'or	ral	$\Big)$						
	•																
Sta	his	Ci	d	20													
				1×	- ×	:	·	Tr		gen	~a(	Lo	2				
			.7	X	×	·	)	Su	C e	وسره							
			. 2	•			•	$\Omega$ 8	a /	0	. /	, ,					

4xx—) client ovors 5xx—) server errors