Status	Finished
Started	Friday, 21 August 2026, 10:39 AM
Completed	Friday, 21 August 2026, 10:46 AM
Duration	7 mins 22 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Complete

Mark 1.00 out of 1.00

What is the output when the following sequence of instructions is carried out in the console?

```
a = 1;a = a + 1;a = a + 2;a = a + 3;print(a)
```

- a. 4
- b. 7
- c. 6
- d. 5

Question **2**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

- a. Error
- b. Know Program
- c. Hello
- d. Compiled Successfully, No Output.

Question **3**

Complete

Mark 1.00 out of 1.00

What is the output of the following snippet if 5 is given as the input?

```
c = input("Enter a number: ")
print(c * 3)
```

- a. 2
- b. 15
- c. 555
- d. 8

Question **4**

Complete

Mark 1.00 out of 1.00

____ is an empty statement in Python.

- a. None
- b. Empty
- c. pass
- d. Jump

Question **5**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if (a => 22)
- b. if (a >= 2)
- c. if a>=2 :

Question **6**

Complete

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if False:
    print("1001")
else:
    print("2002")
```

a. syntax error

b. 2002

c. 1001

Question **7**

Complete

Mark 1.00 out of 1.00

What is the output of the following snippet?

```
s1 = "IIT "  # Remember there is a space after T in IIT
s2 = "Punjab"
s1 = s1 * 2
s2 = "Ropar"
print(s1, s2)
```

a. IIT Ropar

b. IIT Punjab

c. IIT IIT Punjab

d. IIT IIT Ropar

Question **8**

Complete

Mark 1.00 out of 1.00

Write the output of the following code :

```
y=2
if 2!=y:
 print("H")
else :
 print("K")
```

a. H

b. K

c. Error

d. No output

Question **9**

Complete

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

a. Yes

b. No

Question **10**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
a = 25
if a > 15:
   print("Hi")
if a <= 30:
   print("Hello")
else:
   print("Know Program")
```

a. Hi
Hello

b. Hello
Know Program

c. Hi
Know Program

d. Hello

Question **11**

Complete

Mark 1.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

a. Empty

b. Jump

c. None

d. pass

Question **12**

Complete

Mark 0.00 out of 1.00

```
if(x=-1):
    print("present")
else:
    print("absent")
```

a. absent

b. Runtime Error

c. present

d. compilation error

Question **13**

Complete

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 2

b. Code 1, Code 3

c. Code 2, Code 3

Question **14**

Complete

Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

a. if x is greater than 2, the value in x will be doubled after this code executes

b. x will always equal 0 after this code executes for any value of x

c. if x is greater than 2, x will equal 0 after this code executes

d. if x is lesser then 0,x will be 0 after this code executes

Question **15**

Complete

Mark 1.00 out of 1.00

What is the output of the following code :

```
x=True
y=False
z=False
if x or y and z:
    print("YES")
elif x and y or z:
    print("yes")
else:
    print("no")
```

a. YES

b. no

c. Error

d. yes