Test Plan — KAN-4: Add a pass key and SSO Login to VMO Login Page

Status: Draft — pending human review

Author: GitHub Copilot

Date: 2026-10-28

Project: VWO / Bingify

Company context: VWO is an A/B testing platform used to optimize website experiences. This work affects the authentication layer on the VWO login page and must preserve existing sign-in flows while introducing Passkey and SSO options.

1. Scope & Objectives

Objective

Validate that the VWO login page offers users a secure and convenient login experience through Passkey and SSO without breaking the existing email/password and Google login flows.

In scope

• Add "Sign in using SSO" option to the VWO login page.

• Add "Sign in with Passkey" option to the VWO login page.

• Display both options below the existing "Sign in with Google" option.

• Support successful and unsuccessful authentication flows for Passkey and SSO.

• Display guidance when Passkey authentication is unavailable or unsupported.

• Maintain existing login functionality and compatibility with supported browsers and devices.

Out of scope

• New identity provider onboarding beyond the specified SSO flow.

• Backend IdP setup or enterprise admin configuration tasks.

• Broad redesign of the login page beyond the requested option placement and UX wording.

2. Gaps & Questions for the author

Additional notes

This ticket provides a clear user story and scope but does not yet define the exact enterprise SSO provider, browser matrix, available error messages, or accessibility acceptance criteria. Those details are required for a complete test sign-off.

3. Test Scenarios (P0/P1/P2)

4. Test Data & Environment

Test data

• Active VWO user account with email/password authentication.

• Test account configured for Google login.

• SSO-enabled account / tenant for enterprise login testing.

• Passkey-enabled user profile on a supported browser or device.

• Unsupported device/browser scenario for Passkey fallback testing.

• Invalid/expired SSO token or certificate scenario.

• User with blocked or disabled platform authenticator.

Environment / configuration

• QA/Staging environment with login page loaded.

• Browser matrix: Chrome, Edge, Firefox, Safari (where available).

• Mobile test coverage: iOS Safari and Chrome on Android if applicable.

• Feature flags for login methods and identity provider configuration.

• Network conditions: normal, slow, and denied network conditions for retry and timeout validation.

Roles / permissions

• Standard user login.

• Enterprise login / SSO user.

• Device with local security credentials configured for Passkey.

• User with unsupported or disabled Passkey capability.

5. Risks & Assumptions

Assumptions made

• The login page uses a standard UI pattern with primary social auth buttons and additional provider options.

• "Sign in using SSO" likely routes to an external identity provider workflow.

• "Sign in with Passkey" is expected to use WebAuthn/passkey support and browser/platform credentials.

• Existing Google login remains in place and is not replaced by new options.

Risks

• Passkey support may vary across browsers and devices, leading to inconsistent UX.

• SSO integration may fail for tenant-specific login URLs, domains, or certificates.

• Incomplete accessibility support could prevent keyboard and assistive technology users from navigating the new controls.

• Security checks may be missing for expired sessions, invalid tokens, or replay attempts.

6. Entry / Exit Criteria

Entry criteria

• VWO login page build is available in QA/staging.

• Passkey and SSO configuration is enabled for test environments.

• Test users and SSO test tenant are available.

• Login page acceptance criteria and design references are approved or clarified.

Exit criteria

• All P0 and high-priority scenarios pass.

• No critical or high-severity defects remain open.

• Error guidance and unsupported flows are validated.

• Accessibility and regression checks for login flows pass.

• Human reviewer confirms sign-off on assumptions and open questions.

7. Human Review Gate

• I assumed: SSO will use a standard provider flow with a redirect-based login experience and Passkey will rely on supported WebAuthn capabilities.

• I could not confirm: exact SSO provider type, browser matrix, required copy, enterprise tenant configuration, and accessibility acceptance criteria.

• Open questions blocking sign-off:

1. Which SSO provider or protocol is required?

2. What exact destination and no-provider fallback UX should the "Sign in using SSO" option use?

3. Which browsers/devices are officially supported for Passkey?

4. What are the expected error messages and guidance copy for unsupported Passkey or failed SSO login?

5. Are there explicit accessibility requirements for keyboard, screen-reader, and focus management?

• Approve or edit before I continue with detailed test cases or automation.

8. Summary

KAN-4 introduces additional login options to the VWO login page and should be tested as a sign-in experience change, not simply as a UI add-on. The priority is to ensure no regression to existing authentication while validating successful and failed Passkey/SSO transactions, unsupported device scenarios, accessibility, and secure user guidance.