1.

Create a new directory named `git_practice`, initialize it as a Git repository, and verify that Git is initialized.

2.

Create a file named `hello.txt`, add some text to it, and make your first commit.

3.

Check the current status of your Git repository and identify tracked and untracked files.

4.

Modify the `hello.txt` file by adding new content, then stage and commit the changes.

5.

View the commit history of your repository and identify the latest commit.

6.

Create a new branch named `feature` and switch to it.

7.

In the `feature` branch, create a new file `feature.txt`, add content, and commit it.

8.

Switch back to the main branch and merge the `feature` branch into it.

9.

Delete the `feature` branch after merging.

10.

Clone a public Git repository to your local system.

11.

Create multiple files and stage only one of them for commit.

12.

Make changes to a file and view the differences before staging.

13.

Undo changes made to a file before staging.

14.

Remove a file from the repository and commit the change.

15.

Rename a file using Git and commit the change.

16.

Check which branch you are currently working on.

17.

Create two branches and switch between them.

18.

Make changes in two different branches and merge them.

19.

View a specific commit using its commit ID.

20.

Display a short version of the commit history.

21.

Stash your current changes and apply them later.

22.

List all branches in your repository.

23.

Create a `.gitignore` file and ignore specific file types.

24.

Add multiple files to staging area using a single command.

25.

Reset the last commit but keep the changes in working directory.