Thursday, September 03, 2020

Interview Questions Answers

INTERVIEW QUESTIONS AND ANSWERS FREE DOWNLOAD FOR FRESHERS EXPERIENCED MCQS REAL TIME FAQS OBJECTIVE PLACEMENT PAPERS PDF

HOME   ABOUT US   CONTACT US   PRIVACY POLICY

TERMS & CONDITIONS

100 REAL TIME SELENIUM Multiple Choice Questions and Answers

SELENIUM Multiple Choice Questions and Answers :-

1. The test language usually used in Selenium is _____.
A. PHP
B. Python
C. JavaScript
D. None of the above
Ans: C

2. The term AJAX expands to _____.
A. Asynchronous Java and XML
B. Asynchronous JavaScript and XML
C. Accumulated Java and XML
D. None of the above
Ans: B

3. The term JSON refers to _____.
A. JavaScript Object Notation
B. Java Object Notation
C. Java Object Naming
D. None of the above
Ans: A

SELENIUM Multiple Choice
Questions and Answers

*SELENIUM Multiple Choice
Questions and Answers*

4. Selenium tests _____.
A. DOS applications
B. Browser-based applications
C. GUI applications
D. None of the above
Ans: B

5. Selenium variables are stored in _____.
A. storedVars
B. storedVariables
C. VariablesStore
D. None of the above
Ans: A

6. Which selenium command check whether specific text exists somewhere on the page ?
A. verifyTextPresent
B. verifyTextPresent
C. CheckTextPresent
D. VerifyPresentText
Ans: A

7. What does the term CSS refers to ?
A. Cascade Style Sheets
B. Cascading Style Sheets
C. Clear Style Sheets
D. Catering Style Sheets
Ans: B

8. What is Selenium IDE ?
A. Windows Software
B. Firefox Plug-in
C. Java Software
D. Flash Plug-in
Ans: B

9. What is called that scale for large test suites or test suites that must be run in multiple environments?

A. Selenium-Grid

B. Selenium RC

C. Selenium Web driver

D. Selenium NG

Ans: A

10. Where is XPath used in ?

A. XML documents

B. MS-Word documents

C. MS-Excel documents

D. MS-PowerPoint documents

Ans: A

11. What does the term DOM refers to ?

A. Dynamic Object Model

B. Document Object Model

C. Data Object Model

D. Document Flow Object Model

Ans: B

12. What does the term regex expands to ?

A. Registered Expression

B. Regular Expression

C. Regression Expression

D. Regional Expression

Ans: B

13. Which label is used as prefix pattern to specify a globbing
pattern parameter for a Selenese command ?

A. pattern

B. glob

C. regex

D. None

Ans: B

14. What is a test suite made of ?

A. Test packs

B. Tests

C. Test blocks

D. Test pattern

Ans: B

15. What does the assertTitle checks ?

A. Element title

B. Page title

C. Block title

D. Title of element under focus

Ans: B

16. Select the component which is NOT part of Selenium suite.

A. Selenium IDE

B. Selenium RC

C. SeleniumGrid

D. Selenium Web

Ans: D

17. Select the language which is NOT supported by the Selenium
RC.

A. ASP

B. Java

C. C#

D. PHP

Ans: A

18. Select the name which is NOT the type of the locaters.

A. ID

B. Name

C. Password

D. Link Text

Ans: A,C

19. Is Web Driver a component of the Selenium?

A. No

B. Yes

Ans: B

20. Selenium IDE stands for

A. Selenium Intialization Development Environment

B. Selenium Interrelated Development Environment

C. Selenium Integrated Development Environment

D. Selenium Information Development Environment

Ans: C

21. Select the Browser which is supported by Selenium IDE

A. Google chrome

B. Opera mini

C. Mozilla Firefox

D. Internet Explorer

Ans: C

22. Select the operating system which is NOT supported by
Selenium IDE.

A. Unix

B. Linux

C. Windows

D. Solaris

Ans: A

23. The Web driver is used

A. To execute tests on the HtmlUnit browser.

B. To design a test using Selenese

C. To quickly create tests

D. To test a web application against Firefox only.

Ans: A

24. The Selenium IDE is used

A. To create customized test results.

B. To deploy your tests across multiple environments using
Selenium Grid

C. To test with HTMLUnit

D. To test a web application against Firefox only.

Ans: D

25. The Selenium RC is used

A. To run your test against different browsers (except HtmlUnit)
on different operating systems.

B. To create tests with little or no prior knowledge in
programming.

C. To test a web application against Firefox only.

D. To run a huge test suite, that can be executed on multiple
machines.

Ans: A

26. Out of the following which can only test web applications

A. QTP

B. Selenium

Ans: B

27. Select the command which is NOT a type of assertion in
Selenium IDE.

A. Assert

B. Verify

C. WaitFor

D. Wait

Ans: D

28. Select the method which selects the option at the given index.

A. selectByIndex()

B. selectIndex()

C. selectedByIndex()

D. selectByIndexes()

Ans: A

29. The Selenium can

A. access controls within the desktop

B. both web and desktop applications

C. only test web applications

Ans: C

30. The Selenium

A. Provides professional customer support

B. Test Reports are generated automatically

C. Comes with a built-in object repository

D. Cannot access elements outside of the web application under

test

Ans: D

31. Can Google chrome be supported by Selenium IDE?

A. Yes

B. No

Ans: B

32. Can Unix operating system be supported by Selenium IDE?

A. No

B. Yes

Ans: A

33. Which command can be used to enter values onto text boxes?

A. sendsKeys()

B. sendKey()

C. sendKeys

D. sendKeys()

Ans: D

34. Select the language which is supported by The Selenium Web
Driver
A. Perl
B. Sql
C. ASP
D. Cobol
Ans: A

35. Which Selenium component supports All Operating System?
A. Selenium Generator
B. Selenium IDE
C. Selenium WebDriver
Ans: C

36. Select the command in Selenium IDE used to open a page
using the URL.
A. OpenRecord
B. Open
C. OpenText
D. OpenTable
Ans: B

37. In case of Selenium IDE, the Source view shows your script in
A. DHTML format
B. J2EE format
C. XML format
D. HTML format.
Ans: C

38. The Actions commands
A. are commands that directly interact with page elements.
B. are commands that allow you to store values to a variable.
C. are commands that verify if a certain condition is met.
Ans: A

39. Select the command which is used to check the presence of a
certain element.
A. verifyTable
B. verifyTitlePresent
C. verifyTextPresent
D. verifyElementPresent
Ans: D

40. Select the command which is used to print a string value or a
variable in Selenium IDE.
A. The 'display' command
B. The 'echo' command
C. The 'print' command
D. The 'printr' command
Ans: B

41. Which component of Selenium can create customized test
results.
A. Web driver
B. Selenium RC
C. Selenium IDE
D. Selenium Grid
Ans: A

42. Select the command which is used to compare the contents of
a table with expected values.
A. verifyTables
B. verifyTableData
C. verifyTable
D. verifyTableCell
Ans: C

43. Select the command which is used to pause execution until
the specified element becomes present.
A. waitForElementPresent
B. waitForPagePresent
C. waitForTablePresent
D. waitForFieldPresent
Ans: A

44. Select the command that will NOT wait for a new page to load
before moving onto the next command.
A. clickAndWait
B. selectAndType
C. typeAndWait
D. selectAndWait
Ans: B

45. Select the command which is used to pause execution until
the page is loaded completely.
A. waitForPageToLoad
B. waitForElementPresent

C. waitForPage

D. waitForLoad

Ans: A

46. Select the syntax to locate an element using inner text.

A. css=tag:contains("inner text")

B. css=tag:value("inner text")

C. css=tag:attributes("inner text")

D. css=tag:class("inner text")

Ans: A

47. Select the command which is used to compare the actual page title with an expected value.

A. verifyTitle

B. verifiedTitle

C. verifyTitles

D. verifiedTitles

Ans: A

48. Select the command which is NOT used in verifying page elements .

A. verifyElementPresent

B. verifyElementRight

C. verifyElementNotPresent

D. verifyElementPositionLeft

Ans: B

49. Select the tab which gives feedback and other useful information when executing tests.

A. Information

B. Feedback

C. Reference

D. Element

Ans: C

50. What is TestNG?

A. TestNextGeneration

B. TestNewGenerlization

C. TestNewGeneration

D. TestNextGenerations

Ans: A

51. Select the variation which finds elements based on the driver's underlying CSS selector engine in Web driver Selenium.

A. By.cssSelected

B. By.cssSelection

C. By.cssSelector

D. By.Selectcs

Ans: C

52. Select the variation which locates elements by the value of the "name" attribute in Web driver Selenium

A. By.name

B. By.nametag

C. By.tagname

D. By.nametags

Ans: A

53. Select the tab that shows which command Selenium IDE is currently executing.

A. Variable

B. Data

C. Information

D. Info

Ans: D

54. Which is a faster component between the SeleniumWeb driver and Selenium RC?

A. Selenium RC

B. Selenium Web driver

Ans: B

55. Select the variation which locates elements by the value of their "id" attribute in Web Driver Selenium

A. By.id

B. By.idno

C. By.id_no

D. By.tag_id

Ans: A

56. Select the Get command which fetches the inner text of the element that you specify in Web driver Selenium.

A. getinnerText()

B. get_in_Text()

C. get_inner_Text()

D. getText()

Ans: D

57. Which Navigate command takes you forward by one page on the browser's history in Web driver Selenium.
A. navigate.forward()
B. navigate().forward()
C. navigate()_forward()
D. navigate_forword()
Ans: B

58. Which method is used when you want to verify whether a certain check box, radio button, or option in a drop-down box is selected in Web driver Selenium
A. is_Selected()
B. isSelect()
C. isSelected()
D. is_Select()
Ans: C

59. Which Component is used to run multiple tests simultaneously in different browsers and platforms?
A. Selenium Grid
B. Selenium IDE
C. Selenium RC
D. Selenium Webdriver
Ans: A

60. Select the View which shows your script in HTML format.
A. The Table View
B. The Source View
C. The Editor View
D. The Field View
Ans: B

61. Select the method which clears all selected entries in Web driver Selenium.
A. dselectAll()
B. deselect_All()
C. dselect_All()
D. deselectAll()
Ans: D

62. Method which selects the option which displays the text matching the parameter passed to it
A. selectVisibleText()
B. selectByVisibleText()

C. select_VisibleText()

D. select_ByVisibleText()

Ans: B

63. Out of the following which is NOT a wait command.

A. waitForTitle

B. waitForTextPresent

C. waitForActive

D. waitForAlert

Ans: C

64. Select the command which retrieves the alert message and stores it in a variable that you will specify.

A. storeAlert

B. storedAlert

C. store_Alert

D. storesAlert

Ans: A

65. Select the method which performs a context-click at the current mouse location.

A. click_Context()

B. context.Click()

C. contextClick()

D. context_Click()

Ans: C

66. By Default time of WAITFOR command is :

A. 15 sec

B. 20 sec

C. 25 sec

D. 30 sec

Ans: D

67. Selenium is compatible with

A. CSS1.0 and CSS 2.0,

B. CSS1.0, CSS 2.0, and CSS 3.0 selectors.

C. CSS 2.0, and CSS 3.0 selectors.

D. CSS1.0, CSS 2.0, CSS 3.0 and CSS 4.0 selectors.

Ans: B

68. In Selenium variables are stored in _____ .

A. storedVars

B. storedVariables

C. VariablesStore

D. All of the above

Ans: A

69. Which command should be used to confirm that test will pass in the future, when new element is added after page loaded?

A. waitForElementPresent

B. pause

C. assertElementPresent

D. None of these

Ans: A

70. Which is the following is true in case of waitFor command?

A. waitForAlertPresent

B. waitForTextPresent

C. waitForFramePresent

D. waitForPageToLoad

Ans: B

71. How to execute specific command?

A. Highlight a command. Press Ctrl + F9.

B. Highlight a command. Press Alt + F9.

C. Highlight a command. Press Ctrl + X.

D. Highlight a command. Press X.

Ans: D

72. Which is odd one out?

A. ID

B. XPath

C. CSS selector

D. Pattern matching

Ans: D

73. Which command is used to extend the time limit of WAITFOR command?

A. Extend waitFor (time in sec)

B. waitFor (time in sec) extend

C. setTimeout (time in sec)

D. setTimeout.

Ans: D

74. _____ finds the item ending with the value passed in. This is the equivalent to the XPath ends-with. Is concern with?

A. ^=

B. $=

C. *=

D. &=

Ans: B

75. In Selenium, Following Axis is related to:

A. Selects all the siblings after the current element

B. Selects all elements that follow the closing tab of the current elements.

C. Selects all of the siblings before the current element

D. Selects all elements that are before the current element

Ans: B

76. The // tells the query that

A. It needs to stop at the first element that it finds.

B. This is comment

C. The path of the file or folder

D. All of these

Ans: A

77. In regular Expression * quantifier refers to:

A. 0 or more of the preceding character.

B. 1 or more of the preceding character

C. 0 or 1 of the preceding character

D. All of these

Ans: A

78. Which regular expression sequence that loosely translates to "anything or nothing?"

A. .* (dot star)

B. *. (star dot)

C. "?

D. *+

Ans: A

79. Which is a procedure?

A. Wait

B. Exit

C. WaitForProperty

D. None of these.

Ans: A

80. Variable can be saved in which format?

A. ${variableName}

B. storedVars['variableName'].

C. Both of these

D. None of these

Ans: C

81. We use the dot (.) operator followed by either a * or a +. The + tells the regular expression that there will be instances between "0" and "n", while the * tells the regular expression that there will be instances between "1" and "n".

A. True

B. False

Ans: B

82. Applications do not have the items needed for the tests when the tests get to commands. To get around this, we had a look at adding fro waitFor commands to test. This is related to

A. Debugging tests

B. Working with AJAX applications

C. Working with multiple windows

D. All of these

Ans: B

83. What is the most common way to find an element on a page?

A. ID

B. XPath

C. CSS selector

D. Name

Ans:

84. Which is not true in case of Globs, in Selenium?

A. Globs are used as default pattern matching technique.

B. It is similar to regular expressions.

C. The syntax of Globs is much wider than Regular expression

D. B and C

Ans: C

85. Which process use the JavaScript to find an element?

A. By DOM query

B. BY XPath query

C. BY CSS sector

D. All of these

Ans: A

86. Which of the following is not verify and asserts method in
Selenium?
A. VerifyElementPresent
B. VerifyElementNotPresent
C. VerifyText
D. VerifyTextAttributes
Ans: D

87. If you wanted to access the element that has the text "This
element has an ID that changes every time the page is loaded" in
it, then which of the following is used:
A. //div[contains(@id,'time_')]
B. //div[contains(@id_time())]
C. //div[parameter(@id_time())]
D. //div[parameter(@id,'time_')]
Ans: A

88. To delete a cookie we need to call the deleteCookie method,
passing in two parameters.
A. The first parameter is the name of the cookie, and the second
parameter is where it was created.
B. The first parameter is where it was created, and the second
parameter is the name of cookie.
C. None of these
Ans: A

89. What is the default port number used by hub in selenium?
A. 4444
B. 2222
C. 1111
D. 3333
Ans: A

90. Which two commands you use to validate a button?
A. VerifyTextPresent and assertTextPresent
B. VerifyElementPresent and assertElementPresent
C. VerifyAlertPresent and assertAlertPresent
D. VerifyAlert and assertAlert
Ans: B

91. In selenium, parent and child nodes are in same query
because HTML has a tree structure.
A. True

B. False

Ans: A

92. Selects all the parent, grandparent, and so on of the element
is related to which axis name in Selenium:

A. Ancestor

B. Preceding

C. Parent

D. All of these.

Ans: A

93. Variable can be saved in which format?

A. ${variableName}

B. storedVars['variableName'].

C. Both of these

D. None of these

Ans: C

94. echo(): is used

A. to display the value of a variable in the log file, which can be
very valuable for debugging.

B. Display the value of a variable named answer in the log file,
what would the first argument to the previous command look
like.

C. Both of these

D. None of these

Ans: C

SELENIUM Objective type Questions and Answers pdf free download ::