


Project 6

Building a serverless architecture

Step 1: Open MS Azure and search for 'function', open 'Function App'



Step 2: Select 'Consumption' in hosting plan options

[Home](#) > [Create a resource](#) > [Marketplace](#) >

Create Function App ...

Select a hosting option

These options determine how your app scales, resources available per instance, and pricing. [Learn more about Functions hosting options](#)

Hosting plans	☐ Flex Consumption	☒ Consumption
	Get high scalability with compute choices, virtual networking, and pay-as-you-go billing.	Pay for compute resources when your functions are running (pay-as-you-go).
Scale to zero	✓	✓
Scale behavior	Fast event-driven	Event-driven
Virtual networking	✓	-
Dedicated compute and prevent cold start	Optional with Always Ready	-
Max scale out (instances)	1000	200

Step 3: Fill in required information, then 'Review+Create' -> 'Create'.

[Home](#) > [Create a resource](#) > [Marketplace](#) > [Create Function App](#) >

Create Function App (Consumption) ...

[Basics](#) [Storage](#) [Networking](#) [Monitoring](#) [Deployment](#) [Tags](#) [Review + create](#)

Create a function app, which lets you group functions as a logical unit for easier management, deployment and sharing of resources. Functions lets you execute your code in a serverless environment without having to first create a VM or publish a web application.

Project Details

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Resource Group * ⓘ [Create new](#)

Instance Details

Function App name * .azurewebsites.net

☐ Try a secure unique default hostname (preview). [More about this update](#) ⓘ

Runtime stack *

Version *

Region *

Operating System * ☐ Linux ☒ Windows

[Review + create](#)

[< Previous](#)

[Next : Storage >](#)

Step 4: Click on `Go to resource`.

[Home](#) >

 **Microsoft.Web-FunctionApp-Portal-ab076ed4-ac81** | Overview [✕](#) [...](#)

[✕](#) [«](#) [Delete](#) [Cancel](#) [Redeploy](#) [Download](#) [Refresh](#)

 Overview

[Inputs](#)

[Outputs](#)

[Template](#)

 Your deployment is complete

 Deployment name : Microsoft.Web-FunctionApp-Portal-ab076ed4-ac81

Subscription : [Azure for Students](#)

Resource group : [resource](#)

[Deployment details](#)

[Next steps](#)

[Go to resource](#)

Step 5: In the 'Overview' menu and 'Functions' tab, click on 'Create Function'

Home > Microsoft.Web-FunctionApp-Portal-ab076ed4-ac81 | Overview >

ServerlessArchitecture Function App

Search Browse Refresh Stop Restart Swap Get publish profile Reset publish profile

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Microsoft Defender for Cloud
- Events (preview)
- Recommended services (preview)
- Resource visualizer
- Functions
- Deployment
- Settings
- Performance
- App Service plan
- Development Tools
- API
- Monitoring

Essentials

Resource group (move) : resource

Status : Running

Location (move) : Central India

Subscription (move) : Azure for Students

Subscription ID : e8624f68-5739-4c9d-9e2c-c9e3e732ff65

Tags (edit) : Add tags

Functions Metrics Properties Notifications (0)

Create function

Create in Azure portal

Best optimized for:

- Getting started without local setup
- Choose from our Function templates

Create function

Step 6: Choose template 'HTTP Trigger', and create function

1 Select a template **2 Template details**

Use a template to create a function. Triggers describe the type of events that invoke your functions. [Learn more](#)

Search

Name	Trigger
HTTP trigger	A function that will be run whenever it receives an HTTP request, responding based on data in the body or query string

Create function

1 Select a template **2 Template details**


We need more information to create the function. [Learn more](#)

Function template HTTP trigger

Function name * HttpTrigger1

Authorization level * ① Function


Create the function, it will give an error message, however the function will be created.



Refresh the page

Functions Metrics Properties Notifications (0)			
+ Create {} Set up local environment Refresh			
Filter by name...			
Name	Trigger	Status	Monitor
HttpTrigger1	HTTP	Enabled	Invocations and more

Step 7: Open your Function Application, your code will be present for HTTP trigger function.



Step 8: click on 'Test/Run', edit the input if needed

HttpTrigger1 | Code + Test ...

erverlessArchitecture

Code + Test Integration Function Keys Invocations

Save Discard Refresh Test/Run Get fu

Test/Run

Input Output

Provide parameters to test the HTTP request. Results can be found in the Output tab.

HTTP method *

Key *

Query parameters

Name	Value

Headers

Name	Value

Body

```
1 {  
2   "name": "TYCS(Hons) Student"  
3 }
```

When you click on run you will get the following output:

Test/Run

Input **Output**

HTTP response code

HTTP response content

Hello, TYCS(Hons) Student. This HTTP triggered function executed successfully.

Your logs will also be updated

```
Connected! You are now viewing logs of Function runs in the current Code + Test panel. To see all the logs for this Function, please go to 'Logs' from the Function menu.  
2025-03-07T03:40:17Z [Verbose] AuthenticationScheme: WebJobsAuthLevel was successfully authenticated.  
2025-03-07T03:40:17Z [Verbose] Authorization was successful.  
2025-03-07T03:40:17Z [Information] Executing 'Functions.HttpTrigger1' (Reason='This function was programmatically called via the host APIs.', Id=39e6199f-a78e-42ab-ba22-742e897cab14)  
2025-03-07T03:40:17Z [Verbose] Sending invocation id: '39e6199f-a78e-42ab-ba22-742e897cab14'  
2025-03-07T03:40:17Z [Verbose] Posting invocation id:39e6199f-a78e-42ab-ba22-742e897cab14 on workerId:4288e677-006b-48fd-8166-c080c9cc9caf  
2025-03-07T03:40:17Z [Information] JavaScript HTTP trigger function processed a request.  
2025-03-07T03:40:18Z [Information] Executed 'Functions.HttpTrigger1' (Succeeded, Id=39e6199f-a78e-42ab-ba22-742e897cab14, Duration=89ms)
```

mv