

Question # 40

_____ function carries out one way ANOVA.

 Revisit

Choose the best option

- ☐ aov()
- ☐ ANOVA()
- ☐ ANOVA
- ☐ All of above

Question # 39

```
L=[a' * x for x in range(4)]  
print(L)
```

 Revisit

Choose the best option

- ☐ [' ', 'a', 'aa', 'aaa']
- ☐ ['a', 'aa', 'aaa']
- ☐ error
- ☐ none of above

Question # 38

Which of below plot can be made in R?

 Revisit

Choose the best option

- ☐ Bar plot
- ☐ Pie Chart
- ☐ Box plot
- ☐ All of the above

Question # 37

Select the correct way to print Emma's age.

```
student = {1: {'name': 'Emma', 'age': '27', 'sex': 'Female'},  
          2: {'name': 'Mike', 'age': '22', 'sex': 'Male'}}
```

 Revisit

Choose the best option

- ☐ student[0][1]
- ☐ student[1]["age"]
- ☐ student[0]["age"]
- ☐ none of above

Question # 36

Which of the following package is not included in tidyverse?

 Revisit

Choose the best option

- ☐ tidy
- ☒ ggplot2
- ☐ readr
- ☐ tseries

Question # 35

Following function is used for Chi Square test in RStudio:

 Revisit

Choose the best option

- ☐ chisq.test()
- ☐ chisquare()
- ☐ chl.square()
- ☒ None of above

Clear Response

Question # 35

Following function is used for Chi Square test in RStudio:

 Revisit**Choose the best option**

- ☐ `chisq.test()`
- ☐ `chisquare()`
- ☐ `chi.square()`
- ☐ None of above

Question # 33

Which of the following is tool for checking normality?

 Revisit**Choose the best option**

- ☐ qqline()
- ☐ qline()
- ☐ anova()
- ☒ all of the mentioned

Clear Response

Question # 32

Attributes of an object (if any) can be accessed using the _____ function.

 Revisit

Choose the best option

- ☐ objects()
- ☐ attrib()
- ☐ attributes()
- ☐ all of the mentioned

Question # 31

Which of the following is used to find variance of all values ?

 Revisit

Choose the best option

- ☐ var()
- ☐ sd()
- ☐ mean()
- ☐ all of the above

Question # 30

When we create a series from dictionary then the keys of dictionary become _____

 Revisit**Choose the best option**

- ☐ Index of the series
- ☐ Value of the series
- ☐ Caption of the series
- ☐ none of above

Question # 29

Which of the following syntax is used to install car package ?

 Revisit

Choose the best option

- ☐ install.pack("car")
- ☐ install.packages("cara")
- ☐ install.packages("car")
- ☐ all of the mentioned

Question # 28

Which of the following command helps to make factor of categorical variable?

 Revisit

Choose the best option

- ☐ factor()
- ☐ as.factor()
- ☐ Asfactor ()
- ☐ ASMact ()

Question # 27

R was created by employees in the Department of Statistics at the University of _____.

 Revisit

Choose the best option

- ☐ Denmark
- ☐ Auckland
- ☐ Belgium
- ☒ London

Clear Response

Question # 26

Which of the following is correct Features of DataFrame?

 Revisit

Choose the best option

- ☐ Potentially columns are of different types
- ☐ Can Perform Arithmetic operations on rows and columns
- ☐ Labeled axes (rows and columns)
- ☐ All of the above

Question # 25

Which one of the following is correct?

 Revisit

Choose the best option

- ☐ a dictionary can have two same keys with different values.
- ☐ a dictionary can have two same values with different keys
- ☐ a dictionary can have two same keys or same values but cannot have two same key-value pair
- ☐ a dictionary can neither have two same keys nor two same values.

Question # 24

Select the correct mode to open a file for appending as well as reading

 Revisit

Choose the best option

☐ a+☐ ar☐ r+☒ ar+

Question # 23

Select which false for Python function

 Revisit

Choose the best option

- ☐ A function is a code block that only executes when called and always returns a value.
- ☐ A function only executes when it is called and we can reuse it in a program
- ☐ Python doesn't support nested function
- ☐ A function is a code block that only executes when called and may or may not return a value.

Question # 22

what will be the output ? L=[1,2,3] L1=[10,20,30] L.append(L1) print(L1)

 Revisit

Choose the best option

- ☐ error
- ☐ [1,2,3,10,20,30]
- ☐ [1,2,3,[10,20,30]]
- ☐ none of above

Question # 21

Which is not the package used in RStudio

 Revisit

Choose the best option

- ☐ Robert
- ☐ Car
- ☐ Readxl
- ☒ haven

Clear Response

Question # 20

Point out the correct statement:

 Revisit

Choose the best option

- ☐ In R, a function is an object which has the mode function
- ☐ R interpreter is able to pass control to the function, along with arguments that may be necessary for the function to accomplish the actions that are desired
- ☐ Functions are also often written when code must be shared with others or the public
- ☒ All of the mentioned

Clear Response

Question # 19

 Revisit

Choose the best option

Which of the following is used to create sequence from 1 to 10?

- ☐ Disp(10)
- ☐ View(1:10)
- ☒ Seq(10)
- ☐ None of the mentioned

Clear Response

Question # 18

Which method is used to sets the position of a file pointer

[Revisit](#)

Choose the best option

☐ ftell()☐ fseek()☐ tell()☒ seek()[Clear Response](#)

Question # 17

 Revisit

Choose the best option

```
d={'k1':100,'k2':900,'k3':500} , v =d.get(k5) print(v)
```

- ☐ key error
- ☐ -1
- ☐ 0
- ☐ none of above

Question # 16

 Revisit

Choose the best option

_____ function carries out a chi-square test.

☐ `chisq.test()`☐ `t.test()`☐ `prop.test()`☒ `fisher.test()`

Clear Response

Question # 15

 Revisit

Choose the best option

Select the correct output of the following code `fp.seek(5, 1)`

- ☐ Move file pointer five characters ahead from the current position
- ☐ Move file pointer five characters ahead from the beginning of a file.
- ☐ Move file pointer five characters behind from the current position.
- ☐ Move file pointer five characters behind ahead from the end of a file.

Question # 14

 Revisit

Choose the best option

how to apply Anderson Darling test for nortest?

- ☐ ad.test()
- ☐ ADtest()
- ☐ Andersondarling ()
- ☒ None of above

Question # 13

 Revisit

Choose the best option

R is preferred most compared to rest of the software because of

- ☐ It is free of cost.
- ☐ Easy to use and deal with huge data set
- ☐ Makes data visualization easy
- ☐ All of the above

Question # 12

 Revisit

Choose the best option

Following function is used for t test

- ☐ t .test()
- ☐ ttest()
- ☐ tt.test()
- ☐ None of them

Question # 11

 Revisit

Choose the best option

What is the output of the following `display()` function call

```
def display(**kwargs):  
    for i in kwargs:  
        print(i)  
  
display(emp="Kelly", salary=9000)
```

- ☐ TypeError
- ☐ Kelly,9000
- ☐ ('emp', 'Kelly')
('salary', 9000)
- ☒ emp,salary

Question # 10

 Revisit

Choose the best option

Select the all correct way to remove the key marks from a dictionary

```
student = {  
  "name": "Emma",  
  "class": 9,  
  "marks": 75  
}
```

- ☐ student.pop("marks")
- ☐ student.remove("marks")
- ☐ del student("marks")
- ☐ error

Question # 9

 Revisit

Choose the best option

```
L1=[1,2,4] , L1.insert(4,10) print(L1)
```

- ☐ error
- ☐ [1,2,10]
- ☐ [1,2,4,10]
- ☒ none of above

Question # 8

 Revisit

Choose the best option

What is the output of the following `display_person()` function call

```
def display_person(*args):  
    for i in args:  
        print(i)  
  
display_person(name="Emma", age="25")
```

- ☐ Emma ,25
- ☐ name,age
- ☐ error
- ☒ both a and b

[Clear Response](#)

Question # 7

 Revisit

Choose the best option

in order to run simple regression, which below command is used?

- ☐ lm(DV~IDV)
- ☐ lm(IDV~DV)
- ☐ lm(IDV,DV)
- ☒ lm(DV,IDV)

Clear Response

Question # 6

How many types of R objects are present in RStudio data type?

 Revisit

Choose the best option

- ☐ 1
- ☐ 2
- ☐ 5
- ☒ 4

Clear Response

Question # 5

 Revisit

```
dict1={"a":10,"b":2,"c":3}
str1=""
for i in dict1:
    str1=str1+str(dict1[i])+ " "
str2=str1[:-1]
print(str2[:-1])
```

Choose the best option

- ☐ 3,2
- ☐ 3,2,10
- ☐ 3,2,01
- ☐ error

Question # 4

 Revisit

Choose the best option

Select the incorrect file access mode

- ☐ r
- ☐ ab+
- ☐ wb+
- ☐ rw+

 Proctor Chat Chat messages are monitored

Proctor
pm not visible

You
now

2 New Messages

Proctor
done

Proctor
ok

Write a message...

Send 

Question # 3

```
dict={"Joey":1,"Rachel":2} dict.update({"Phoebe":2})  
print(dict)
```

 Revisit

Choose the best option

- ☐ error
- ☐ new value will be updated in nw dictionary
- ☐ a new value will be in old dictionary
- ☐ both of above

Question # 2

Which method is used to read file line by line

 Revisit

Choose the best option

- ☐ read()
- ☐ read(1)
- ☐ readline()
- ☐ readlines(1)

Question # 1

A _____ is a one-dimensional array.

 Revisit

Choose the best option

- ☐ Data Frame
- ☐ Series
- ☐ Both of the above
- ☐ None of the above