



30 Important Questions TYCO

Operating system (Guru Gobind Singh Polytechnic)



Scan to open on Studocu

Guru Gobind Singh Polytechnic Nashik

Department: Computer Engineering

Academic Year-2023-24

Important Questions for MSBTE Exam

Course Name: OSY (22516)

Class TYCO

1. Enlist types of operating system. Explain multiprogramming OS in detail.
2. List and draw a neat labelled diagram of four components of a computer system.
3. Compare between Command line and Graphical user interface.
4. Compare UNIX and Windows Operating System.
5. List and Explain components of operating system.
6. Explain any four services provided by operating system. Draw diagram showing services.
7. Explain any four file related system call.
8. Explain any four system call.
9. Explain any four Operating System Tools.
10. Draw and Explain PCB in detail.
11. Draw and Explain Inter-process Communication.
12. Explain different process states with neat diagram.
13. Compare Long, Short, Middle term scheduler.
14. Explain Multithreading model with diagram.
15. Explain Round Robin scheduling algorithm with example.
16. Describe Deadlock Prevention and Avoidance.
17. Explain deadlock? What are necessary conditions for deadlock?
18. Describe CPU burst cycle and I/O burst cycle.
19. Explain partitioning and its types.
20. Explain internal and external fragmentation.
21. List free space management techniques? Describe any one in detail.
22. Explain difference between paging and segmentation?
23. Describe sequential and direct access method
24. Write Unix command for following: (i) Create a folder OSY (ii) Create a file FIRST in OSY folder (iii) List / display all files and directories. (iv) Write command to clear the screen
25. List and explain different attributes of file.
26. Enlist different file allocation methods? Explain contiguous allocation method in detail.
27. Construct and explain directory structure of a file system in terms of single level, two level and three structure.
28. The jobs are scheduled for execution as follows:

Process	Arrival Time	Burst Time
P1	0	7
P2	1	4
P3	2	10
P4	3	6
P5	4	8

Find average waiting time and average turnaround time using SJF.

29. Solve given problem by using Round Robin (Time Slice = 3 ms) Calculate average waiting time using Gantt chart.

Process	Arrival Time	Burst Time
P11	0	8
P12	1	4
P13	2	9
P14	3	5

30. Given a page reference string (arrival) with four page frames, calculate the page faults With FIFO and LRU page replacement algorithms respectively:

12, 3, 4, 5, 1, 2, 5, 1, 2, 3, 4, 5, 1, 6, 7, 8, 9, 7, 8, 9, 5, 4, 4, 5, 4, 2.

Guru Gobind Singh Polytechnic Nashik

Programme: Computer Engineering

Course: Software Testing-STE

Important Questions

Questions 4 Marks each:

1. Define following terms – i) Error. ii) Fault. iii) Bug. iv) Failure.
2. Describe Code Complexity testing.
3. Differentiate between Smoke Testing and Sanity Testing. (any four points).
4. Differentiate between Quality Assurance and Quality Control
5. Explain test management with Test Infrastructure Management and Test People Management.
6. State any eight limitations of Manual Testing
7. Describe need for Automated Testing tools
8. Explain following concepts related to security testing – i) Authorization. ii) Access Control.
9. With respect to client-server testing design test cases for Online Payment Transfer at banking system.
10. Design any four test cases for withdraw an amount from ATM and prepare defeat report of it
11. Describe Boundary value analysis with suitable example
12. State the contents of 'Test Summary Reports' used in test reporting
13. Enlist different techniques for finding defects and describe any one technique with an example.
14. Differentiate between alpha and beta testing.
15. Describe criteria to be considered while selecting automated tool.
16. With respect to GUI testing write the test cases for Amazon login form
17. Elaborate the term metrics and measurement and write the need of software measurement
18. Design test cases for railway reservation system
19. Describe Defect Life Cycle with neat diagram.
20. Explain Defect Management process.
21. Describe any 2 Object Oriented Software testing metrics.
22. Differentiate between white & black box testing.
23. Explain Equivalence partitioning with example.
24. Explain nonfunctional special Software testing.
25. Describe defect template with parameters and one example.
26. Explain types of Software testing metrics.
27. Explain white box testing techniques.
28. Explain levels of testing.
29. Describe roles & responsibilities of Test Leader.
30. Explain Defect classification.

Guru Gobind Singh Polytechnic, Nashik

Dept: Computer Engineering

Course Name : Client Side Scripting(22519)

Sem: CO5I (TYCO)

Unitwise 30 Important Questions

Faculty Name: Mr. R.A.KAUTKAR

******* 4 Marks Questions *******

Unit No:01 Basics of JavaScript Programming

Q.N	Question
1	Explain getter and setter properties in Java script with suitable example.
2	Write a JavaScript that displays first 20 even numbers on the document window.
3	Write a JavaScript that displays all properties of window object. Explain the code .
4	Explain for decision making statement in JavaScript.

Unit No:02 Array, Function and String

Q.N	Question
1	Write the use of CharAt() and indexOf() with syntax and example.
2	Differentiate between concat () and join () methods of array object.
3	Write a Java script code to display 5 elements of array in sorted order.
4	Write a JavaScript function to insert a string within a string at a particular position State the use of following methods. i. charCodeAt() ii. fromCharCode()
5	Enlist and explain the use of any two Intrinsic JavaScript functions.
6	Write a function that prompts the user for a color and uses what they select to set the background color of the new webpage opened
7	Develop JavaScript to convert the given character to Unicode and vice versa
8	examplee.

Unit No:03 Form and Event Handling

Q.N	Question
1	Write a Java script to design a form to accept values for user ID & password.
2	Describe how to evaluate checkbox selection. Explain with suitable example

Unit No:04 Cookies and Browser Data

Q.N	Question
1	Describe, how to read cookie value and write a cookie value. Explain with example.
2	password. User is prompted to enter the input and password and password becomes
3	. Explain open () method of window object with syntax and example.

Unit No:05 Regular Expression, Rollover and Frames

Q.N	Question
1	String = “ I will fail” Replace “fail” by “pass”
2	example.
3	nnnn-nnnn OR nnn.nnnn.nnnn
4	Write a JavaScript program to create rollover effect for three images.
5	Develop a JavaScript Program to Create Rotating Banner Ads with URL Links.
6	previous transition between slides in your JavaScript.
7	How to load and display banner in JavaScript?

Unit No:06 Menus, navigation and web page protection

1	List ways of Protecting your webpage and describe any one of them
2	Enlist frameworks of JavaScript and its applications

***** 6 Marks Questions *****

Unit No:04 Cookies and Browser Data

Q.N	Question
1	"Write a Java script to modify the status bar using on MouseOver and on MouseOut with links. When the user moves his mouse over the link, it will display “MSBTE” in the status bar. When the user moves his mouse away from the link the status bar will display nothing."

Unit No:05 Regular Expression, Rollover and Frames

Q.N	Question
1	Develop a JavaScript Program to Create Rotating Banner Ads with URL Links.

Unit No:06 Menus, navigation and web page protection

Q.N	Question
1	Write a Javascript to create a pull – down menu with three options [Google, MSBTE, Yahoo] once the user will select one of the options then user will be redirected to that site.
2	Write JavaScript to implement chain Select Menu.

Unitwise 30 Important Questions

Faculty Name: Mr. R.A.KAUTKAR

******* 4 Marks Questions *******

Unit No:01 Network Layer and Protocols

Q.N	Question
1	Explain ICMP protocol. Describe the header format of ICMP.

Unit No:02 Next Generation IP

Q.N	Question
1	Explain the process of Transition from IPV4 to IPV6 for a network
2	Describe the features of IPv6?
3	Draw and explain IPv6 protocol format.
4	Differentiate between IPv4 and IPv6 (any 4 points).

Unit No:03 Unicast and Multicast Routing

Q.N	Question
1	Describe the path vector routing algorithm.
2	List Intra domain multicast protocols? Explain any one in detail.
3	Describe Link State Routing with suitable example.
4	Explain Intra domain and Inter domain routing? Explain any one routing protocol belonging to Intra domain.
5	Describe the RIP message format.

Unit No:04 Transport Layer Protocols

Q.N	Question
1	Describe the HTTP Response Message format.
2	Compare TCP and UDP with any four points.
3	Explain association establishment process in SCTP.
4	Explain the TCP connection establishment using a three way handshake mechanism.
5	List and explain, services provided by TCP (Transmission Control Protocol).
6	Draw state transition diagram of TCP.

Unit No:05 Application Layer

Q.N	Question
1	Describe SMTP with suitable diagram.
2	Describe the Architecture of E-mail system using four scenarios.
3	Construct a diagram to show the application of cookies in a scenario in which the server uses cookies for session management.
4	Explain the working of TELNET.
5	Compare POP3 and IMAP mail protocols on the basis of functionality and use.

6	Explain the working principle of World Wide Web?
7	Explain working of WWW.
8	Describe the HTTP response message format.

******* 6 Marks Questions *******

Unit No:02 Next Generatin IP

Q.N	Question
1	For the IP address given below : (i) 132.34.45.133 (ii) 14.142.20.20 (iii) 191.0.200.45 (iv) 129.16.123.85 (A) Identify the classes to which the following IP numbers belong to ? (B) Identify network address section. (C) Identify host address section.

Unit No:03 Unicast and Multicast Routing

Q.N	Question
1	Explain the 3 intra domain routing protocols.

Unit No:04 Transport Layer Protocols

Q.N	Question
1	Explain TCP connection management with the help of TCP connectionmanagement finite state machine.
2	Differentiate between TCP, UDP and SCTP on the basis of reliability, connection management, transmission of message, flow control, security and data delivery.

Unit No:05 Application Layer

Q.N	Question
1	Describe E-mail security over non-secure channel.
2	Describe DHCP with its operation & static and dynamic allocation.

Environmental Studies (EST) IMP Questions (CO5I)
TYCO A & B

Question	Option A	Option B	Option C	Option D	Correct option
Which among the following chronic lung disease commonly known as "black lung" disease, leads to reduced life expectancy in coal-miners?	Pneumoconiosis	Progressive Massive Fibrosis	Mesothelioma	Collier's Asthma	optiona
Which among the following is the second most abundant Green-House-Gas(GHG) in the earth's atmosphere	Carbon dioxide	Water Vapour	Sulphur Dioxide	Tropospheric Ozone	optiona
The Cartagena Protocol is regarding safe use, transfer and handling of:	Nuclear waste	Invasive Alien Species	Living Modified Organisms(LMOs)	Toxic by-products and industrial effluents	optionc
The Western Ghats Ecology Expert Panel (WGEEP) is headed by:	Madhav Chitale	Megha Patkar	Madhav Gadgil	Megha Pansare	optionc
Identify the non Green-House Gas(GHG) from the following :	Methane	Nitrous oxide	CFCs	Carbon Monoxide	optiond
Which of the following statements is true?	Photochemical smog always contains Ozone.	The toxic effect of Carbon Monoxide is due to its greater affinity for haemoglobin as compared to oxygen.	Lead is the most hazardous metal pollutant of automobile exhaust.	All of the above	optiond
In which among the following states, Government had identified maximum number of Ecologically Sensitive Zones under the Environment (Protection) Act,	Maharashtra	Andhra Pradesh	Karnataka	Gujarat	optiona
Which among the following city was declared as "Tiger Gateway of India" ?	Chandrapur	Nagpur	Ratnagiri	Gondia	optionb
Which among the following will emit maximum mass of carbon dioxide, when the same quantity is burnt of all of them?	Kerosene	Propane	Natural Gas	Gasoline	optiona

Madhav Gadgil Panel or The Western Ghats Ecology Expert Panel (WGEEP) had, in May 2011 had suggested listing of which among the following regions in the State as Ecologically Significant Area (ESA)?	Eastern Ghats	Western Ghats	Both A and B	Himalaya	optionb
Now a days Environmental Accounting is making news. What is Environment Accounting?	It is a method to measure the consumption of the environment/ natural resources	Its a method to statistically analyze the green areas of the country	Its a method of accounting in which all units are expressed in terms of loss / gain of Carbon Dioxide	Its a method of accounting in which all measurement is expressed in Carbon Credits	optiona
Which among the following always decreases in a Food chain across tropic levels?	Number	Energy	Accumulated chemicals	None of the above	optionb
In the E-waste generated by the Mobile Phones, which among the following metal is most abundant?	Copper	Gold	Silver	All of the above	optiona
Acid rain is capable of damaging the buildings and historic monuments which are made up of rocks such as limestone and marble. Which among the following is the end product of such reaction?	Quick Lime	Calcium Carbonate	Calcium Hydroxide	Gypsum	optiond
Which among the above plays the most important role in Ozone depletion?	Hydrogen	Carbon	Chlorine	Flourine	optionc
Which among the following is the dangerous Green House Gas, created by the Waste Water?	Nitrogen	Methane	Sulphur Dioxide	Carbon Monoxide	optionb
Which among the following gas is used as reference to calculate Global Warming Potential (GWP)	Carbon dioxide	Propane	Sulphur Dioxide	Methane	optiona
The establishment of Taj Trapezium Zone (TTZ) enshrines which among the following objectives ?	Protection from Pollution	Tourism Development	Economy Hub	Transportation facilities	optiona

Which among the following is the main source of "Synthetic Fuel"?	Plastic	Biomass	Coal	Municipal Waste	optionc
Ozone layer lies in:	Troposphere	Lithosphere	Hydrosphere	Stratosphere	optiond
Which among the following crops would enrich the Nitrogen content in the soil?	Potato	Sorghum	Sunflower	Pea	optiond
One of the major objectives of the National Water Mission is to increase the water use efficiency by 20%. Which among the following is the correct definition of the water use efficiency?	Increase the ground water level by proper management of rainwater	To make the irrigation facilities to maximum crop areas	To save water from evaporation and runoff or subsurface drainage	To make bodies of water clean and usable for drinking purpose	optionc
In context with the Environment, the price charged to deliver municipal solid waste to a landfill, waste-to-energy facility, or recycling facility is known as _____?	Recycling Fee	Dumping Duty	Tipping Fee	Material Fee	optionc
With which of the following Montreal protocol is related to:	Protection of Whales	Protection of Wild Life	Protection of Ozone layer	Nuclear weapons	optionc
Which among the following expert panel related to recommend steps to preserve and rejuvenate the ecologically sensitive Western Ghats?	Devendra Pandey	Dr. Madhav Gadgil	Dr. M S Swaminathan	Megha Pansare	optionb
Which of the following is not an air pollutant ?	Carbon dioxide	Sulphur Dioxide	Smoke	Nitrogen Gas	optiond
Which of the following is a biodegradable waste?	Glass	Plastic	Polythene	None of the above	optiond
What type of radiation is trapped on the earth's surface by the green house effect?	UV Rays	IR Rays	X Rays	None of the above	optiona
Gas molecules that absorb thermal infrared radiation and are present in large quantity to change climate system are known as--	alpha radiations	beta radiations	ozone gases	greenhouse gases	optiond
Layer of atmosphere in which Ozone layer lies is-	exosphere	mesosphere	troposphere	Stratosphere	optiond
Greenhouse gases which is present in very high quantity is-	Methane	Propane	Carbon dioxide	Ethane	optionc

Exchange of outgoing and incoming radiations that keeps Earth warm is known as-	Green house effect	Radiation effect	Infrared effect	Ozone layer depletion	optiona
Layer which saves life from harmful effects of 'UV' radiations is known as-	Ozone layer	Infrared layer	Alpha layer	Gama layer	optiona
Chemical released by chlorofluorocarbons is -	Nitrogen	Sulphuric acid	Chlorine	Sodium chloride	optionc
Methyl chloroform, carbon tetrachloride, hydro fluorocarbons and chlorofluorocarbons are mainly known as -	mesosphere building substances	tropospher e building substances	ozone building substances	ozone depleting substances	optiond
When chlorofluorocarbons are released in atmosphere, chlorine chemical destroys the -	beta molecules	alpha molecules	argon molecules	ozone molecules	optiond
One which is not considered as naturally occurring greenhouse gas is -	Methane	Nitrous oxide	Chlorine	Ethane	optiond
Burning of fossil fuels causes -	decreased greenhouse gases	increased greenhous e gases	increased level of oxygen	increased level of ethane	optionb
Which one the following is not biodegradable?	Vegetables	Fruits	Earthworm	Aluminium foil	optiond
Which of the following wastes cannot be decomposed by bacteria to form compost?	Kitchen wastes	Plastic and polythene bags	dead plants	bodies of insects living in the soil	optionb
Which of the following problems is not created by noise pollution ?	Diarrhoea	Hypertens ion	Deafness	Irritation	optiona
When trees are cut, amount of oxygen -	increases	decreases	Both A and B	remains same	optionb
Which one of the following pairs of gases are the major cause of "Green house effect"?	Co2 and N2O	Co2 and O3	Co2 and CO	CFCs and SO2	optiona
Major consumer of wood from forest is ____	Thermal Power Plant	Paper industry	Chemical Industry	None of the above	optionb
The portion of the earth and its environment which can support life is known as _	Crust	Biosphere	Exosphere	Atmosphere	optionb
Extensive planting of trees to increase forest cover is called -	Afforestation	Agroforest ry	Deforestation	Social forestry	optiona
Smog is a mixture of -	Smoke and Fog	Snow and Fog	Snow and Dust	Sulfur dioxide and Fog	optiona

Deforestation generally decreases -	Global Warming	Drought	Soil erosion	Rainfall	optiond
The source of atmospheric oxygen is -	Nitrogen cycle	Green Plants	Carbon Cycle	Water	optionb
What is desertification?	Conversion of forests into desert	Conversion of croplands into desert	Conversion of grassland into desert	All of the above	optiond
Acid rain contains -	Hydrochloric acid	Sulphuric acid	Acetic acid	Oxalic acid	optionb
Public awareness of environment creates _	Environment protection	Environment degradation	Environmental loss	Environmental cultivation	optiona
Vermi-composting is a natural method of -	Producing worms	Producing compost manure	Managing waste it creates	Destroying worms	optionb
The movement Pani Panchayath was initiated to conserve waters in the drought prone areas of state	Gujarat	Andhra Pradesh	Maharashtra	Karnatak	optionc
The 4 R principle in waste management involves Reduce, Reuse, Recycle and --	Regain	Recover	Reform	Retain	optionb
What is Bagasse? What is it used for?	Sugar cane waste- to make paper	Biogas- used as fuel	Liquid waste- as fertilizer	Vermi compost- as fertilizer	optiona
Which of the following is a natural resource?	Soil	River	Climate	All of the above are examples of natural resources	optiond
Total earth's surface covered by water is about	71%	80%	60%	65%	optiona
Which is an example of non-renewable resource?	Wind	Vegetation	Coal and Minerals	Water	optionc
Which of the given is a renewable resource?	Wind	Water	Flora and Fauna	All of these	optiond
_____ is not a fossil fuel.	Petroleum	Uranium	Natural gas	Coal	optionb
An increase in carbon dioxide content in the atmosphere would not cause	more heat to be retained by the environment	increase in photosynthesis in plants	global warming	abundance of desert plants	optiond
Oxygen is returned to the	respiration	photosynthesis	fungi	burning of fuels	optionb

atmosphere by		hesis			
Atmosphere not uniformly heated by the sun does not cause	air flows	variations in climate	tides	rainfall	optionc
Both power and manure are provided by	hydroelectric plants	gobar gas plants	nuclear power plants	thermal plants	optionb
Atomic energy is obtained by using ores of	copper	lead	uranium	crude oil	optionc
Biogas generation is mainly based on the principle of	Anaerobic biodegradation	areobic decomposition	putrefaction	none of these	optiona
The major raw material for biogas is	Tree leaves	Cow dung	Waste from kitchen	Grass	optionb
Natural resources do not include	water	refined oil	air	wood	optionb
Renewable resource is a resource which is replaced	naturally	by human	by animals	all of these	optiona
Non-renewable resources once used	remain on earth in different form	become waste material	are recycled	all of these	optiond
Which of the following is a renewable resource	salmon population that is farm raised	sulfur	light sweet crude oil shipped from Saudi Arabia	iron ore that is commercially mined	optiona
Which is the non-conventional source of energy?	Coal	Sun	Wood	Diesel	optionb
Percentage of total water found as fresh water is	87.50%	2.50%	97.50%	75%	optionb
Mining depends on	Concentration of mineral only	Ease of extraction	transport facility	All of these	optiond
Ideally forest cover should be about_____in plain areas of a country	23%	30%	33%	40%	optionc
This area has no permanent roads or settlements and is maintained primarily for its primitive character and non-motorized recreation.It is a	Wilderness area	primitive recreation area	national park	national forest	optiona
Where will the water sit the longest?	atmosphere	freshwater lake	glacier	ocean	optiond
Which one is not a disadvantage of a big dam?	extremely expensive	flooding of prime arable land	electric energy generated from hydropower	water loss with evaporation	optionc

Which of the following sources provide the least energy for industrialized countries?	petroleum	coal	nuclear fuels	gas	optionc
This area has no permanent roads or settlements and is maintained primarily for its primitive character and non-motorized recreation. It is a	wilderness area	primitive recreation area	national park	national forest	optiona
following are the examples of natural resources	coal	minerals	forests	all of the above	optiond
Which of the following is a better definition for natural resources conservation?	protection of wildlife	Environmental activism	efficient use of natural resources	preservation of natural resources	optionc
Which option below is not an example of pollution?	smog in Delhi	nuclear waste	overpopulation	untreated sewage	optionc
Which is true?	Oxygen content may not get reduced if forest cover is not sufficient on the earth	Forests can be said to behave like non-renewable resources if not overused	Fishes are capable of reproducing at the rate at which they are being caught	none of these	optiond
Floods can be prevented by	Afforestation	removing the top soil	cutting the forests	tilling the land	optiona
The death of last individual species is called	extinction	endanger	diversity	none of these	optiona
Demand for a resource does not change with the change in	idea	technology	need	economy	optiona
The main driving force of ecological system is	Wind energy	Water energy	Solar Energy	Earth Energy	optionc
Coal, petroleum and natural gas are called as	non-fossil fuels	fossil fuels	semi-fossil fuels	transparent fuel	optionb
The resources which are inexhaustive and can be generated within a given span of time are called as	Renewable resources	Non-renewable resources	Solar resources	Non-solar resources	optiona
The forests are called as, Earth's	Heart	Lungs	Brain	Belly	optionb
The main green house gas absorbed by the forests as a raw material for photosynthesis is	CO ₂	O ₂	SO ₂	O ₃	optiona

About_____million species are found in the tropical forest alone.	5	7	1	100	optionb
The percentage of Indian geographical area covered by forest and trees is about-----.	24.39	12.5	75.03	35.65	optiona
Out of the total water reserves of the world, about_____is salty water (marine) and only _____is fresh water.	97%,3%	3%,97%	1%,99%	2%,98%	optiona
A layer of sediment or rock that is highly permeable and contains water is called	aquifer	spring	glacier	seepage	optiona
When the concentration of nitrates in water exceeds 45mg/L, they become the cause of a serious health hazard called _____	Luckemia	Blue Baby Syndrome	Cancer	Paralysis	optionb
CNG stands for	Cooling natural gas	Compressed natural gas	Compound natural gas	none of these	optionb
SNG can be produced from	coal	biomass	petroleum cake	all of the above	optiond
SNG stands for	Systematic natural gas	Sulphuric natural gas	Synthetic natural gas	Silver nitrogen gas	optionc
During photosynthesis trees produce	Oxygen	CO2	CO	Nitrogen	optiona
Forests prevent soil erosion by binding soil particles by their	stems	leaves	buds	roots	optiond
Wood pulp is used for making	Paper	timber	chipboard	gum	optiona
Per capita use of water is the highest in	USA	India	Indonesia	Kuwait	optiona
The minimum time required for the formation of one inch of top soil is	10 years	5 years	100 years	200 years	optiond
Which of the following is not the environmental effect of industrialization, in general?.	Solid waste	Water Pollution	Air pollution	Economic growth	optiond
Which of the following are major environmental issues involved in mining?	Soil degradation	Air pollution from dust	All of the above	Water pollution	optionc

Sustainable development means	Meeting present needs without compromising on the future needs	Progress in human well beings	Balance between human needs and the ability of Earth to provide the resources	All the above	optiond
Mining means	to conserve & preserve minerals	to check pollution due to mineral resources	to extract minerals and ores	None	optionc
Eutrophication is	an improved quality of water in lakes	a process in carbon cycle	the result to accumulation of plant nutrients in water bodies	a water purification technique	optionc
As per latest World Register of Dams,among single purpose Dams,---- Percentage is for Fish Farming and Navigation.	48	17	10	1	optiond
Which of the following is the most environmental friendly agriculture practice?	Using chemical fertilizers	Organic farming	Using insecticides	None of the above	optionb
The adverse effect of modern agriculture is	Water pollution	Soil degradation	Water logging	All of the above	optiond
Soil erosion removes surface soil which contains	Organic matter	Plant nutrients	Both A & B	None of the above	optionc
Water logging is a phenomena in which	Crop patterns are rotated	Soil root zone becomes saturated due to over irrigation	Erosion of soil	None of the above	optionb
The impact of construction of dams	Submerges forest	Loss of wild life habitat	Damages down stream ecosystem	All of these	optiond

Which of the following statement is false	Soil erosion effects the productivity of agriculture fields	The amount of erosion depends on soil type, slope, drainage pattern and crop management	It takes 300 years for one inch of agricultural top soil to form	Soil erosion helps to retain water and nutrients in the root zone	optiond
Which of the following statement is true	Surface runoff do not carry pesticides into streams	Water percolating downward through agriculture lands carries with it dissolved chemicals and contaminate ground water	Present agricultural practice does not contaminate water	None of the above	optionc
Farmers have a tendency to	Use optimum quantity of water	To over irrigate their crops	To conserve water	d) All of the above	optionb
Organic Farming encourages	Farming without using pesticides and chemical fertilizers	Enhances biodiversity	Promotes soil biological activity	All of the above	optiond
What would you do to prevent environmental damage	Plant trees	Stop Deforestation	Control pollution	All of the above	optiond

Environmental impact assessment	Is a study of feasibility of a project	Is a study of bio-physical characteristics of the environment that may result from a human action	Both A & B	None of the above	optionb
EIA study will help	Maximizing the benefits without overloading the planets ecosystem	To estimate the future needs of the society	To smooth implementation of the project	To cope up with rapid growth of population	optiona
Environmental impact of mining	Brings order into social setup	Devastation of ecosystem	Present mining activity is a sustainable development	Mining has no adverse effect on ecosystem as it is located in remote areas	optionb
Effect of modern agriculture on soil is due to	Erosion	Acidification	Salinization	All	optiond
Common energy source in Indian village is	Electricity	Coal	Sun	Wood and animal dung	optiond
Soil conservation is a process in which	Soil is aerated	Soil erosion	Sterile soil is made fertile	Soil is protected against loss	optiond
Harnessing of nuclear energy often causes	Air pollution	Water pollution	Thermal pollution	Noise pollution	optionc
Soil erosion can be prevented by	Overgrazing	Removal of vegetation	Afforestation	Deforestation	optionc
Chipko movement was started to conserve	Grasslands	Forests	Deserts	Soil	optionb
Khetri (Rajasthan) is famous for	Gold mines	Copper mines	Granite stone	Marble stone	optionb
Terrace farming practiced in	Coastal areas	Deserts	Hills	Plains	optionc
Which of the following statements about forest is not correct?	soil erosion in undisturbed forest is extremely low	Provides recreational opportunities	Provides a source of economic development	None of the above	optiond

Out of the following nutrients in fertilizer, which one causes minimum water pollution?	Nitrogen	Potassium	Phosphorous	Organic matter	optionb
Excess fluorides in drinking water is likely to cause	Blue babies	fluorosis	taste and odour	intestinal irritation	optionb
Environment studies	Is an interdisciplinary academic field.	Methodically studies human interaction with the environment.	Includes the natural environment built environment and the sets of relationship between them.	All of the above	optiond
Which of the following is a non point source of water pollution?	Factories	Sewage treatment plants	urban and suburban lands	All of the above	optiond
Mineral resources are	Renewable	Available in plenty	Non renewable	Equally distributed	optionc
Environment studies does not involve	Meteorology	Demography	Ethics	Literature	optiond
Forests are extremely important because they	provide clean water and clean air	provide habitat for wild life	provide recreation and a change from the hectic urban	all of the above	optiond
Deforestation means	creation of new forest land for the wild life	planting trees in the cities	Not managing the forest properly	conversion of forest land for agriculture/ pasture/ homes etc.	optiond
Which of the following is a disadvantage of most of the renewable energy sources?	Highly polluting	High waste disposal cost	Unreliable supply	High running cost	optionc
Ozone depletion is harmful to	Digestion	Skin	Heart	Reproduction	optionb
High population gives rise tomanagement of resources.	Adequate	Proper	Poor	None of the above	optionc
Poor sanitation affects quality of --	Air	Water Resources	Noise	Heart	optionb
Public awareness aims at -	Utilizing natural resource	Protecting natural resource	Exploiting natural resource	None of the above	optionb

Waste originating mainly from hospitals and clinics are of --- type.	Biodegradable	Biomedical	Biological	Biochemical	optionb
Lithosphere, Hydrosphere, Atmosphere together is called -	Biosphere	Stratosphere	Environment	Nano sphere	optiona
CFC used widely as -	Air coolant	Refrigerant	Water Purifier	All of the above	optionb
Solar radiation consists of	UV	Visible light	Infrared	All of these	optiond
Reduction in usage of fuels cannot be brought about by	Using alternate fuels	Changing lifestyles	Reducing car taxes	Both a & b	optionc
OTEC is an energy technology that converts	energy in large tides of ocean to generate electricity	energy in ocean waves to generate electricity	energy in ocean due to thermal gradient to generate electricity	energy in the fast moving ocean currents to generate electricity	optionc
Which of the following source of energy is less eco-friendly?	Biogas	Wind	Solar	Nuclear	optiond
Solar energy is stored in	carbon_carbon bonds	green leaves	fossil fuels	biomass	optiona
An inexhaustible non-conventional universal source of energy is	fossil fuel	Solar	Wind	Tidal	optionb
Harnessing the wind energy is done by	Wind Mill	Ball mill	Flour Mill	Pig mill	optiona
Wind energy generation depends on	direction of wind	velocity of wind	humidity	precipitation	optionb
With a minimum resource maximum energy can be created by	solar radiation	wind	Nuclear fuels	tidal waves	optionc
Direct conversion of solar energy is attained by	solar photo voltaic system	solar diesel hybrid system	solar thermal system	solar air heater	optiona
Which is the following source of energy that can be replaced at the same rate at which it is used ?	coal	petroleum	Oil	Biomass	optiond
Fossil fuels are converted into energy by	burning	cooling	sublimation	melting	optiona
Which place in India the tidal energy has been experimented?	Goa	Karnataka	Kerala	Bihar	optionc
Mining practices lead to	Population growth	Rapid urbanizati	Loss of grazing and fertile land	None of these	optionc

		on			
Deforestation can	Increase the rain fall	Introduce silt in the rivers	Increase soil fertility	None of these	optionb
Global warming may bring about the following change in the climate of the earth.	rising in sea levels due to thermal expansion	melting of glaciers	warming of ocean surface	All of the above	optiond
Which of the following is not a solution for global warming?	reducing fossil fuel consumption	Planting more trees	deforestation	None of the above	optionc
India has second largest reserve of after Brazil.	iron ore	bauxite	coal	copper	optiona
Forest is responsible for	watershed protection	land erosion control	providing economic and environmental benefits	All of these	optiond
The main causes of deforestation are	overgrazing and agriculture	industry and other developmental projects.	timber extraction.	All of the above	optiond
The equitable use of resources is necessary for	sustainable development	better lifestyle for all	to sustain natural wealth	all of these	optiona
Famine is mainly the result of	deforestation.	overuse of surface water	a prolonged drought.	All of the above	optiond
Hygroscopic and combined water	are used by plants during transpiration	compensates for loss due to evapotranspiration by plants	stored in the xylem tissues of plant	are of no use to plants	optiond
___ is the perpetual source of energy.	Nuclear reactors	Hydropower	Solar energy	None of the above	optionc
The single largest river development scheme in India is	the Narmada Valley Development Project.	the Damodar Valley Development Project	the Tapi Valley Development Project	the Ganga Valley Development Project	optiona

The green house effect is the phenomenon by which	biological diversity is dominant in agricultural production	the globe's water pollution affects plankton	radiation from planets atmosphere warms the planets surface	climatic changes occur naturally in the forest	optionc
If consumption rate is higher than the replenish rate, _____ starts	Motion	Depletion	Work	Both A and B	optionb
Renewable resources include	Solar energy	Wind energy	Tidal energy	All of the above	optiond
The resources which consume very long time for its generation are	Natural resources	Non-renewable resources	Energy resources	Renewable resources	optionb
The natural resources which can be available for long time by nature are called	Renewable resources	Non-renewable resources	Solar Energy	None of the above	optiona
Which resources convert carbon dioxide into oxygen?	Forest resources	Man-made resource	Natural resources	None of the above	optiona
Deforestation increases percentage of _____ in atmosphere	Oxygen	Carbon-Dioxide	Nitrogen	Hydrogen	optionb
Deforestation relates as a big cause of	Plantation	Vegetative propagation	global warming	Increase of water level	optionc
Depletion of water resource is a	local problem	global problem	private problem	no problem	optionb
Draught and change in routine weather are responsible for	Availability of plenty water	global warming	overpopulation	water depletion	optiond
Green revolution resulted into	Increased food production	Research on seeds to improve its quality	scientific cultivation	All of the above	optiond
Large scale exploitation of mineral resulted in _____ in England	Industrial revolution	Green revolution	Natural revolution	England revolution	optiona
During development of water ways good number of _____ are destroyed	Trees	Crops	Buildings	Land	optiona
Energy can neither be created nor be destroyed, but it can be changed from one form to another this law is known as _____	kinetic energy	potential energy	conservation of energy	conservation principle	optionc

The Acronym MPCB stands for	Municipal Pollution Control Board	Maharashtra Pollution Control Bureau	Madhya Pradesh Pollution Control Board	Maharashtra Pollution Control Board	optiond
The acronym CPCB stands for	Chennai Pollution Control Board	Central Pollution Control Bureau	Central Pollution Control Board	Common Pollution Control Board	optionc
An area surrounding a body of water in which that body of water is subject to is called_____.	Water cycle	Water pumping	Watershed	Rainwater harvesting	optionc
The Acronym NGO stands for	Non Government Organisation	New Geneva Organisation	New Government Organisation	National Geographic Organisation	optiona
In dry areas around the world, which one of the following is an effective way of conserving water?	Increase food waste	Eat less meat	Always turn on the taps	Boil the water when there is no need	optionb
The Acronym EIA stands for	Environmental Impact Awareness	Environmental Impact Assessment	Environmental Impact Audit	Environmental Indian Association	optionb
Which one of the following is the benefit of rainwater harvesting?	Decrease the ground water level	Create good aesthetic view	Provide a lot of water to play	Flood mitigation	optiond
How can we increase the water efficient irrigation system?	By using more manures	By applying drip irrigation method	By not supplying adequate water	By pouring unnecessary water to the land	optionb
Which one of the following is the best way to conserve water?	Using other liquids instead of water for shower	Not taking shower	Taking shower with more water	Taking shower with less water	optiond
Which of the following methods represents the collection of rainwater for use?	Rain water pumping	Rain digging	Rainwater harvesting	Rain collection	optionc

Which of the following environmental problems are related to the combustion of fossil fuels?	Smog	The greenhouse effect (increase in carbon dioxide levels causing the warming of the Earth's surface)	Acid rain	All of the above	optiond
Which of the following statements is not true with regard to fossil fuels?	We consume as much fossil fuel in one day as what the earth took one thousand years to form	Fossil fuels are non-renewable sources of energy	The burning of fossil fuels causes environmental damage	Fossil fuels continue to be formed at a rapid pace	optiond
Which is the world's fastest growing form of energy use?	Manufacturing	Buildings	Transportation	Home consumption	optionc
Which of the following statements is true with regard to global energy?	We know clearly how much of reserve energy we have	The industrialized countries consume a huge part of the total energy	Energy supply is evenly distributed across all countries and within countries	Fuelwood is easily available for the poor people in the developing countries.	optionb
Which source provides the maximum percentage of energy to the people of India?	Fuelwood or firewood	Animal dung	LPG	Electricity	optiona
Which of the following is not a problem with regard to solar energy?	Efficient collection of energy	Conversion of energy into electricity	Being a renewable source	Storage of energy	optionc
Per capita energy consumption in India is	490units	8000 units	1300 units	None of the above	optiona

In 2007,of the total energy used in India ,	40.8% came from coal	27.2% came from biomass, 23.7% came from oil	5.6% came from natural gas and 1.8% from hydropower	All of the above	optiond
For energy conservation we can save electricity like	Turn off the lights and fans when you leave a room and replace the bulbs in our home with CFL	Shut off TV sets,set top boxes, music systems when not in use	Install automatic switch off devices for areas like staircases and if possible install solar lighting system in our home	All of the above	optiond
To save energy in transportation we can	Minimise the use of automobiles for our personal transport and wherever possible use public transport	Use bicycle for local work like shopping	Idling of vehicle at the signals rather than restarting it	Both A and B	optiond
The Energy conservation act is implemented by the agency named	BEE	CBI	ATS	None of the above	optiona
What is the main problem in using hydrogen as fuel?	The burning of hydrogen produces no emissions	The burning of hydrogen produces water	Hydrogen can be produced from water	It takes energy to produce hydrogen	optiond
Worlds largest reserve of natural gas is in	Russia	Kazakhast an	Uttar Pradesh	United States	optiona
Nuclear power accounts for only about_____of the total commercial energy.	6%	20%	15%	30%	optiona
Major source of the world's electricity comes from-----	Hydropower	Nuclear power	Wind power	None of the above	optiona
Among the fossil fuels _____is most harmful to	Oil	Natural gas	Coal	None of the above	optionc

the environment.					
The nuclear power plants generate large amounts of	oxygen	deadly radioactive waste	carbondioxide	None of the above	optionb
Which of the following is not a renewable resource.	Coal	Geothermal Energy	Dendrothermal Energy	All of the above	optiona
Which of the following methods of timber extraction cause minimum environmental damage?	Clear felling.	Hand logging	Selective logging.	Reduced-impact logging.	optiond
Forest is responsible for	watershed protection	land erosion control	providing economic and environmental benefits	All of the above	optiond
A sudden uncontrolled descent of a mass of earth under the force of gravity is called	soil erosion	mining	landslide	earthquake	optionc
The heat of the interior of the earth present at the volcanic regions, geysers or hot springs is called	geothermal energy	dendrothermal energy	nuclear energy	wind energy	optiona
Which one of the below is the perpetual source of energy?	Nuclear reactors	Hydropower	Solar energy	None of the above	optionc
The least quality of coal with 95 per cent carbon content and only 5 per cent volatile matter is	lignite coal	anthracite coal	bituminous coal.	peat coal	optionb
All sources of water such as the oceans, lakes, rivers and underground water together constitute:	Hydrosphere	Atmosphere	Lithosphere	Biosphere.	optiona
Prospecting, exploration, development and exploitation are the four phases of	mining	urbanization	deforestation	industrialization	optiona
Burning of biomass produces	thermal energy	bioenergy	wind energy	hydropower	optionb
Any material that can be transformed into more valuable and useful product or service is called	resource	mineral	product	None of the above	optiona
The constituents of producer gas are	water vapour and methane	propane and carbon dioxide	methane and nitrogen	carbon monoxide and nitrogen	optiond

Which of the following items is not provided by natural forests?	Fuelwood	Honey	Medicinal plants	Monoculture	optiond
Which of the following statements is true with regard to deforestation?	It adversely affects local communities	It does not lead to global warming, since trees absorb carbon dioxide.	It does not affect rainfall pattern.	It does not lead to the loss of top soil.	optiona
Which of the following statements is true with regard to forest certification?	It is carried out only by UN Forum on Forests.	It is compulsory	It enables the consumer to make responsible choices	Both B and C	optiond
Which of the following statements is not true with regard to Joint Forest Management?	It recognizes the important role of local communities in forest conservation.	The local people are allowed controlled access to the forest areas.	The local people are not permitted to harvest the resources, since the forest belongs to the government.	The local people act as the guardians of the forest.	optionc
What did the word Chipko become famous for ?	It is the name of the peoples's movement to save the forests in the Himalayas.	It means 'hugging trees'.	It is a song of the hill communities.	It happened only in Renni village.	optionb
Forest certification bodies are	FSC	PEFC	UNFAO	Both A and B	optiond
What does the case of Andaman Nicobar islands tell us?	Massive deforestation through extraction of timber.	Opening of forests through road building.	Population pressures and problems of indigenous people.	All of the above	optiond

What is true about the role of forest fire?	The combustion frees the minerals locked up in the dry organic matter.	Fire removes plant cover and exposes the soil	It helps to control pathogens and harmful insects,	All of the above	optiond
What should we do to save forests?	Stop the destruction of Earth's forests	Do not use the world's rich forest resources to improve life of poor people and for the benefit of forest dependent communities.	Do not apply sustainable forest management approach.	Plan for the use and protection of only forest and not whole landscape.	optiona
The Acronym WCED stands for	World Chemical Energy Development	Wild Commission on Environment Development	World Commission for Empowerment and Development	World Commission of Environment and Development	optiond
The Development that meets the needs of the present generation without compromising the life quality of future generation is	Environment Development	Sustainable Development	Environment Protection	Environment Conservation	optionb
to protect and improve the natural environment including forests, lakes, rivers and wild life, and to have compassion for living creatures this statement belongs to article	51A (g)	51A (h)	51-A	52-B	optiona

Protection and improvement of environment and safeguarding of forests and wild life The State shall endeavor to protect and improve the environment and to safeguard the forests and wild life of the country is statement of which article in constitution of India?	48D	48C	48A	48B	optionc
Which of the following statements is not true with regard to communities in mining areas?	They often lose their land and livelihoods.	All of them get employed in the mines.	They often do not have access to fresh water and sanitation.	They are displaced from their land.	optionb
Figure in the question shows	Rain water harvesting	Rain water pumping	Rain water irrigation	Rain water disposal	optiona
Which of the following is not an advantage of Rain water harvesting?	Reduced energy bill	Reduced water bill	Growth of Cities	Ground water recharging	optionc
Which of the following statements is true with regard to organic farming?	It uses chemical fertilizers.	Overtime, it makes soil healthier.	It uses chemical pesticides.	It does not use animal or green manure.	optionb
Rain water harvesting will increase _____	River water level	Sea water level	Ground water level	Tank water level	optionc
The Brundtland Commission is related to	Rainwater harvesting	Environmental Impact Assessment	Sustainable Development	Renewable Energy	optionc
Solar Energy can be used to produce	Heat	Electricity	Both A and B	Water	optionc
Which of the following statements is not true with regard to the Green revolution?	It increased crop yields.	It needs fertilizers and pesticides.	It requires decreasing inputs over time.	It uses high yielding varieties of seeds.	optionc
Which of the following is not a problem related with land?	Waterlogging	Salinization	Desertification	Climate change	optiond
Identify Box type solar cooker from following					optiond
Which is the most important support for all plant growth and all life?	Topsoil	Fertilizer	Farming	Pesticide	optiona

Which of the following statements is not true with regard to GM crops?	They could have greater resistance to pests.	They are proven to be completely safe.	They could resist draught or salinity.	They could reduce the amount of fertilizers needed.	optionb
Dam makes water toxic	TRUE	FALSE	Both A & B	None of the above	optionb
The Roof top rainwater harvesting features which of the following activities?	Collection of rain water falling on roof	Storing of water on roof	Purification of water on roof	None of A, B and C	optiona
_____are the components of roof top rainwater harvesting.	Roof, pipes , well	Basement , pipes and filters	Pipes, well, filter,tank	Catchment, Transportation ,First flush , Filter	optiond
Sand and Gravel Filter is used to Purify	Air	Water	Nitrogen	Carbon dioxide	optionb
Recharge is the primary method through which water enters _____	Over head tank	ground	Distribution system	Lake	optionb
The movement of water during hydrological process of recharge of ground water is from	Surface to reservoir	Underground to surface	Surface to underground	Underground to sea	optionc
Which of the following is not green energy?					optionb
Which of the following activities cause Ground water table is depletion?	Check on wastage of water	Prudent use of water	Surface accumulation of water	over pumping of ground water	optiond
Damanganga-Pinjal Link is a	Dam	Interlinking of rivers	Hydro power plant	Highway	optionb
Par-Tapi-Narmada Link Project is associated with following states	Karnataka and Goa	Maharashtra and Gujarat	Maharashtra and Madhyapradesh	Maharashtra and Chattisgad	optionb
The Indian states benefited by Ken Betwa Link Project are	Maharashtra & Gujarat	West Bengal & Orissa	Madhyapradesh & Uttarpradesh	Karnataka & Tamilnadu	optionc
The River interlink projects in India are managed by _____	National River Development Agency	National Resource Development Agency	National Water Development Agency	National Environment Agency	optionc
_____Maintains the balance between social and economic development along	Environment Development	Sustainable Development	Rainwater harvesting	None of these	optionb

with protection pf nature .		ent			
The Geographic feature that collects , stores and releases water is	Wasteland	Wetland	Water divider	Watershed	optiond
The Non Government Organizations	Play a significant role in environmental protection	Mainly work at the grassroots level	Act as the eyes and ear of the government	All of A , B & C	optiond
Sunderlal Bahuguna was associated with	Chipko Movement	Plastic ban Movement	Narmada Movement	Ganga Movement	optiona
_____is widely recognized study of environmental impact on developmental projects.	Environmental Risk Assessment	Environm ental Impact statement	Environmental Impact Assessment	Environmental Management system	optionc
The rate of growth of population in developing countries is	Equal to that of developed countries	Greater than that of developed countries	Smaller than that of developed countries	All of A, B & C	optionc
Which of the following come under Family welfare programme?	Family planning	Welfare of children, women, Elderly and Divyang	Both A and B	None of A & B	optionc
The Acronym ORS in connection with human health stands for	Online registration system	Oral Re hydration Solution	Oral Regulation system	Occupational Requirement Survey	optionb
Telemedicine and weather forecasting are examples of	Marketing strategy	Use of radio sensing technolog y	diversification of healthcare department	application of IT in environment and healthcare	optiond
The Acronym UNEP stands for	United nations environmental policy	United nations environme ntal program	United nations environmental protection	None of these	optionb
The threat to global environmental balance is an outcome of	Overuse of natural resources	Increased Pllution	Population explosion	All of A , B & C	optiond

One's own belief , principles , perceptions , feelings and behavior to judge what is right and wrong is called	Morality	perception	life science	value education	optiond
Which of the following is not a renewable resource	Coal	Wind power	Geothermal	Wave power	optiona
The main causes of deforestation are	overgrazing and agriculture	industry and other developmental projects	timber extraction	All of A , B & C	optiond
Hydroelectricity can be produced by	Constructing Hydel Project	Establishing Wind mill	Installing Solar panel	Setting up thermal Power plant	optiona
Watershed protection and land erosion control can be achieved through	growing forest	constructing dam	interlinking river	hydro power plant	optiona
The source of Geothermal energy is	Burning of coal	Interior of the earth	Sun	Flowing water	optionb
All sources of water such as the oceans , lakes, rivers and ground water together constitute	Hydrosphere of Earth	Atmosphere of Earth	Lithosphere of Earth	Biosphere of Earth	optiona
Which of the following is an NGO?	WHO	WWF	UNO	UNESCO	optionb
The equitable use of resources is necessary for	sustainable development	better lifestyle for all	to sustain natural wealth	All of A , B & C	optiona
Environmental Impact Assessment EIA	should be made compulsory for starting a developmental project	should not be made compulsory for starting a developmental project	should be done after completion of development project	All of A , B & C	optiona
The control over air pollution in India is supported by which of the following Acts ?	Forest act	Police act	Environmental Pollution control act	wild life act	optionc
Which of the following is an a contribution from forest towards environment?	They offer places for excursion	they act as water sheds	they prevent rainfall in monsoon	They provide timber	optionb
Which of the following amendments paved way for the establishment of The Central Ground Water Authority?	Environment protection Act, 1988	Environment protection Act, 1987	Environment protection Act, 1996	Environment protection Act, 1986	optiond

established					
What is the function of a fuel reformer in a fuel cell?	Enabling the fuel cell to use a hydrocarbon instead of hydrogen.	Control of emissions from fuel cell.	Cooling of fuel cell.	Enabling the fuel cell to use water as a fuel.	optiona
Which of the following forms of land degradation is more prevalent in India?	Desertification	Soil erosion	Landslide	Soil subsidence	optionb
Which of the following is the most environmentally friendly agriculture?	Use of chemical fertilizers and insecticides.	Use of insecticides and organic fertilizers.	Use of organic fertilizers and alternate methods for insect control.	Use of chemical fertilizers and alternate methods for insect control.	optionc
Which of the following measures is not a solution for improving the acceptability of dam projects?	Avoid and minimize ecosystem impacts.	Ensure that displaced and project affected people's livelihoods are improved.	Conduct regular monitoring and periodic review.	Construct a single large dam instead of a number of small dams.	optionb
What is the major characteristic of drought differentiating it from other natural calamities?	Drought could cause life and property loss.	Drought has both natural and social implications.	Drought could recur in the same place.	Without a well defined start nor end, drought is a slow process.	optiond
Which of the following is not an ideal solution for tackling water crisis?	Drilling large number of deep bore wells	Population growth control	Water conservation in irrigation	Water pollution control.	optiona
India has world's largest share of which of the following?	Manganese	Mica	Copper	Diamond	optionb
Which of the following is not viable protection against deforestation?	Reduce the consumption of forest and related products.	Boycott products of companies involved in	Privatization of forest land.	Environmental education.	optionc

		deforestation.			
How does dams affect deforestation?	Open up previously inaccessible forest to public.	Submerge s forest.	Damages downstream ecosystems.	All of the above.	optiond
The removal of carbon dioxide from earth\\\'s atmosphere and the provision of long term storage of carbon dioxide in the terrestrial biosphere is known as	Carbon Sequestration	Carbon dating	Carbon fixing	Photosyntheis.	optiona
\'The value of forests is often higher when it is left standing than it could be worth when it is harvested\'. Which of the following factors is most supportive of the above statements.	Increase in timber value as time passes.	Increase in wild life	Increase in ecotourism.	Increase in forest produce.	optionc
which of the following is not true about deforestation?	Population explosion is one of the reasons for deforestation.	Clearing of forest for agriculture causes deforestation	Deforestation is taking place in developing countries.	Cash crop economy of third world is a cause of deforestation	optionc
As per FAO definition the minimum percentage of depletion of tree crown cover, that can be considered as deforestation is	10%	20%	30%	40%	optiona
Water could be the source of the world\'s next big conflicts.	TRUE	FALSE	Partially true	None of the above.	optiona
Environmental damages caused by mining last long after the mine has closed due to followng factors	Impacts on health,destructi on of forms of community subsistence and life.	appropriat ion of the land belonging to the local communiti es.	alteration of social relationships and social disintegration.	All of the above	optiond

Forests transform _____	Degraded area	Non-Degraded area	Industrial area	None of the above	optiona
Who have started reducing emissions from deforestation and forest degradation.	Russian and Europe.	UK and Brazil	United States and World Bank	All of the above	optionc
industries where solvents most likely used	engineering	Chemicals	Footwear	All of the above	optiond
What steps are carried out worldwide to stop deforestation?	Educate citizens to use the forests in more sustainable way.	To repair the damage that deforestation has done.	To protect the forest land and vegetation cover	All of the above	optiond
Lowest contribution for power station capacity in India is from	Coal	Gas	Hydroelectric projects	Diesel	optiond
Non-renewable resources include	Coal	Oil	Natural gas	All of the above	optiond
A popular form of ecotourism is	Bird watching	Mountaineering	Trekking	Fishing	optiona
Fluoride in the atmosphere is contributed by	Burning coal	Steel industries	Brick-making	All of these	optiond
Radiation that people are exposed to are measured by	Richter	Pounds	Rad	All of the above	optionc
Common heavy metals that pollute soil and water include	Cadmium	Lead	Mercury	All of the above	optiond
Large scale depletion of ground water is caused by	Deep wells	River	Agriculture	None of these	optiona
Global atmospheric temperatures are likely to be increased due to:	Burning of fossil fuel	Water pollution	Soil erosion	None of the above	optiona
Which of the following is not a solution of global warming?	Reducing fossil fuel consumption	Planting more trees	Deforestation	None of the above	optionc
Which important greenhouse gas other than methane is being provided from the agricultural fields?	SO	Nitrous oxide	Ammonia	None of the above	optionb
Ozone layer is present in:	Troposphere	Mesosphere (c)	Stratosphere (d)	Thermosphere	optionc
Which of the following gases contributes maximum to the Greenhouse effect on earth	Carbon dioxide	Methane	Chlorofluorocarbons (d)	Freon	optiona

Increasing skin cancer and high mutation rate are the result of:	Ozone depletion	Acid rain	CO pollution	None of the above	optiona
Which of the following statements about ozone is true?	Ozone is a major constituent of photochemical smog	Ozone is highly reactive (c)	Ozone protects us from the harmful UV radiation of sun	All of the above	optiond
Agricultural activity such as tilling, harvesting, heating and ventilation are direct consumes of:	Energy	Air	Sun	Heat	optiona
Housing affects:	Neighbourhood	Energy consumption	Water consumption	All of the above	optiond
Production, transformation and use of energy are the major problems of:	Industrial activity	Rain Water Harvesting	Global warming	Acid rain	optiona
Extraction of mineral and metal form the earth is:	Agriculture	Transportation	Mining	Sustainable development	optionc
Meeting the needs of the present without compromising the ability of future generation to meet their own need is given by:	Brundtland	Mahatma Gandhi	Maathai	Sunderlal Bahugana	optiona
The problems for criticism about large dams are that they	Displace large number of peasants and tribes without proper rehabilitation	Swallow up huge amounts of public money without the generation of proportionate benefits	Contribute enormously to deforestation and the loss of biological diversity	All of the above	optiond
The following are stakeholders of forests which one of these causes the maximum damage to forest?	People who live in or around the forest	The industrialists	The wildlife and native enthusiasts	The forest department of the government	optionb
Chipko Andolan is concerned with	Conservation of natural resources	Development of new breeds of forest	Zoological survey of India (d)	Forest conservation.	optiond

		plants (c)			
Which energy of water is used to produce hydroelectricity?	Potential energy	Kinetic energy	Both (a) and (b)	None of the above	optiona
The Chipko movement started from:	Alakananda Valley	Arborio forest	Khejrli village	None of the above	optiona
The concept of sustainable development encourages	Form of growth that meets current basic needs	Preservation of the resources for the need of future generation	A change in all respects of life	Growth to meet current needs, preservation for the needs of future and change in all respects of life	optiond
When we consider the conservation of forests, we need to look at the	People who are humanists and conscious about human rights (b)	Industrialists who use the various forests produce	The people who live in or around forests	The forest department of the Government, the industrialists and the people who live in or around forests	optiond
Water harvesting is an age-old concept in India. Various methods are used in different regions of India. Khadins water harvesting method is used in	Rajasthan	Maharashtra	Bihar	Uttar Pradesh	optiona
When combustion of coal takes place in insufficient air (oxygen) which gas is formed, instead of carbon dioxide	Sulphur dioxide	Nitrous oxide	Carbon monoxide	Nitrogen peroxide	optionc
Wind is beneficial resource of energy as it doesn't cause	Pollution	Echo	Noise	Sound	optiona
countries are known for hot springs	New Zealand	Ice land	Germany	Both a and b	optiond
Fossil fuel is an important source of energy for	Transport	Homes	Industries	All of the above	optiond
When animals and plants are rotten in absence of air, then they produce a gas called	oxygen	carbon dioxide	biogas	methane	optionc
Black painted panels which are hanged at roofs to trap heat and energy from sun, are	Solar cells	Solar heater	Solar furnace	Solar battery	optionb
Plants material and waste from living things are regarded as	fossil fuel	bio mass	coal	crude	optionb
Bio gas is a renewable source of	energy	heat	light	fossil	optiona

Trapped heat inside earth is known as	thermal energy	geothermal energy	heat energy D.	volcano	optionb
Thousands of mirrors or curved metals are used to focus solar energy to make it very hot, in	solar cells	solar heater	solar furnace	solar battery	optionc
The management of natural resources should take into account	A long term perspective	Environmental pollution	Their equitable distribution	(a), (b), (c) and safe disposal of wastes	optiond
Amirata Devi Bishnoi sacrificed her life for the protection of	Sal trees	Pine trees	khejri trees	Alpine meadows	optionc
In which region of India bundhis are used for water harvesting?	Rajasthan	Maharashtra and Uttar Pradesh	Madhya Pradesh and Bihar	Uttar Pradesh and Madhya Pradesh	optiond
To preserve resources for future, we have to	look for more	consume more of them	save them	use them more frequently	optionc
Most natural resources we consume at our homes or in our cars are	renewable	nonrenewable	infinite	free	optionb
For travelling short distances, best way to conserve natural resources is	by driving	by flying	by taking lift	by cycling	optiond
The way we consume the renewable resources, it affects their	power	efficiency	availability	cost	optionc
Energy we use to heat our homes, drive our cars and run our computers comes from	Artificial Resources	Natural Resources	Renewable Resources	Nonrenewable Resources	optiond
The primary composition of coal is _____	Carbon	Oxygen	Hydrogen	Nitrogen	optiona
Which of the following nonrenewable energy is not classified under a fossil fuel?	Nuclear	Petroleum	Oil	Natural gas	optiona
The major non-renewable energy usage in India is _____	Coal	Petroleum and other liquids	d) Nuclear	Natural gas	optiona
Which gas is likely to be reduced in the atmosphere by deforestation?	Carbon dioxide	Oxygen	Nitrogen	Sulphur dioxide	optionb
Which Ministry is mainly responsible for refining, distribution, import, export of petroleum products and natural gas in India?	Ministry of Petroleum and Natural Gas	Ministry of Fossil Fuel	Ministry of Non-Renewable Energy	Ministry of Oil	optiona

The most abundantly available fossil fuel in India is	Coal	Natural Gas	Petroleum	Oil	optiona
Bill Gates, Chairman of the Board for Terra Power Company is associated in which of the following non-renewable resources?	Earth minerals	Fossil fuels	Nuclear energy	Metal ores	optionc
How many Nuclear power stations are there in India?	5	6	7	8	optionc
Which of the following is not an environment act?	Air (Prevention and Control of Pollution) Act, 1981.	Water (Prevention and Control of Pollution), 1974.	Wildlife Protection Act of 1972.	Energy Conservation Act 2001	optiond
Air Prevention and Control of Pollution Act came in existence in	1980	1981	1982	1983	optionb
Which of the following is a power of the State Pollution Control Board Under the Air Pollution Control and Prevention Act	To conduct surveys of Industry	To check production of industry	To inspect areas covered under air pollution control at regular intervals or whenever necessary	All of these	optionc
The main objectives of the Air Pollution Control Act	To provide for the prevention, control and abatement of air pollution	To provide for the establishment of central and State Boards with a view to implement the Act	To confer on the Boards the powers to implement the provisions of the Act and assign to the Boards functions relating to pollution	All of A , B & C	optiond
Water Prevention and Control of Pollution Act came in existence in	1974	1975	1976	1977	optiona

Water Pollution Control Act has provision for CPCB to	advise the Central Government on any matter concerning the prevention and control of water pollution	co-ordinate the activities of the State Boards and resolve disputes among them	plan and execute a nation-wide programme for the prevention, control or abatement of water pollution	All of A , B & C	optiond
Water Pollution Cess Act came in existence in	1976	1977	1978	1979	optionb
Which of the following Acts has the provision of levying Cess on water consumption by Industries and local authorities in India(	Air (Prevention and Control of Pollution) Act, 1981.	Water (Prevention and Control of Pollution), 1974.	Water Act	Water (Prevention and control of Pollution) Cess Act, 1977	optiond
Which of the following is a function of the Central Board?	Co-ordinate the activities of the State Board and resolve disputes among them	Plan and organise training of persons engaged in programme on the prevention , control or abatement of water and air pollution	Disseminate information in respect of matters relating to water and air pollution and their prevention and control	All of A , B & C	optiond
Who among the following are entitled to develop the Manuals, codes and guidelines relating to treatment and disposal of sewage and trade effluents as well as for stack gas cleaning devices, stacks and ducts.	State government	CPCB	State Pollution Control Board (SPCB)	Local Authorities	optionb

Which of the following is a Function of the State pollution Control Boards?	Advising the State Government regarding water pollution control or location of industries	Conducting and encouraging investigations and research relating to different aspects of water pollution	Inspecting trade effluents and waste water treatment plants	All of A , B & C	optiond
Environment Protection Act,1986 came into existence in wake of_____tragedy.	Bhopal	Shimla	Mumbai	Bangalore	optiona
Objectives of Environment Protection Act 1986 are	To implement the decisions made at the UN Conference on Human Environment held at Stockholm in June, 1972.	To co-ordinate activities of the various regulatory agencies under the existing laws	To provide for the creation of an authority or authorities for environmental protection	All of A , B & C	optiond
The figure stands for the logo of which of the following organizations?	MPCB	CPCB	WWF	Green Tribunal	optionb
The Environment (Protection) Act was last amended in _____	1991	1992	2001	2002	optiona
The cess collected in Water (Prevention and Control of Pollution) Act with a view to	to donate for environment work	to pay tax to government	to pay tax to state government	augment the resources of the Central Board and the State Boards	optiond
Punishment for industry polluting environment comes under	Biological Diversity Act 2002	Water (Prevention and Control of Pollution) Act 1974.	Noise control act	Energy Conservation Act 2001	optionb

Which of the following Act addresses the Conservation of biological resources.	Protection of Plant Varieties and Farmers' Rights Act of 2001.	Wildlife Protection Act of 1972.	Biological Diversity Act	None of these	optionc
Endangered species of animals like Royal Bengal Tiger is protected under	Wildlife Protection Act of 1972.	Biological Diversity Act	Environment protection Act, 1996	Animal Protection Act	optiona
Water cycle is getting disturbed due to	Global warming	Pollution	Deforestation	All of A , B & C	optiond
Biological diversity is declining day by day due to	Hunting	Smuggling of animals	Deforestation	All of A , B & C	optiond
Construction of which of the following structures is forbidden in Green belt area?	Building	Dam	Factories	All those in A , B & C	optiond
Green belts in and around urban and industrial areas are important to the _____ of given region.	Biological health	Ecological health	Human health	Economical health	optionb
Which of the following activities are treated as development of Green belt?	Farming land	Planting trees	Cultivation of green algae	Cultivation of green grass	optionb
Select the correct statement from the following	Renewable energy can not be renewed again and again	Renewable energy can be renewed again and again	Renewable energy emits pollutants	Renewable energy is detrimental to environment	optionb
Information technology can be used to forecast weather using	Computer based modelling	Green belt development	Cloud seeding	Protected farming	optiona
Which of the following is an informal mode of education?	Adult literacy Programme	Awareness camps	Community based forums	All of A , B & C	optiond
Which is the year in which, National Green Tribunal came in to existence through an Act of Parliament?	1981	2010	1996	2013	optionb

Which of the following is a woman welfare program	establishment of self reliant women self help group	conducting workshop for mother and child care	conducting medical awareness camp on health aspect of women	All of A , B & C	optiond
Environmental morality is an indicator of	Environmental Awareness	Environmental Ethics	Environmental Impact	Community Health	optionb
RSPM stands for	Readily suspended particulate matter	Regular suspended particulate matter	Respirable suspended particulate matter	Regular Supply Particle Matter	optionc
SPM stands for	selected particulate matter	suspended particulate matter	surrounded particulate matter	Settled Particulate matter	optionb
The diameter of PM 10 is	Less than 10 milimetre	less than 10 micrometre	Equal to or greater than 10 micrometre	Less than 10 Nanometer	optionb
As per national ambient air quality standards, the concentration of Sulphur Dioxide in industrial area should be within_____micro gram/cubic metre.	50	100	150	200	optiona
As per national ambient air quality standards, the concentration of Nitrogen Dioxide in industrial area should be within_____micro gram/cubic metre.	20	40	100	None of these	optionb
As per national ambient air quality standards, the concentration of Particulate Matter (size less than 10 micro gram) in industrial area should be within_____micro gram/cubic metre.	60	10	5	1	optiona
As per national ambient air quality standards, the concentration of Particulate Matter (size less than 2.5 micro gram) in industrial area should	20	40	100	120	optionb

be within _____micro gram/cubic metre.					
As per national ambient air quality standards, the concentration of lead in industrial area should be within _____micro gram/cubic metre .	0.2	0.1	0.3	0.5	optiond
As per national ambient air quality standards, the concentration of CO in industrial area should be within _____mg/cubic metre.	1	3	2	5	optionc
The permissible limit on concentration of ammonia in ambient air for industrial area is _____micro gram/cubic metre .	10	1000	1	100	optiond
As per national ambient air quality standards, the concentration of benzene in industrial area should be within _____micro gram/cubic metre .	5	50	0.5	500	optiona
Biotic component of biosphere is not constituted by....	Producer	consumer	decomposer	air	optiond
If the consumption rate is higher than the replenish ratestarts	Depletion	Motion	Work	Only B and C	optiona
Which is false about biosphere?	It is the global sum of all ecosystems	It has evolved at least some 3.5 billion years ago	It does not contain microbes	It can also be called the zone of life on earth	optionc
1. Over Population is problem in India. 2. Over population is not a example of Pollution.	Both are correct	Both are wrong	1 is correct 2 is wrong	2 is correct 1 is wrong.	optionc
Green house effect leading to the warming up of the earth and atomsphere is due to....	Infrared reaching to the earth	UV rays reaching to the earth	Due to increase in CO2 level	Depletion of ozone layer of atomsphere	optionc
The Environmental cause for increase in skin cancer, cateract in eyes & mutation is	acid rain	global warming	Nuclear waste	ozone depletion	optiond

Acid rain on earth results in	increase PH of Soil	decrease PH of Soil	no effect on PH of soil	increases fertility of soil	optionb
Which of these is not radioactive waste.	Gold	Silver	Magnesium	All of the above	optiond
Which of the following is causing nuclear waste	Aluminum	Magnesium	Uranium	Calcium	optionc
Bhopal tragedy was example of -	Nuclear accident	Gas leak	Earthquake	None of the above	optionb
From the following which are major air pollutants which have made the problem of air pollution very serious.	Carbon Compounds	Sulphur Compounds	Nitrogen oxides & fluorides	All of the above	optiond
Which of these causes the sea level Change over flooding due to process of melting of snow.	Global Warming	Ozone layer depletion	Both A and B	None of the above	optionc
Soil degradation means the _____ loss of soil.	Qualitative	Quantitative	Both	None of the above	optionc
The suspended particulate matter causes _____ pollution.	Water	Air	Sound	None of the above	optionb
The suspended particulate matter is released into air by _____.	Automotive Vehicles	Stone crusher	Sugar Industry	All of the above	optiond
Sprinkling water can help To reduce the _____ pollution in the mining area.	Water	Air	Sound	All of the above	optionb
Which is not the advantage of recycling?	Reduces consumption of fresh raw material	Reduces air pollution	Lowers green house effect	Increases heat	optiond
Rise in temperature makes _____.	Melting of snow	Increases sea level	Both A and B	None of the above	optionc
Which is the odd from the following?	Global warming reduce the water level in ground	Global warming reduce the yield of crop	Global warming will affect the ecological cycle	Global warming will help in increase of forest area	optiond
As per national ambient air quality standards, the concentration of Sulphur Dioxide in ecologically sensitive area should be within _____ micro gram/cubic metre.	20	30	40	50	optiona

As per national ambient air quality standards, the concentration of Nitrogen Dioxide in ecologically sensitive area should be within _____micro gram/ cubic metre.	20	30	40	50	optionb
As per national ambient air quality standards, the concentration of Particulate Matter (size less than 10 micro gram) in ecologically sensitive area should be within _____micro gram/cubic metre.	100	40	60	120	optionc
As per national ambient air quality standards, the concentration of Particulate Matter (size less than 2.5 micro gram) in ecologically sensitive area should be within _____micro gram/cubic metre .	100	40	20	120	optionb
As per national ambient air quality standards, the concentration of lead in ecologically sensitive area should be within _____micro gram/cubic metre .	0.5	1.5	2.5	2	optiona
As per national ambient air quality standards, the concentration of CO in ecologically sensitive area should be within _____mg/cubic metre .	0.5	0.6	1.5	2	optiond
As per national ambient air quality standards of India, the concentration of ammonia in ecologically sensitive area should be within _____micro gram/cubic metre .	50	80	100	120	optionc
As per national ambient air quality standards, the concentration of arsenic in Residential area should be within _____nano gram/cubic	2	6	4	8	optionb

metre .					
As per national ambient air quality standards, the concentration of nickel in ecologically sensitive area should be within _____ nano gram/cubic metre.	20	40	60	80	optiona
Dissolved oxygen content in drinking water should be more than _____ mg/lit	4	5	6	10	optionc
Waste from hospital is called as	Hospital waste	Medical waste	hazardous waste	Biomedical waste	optionb
Missing component in figure is	Ecology	Biodiversity	Environment	Hydrology	optionc
Renewable energy is part of _____ development .	Sustainable	Economic	Environmental	Energy	optiona
Which of the following phenomenon has emphasized the need for sustainable development?	Depletion of natural resources	Pollution	Imbalance of ecology	All of A , B & C	optiond
Name the missing component in the diagram depicting sustainable development.	Ecological	Economy	Biological	Ethical	optionb
This picture depicts the outcome of	Water pollution	Excessive fishing	Excessive dissolved oxygen	None of these	optiona
Which of the following is a NGO	FICCI	Greenpeace	NABARD	DRDO	optionb
It is said that next world war will be fought over	Coal	oil	water	gold	optionc
_____ scheme will give concession in property tax in metro cities.	Drain water system	Tree plantation	Rainwater harvesting	All of these	optionc
Which of the following is a Traditionally observed bio indicator of rain	swarms of dragonflies	Croaking of frogs in chorus	Marching of ants carrying their eggs	All of A , B & C	optiond
Environmental impact of development projects can be	immediate	short term	long term	All of these	optiond
Which of the following carries highest conservation value in Environment Planning?	sacred biodiversity	exotic biodiversity	invasive biodiversity	All of these	optiona

The computer driven system that permits storing and retrieving environmental information is	GIS	digital information	information technology	None of these	optiona
World environment day falls on	5-Jul	5-Jun	5-Jan	5-May	optionb
The data for generation of Environmental inventory is	Primary Data	Secondary Data	Tertiary Data	Primary and Secondary Data	optiond
Release of sewage and garbage into wetland will reduce concentration of dissolved _____ in water	oxygen	nitrogen	hydrogen	chlorine	optiona
Which among the following terms is coined as utmost significance in the dynamics of resource management in the Brundtland Commission Report	Polluter-Pays Principle	Sustainable development	Inclusive Growth	Carrying Capacity	optionb
Which of the following is not a part of National Action Plan on Climate Change?	National Water Mission	National Mission on Pollution Control	National Mission for Sustainable Agriculture	National Mission on Sustainable Habitat	optionb
Which of the following act is a specific legislation for declaration and regulation of the Biosphere Reserves in India?	Wildlife Protection Act 1972	Biological Diversity Act, 2002	Environment (Protection) Act, 1986	None of A , B & C	optiond
Which among the following plants has been prohibited from cultivation and planting in India by the Wild Life protection Act?	Killer weed (Parthenium hysterophorus)	Dragon Plant (Dracaena draca)	Belladonna (Atropa Belladonna)	Ladies slipper orchids (Paphiopedilum spp.)	optiond
PM10 and PM2.5 Samplers are used to detect which of the following phenomenon?	Food adulteration	Adulterated Petrol	noise pollution	air pollution	optiond
Which among the following is the upper limit of sound in dB for residential areas as per Central Pollution Control Board (CPCB)?	55	60	75	90	optiona
World water day is observed on _____every year.	22-Mar	23-Mar	25-May	2-Oct	optiona
Which process among the following refers to accumulation and storage of rain water for reuse?	Rain collection	Rainwater harvesting	Rain digging	Rain water pumping	optionb
The process of purifying water using filters is termed ?	Filtration	Sublimation	Rainwater harvesting	Evaporation	optiona
How many methods of rainwater	1	2	3	4	optionb

harvesting are there?					
An area of high ground which divides two or more river systems is called	Rainwater harvesting	Wetland	Watershed	Command area	optionc
Which is the first Airport in the world powered entirely by Solar energy?	Cochin, Kerala	Bengaluru , Karnataka	Chennai, Tamil Nadu	Mumbai, Maharashtra	optiona
Which of the following is not under the Ministry of New and Renewable Energy?	Wind	Soalr	Bio	Large Hydro	optiond
Where is India's largest Wind Farm located?	Jaisalmer Wind Park, Rajasthan	Muppandal Wind Farm, Tamil Nadu	Vaspeta Wind Farm, Maharashtra	Chakala Wind Farm, Maharashtra	optionb
Which Indian enterprise has the Motto "ENERGY FOREVER"	Indian Renewable Energy Development Agency	Indian Non-Renewable Energy Development	Indian Agricultural Development	Indian Biotechnology Development	optiona
The best way to reduce deforestation is by	Using more paper	Clear more area of trees for cultivation	Development of open land through buildings	Planting more trees in open spaces of developed and undeveloped areas	optiond
Which is the first state in India to make roof top rain water harvesting compulsory to all the houses?	Tamilnadu	Kerala	Goa	Assam	optiona
Narmada Bachao Andolan is related to which of the following projects?	Sardar Sarovar	Bhakra Nagal	Koyna	Rihand	optiona
The Acronym NPPA stands for	National Policy on Population Abatement	National Policy on Pollution Abatement	National Policy on Population Absorption	National Policy on Population Arise	optionb
Which is the most recent pronouncement of the government's commitment to improving environmental conditions?	National Environmental Policy	National Water Policy	Environment Act	Air Policy	optiona

Environmental Compliance refers to ?	Conforming to government laws	Conforming to constitutional laws	Conforming to environmental laws	Conforming to tribal laws	optionc
What is the full form of EDMS?	Environmental Data Management Systems	Environmental Data Management Security	Environmental Data Management Sustainability	Environmental Data Management Syndrome	optiona
The objective of the Central Pollution Control Board is	To coordinate the activities of State Pollution Control Boards	Resolve the disputes among them	Create awareness about environment protection	All of A , B & C	optiond
What is the full form of NRCP?	National Railway Corporation Project	National Rivers Cleaning Phase	National Roads Cleaning Phase	National River Conservation Plan	optiond
When did a model bill to regulate and control of groundwater come into force?	1996	1995	1994	1993	optiona
When did the Noise Pollution Regulations and Control Rule came in to force in India?	2000	2005	2006	2010	optiona
What is the meaning of silence zone for noise pollution?	Area comprising more than 100 meters around hospitals and educational institutes	Area comprising not less than 100 meters around hospitals and educational institutes	Area comprising more than 100 meters around clubs and commercial streets	Area comprising not less than 100 meters around clubs and commercial streets	optionb
When was the Factories Act came in to force in India?	1930	1999	1948	1992	optionc
Which Ministry published a draft of Noise Pollution Rules?	Ministry of Foreign Affairs	Ministry of Pollution Control	Ministry of Industries	Ministry of Environment and Forests	optiond
Environmental degradation means	Overall lowering of environmental qualities.	Adverse change brought in by human activities.	Ecological imbalance	All of the above	optiond

Which of the following statements about Radioactive pollution are correct?	It causes genetic changes in the animals.	It causes cancers.	Both A and B are correct	A is correct B is wrong	optionc
Given below are two statements: Assertion (A): Natural vegetation is the true index of climate. Reason (R): Water loving plants are found in moist climate In the context of the above statements, which one of the following is correct?	Both A and R are true and R is the correct explanation of A.	Both A and R are true but R is not the correct explanation of A.	A is true but R is false.	A is false but R is true.	optiona
On a winter day, most automobiles keep the passengers warm by using heat generated by the engine. This use of the heat by-product from a gas engine is an example of :	non-fossil-fuel energy	cogeneration	nuclear power	a sustainable source of energy	optionb
Consider following statements about the Ozone Hole (I) Ozone formation and destruction keep on happening (II) Ozone destruction rate is higher than its formation rate (III) Ozone destruction rate is equal to the its formation rate Which of above statement is/ are true?	(I) only	(I) and (II) Only	(I) and (III)	(III) Only	optionb
Which of the following can be used for controlling Gaseous Pollutant?	Arrestor	Incineration	Absorption	None of the above	optionc
What does the high Biological Oxygen Demand (BOD) indicates?	High level of biodegradable organic Pollution	Low level of Microbial Pollution	Absence of Microbial Pollution	Water is fully pure	optiona
What percent of area in the plain should be under forest?	21	25	30	33	optiond
The gas that shows the most variation from place to place and from time to time in the lower atmosphere:	ozone (O ₃)	carbon dioxide (CO ₂)	water vapor (H ₂ O)	All of the above	optionc
In the atmosphere, tiny solid or liquid suspended particles of various composition are called:	aerosols	carcinogens	greenhouse gases	microbes	optiona
The most abundant greenhouse gas in the earth's atmosphere:	Carbon dioxide	Nitrous oxide	water vapor (H ₂ O)	Carbon Monoxide	optionc

Which of the following processes acts to remove carbon dioxide from the atmosphere?	lightning	deforestation	photosynthesis	None of the above	optionc
This holds a planet's atmosphere close to its surface:	radiation	gravity	cloud cover	moisture	optionb
Which of the following weather elements always decreases as we climb upward in the atmosphere?	Wind	Temperature	Pressure	Moisture	optionc
In a temperature inversion:	air temperature increases with increasing height	air temperature decreases with increasing height	air temperature remains constant with increasing height	it is warmer at night than during the day	optiona
Without the atmospheric greenhouse effect, the average surface temperature would be:	higher than at present	lower than at present	the same as it is now	much more variable than it is now	optionb
The atmospheric greenhouse effect is produced mainly by the:	absorption and re-emission of visible light by the atmosphere	absorption and re-emission of ultraviolet radiation by the atmosphere	absorption and re-emission of infrared radiation by the atmosphere	absorption and re-emission of visible light by clouds	optionc
Suppose last night was clear and calm. Tonight low clouds will be present. From this you would conclude that tonight's minimum temperature will be:	higher than last night's minimum temperature	lower than last night's minimum temperature	the same as last night's minimum temperature	above freezing	optiona
If the sun suddenly began emitting more energy, the earth's radiative equilibrium temperature would:	increase	decrease	remains the same	Oscillate	optiona
Which chemical was responsible for Bhopal gas tragedy?	Methyl isocyanate	Benzene Hexachloride	Tri Nitro Toluene	All of the above	optiona
The adverse effect(s) of acid rain is(are)	Causing paint to peel	Corrosion of steel structures	Killing insects	All of the above	optiond
Liquids with a pH less than ____ are acidic	10	9	8	7	optiond
The earthquakes can cause -	Floods	Landslides	tsunamis	All of the above	optiond

The commonly used material for shielding in nuclear plant is -	Lead and Tin	Graphite and Cadmium	PVC	None of the above	optiona
The main interest of shielding in nuclear plants is to protect from -	Neutrons	Gamma Rays	Both A and B	None of the above	optionc
Reflector in nuclear plant is used for -	Return the neutrons back into the core	Shield the radioactivity completely	Check pollution	None of the above	optiona
The unit of radioactivity is -	Electron volt	Electron ampere	Curie	Lumens	optionc
Where was the first use of nuclear bombs which cause death to the millions of lives?	Karachi	Hiroshima and Nagasaki	London	None of the above	optionb
Which State in India nuclear accident took place?	Tamilnadu	Gujrat	Maharashtra	Karnataka	optiona
Which one of the following medical condition caused by the high exposure of radiation?	Kidney stone	Mutation	Blood pressure	All of the above	optionb
What is the main purpose of nuclear energy?	To kill the enemy nation	To waste the excessive energy	To use it as an alternate source of energy	To cause mutation for people who are working	optionc
Which is the main source of nuclear radiations?	Nuclear power plant	Sunlight	Atmospheric air	Volcanoes	optiona
When does an Environmental Policy achieve positive results?	When policy addresses urban issues	When policy addresses local issues	When policy addresses international issues	When policy addresses national issues	optionb
Why does Greenpeace oppose the use of nuclear power?	Because nuclear power increase the environment rapidly	Because nuclear power plant abolishes the disasters	Because there is no disadvantages in nuclear power	Because it releases harmful radiations	optiond
When was Greenpeace founded?	1965	1967	1968	1971	optiond
When was the Bombay Natural History Society (BNHS) founded?	1857	1868	1883	1893	optionc

What is the full form of CYWEN?	Club of Youth Working for Environment	Council of Youth Working for Environment	Council of Youth Working for Education	Council of Youth Working for Employment	optiona
When was Indian Forest Act enacted?	1910	1911	1926	1927	optiond
Which act was enacted in 1972 to protect of plants and animal species in India?	Indian Forest Act	Wildlife Protection Act	Environmental Act	Natural Protection Act	optionb
Name the state in India where Wildlife protection Act is not applicable?	Maharashtra	Jammu and Kashmir	Karnataka	Madhya Pradesh	optionb
Which domain of the 7th five year plan made the provision of the protection of environment?	Environment Protection Act, 1986	Indian Forest Act, 1927	Wildlife Protection Act, 1972	National Forest Policy, 1988	optiona
The Ministry of Environment and Forests is a nodal agency of _____ Government?	The State	The central Government	District Authority	Municipal Corporation	optionb
Who adopted the technique of public interest litigation for the cause of environmental protection in many cases in India?	Indian Parliament	Indian Army	Indian Civil Services	Indian judiciary	optiond
Which of the following is an environmental issue?	Use of resources	Use of economy	Education	Employment	optiona
Which one of the following is the best way to protect environment by individuals?	By simply talking about environment	By killing organisms and cutting trees	By joining NGOs and involve themselves in environmental protection works	By simply sitting in a home	optionc
The NGO with which Dr. Salim Ali is associated with is	Green peace	Bombay Natural History Society (BNHS)	Kaya	Urja	optionb

What is the best way to educate school kids about the environment?	Introduction of environmental awareness in curriculum	Introduction of projects on environmental issues in curriculum	Conducting environmental awareness camps in collaboration with NGOs	All of A , B & C	optiond
What is sustainable development?	The development that meets the needs of the present without compromising the ability of future generations to meet their own needs.	To conserve natural resources and to develop alternate sources of power while reducing pollution and harm to the environment.	It is the practice of developing land and construction projects in a manner that reduces their impact on the environment by allowing them to create energy efficient models of self-sufficiency.	All of A , B & C	optiond
Which of the following Statement is related to the Sustainability?	It refers to a process or state that can be maintained indefinitely.	Natural resources must use in ways that do not create ecological debts by over exploiting the carrying and productive capacity of the earth.	A minimum necessary condition for sustainability is the maintenance of the total natural capital stock at or above the current level.	All of A , B & C	optiond

Which of the following is/are not an objective (s) of sustainable development?	To bring about a gradual and sometimes catastrophic transformation of environment	Continue to implement the family planning program.	Maintain a dynamic balance of arable land (not less than 123 million hectares) and implement an agricultural development strategy	Maintain a dynamic balance of water resources by reducing water consumption for every unit of gross development product growth and agricultural value added	optiona
Which of the following is a Primary Goal of Sustainability?	The end of poverty and hunger	Achievement of gender equality	Sustainable economic growth while promoting jobs and stronger economies	All of A , B & C	optiond
What is the approximate percentage of Earth's water which is stored in underground aquifers?	About 1%	About 5%	About 10%	About 20%	optiona
What is the process by which water enters the small pore spaces between particles in soil or rocks?	transpiration	infiltration	precipitation	sublimation	optionb
The percentage of pore volume to the total volume of rock is called _____ of rock.	permeability	recharge	aquifer	porosity	optiond
The lowering effect on the water table about the base of the well stem is called	aquiclude	artesian surface	cone of depression	speleothem	optionc
Which of the following is an effect of Excessive pumping of ground water?	Depletion of the ground water table	Drying up of wells	None of A & B	Both A & B	optiond
Water fit for drinking purpose is called as	potable water	groundwater	surface water	artesian water	optiona
CPCB comes under the ministry of	Human resource development	Environment and forest	Health	Urban development	optionb
Which one of these air pollutants is not monitored under NAMP by CPCB	NO ₂	SO ₂	RSPM	CH ₄	optiond

Target group for formal education is	Children and youth	Farmer	Workers in unorganized sector	Elderly public with plenty of free time	optiona
Target group for informal Education	Children and youth	Educated and employed	Uneducated Workers	All of these	optiond
Feature of formal education is	Education as a Full time and Primary activity	Education as a Parttime and secondary activity	Education during Vacation	Education as an optional activity	optiona
The feature of informal education is	Full time education	Part time education	Education as day scholar in school	Education in boarding school	optionb
For better human health application of IT is needed in	bioinformatics	genome sequencing	biotechnology	All of A , B & C	optiond
The Acronym ENVIS stands for	Environmental system	Ecological system	Environmental Information System	None of these	optionc
The Acronym GIS stands for	Geographical Information System	Geographical International System	Government Information System	All of these	optiona
Which of the following is a duty of state according to Article 48-A of Indian Constitution?	Providing Education to the youth in the state	Protection and improvement of environment, safeguard the forests and wild life of the country	Establishing urban infrastructure	Developing health facilities for the citizens in the state	optionb
Bore well is an access to	Dam water	River water	Ground water	lake water	optionc

Which of the following is an example of Environmental Morality?	Recharge ground water by rainwater harvesting at your home without compulsion	Recharge ground water by rainwater harvesting at your home due to compulsion	Discharge water into sea	Discharge of water to river	optiona
Which of the following is a Hydrological function of watershed?	Collect rainfall water	Store water in for different periods	Release water as runoff	All of A ,B & C	optiond
Causes of watershed deterioration are	uncontrolled, unplanned, and unscientific land use	Faulty agricultural methods	Both A and B	None of A & B	optionc
Common treatment methods for watershed deterioration are	Excavation of trenches across the slope to break the velocity of runoff	Stones are dry packed across the hill slope to intercept surface runoff	Conversion of slopes into level steps fields	All of A , B & C	optiond
Watershed management in simplest terms refers to	Watershed Construction	Watershed protection	Watershed planning	Degradation of watershed	optionb
The basic objectives of watershed management	Increase soil infiltration	Reduce damage caused by excess runoff	Manage runoff for useful purposes	All of A , B & C	optiond
Water quality in the watershed can be affected by	use of soap and detergents	constructing dam	by Rainwater harvesting	Irrigation	optiona
Which of the following is an example of Watershed management project in Maharashtra	Ajintha in Aurangabad District	Ralegan Siddhi in Ahmednagar	Chiplun in Ratnagiri District	Malwan Sindhudurg District	optionb

		District			
A proposal to establish a new industry needs to be accompanied with which of the following report for approval from the Ministry of Forest and Environment	EIA report	Financial status report	Feasibility report	Technical report	optiona
The area in which the PAANI Foundation in Maharashtra works is	Drought prevention and Watershed Management	Plastic ban	Organic Farming	Control of Water Pollution	optiona
Celebrity Film star Aamir Khan is associated with	Brila Foundation	Paani Foundation	Kahdi Foundation	NAAM Foundation	optionb
Full form of CTBT is;	Comprehensive Nuclear-Test-Ban Treaty.	Comprehensive Test Bank Trust.	Comprehensive Trust Ban Treaty.	Comprehensive Test Ban Trusty.	optiona
What is the full form of BOD?	Bacterial Oxygen Demand.	Biological Oxygen Demand.	Biological Oxide Demand.	None of the above	optionb
Full form of COD is;	Chemical Oxide Demand.	Chemical Oxygen Demand.	Chemical Ozone Demand.	None of the above	optionb
With respect to environment science, full form of SPM is;	Suspended Partial Matter	Suspended Particulate Matter.	Suspended Pollutant Matter.	None of the above	optionb
Silviculture is the management of-	Rivers	Lakes	Hills	Forests	optiond
Rapid growth of population at present time is due to-	Lack of awareness among people to check birth rate.	Global terrorism.	Family planning.	Migration.	optiona
Which of the following have been able to check the rapid growth of population?	Underdeveloped countries.	Developed countries.	Developing countries.	None of the above	optionb
The founder of Vanarai foundation is	Dr. Mohan Dharia	Dr. Sharad Dharia	Aamir Khan	Dr. Satyaprakash	optiona

If some one notices polluted water coming from industry in Maharashtra, he/she can approach to	MSEB	MPCB	MERC	All of these	optionb
MPCB is entitled to collect which of the following samples in Maharashtra	Air Pollutant	Water Pollutant	hazardous waste	All of A , B & C	optiond
Responsibility of CPCB includes abatement and control of pollution in the country by	generating relevant data	providing scientific information	rendering technical inputs for formation of national policies and programs	All of A , B & C	optiond
_____ education of environment will help every citizen to protection environment.	Formal	Informal	Both A and B	None of these	optionc
_____ act was enacted in 1977.	Water Pollution act	The Water (Prevention and Control of Pollution) Act	The Water (Prevention and Control of Pollution) Cess Act	None of these	optionc
The Environment Protection can be made effective by	Forcing people	Making people aware about environment	Providing more financial budget to CPCB	Doing energy conservation.	optionb
Use of _____ energy will be helpful in protection of environment and sustainable development.	Soalr	Nuclear	Hydro electric	Thermal	optiona
UV radiations from sunlight produces -	Ozone	Sulphur Dioxide	CO	Fluorides	optiona
Water pollution is due to -	Carbon dioxide	Sulphur Dioxide	Oxygen	Industrial waste	optiond
Black Lung disease is common in -	Farmers	Coal mine workers	Refinery workers	Petrochemical workers	optionb
Acid rain will not affect -	Lithosphere	Ozone layer	Plants	Animals	optionb
Aerosols having carbon and Florine compounds are mainly released by -	Automobiles	Industries	Jets	Refineries	optionc

Bronchitis is caused due to -	Polluted Air	Polluted water	Polluted soil	Adulteration of food	optiona
For clean environment which one is non essential -	Producer	Polluter	Consumer	Decomposer	optionb
Air pollution is not caused by -	Pollen grains	Hydro electric power	Industries	Automobiles	optionb
BOD is measure of -	Electronic waste poured in water	Extent of pollution due to organic compound	CO combined with hemoglobin	O2 required by green plants	optionb
UV radiations bring about cancer of-	Skin	Lungs	Mouth	Liver	optiona
Select the correct statement about the particulate matter -	10 um sizes creates lung disease	More than 2.5 um trapped in lungs	Less than 2.5 um penetrates deep into lungs	None of the above	optionc
Fluoride pollution mainly affects -	Teeth	Heart	Kidney	Liver	optiona
Green muffler is related to pollution of	Air	water	Soil	Noise	optiond
Methemoglobinemia is caused by-	Nitrates	CO	Methane	Ag	optiona
Pollution is controlled by -	Using electrical cars	Banning atomic blasts	Sewage treatment	All of the above	optiond
DDT is -	Non-biodegradable pollutant	Antibiotic	Bio-degradable Pollutant	Not a pollutant	optiona
Which will not cause atmospheric pollution -	SO2	CO2	H2	CO	optionc
In vehicles catalytic converter are used to -	Increase mileage	Convert CO2 to carbonates	Increase efficiency of lead petrol	Convert CO to CO2	optiond
Which metal causes harmful effects -	Lead	Uranium	Cobalt	All of the above	optiond
Which is not dangerous for life -	Ozone layer	deforestation	Nuclear blast	Bio-pollutants	optiona
Oxides of Sulphur and Nitrogen are important pollutants of -	Air	water	soil	All of the above	optiona
Purpose of biological treatment of waste water is to -	Reduce sedimentation	Increase sedimentation	Reduce BOD	Increase BOD	optionc

Ozone depletion can cause higher incidence of -	Skin cancer	Cataract	Decreased immunity	All of the above	optiond
Which is not pollutant from exhaust of motor vehicle -	Hydrocarbon gas	Fly ash	Carbon dioxide	Carbon Monoxide	optionb
Pollution is rising due to -	Research institutes	Rain	Hydro power projects	Automobiles and Industrial wastes	optiond
Ozone hole is maximum over -	Europe	Africa	India	Antarctica	optiond
Green house effect is related to -	Increased growth of green algae	Global warming	Cultivation of vegetables in house	Development of terrace garden	optionb
Which pollution causes Jaundice -	Air	water	Land	Thermal	optionb
Which one of the following is a wrong statement?	Greenhouse effect is a natural phenomenon	Eutrophication is a natural phenomenon in freshwater bodies	Most of the forests have been lost in tropical areas	Ozone in upper part of atmosphere is harmful to animals	optiond
dB is a standard abbreviation used for the quantitative expression of	The dominant Bacillus in a culture	The density of bacteria in a medium	A certain pesticide	Noise Pollution	optiond
Removal of top fertile soil by water is called	Leaching	Weathering of soil	Siltation	Soil erosion	optiond
Which of the following fuels has highest carbon intensity?	Natural gas	Oil	Bituminous coal	Biomass	optionc
Which one of the following is toxic to the blood, after combining with haemoglobin?	CO ₂	CO	SO ₂	CH ₄	optionb
Assertion (A): Oil slick in the ocean causes mass scale death of fish. Reason (R): The gills of fish get clogged.	Both (A) and (R) are true with (R) being the correct explanation.	Both (A) and (R) are true but (R) is not the correct explanation.	(A) is true, but (R) is wrong.	Both (A) and (R) are wrong.	optiona
Prolonged exposure to high levels of noise causes -	Hearing loss	Constriction of blood vessels	Gastric ulcers	All of the above	optiond

Baba Amte was the leader of	Appiko Movement	Chipko Movement	Narmada Bachao Andolan	Tehri Dam Movement	optionc
The sequence of fossil fuels in the order of higher to lower heating value is as follows:	Coal, Petroleum, Natural Gas, Hydrogen.	Hydrogen, Natural Gas, Petroleum, Coal.	Hydrogen, Coal, Natural Gas, Petroleum.	Natural Gas, Petroleum, Coal, Hydrogen.	optionb
Which one of the following is not an energy recovery method of solid waste management?	Pelletisation	Biomethanation	Pyrolysis	Composting	optiond
Which statement is not correct for hazardous wastes?	They contain one or more of 39 toxic compounds	They catch fire easily	They are nonreactive and stable	They are capable of corroding metal containers	optionc
Assertion (A): The ecosystem surrounding a river gets damaged due to construction of a dam. Reason (R): The area gets inundated with large volume of water.	Both (A) and (R) are true and (R) is the correct explanation of A.	Both (A) and (R) are true but (R) is not the correct explanation of A.	(A) is true, but (R) is wrong.	Both (A) and (R) are wrong.	optionb
Coal mining areas are prone to--	Land subsidence	Fire hazard	Air pollution	All of the above	optiond
Which one of the following is a non-formal environment education and awareness programme?	Environmental appreciation courses.	National Environment Awareness Campaign.	Environmental Education in school system.	Environmental Management Business Studies.	optionb
Assertion (A): Natural gas is a very attractive eco friendly fuel. Reason (R): It produces few pollutants and less carbon dioxide per unit energy than any other fossil fuel on combustion.	Both A and R are true and R is the correct explanation of A.	Both A and R are true but R is not the correct explanation of A.	A is true but R is false.	Both (A) and (R) are wrong.	optiona
Identify the negative consequences of urban growth -	Increase in vehicular pollution	Increase in industrial emission	Increase in solid and liquid waste generation	All of the above	optiond

Identify the consequences of urbanisation -	Physical expansion of the city	Scarcity of utilities	Increase in municipal waste	All of the above	optiond
What is the concept which emphasizes that an environment can support number of individuals for a prolonged period of time?	Population Density	Maximum growth rate	Biotic potential	Carrying capacity	optiond
Which of the following best explains a sustainable society?	Meets the needs and aspirations of the present without compromising those of the future.	It is inconsistent with the goals of environmentalism.	It continues as always and assumes that things will work out for the best.	Curtails all further development.	optiona
Which of the following migration streams is more problematic in India?	Rural to Rural	Urban to Rural	Urban to Urban	Rural to Urban	optiond
Which among the following is not a characteristic of slums?	Environmental health hazards	Generation of deviant behaviour	Conducive environment for educating children	Breeding ground for political radicalism and violence	optionc
What does it mean to reduce?	Use something over and over again.	Use less of something, creating smaller amounts of waste.	Make something into something new.	Make something ugly into something beautiful.	optionb
What does it mean to reuse?	Cleaning up a mess.	Use less of something, creating smaller amounts of waste.	Use something over and over again.	Make something ugly into something beautiful.	optionc
What does it mean to recycle?	Make something into something new.	Use less of something, creating smaller amounts of waste.	Make something that can clean your room.	None of the above	optiona

Which of the following is bad for the environment?	Recycling	Littering	Reducing	Reusing	optionb
Re-processing material to make another product -	Reduce	Reuse	Recycle	All of the above	optionc
Most recycling focuses on four major categories of products. Which one of these is NOT one of them?	Paper	Glass	Plastic	Chemicals	optiond
The following is an example of reducing:	using plastic bags as small garbage bags.	using less water when you shower.	bringing newspapers to a recycling center.	All of the above	optionb
The following is an example of reusing:	bringing cans back to a recycling center.	using less water when you brush your teeth.	using fewer napkins when you eat.	washing zip top bags after use so they can be used again.	optiond
When you buy rechargeable batteries you help?	Recycling	Reuse	Reducing	All of the above	optionc
Which of the following is called "Energy Bank" because of the energy saved in recycling?	Aluminum	Paper	Glass	Tires	optiona
How many trees will be saved by recycling 1 ton of paper?	1	7	17	70	optionc
Glass can be recycled without alteration -	Once	Twice	5 to 10 times	again and again	optiond
Which type of plastic is more friendly to the environment?	PVC	HDPE	PS	PET	optiond
Which one of the following takes the most to dissolve in nature?	Plastic Bottle	Glass bottle	Paper	Cotton cloth	optionb
The recycling label has -	One arrow	Two arrow	Three arrow	A tree	optionc
Which of the following can be recycled?	Paper	Glass	Organic waste	All of the above	optiond
What is the advantage of driving an electric car?	It is easier to steer.	It can go faster.	It causes less pollution.	It costs less than other cars.	optionc
How can we reduce our need for fossil fuels?	Burn more wood.	Burn more gasoline	Develop alternative energy sources and use them	We can't reduce our need for fossil fuels. It's impossible.	optionc
How can people reduce pollution?	Burn lots of wood in your fireplace.	Practice conservation.	Burn all of the leaves that fall off of our trees.	Put our waste water in a river so it gets washed	optionb

				away.	
The term Municipal Solid Waste (MSW) is generally used to describe:	Mining wastes	Wastes from industrial processes, construction and demolition debris.	Wastes from Private homes, commercial establishments and institutions.	Agricultural wastes	optionc
Problem of solid waste disposal can be reduced through	Recycling	Lesser pollution	Population control	More timber	optiona
AQI stands for _____	Air Quality Information	Atmosphere Quality Information	Atmospheric Quality Index	Air Quality Index	optiond
The index for good air quality is _____	0-50	51-100	101-150	151-200	optiona
If AQI is in the range 201-300 then the quality of the air is _____	Good	Moderate	Poor	Very Poor	optionc
_____ is an air pollutant which is present in vehicular emissions.	Ozone	Carbon Monoxide	Carbon Dioxide	Sulphur dioxide	optionb
PUC for vehicles stands for _____	Pollution Under Control	Pollution Under Check	Pollution Upto Control	Pollution Upto Check	optiona
PUC certificate for a vehicle means that which of the following pollutants are within permissible limits	NO ₂ and CO ₂	CO and HC	SO ₂ and CO	None of the above	optionb
PM _{2.5} affects _____	Liver	Lungs	Brain	Stomach	optionb
Select the correct option a) Methane is not a greenhouse gas. b) CO ₂ is a greenhouse gas.	a and b are both true.	a is true and b is false.	a is false and b is true.	a and b are both false.	optionc
Effects of air pollution are	Smog	Acid Rain	Haze	All of the above	optiond
Air pollutants are in the form of _____	Solid particles	Liquid droplets	Both	None	optionc
The yellowing of Taj Mahal is due to	Ageing	Air Pollution	Water Pollution	None of the above	optionb
Aerosols cause _____	Air Pollution	Land Pollution	Water Pollution	None of the above	optiona
_____ converts toxic gases and air pollutants in exhaust to less toxic pollutants	Pollution converter	Exhaust converter	Catalytic converter	Gas converter	optionc

_____is not an exhaust gas.	CO	NO2	N2O	CO2	optionc
Largest contributors of air pollution are -	Cars and trucks	Household products	Industries	None of the above	optiona
Natural causes of air pollution are	Forest fires	Volcanoes	Dust storms	All of these	optiond
Ozone layer in the stratosphere can be destroyed by _____	CFCs	Greenhouse gases	Both	None	optionc
Industry is _____source of air pollution.	Point	Line	Area	None of the above	optiona
Ozone layer is responsible for protecting the earth from _____ of the sun.	X-rays	Ultraviolet rays	Infrared rays	Gamma rays	optionb
Global warming is caused due to	Greenhouse gases	Exhaust gases	VOCs	None of the above	optiona
Indoor air pollution is caused due to	Disinfectants	Paints	Air fresheners	All of the above	optiond
_____is a primary air pollutant.	CO	Smog	Ozone	None of the above	optiona
_____is a secondary air pollutant.	Oxides of sulphur	Smog	VOCs	Oxides of nitrogen	optionb
_____is not caused due to air pollution	Asthma	Lung cancer	Cholera	None of the above	optionc
VOC stands for	Volatile Organic Components	Volcanic Organic Compounds	Volcanic Organic Compounds	Volatile Organic Compounds	optiond
Which of these is not air pollution control equipment?	Cyclone separators	Electrostatic Separator	Fabric Filters	None of these	optiond
Air Pollution can be controlled by -	Planting trees	Regularly servicing vehicles	Both	None	optionc
What does the following picture represent?	Air pollution	Land Pollution	Water Pollution	None of the above	optiona
Types of solid waste include	Garbage	Refuse	Sludge	All of the above	optiond
Dairy farming, livestock breeding and horticulture lead to what kind of waste?	Domestic	Market	Agricultural	Commercial	optionc
Hazardous wastes are _____	Reactive	Corrosive	Both	None	optionc
Biomedical wastes include	Used syringes	Bandages	Tissues	All of these	optiond
Global warming also refers to as -	Climate change	Ecological change	Atmosphere change	None of the above	optiona

Global warming is observed century-scale rise in the _____ of the Earth's climate system	Maximum temperature	Minimum temperature	Average temperature	Temperature	optionc
The process by which fertile land becomes desert is classified as -	flood	drought	desertification	endangering	optionc
Which of the following activities contributes the most to carbon emissions globally?	Agriculture	Transport	Forestry	Energy supply	optiond
Who does measure the global warming rate?	Astrologers	Philosopher	Physicist	Climatologist	optiond
Which one of the following result takes place due to global warming?	Maintaining steady temperature	Changes in the rainfall	Pleasant environment	Causing less pollution	optionb
What is the main reason for melting of ice sheets?	Decrease in carbon dioxide content	Global warming	Increase in the oxygen content	Noise pollution	optionb
Apart from printing papers and consuming electricity, computers are causing environmental problems by _____	Causing water pollution	Making people lazy	Electronic wastes	Causing noise pollution	optionc
What is the main cause of industrial pollution?	Planned industrial growth	Use of modern technologies	Lack of polices to control pollution	Efficient waste disposal	optionc
What is the term used for the use of resources for industrialization?	Pollution	Extraction	Urbanization	Waste material	optionb
What is the main cause of increase in air pollution in the 20th century?	Development of electricity	Development of infrastructures	Development of the transport system	Development of water resources	optionc
How does asthma cause to human beings?	Because of air pollution	Because of water pollution	Because of excessive diet	Because of soil pollution	optiona
Organic agriculture advocates avoiding the use of _____	Organic manure	Stored water	Modern technologies in harvesting	Chemical fertilizers	optiond
Identify the image -	beautiful earth	Green earth	Recycle	None of the above	optionc

What is correct inference from the figure?	The earth is green	The image is very beautiful	We should make use of wind energy	All of the above	optionc
The image shows _____	Art	Desert	Land	Pollution	optionb
The meaning of the image is -	We should use all the green things.	We should plant the trees.	Green colour saves the planet.	All of the above	optionb
Identify the image -	Nuclear bomb blast	Sky at the evening	Satellite launching	None of the above	optiona
The image shows -	Earth life cycle	Effects of Green house gases	Biodiversity	Nature present on earth	optionb
The figure shows -	Nuclear radiation	Wheel of automobile	Accident	None of the above	optiona
What is the reason for this situation.	Heavy rain	Global warming	Summer season	None of the above	optionb
The image shows -	Flood	Pleasant sea	tsunamis	None of the above	optionc
The reason of damage is -	Tsunami	Earthquake	Both A and B	None of the above	optionc
_____is not a special waste.	Industrial	Biomedical	E-waste	Domestic	optiond
The given symbol indicates	Biohazard	E-hazard	Flammable material	3R principle	optiona
Reactive, flammable, corrosive and toxic are characteristics of _____waste.	Non-hazardous	Domestic	Hazardous	All of the above	optionc
DDT is what type of waste?	Non-hazardous	Industrial	Hazardous	None of the above	optionc
_____characteristic of waste is essential in determining the ability of any treatment process.	Physical	Chemical	Biological	None of these	optionb
_____includes discarded electrical and electronic devices like computers, mobile phones etc.	E-waste	C-waste	M-waste	None of these	optiona
_____is not a source of solid waste.	Fallen leaves	Street sweepings	Repairs in houses	None of the above	optiond
During inversion	Temperature increases with altitude	Temperature decreases	Temperature remains constant	None of these	optiona

		with altitude			
Which of the following on inhalation dissolved in blood haemoglobin more rapidly than oxygen?	Sulphur dioxide	Carbon monoxide	Ozone	Nitros oxide	optionb
Smog is	solid waste	a combination of smoke and fog	colourless	All of these	optionb
Which of the following are likely to be present in a photochemical smog?	Sulphur dioxide	Sulphur	CFC	Ozone	optiond
Which of the following devices is suitable for the removal of gaseous pollutants?	clarifier mechanisam	Aerators	Filter	Wet scrubber	optiond
Which of the following air pollution control devices is suitable for removing the finest dust from air?	Clarifier	Electrostatic precipitator	Flash Mixer	none of above	optionb
Air pollution from automobiles can be controlled by fitting _____	Cyclone separator	Electrostatic precipitator	Catalytic convertor	Wet scrubber	optionc
Taj Mahal in Agra may be damaged by _____	Sulphur dioxide	Chlorine	Hydrogen	Oxygen	optiona
Gas leaked in Bhopal tragedy was _____	Methyl isocyanate	Potassium isothiocyanate	Ethyl isocyanate	Sodium isothiocyanate	optiona
What is BOD?	A measure of organic matter present in water	Usually less than COD	Biochemical oxygen demand	All of the above	optiond
Excess fluoride in drinking water is likely to cause _____	Blue baby syndrome	Fluorosis	Change in taste and odour	Intestinal irritation	optionb
Fluoride pollution mainly affects what part of the body?	Kidney	Brain	Teeth	Heart	optionc
Which of the following is a non-point source of water pollution?	Factories	Sewage treatment plants	Urban and suburban lands	All of these	optionc

Septic tank is	An aerobic attached growth treatment system	An aerobic suspended growth biological treatment system	An anaerobic attached growth biological treatment system	An anaerobic suspended growth treatment system	optiond
Disease caused by eating fish inhabiting mercury contaminated water is _____	Bright's disease	Hiroshima episode	Mina-mata disease	Osteosclerosis	optionc
Which of the following is not a marine pollutant?	Oil	Plastics	Dissolved oxygen	All of these	optionc
Which of the following best describes 'noise'?	Loud sound	Sounds of high frequency	Unwanted sound	Constant sound	optionc
Sound becomes hazardous noise pollution at decibel above ____	80	100	30	120	optiona
Which of the following is a biodegradable organic chemical/substance?	Plastics	Oils	Pesticides	Garbage	optiond
CO is	caused by ozone depletion	a major component of the atmosphere	extremely damaging to human blood	produced by plants during photosynthesis	optionc
Tropospheric ozone	protects earth from harmful UV radiation	binds with haemoglobin preventing binding with oxygen in RBCs	is a secondary pollutant	is caused by poor farming techniques	optionc
Lead enters the atmosphere as a particulate pollutant. This is a problem because it	is a precious metal and it is being lost in the atmosphere	will cause the ozone hole to increase	causes central nervous system malfunction in humans	causes eutrophication of waterways resulting in eutrophication	optionc
Photochemical fog differs from industrial smog in that it	is formed in the presence of sunlight	has large quantities of soot	consists of primary pollutants	is primarily composed of CO	optiona

Particulate matter dispersed as aerosols	included nitrogen oxides	may cause damage to respiratory tissues when inhaled	binds with haemoglobin preventing its binding to oxygen	interacts only with surface tissues of humans causing mild irritation	optionb
The most obvious cause of industrial smog is	burning trash	indoor air pollution	burning fossil fuels	generation of nuclear power	optionc
Air pollution can harm the health or comfort of which of the following?	plants	materials	humans and other animals	all of these	optiond
Everyone is affected by the quality of air. Which people are likely to be affected and become sick?	elderly people	asthmatics	people with respiratory diseases	all of these	optiond
Incomplete burning of petrol or diesel in vehicles creates _____ gas which is very poisonous.	Carbon dioxide	Carbon monoxide	Methane	Ozone	optionb
Which gas is primarily responsible for depletion of ozone layer around the earth?	Chlorofluoro carbons	Nitrogen	Oxygen	Nitrogen oxide	optiona
The diseases cholera, typhoid and jaundice are due to pollution of _____.	air	water	food items	solid waste	optionb
Which of the following is not a greenhouse gas?	Carbon dioxide	CFCs	Methane	Oxygen	optiond
Contamination of water with sewage is indicated by cysts of	leishmania	escherichia coli	pseudomonas	none of above	optionb
DDT is a _____	greenhouse gas	non-degradable pollutant	degradable pollutant	none of these	optionb
Domestic wastes which can be decomposed under natural processes are called _____ pollutants which are relatively harmless.	Industrial	Thermal	Biodegradable	Non-biodegradable	optionc
Eutrophication causes decrease in	dissolved hydrogen	dissolved salts	dissolved oxygen	all of these	optionc
E coli used as an indicator organism to determine pollution of water with	Industrial effluents	Heavy metals	Pollen of aquatic plants	Faecal matter	optiond
Eutrophication is often seen in	Fresh water lakes	Mountains	Deserts	none of above	optiona

Fish die in water polluted by sewage due to	Pathogens	Reduction in O ₂	Clogging of gills with silt	Foul smell	optionb
Which of the following pollution forms 'Heat island'?	Water	Land	Air	None of these	optionc
Global agreement in specific control strategies to reduce the release of ozone depleting substances was adopted by	The Vienna Convention	The Rio de Janeiro Conference	The Montreal Protocol	The Kyoto Protocol	optionc
Possible health effects of noise pollution include	hearing loss	hair loss	tinnitus	all of these	optiona
Prolonged exposure to any sound louder than ____ dB can cause hearing loss.	10	60	85	130	optionc
Peroxy-acetyl nitrate(PAN) is formed by the reaction of two primary pollutant, namely nitrogen oxide and ____ released from motor vehicle in the presence of sunlight.	hydro-neutron	hydro-carbon	water-carbons	SO ₂	optionb
The pollutants which are waste products and they are slowly degraded by microbial action are called as	biodegradable pollutants	non-biodegradable pollutants	artificial pollutants	none of these	optiona
In an ecosystem, which one shows one-way passage?	Nitrogen	Carbon	Potassium	Free energy	optiond
In terms of origin, pollution can be classified as natural and ____.	super-natural	sub-natural	anthropogenic	anti-anthropogenic	optionc
The man-made pollution, such as industrial pollution etc are called as	anthropogenic	anti-anthropogenic	semi-anthropogenic	natural	optiona
On the physical state, air pollutants are of two types, one is gaseous and other is ____.	particulate	semi-particulate	triparticulate	none of above	optiona
The smaller particles such as dust, smoke etc. which remain suspended for a long period in the air are ____.	Settleable particles	Suspended particles	Gaseous pollutants	Micro Pollutants	optionb
Cotton dust produce lung fibrosis is also called as ____.	Byssinosis	Silicosis	Siderosis	None of these	optiona
Air borne organic materials such as spores, pollen, bacteria, fungi cause several diseases and allergic reactions called as ____.	hay fever	TB	ronbix	altra-rix	optiona

BOD stands for	Biological Oxygen Demand	Biochemical Oxygen Demand	Biochemical Ozone Demand	Biological Oxygen Deficiency	optionb
Acid rain is formed due to contribution from the following pair of gases	Methane and ozone	Oxygen and nitrous oxide	Methane and sulphur dioxide	Carbon dioxide and sulphur dioxide	optionb
The most serious environmental effect posed by hazardous wastes is	air pollution	contamination of groundwater	increased use of land for landfills	destruction of habitats	optionb
Which of the following is not a consequence of global warming?	rising sea level	increased agricultural productivity worldwide	worsening health effects	increased storm frequency and intensity	optionb
The depletion of ozone layer is caused by?	nitrous oxide	carbon dioxide	chlorofluorocarbons	methane	optionc
The presence of high coli form in water indicates	contamination by human waste	phosphorous contamination	decreased BOD	hydrocarbon contamination	optiona
How does biological oxygen demand get affected with the increased presence of organic matter in water?	the oxygen demand increases	the oxygen demand decreases	the oxygen demand remains unchanged	none of these	optiona
The stage at which biological processes are used to purify water in a wastewater treatment plant is called	secondary sewage treatment	primary sewage treatment	wastewater reduction	biochemical reduction	optiona
BOD is represented as _____ per litre of water?	milligrams of carbon	micrograms of carbon	milligrams of oxygen	micrograms of oxygen	optionc
COD stands for	Chemical Oxygen Demand	Carbon Obtained Demand	Chemically Obtained Demand	Bio-Chemical Oxygen Demand	optiona
An accidental discharge of petroleum in oceans is called _____.	oil leak	oil spill	oil waste	oil loss	optionb
Water having DO content below _____ is considered to be highly polluted.	4.0 mg/L	8.0 mg/L	11.2 mg/L	0.1 mg/L	optiona
Water contaminated by cadmium	Itai itai	La la	Minamata	Sasu	optiona

can cause_____disease.					
Pesticides are also called as	supercides	biocides	nanocides	catcides	optionb
Increase in concentration of soluble salts in the soil is called _____.	soilification	soluble-soil	salination	desalination	optionc
The unit of sound level is_____.	noise-meter	decibel	dolphin	db	optionb
The unit of sound loudness or level is _____.	noise-meter	decibel	dolphin	db	optionb
Noise level beyond____dB can cause physical discomfort.	1120	50	120	200	optionc
The pollutants in air which appear in solid and liquid state are referred to as	Foam	Frame	Particulate pollutant	None of these	optionc
Objective of environmental education is -	Raise consciousness about environment education	To teach environmentally appropriate behaviour	Create an environmental ethics	All of the above	optiond
The diseases shown in the figure are due to -	Water Pollution	Air Pollution	Soil Pollution	All of the above	optiond
Which country has the highest incidence of pollution linked deaths in the world?	China	India	Bangladesh	Pakistan	optionb
Which initiative was launched by Union Minister for Environment, Forest and Climate Change for a Green Diwali?	Harit Diwali, Achha Diwali	Harit Diwali, Green Diwali	Harit Diwali, Sahi Diwali	Harit Diwali, Swasth Diwali	optiond
Which of the following heavy metals has the SC banned in the use of fire crackers, as they lead to air pollution?	Lithium	Mercury	Lead	All of the above	optiond
Normal human ear can detect sounds ranging between_____.	0-150 dB	0-140 dB	0-120 dB	0-100 dB	optionb
Noise is any_____sound.	excess	unwanted	both a & b	none of the above	optionb
Which of the following is a source of household noise?	mixer	loudspeaker	washing machine	all of these	optiond
The noise at construction sites is not due to which of the following?	vibrators	pneumatic hammers	pavement breakers	sirens	optiond
Noise pollution leads to a) hearing impairment b) increase in efficiency Which of the statement is true?	a is true and b is false	a is false and b is true	both are true	both are false	optiona

_____ is not an effect of noise pollution on the environment.	damage to buildings	poor quality of crops	both a and b	only a	optionc
Regular maintenance of vehicles results in	reducing noise pollution	increasing noise pollution	no effect on noise pollution	none of the above	optiona
Normal level of sound tolerance is_____.	60 dB	70 dB	80 dB	90 dB	optionc
The Noise Act 1996 states that the loud music from a party should either be turned off or reduced by___PM.	9	10	11	12	optionc
To prevent noise pollution _____ should be installed around hospitals.	high walls	low walls	sound barriers	none of the above	optionc
Which of the following is a subsurface source of water?	Rivers	Springs	Wells	Lakes	optionc
Cause of river pollution is _____.	sewage waste	domestic waste	industrial waste	all of these	optiond
The 3R principle does not include	reduce	recover	reuse	recycle	optionb
_____ is not a method of water conservation.	rainwater harvesting	construction of bunds	reusing greywater	using shower	optiond
The process to remove pathogens from water is called _____.	filtration	sedimentation	aeration	disinfection	optiond
Methods of disinfection are _____.	boiling	adding Potassium Permanganate	chlorination	all of the above	optiond
_____ is an advanced water treatment process.	Boiling	RO	Sedimentation	None of these	optionb
Which of the following is not a disinfectant?	Alum	Chlorine	Bleaching powder	None of these	optiona
_____ is known as the Water Man of India.	Anna Hazare	Sunderlal Bahuguna	Medha Patkar	Dr. Rajendra Singh	optiond
Village in Maharashtra which is famous for water conservation is _____.	Hiware Bazaar	Chandur Bazaar	Talegaon	None of the above	optiona
RO in water treatment stands for	Return Osmosis	Reverse Osmosis	Returning Officer	Reverse Officer	optionb
Groundwater recharging can be achieved by	recharging pits	recharging well	both	none	optionc

Desalination is a method of	converting waste water into potable water	converting rainwater into potable water	converting sea water into potable water	none of these	optionc
Hardness of water is due to the presence of_____of calcium and magnesium. a) chlorides b) sulphates c) carbonates	a and b	b and c	a and c	a, b and c	optiond
Nalgonda Technique is used to remove excess_____from water.	Salts	Chlorides	Fluorides	Sulphates	optionc
_____in landfills contaminates ground water.	Waste water	Toxic gases	Leachate	None of these	optionc
Which of the following is not an effect of solid waste?	Inversion	Fires in dumping grounds	Release of methane	None of these	optiona
Solid waste management techniques include	prevention	reuse	recovery	all of these	optiond
RDF stands for	Road Drainage Facility	Rain Drainage Facility	Refuse Derived Fuel	Refuse Discharge Facility	optionc
Methods for disposal of e-waste are	incineration	landfilling	both	none	optionc
Harmful components of e-waste include	copper	mercury	lead	all of these	optiond
Composting is a process of treatment of	solid waste	liquid waste	gaseous waste	none of these	optiona
Which of these is not a method of composting?	Bangalore method	Indore method	Bombay method	none of above	optionc
The most favoured method of solid waste management is _____.	Recycle	Reuse	Prevention	Disposal	optionc
The least favoured method of solid waste management is _____.	Recycle	Reuse	Recovery	Disposal	optiond
Landfilling is suitable for which of the following wastes?	Mixed waste	Garden waste	Liquid waste	Food waste	optiona
Which of the following wastes is not suitable for landfilling?	mixed waste	rejects from waste processing sites	non-hazardous non recyclable waste	dry recyclables	optiond

Needles, syringes, intravenous sets are components of	domestic waste	biomedical waste	e-waste	agricultural waste	optionb
Which of these is not an essential component of sanitary landfill?	Liner	Leachate control facility	Gas collection facility	Water treatment facility	optiond
Components of e-waste that can be recycled are	Copper wires	Hard drive	CPUs	All of these	optiond
Landfilling is a method of _____ of solid waste.	Recovery	Reuse	Disposal	None of these	optionc
As per MPCB norms of treated sewage, the total suspended solids(TSS) in treated sewage should be less than_____for discharging into surface water.	50 mg/l	100 mg/l	150 mg/l	200 mg/l	optionb
As per noise standards, the noise level for hospitals is_____.	20-30 dB	30-40 dB	40-50 dB	50-60 dB	optionb
The quantity of fluorides in drinking water should not be more than_____ppm	1	2	1.5	2.5	optionc
Waste water coming out of the bathroom and kitchen which does not have foul smell is called_____.	sewage	sullage	refuse	water	optionb
Wastewater is carried to treatment plants through	open drains	sewers	canals	none of above	optionb
Open drains _____	are aesthetically unpleasant	lead to mosquito breeding	cause bad smell	all the above	optiond
Untreated sewage can cause diseases like	diarrhoea	measles	hay fever	none of the above	optiona
Sewage is mainly_____.	biodegradable	non-biodegradable	toxic	all of the above	optiona
Mixing of sewage with drinking water source causes_____.	reduction in dissolved oxygen	death of aquatic animals	contamination of water source	all of the above	optiond
CPCB stands for	Control Pollution Causing Board	Central Pollution Collection Board	Central Pollution Control Board	Control Pollution and Conservation Board	optionc
As per potable water standards, the pH of drinking water lies in the range	6-8	6 - 7.5	6.5 - 8.5	7 - 8.5	optionc

The presence of substance in the environment which has harmful or poisonous effect is called	biodiversity	pollution	ecological balance	none of these	optionb
_____is not an effect of pollution.	environmental degradation	health problems in humans	increased agricultural yield	global warming	optionc
____is not a type of pollution.	Soil pollution	Wastewater pollution	Air pollution	Noise pollution	optionb
Use of fossil fuels leads to _____ pollution	air	water	thermal	noise	optiona
Pollution causes_____.	loss of fertile soil	loss of human lives	loss of marine lives	all of the above	optiond
Anthropogenic source of pollution is	acid rain	use of chemical fertiliser	earthquakes	all of these	optionb
Primary treatment of sewage includes_____.	removal of grit, soil particles and floating particles	removal of oils	both	none	optionc
Secondary treatment of sewage includes	removal of grit and floating matter	biological treatment of sewage	scrrening of sewage	none of the above	optionb
Design of a sewage treatment plant is mainly dependent upon	density of sewage	temperatur e of sewage	BOD of sewage	mass of sewage	optionc
The treated waste water which is normally disposed into water bodies is called_____.	sludge	effluent	influent	graywater	optionb
_____anaerobically treats sewage at the place where it is located.	STP	WTP	Septic tanks	None of these	optionc
The effluent from sewage treatment plants can be reused for_____.	washing cars	watering lawn	flushing	all of these	optiond
_____is not a cause of land pollution.	Pesticides	Waste disposal on land	Deforestation	None of the above	optiond
Which of the following is an effect of excessive use of pesticides?	loss of soil fertility	erosion	both	none	optiona
One major cause of soil	heavy rain	acid rain	alkali rain	none of these	optionb

pollution is_____.					
Introduction of dangerous chemicals into the ground is due to	industrial waste disposal	domestic waste disposal on land	overwatering	none of these	optiona
Dumping of solid waste leads to _____pollution.	soil	water	both	none	optionc
Which of these can prevent soil pollution?	reforesting	applying bio-fertilisers and manures	solid waste treatment	all of these	optiond
Soil pollution can lead to_____.	reduced soil fertility	increased crop yield	reduction in erosion	increased nitrogen fixation	optiona
____is a natural source of soil pollution.	acid rain	constructi on activity	excessive use of pesticides	none of these	optiona
The study of interaction between the living species and the environment is called	Biology	Antology	Ecology	Zoology	optionc
The interdependence of the living organisms among themselves and with the environment is called	Ecology	Ecosystem	Biology	Antology	optionb
Ecosystem consist of	Biotic components only	Only abiotic componen t	Both biotic and abiotic components	None of the above	optionc
The quantity of abiotic material present in an ecosystem is known as	Concentration	Standing scale	Non-living stage	None of the above	optionb
The names of major habitats present in the biosphere are	Freshwater and terrestrial ecosystem	Marine and man-engineere d ecosystem	All of the above	None of the above	optionc
Man engineered ecosystem consist of _____	Desert and forest ecosystem	Grassland and tree	Agriculture and aquaculture ecosystem	All of the above	optionc
The sequence of organisms which feed on one another for their survival is known as	Passage of nutrients from one organism to other	Food chain	Trophic level	Biodiversity	optionb

The food chain in the ecosystem helps to maintain	The feeding relationship in nature, thus biodiversity	Flow of energy in the ecosystem	Passage of nutrients in the ecosystem	All of the above	optiond
The phenomenon of accumulation of non-biodegradable contaminants in higher trophic level is known as	Bioprospecting	Bio magnification	Bio piracy	Bioremediation	optionb
The dissipation of energy during its transmission from one trophic level to another is in agreement with	First law of thermodynamic	Second law of thermodynamic	Third law of thermodynamic	None of the above	optionb
Which of the following statement is not correct?	Flow of energy in an ecosystem is unidirectional, from herbivores to carnivores	In a food chain, transfer of materials take place through cycling	Top carnivores always get more energy than organisms present nearer to the producer	Unidirectional flow of energy presents the ecosystem from collapsing	optionc
The science of systems of control in an ecosystem is known as	Syncology	Cybernetics	Biocoenoses	None of the above	optionb
The importance of ecosystem lies in	Transfer of food	Flow of energy	Cycling of materials	Both b and c	optiond
The graphical representation of an organism position as well as function at successive trophic levels is called	Food chain	Food web	Ecological pyramid	Biogeochemical cycle	optionc
The cyclization of matter through the atmosphere, hydrosphere, biosphere and lithosphere is known as	Food web	Material cycling	Biogeochemical cycle	Bio magnification	optionc
In case of parasitic food chain, the shape of the pyramid of number is always	Upright	Linear	Inverted	Not certain	optionc
The shape of the pyramid of biomass for a pond or any aquatic ecosystem is	Inverted	Upright	Linear	Not certain	optiona
The graphical representation of the interrelation of producer and consumer in an ecosystem is termed as	Ecological niche	Ecological pyramid	Trophic levels	Food web	optionb

The main source of energy in an ecosystem is	Sugar store in plants	Solar energy	Heat released during transpiration	Heat released during fermentation	optionb
A food chain consists of	Producers, consumers, decomposers	Producers, carnivores, decomposers	Primary producer, herbivores, carnivores	Producers, primary consumers, carnivores	optiona
Upper part of the sea aquatic ecosystem contains	Plankton	Nekton	Benthos	Plankton and Nekton	optiona
In the Nitrogen cycle, the transformation of gaseous nitrogen into nitrogen-containing compounds is performed primarily by	Fungi	Bacteria	Green plants	Herbivores	optionb
During the growth of a Tomato plant from a seed, it increases considerably in biomass. Which of the following materials, obtained from the environment, are necessary for the growth and increase in biomass?	Carbon dioxide and water	Carbon dioxide oxygen and nitrogen	Water, nitrate and methane	Water, Carbon dioxide and mineral salts	optiond
Nitrogen gas returns to the atmosphere by the action of	Nitrogen fixing bacteria	Denitrifying bacteria	Nitrifying bacteria	Nitrate fertilisers	optionb
Which one of the following is not a functional unit of an ecosystem?	Productivity	Stratification	Energy flow	Decomposition	optionb
When the two ecosystems overlap each other. The area is called	Habitat	Niche	Ecotone	Ecotype	optionc
Which one of the following animals may occupy more than one trophic levels in the same ecosystem at the same time?	Goat	Frog	Sparrow	Lion	optionc
Which of the following is a possible producer in an ecosystem?	Plants and some bacteria capable of producing their own food	Animals	Human beings	Fish	optiona

Which of the following statement is not true?	In an ecosystem, sustained development(evolution) is facilitated by a close physical proximity and functional machining between the producers and the consumers	In the antroposys tem, there is usually a significant physical displacem ent between the producer and the consumer.	In an ecosystem most of the materials are transfer from the producers to the recyclers and only a small fraction is passed through the consumers to the recyclers	In the anthroposystem the flow of material from the producers directly to the recyclers is a major proportion	optiond
Which of the following is not a problem associated with agroecosystems?	Creating a situation ideal for diseases and insect pests.	Lack of inorganic nutrient recycling.	Increased water and energy consumption.	Increased dependence on relatively few varieties of plants for food.	optionc
Which of the following statement is not true?	Reservoirs are those parts of the biogeochemical cycles where a chemical is held in large quantities for long periods of time.	In exchange pools the chemicals are held for only a short time.	The inorganic chemicals get recycled through both the biological and geographical world.	Cloud is a reservoir of water.	optiond
The concentration of carbon in living matter is almost 100 times greater than its concentration in earth because	Carbon is produced by the living cells.	Living thing extract carbon from their non-living environme nt.	Carbon is biomagnified in living cells.	Carbon cannot be recycled.	optionb
The largest reservoir of nitrogen in our planet is	Oceans	Atmosphe re	Biosphere	Fossil fuels	optionb

What is mycorrhizae?	Symbiotic relationship between plants	Mutualistic associations between plant roots and fungi.	A useful bacteria carbon cycle.	Useful bacteria in phosphorus cycle.	optionb
Which of the following are major players in phosphorus cycle?	Human beings and fish	Human beings and marine birds.	Fish and marine birds.	Animal and fish.	optionb
Eutrophication is	An improved water quality status of lakes.	The result of accumulation of plant nutrients and minerals in water bodies.	A process in the carbon cycles.	A water purification technique.	optionb
Which of the following terminologies is not associated with the vertical structure of forest?	Canopy	Understory	Forest floor	First floor	optiond
Most fertile and productive soils in the world have developed under grassland. What could be the reason for this?	The rainfall in grassland is inadequate and hence excessive leaching of minerals is blocked.	The humus and partially decomposed organic materials expand its capability to retain water.	Both a and b.	None of the above.	optionc
An _____ Consists of Biotic and Abiotic components	Environment	Ecosystem	Ecology	None of the above	optionb
Community of living organism is a part of an	Environment	Universe	Ecosystem	None of the above	optionc
Non-living organism is a part of an _____	Ecosystem	Ecology	Environment	None of the above	optiona
Biotic and Abiotic components are linked through _____	Energy Flow	Nutrient Cycle	(a) and (b) Both	None of the above	optionc

Energy flow in Ecosystem links _____ and _____ together.	Biotic and Abiotic components	Organisms and plants	Fruits and Flowers	None of the above	optiona
Nutrient cycle plays an important role in _____ together biotic and abiotic components.	Combining	Linking	differentiating	None of the above	optionb
Ecosystem can be of any _____.	Size	Shape	field	None of the above	optiona
Energy flow involves in all _____ to play a role	Components	Trees	Animals	None of the above	optiona
Ecosystem consists of components which play role as _____ consumer.	Primary only	Secondary only	All-primary/secondary/tertiary	None of the above	optionc
Biotic and Abiotic components in Ecosystem interact _____ with each other.	Occasionally	Continually	Rarely	None of the above	optionb
The dead organic matter from living organisms is part of _____.	Soil	Environment	Ecosystems	None of the above	optionc
_____ Organisms can exchange between soil and water.	Dead	Living	Both a & b	None of the above	optionb
Ecosystem are of _____ and _____ types.	Aquatic and terrestrial	Living and Non-living	Clean and Unclean	None of the above	optiona
Coral reef is an Example of _____ type of Ecosystem.	Terrestrial	Aquatic	Organic	None of the above	optiona
Tundra is an example of _____ type Ecosystem.	Marine	Terrestrial	Microbiological	None of the above	optionb
The essential components of Ecosystem is ,	Energy Source	Biotic and abiotic components	(a) and (b) Both	None of the above	optionc
Biotic and Abiotic Components involve	Biochemical Composition	Biochemical cycling	Biochemical Balances	None of the above	optionb
_____ Chain involves Energy transformation	Food	Reactions	Cyclisation	None of the above	optiona
_____ Chain and _____ web involves energy transformation.	Food, Food	Producer, Consumer	Producer, Food	None of the above	optiona
All ecosystem involves _____ transformations.	Ecology	Energy	Cycle	None of the above	optionb
All Ecosystem involves _____ cycling.	Biological	Geological	Biogeochemical	Chemical	optionc

Biogeochemical cycling links _____ and _____ components in Ecosystem.	Plants and Animals	Living and Non-living	Organic and Inorganic	None of the above	optionb
_____ eats plants and its products.	Carnivores	Herbivores	Omnivores	None of the above	optionb
_____ survive on herbivores.	Plants	Carnivores	Aquatic	None of the above	optionb
Those which consumes dead plant and animal material.	Detritivores	Carnivores	Herbivores	None of the above	optiona
Detritivores, Carnivores and Herbivores are part of	Food chain	World	Ecosystem	None of the above	optiona
Energy flows from _____ to _____ trophic level.	Bottom, Top	Top, Bottom	Earth, Moon	None of the above	optiona
Amount of Energy _____ from Bottom to Top trophic level.	Increases	Decreases	Remain same	None of the above	optionb
In food chain, Grass hopper is _____ consumer.	Primary	Secondary	Tertiary	None of the above	optiona
Snake is _____ consumer in food chain.	Secondary	Tertiary	Primary	None of the above	optiona
In the presence of Sun and water _____ Produces Food.	Decomposer	Producer	Consumer	None of the above	optionb
Fungi act as _____ in food chain.	Decomposer	Producer	Consumer	None of the above	optiona
Decomposer Helps to send _____ to Producers.	Components	Nutrients	Constituents	None of the above	optionb
Grass is categorized as _____ in grazer food chain.	Plant	Producer	Vegetable	None of the above	optionb
Hawk act as _____ consumer grazer food chain.	Primary	Secondary	Tertiary	None of the above	optionc
_____ and _____ are types of food chains.	Grazer, Detritus	Natural, Synthetic	Organic, Inorganic	None of the above	optiona
In _____ Food chain, Dead organic matter is serves as principal energy input.	Detritus	Flowing	Original	None of the above	optiona
Any food chain has no more than _____ Links.	4 to 5	3	3 to 4	None of the above	optiona
The interconnected food chains form _____.	Ecosystem	Environment	Food Web	None of the above	optionc
Food webs are very _____.	Simple	Small	Complicated	None of the above	optionc
Most animals are part of _____ food chain.	One	Two	Three	None of the above	optiona
Any food web indicates that _____ is connected to _____ else.	Everything, Everything	Nothing, Everything	Everything, Nothing	None of the above	optiona

Ecological pyramid is a _____ representation.	Geological	Pyramidal	Graphical	None of the above	optionc
Ecological Pyramid shows _____ productivity.	Biome	Biomass	Organic	None of the above	optionb
Tertiary consumers are shown at _____ of Ecological pyramid.	Base	Top	Corner	None of the above	optionb
Ecological pyramid is _____ in shape.	Circular	Triangular	Oval	None of the above	optionb
Ecological pyramid Consists of _____ and _____ in sequence.	Plants, Animals	Producers, Consumers	Consumers, Producers	None of the above	optionb
Productivity pyramid shows flow of _____ in food chain.	Production	Turnover	Energy	None of the above	optionc
Productivity is expressed as _____ units.	Grams per meter ² per year	Calories per meter ² per year	Both a & b	None of the above	optionc
In all Ecological pyramid, producers are always at _____.	Centre	Bottom	Top	None of the above	optionb
_____ % energy is lost to environment in pyramid of energy flow.	25	10	10 to 25	None of the above	optionb
In _____ pyramid each step as 10 % size of previous step.	Productivity	Ecological	Biomass	None of the above	optionc
Pyramid of numbers is Graphical representation of _____ of each level in food chain.	Production	Population	Consumer	None of the above	optionb
The _____ itself is a major Ecosystem.	Air	Sun	Earth	None of the above	optionc
Island is an Example of _____ Ecosystem.	River	Earth	Ocean	None of the above	optionc
Forests are part of _____ Ecosystem.	Tropical	Terrestrial	Marine	None of the above	optionb
Regional Ecosystem governed by temperature and other atmospheric parameters are known as	Biomass	Biome	Biotic	None of the above	optionb
Grass lands have _____ and _____ grasses.	Thick, Thin	Dense, Tall	Dense, Thick	None of the above	optionb
In coniferous forests _____ are long and cold.	Stones	Winter	Seasons	None of the above	optionb
In Deciduous Forests _____ are warm.	Summer	All seasons	No seasons	None of the above	optiona
Short, Strong, Leafless, thorny plants are _____.	Cacti	Berry	Legumes	None of the above	optiona

Chaparral biome are found in _____.	Austria	Australia	South Africa	None of the above	optionc
Land is always snow covered in _____.	Tundra	Forest	Tropical	None of the above	optiona
Biome above 10000 feet is _____.	Tundra	Taiga	Alpine	None of the above	optionc
Biome just below Himalayan mountain is _____.	Alpine	Wet Lands	Taiga	None of the above	optiona
Alpine has summer from _____ to _____.	March, May	June, September	April, June	None of the above	optionb
In Alpine October to May is _____ Season.	Monsoon	Winter	Summer	None of the above	optionb
In Alpine animals are _____ in height.	Normal	Short	Average	None of the above	optionb
In Alpine, animals have _____ legs.	Long	Short	Bent	None of the above	optionb
In Alpine animals have Large lungs, to survive _____ altitude and _____ O2 content.	High, Low	Low, High	High, High	None of the above	optiona
In Alpine, animals have _____ Blood vessels to store more _____.	More, haemoglobin	Large, Blood	Thick, O2	None of the above	optiona
In Alpine, _____ also have adaptations as animals.	Plants	Humans	Aquatic	None of the above	optionb
Just like in Alpine, in _____ also have adaptations of Lungs.	Nepal	Canada	India	None of the above	optiona
People in Nepal/ Tibet is called as _____.	Sherapas	Gorkha	Himalayan	None of the above	optiona
About _____ % area of earth is Oceans.	75	40	30	None of the above	optiona
Plants in/near water are _____.	Aquatic	Aquifers	Geodetic	None of the above	optiona
Aquatic plants prepare food by _____.	Metabolism	Photosynthesis	Photolysis	None of the above	optionb
Access of O2 is more in _____ Ocean water.	Deep	Shallow	Entire	None of the above	optionb
Photosynthesis does not take place in _____ ocean water.	Deep	Shallow	Both above	None of the above	optiona
Due to absence of photosynthesis, deep Ocean is rich in _____.	Minerals	O2	Aquifers	None of the above	optiona
Minerals/Oils mainly occur in _____.	Deep Ocean	Shallow Ocean	Air	None of the above	optiona
Ocean Ecosystem gives _____.	Minerals/Oils/Salts	Only Minerals	Only Oils	None of the above	optiona

Study of relationship of organisms to their environment is	Ecology	Palaeontology	Geology	None of these	optiona
What is true of ecosystem?	Primary consumers are least dependent upon producers	Primary consumers equal in number as producers	Producers are more than primary consumers	Secondary consumers are the largest and most powerful	optionc
Greenhouse effect is warming due to	Infra-red rays reaching earth	Moisture layer in atmosphere	Increase in temperature due to increase in carbon dioxide Concentration of atmosphere	Ozone layer of atmosphere	optionc
Name of Gas released during Bhopal tragedy was	Methyl isocyanate	Potassium Isothiocyanate	Sodium Isothiocyanate	Ethyl Isothiocyanate	optiona
Soil water available to roots is	Surface water	Hygroscopic water	Gravitational water	Capillary water	optiond
Pyramid of numbers deals with number of _____	Species in area	Individuals in community	Individuals in a trophic level	Subspecies in community	optionc
The Taj Mahal is threatened due to the effect of	Oxygen	Hydrogen	Chlorine	Sulphur-dioxide	optiond
Which of the following is the most stable ecosystem?	mountain	ocean	forest	desert	optionb
Nature's hydrological cycle involves	Evaporation, condensation	Condensation, precipitation	Evaporation, precipitation	Evaporation, condensation and precipitation	optiond
Population of species decreasing over a period called as	Extinct	Eliminated	Endangered	Rare	optionc
The closely related morphologically similar identical populations, but reproductively isolated, are designated as	Clones	Sibling species	Clines	Denies	optionb
Which country has the greatest contribution for the hole formation in ozone layer?	Russia	Japan	USA	Germany	optionc

If there was no CO ₂ in earth's atmosphere, the temperature of earth's surface would be	Higher than the present	Dependent on the amount of oxygen in the atmosphere	Same as present	less than the present	optiond
In the grazing food chain first energy transfer is from _____.	Plant	Fish	Animals	Sun	optiona
Energy transfer from one trophic level to other, in a food chain is	10%	20%	1%	2%	optiona
The final stable community in ecological succession is	Climax	Sere	Pioneers	Carnivores	optiona
Which is the result of damage to relative biological effectiveness?	High temperature	Pollution	Radiation	Low temperature	optionb
The entire biosphere is distributed into following number of biogeographic regions:	Six	Eight	Nine	Twelve	optionb
Biodiversity hotspots are also known as	Evergreen forests of tropic region.	Biologically rich areas with large percentage in endemic species.	Desert area	All of the above.	optionb
Species with very limited distribution over relatively small locality is called	Endangered species	Extinct species.	Endemic species.	None of the above.	optionc
The major threats to biodiversity is due to	Habitat loss/degradation	Pollution and global climate changes	Extinction of species by aggressive non-native species	All of the above	optiond
Conservation of genetic resources in natural populations of plant or animal species is known as	In-situ conservation	Ex-situ conservation	Biodiversity conservation	None of the above	optiona
The concept of biodiversity hotspots is given by	F.P. Odum.	Norman Myers	James Lovelock	Rachel Carson	optionb
Which of the following is an endemic species found in western Ghats, India?	Marsh Mongoose	Indian Rhinoceros	Brown Palm civet	Flying Squirrel	optionc

Which of the following is not a world heritage site of India?	Sunderbans National Park.	Manas Wildlife Sanctuary.	Sanjay Gandhi National Park	Kaziranga National Park.	optionc
Which of the following is a Ramsar site in India?	Sambhar Lake	Dal Lake	Ansupa Lake	Dimna Lake	optiona
Which of the following is an in-situ tiger reserves in India?	Dudhwa	Gulf of Myanmar	Western Ghats	Agasthyamalai.	optiona
Which of the following is not a Biosphere reserve of India?	Sundarbans	Great Nicobar	Periyar national park	Khangchenzonga	optionc
Which of the following is a biodiversity hotspot in India?	Succulent karoo	Mediterranean basin	Caribbean Island	Eastern Himalayas	optiond
Which of the following animal is endemic to India?	Snow Leopard	Nilgiri Tahr	Asian Elephant	Red colobus monkey	optionb
The variety and numbers of living organisms and Ecosystems is called	Biodiversity	Biopiracy	Biogeography	Bioprospecting	optiona
Variations of genes within the same species is	Genetic diversity	Species diversity	Biodiversity	Ecosystem	optiona
Extinction of weaker species by an aggressive alien species is the result of	endemism of weaker species	habitat loss	the domino effect	All of the above	optionc
Which is not a zone of Biosphere?	Core zone	Buffer zone	Transition zone	None of the above	optiond
Which of the following is an in-situ conservation measures taken by India?	project elephant	project lion	project rhino	all of the above	optiona
Lion-Tailed Macaque is found in	western Ghats	Eastern Ghats	Caucasus	western Himalaya	optiona
The dodo was extinct due to	pollution	invasion of non-native species	over-exploitation of resources	global environmental change	optionb
Spot the site, which is not a biodiversity hotspot?	Brazil's Cerrado	Central Chile	California floristic province	Pakistan	optiond
The species with thin population localised within restricted area is said to be	rare	threatened	endangered	vulnerable	optiona
The reason for certain animals getting endangered are	hunting	pollution of environment	natural calamities	all of these	optiond

The red data book maintains a record of	plants and animals present in the whole world	relationship between man and biosphere	plants and animals which are known to be endangered	forest wealth in whole world	optionc
Planting trees in a deforested land is known as	afforestation	deforestation	silviculture	sericulture	optiona
In a national park protection is given to	the entire flora	the entire fauna	the plants and animals	the entire ecosystem	optiond
The endangered animal of the following is	crow	parrot	tiger	cock	optionc
The scientific study of the geographic distribution of plants and animals is called	Biodiversity	Biogeography	Ecology	Biology	optiona
The variation of life forms within an ecosystem or on earth is named as:	biome	biodiversity	biological variety	none of these	optionb
Which of the following is not a type of biodiversity?	genetic	species	biology	none of these	optionc
_____ is the number of species found in a particular area or ecosystem.	alpha biodiversity	delta biodiversity	species biodiversity	none of these	optiona
Measurement of overall diversity for different ecosystems within a region comes under which of the following levels?	alpha	beta	gamma	none of these	optionc
Which of the following are types of biodiversity?	consumptive and productive	only productive uses	only consumptive uses	none of the above	optiona
Several agricultural disaster occurs due to lack of biodiversity, Which of the following term is used to describe lack of biodiversity?	aquaculture	pollination	monoculture	none of the above	optionc
Irish potato famine is an agriculture disaster. In which year it had occurred?	1845	1981	1972	none of the above	optiona
US Southern corn leaf blight epidemic is an agricultural disaster of 1970. Which of following contribute as a major cause for it?	Biome	Bioculture	Monoculture	None of the above	optionc

Which of the following statement is correct for India?	India is a 7th largest country in world with megadiversity	India has no rank in world related to biodiversity	India is the third largest country in Asia with megadiversity	Option a & c	optiond
Which of the following is major biodiversity in West Bengal?	Deccan Penninsula-Chhota Nagpur	Deccan Peninsula-Deccan south	Deccan Peninsula-central highlands	none of the above	optiona
Which of the following has largest desert of India?	Kutchchh	West coast	Nico bars	none of the above	optiona
Which of the following is Islands?	Andaman and Nicobars	Lakshadweep	Majoli	All of the above	optiond
Which of the following are semi arid region?	Punjab, Gujarat, Rajputana	Malabar plains	Nicobars	none of the above	optiona
Himalayan region is divided into north west, west, central and east Himalayas. These are known as,	Biotic provinces	Mountain ranges	Abiotic regions	None of the above	optiona
Alpine zone of Himalaya lies very high and is full of particular types of trees. Which of the following is correct description for heights and types of tree.	12000+ft altitude, timber trees	5500-12000 ft altitude, Kailand Chir, deoder	5000 ft altitude, Shisham trees	None of the above	optiona
Ladakh mountains and Tibetan plateau are part of	Trans Himalaya region	Desert	Semi Arid	None of the above	optiona
Kuchch and thar comprise majority of	western Ghats	Himalaya n region	deserts	none of the above	optionc
Aravali mountain are covering states such as	Gujrat, M.P, Rajasthan	Ladakh mountain	Coastal region	None of the above	optiona
Which of the river plains extend up to Himalayan foot hills?	The gangetic plains	Punjab plains	Brahmaputra plain	None of the above	optiona
The north-east India comprise of	Himalayan hill range	Aravali hill range	Non Himalayan range	None of the above	optionc
Cheerapunji is situated in which of the following region in India?	The western ghats	The north-east ghats	The north India	None of the above	optionb
Which of the following place (s) receive maximum rainfall in India?	The north-east India	Non Himalaya n hills	Cheerapunji in the north-east India	None of the above	optionc

In which of the following Islands of Lakshadweep is situated?	Arabian sea	Bay of Bengal	Atlantic Ocean	none of the above	optiona
Which of the following animal comes under category of Critically endangered species	Sumatran Rhinos	Asiatic lion	Indian tiger	None of the above	optiona
Which of the following animal comes under category of Threatened species	Giant Panda	Mouse	Dog	None of the above	optiona
Uncontrolled hybridization of different species of animals/plants, Which of the following pollution it leads to	Genetic pollution	Homogenization	Genetic swamping	None of the above	optiona
Genetic pollution may be originated due to one of the following. Which of the following may be possible reason?	Uncontrolled hybridization	Unprofitability	Natural phenomenon	None of the above	optiona
Which of the following is considered to be major threat to global Biodiversity?	Genetically modified species	Global warming	Pollination	None of the above	optionb
The Global zoo Ecoregions is a system derived to conserve biodiversity. Which of the following has taken this initiative	The world wild-life fund	Africa	Latin America	World ecological fund	optiona
Which of the following acronym stands for and is preferred by Edward O. Wilson for threats to biodiversity Habitat(destruction), Invasive(species), pollution, population(explosion) and overharvesting.	HIPPO	HIPPUO	HINPPEIO	None of the above	optiona
Poaching of wild animals is very common. Which of following is main reason?	Animals killed for their organs	Animals are killed only for food	Animals are killed as they are overpopulated	None of the above	optiona
Conservation on International Trade in Endangered Species [CITES] and World Heritage Convention [WHC] was held in years:	1976 & 1977 respectively	1981 & 1985	1986 & 1991	2000 & 2011	optiona
The Hailey National park established in 1935 was renamed as,	Jim Corbett national park	Sundarban national park	Kanha national park	None of the above	optiona

The totality of genes, species and ecosystem of a region is called as	Bio-society	Bio-diversity	Bio-living	Bio-physics	optionb
Approximately----- % of the known species are insects.	31	21	11	61	optiond
science knows only----- species of mammals.	2100	2760	5450	1111	optionc
Thar in India is a _____	Desert	Sea	River	Muddy land	optiona
Chilka lake is in	Maharashtra	Bihar	Orissa	Uttar Pradesh	optionc
The evolution of new species is called as	Ciation	Mutation	Mitigation	Speciation	optiond
The number of species in ecological community is known as	Evenness	Equitability	Species richness	Speciation	optionc
The diversity within the community is involved in	Sigma diversity	Beta diversity	Gamma diversity	Alpha diversity	optiond
About -----% of the Indian landmass is occupied by Deccan Peninsula.	25	35	42	61	optionc
Morphin is a _____ use of biodiversity.	Chemical	Physical	Medicinal	Mechanical	optionc
Plant based synthetic product are called as	Botanochemical	Biochemical	Biodiochemical	Oxichemical	optiona
New species entering a geographical region are called as _____ species.	Exotic	Extic	Toxic	Exto exotic	optiona
Exotic species are called	Extra species	Modular species	Alien species	Modern species	optionc
WCMC stands for _____ and it is executing agency of UN government.	World conservation monitoring centre	Wild conservation monitoring centre	World control monitoring centre	World conservation management centre	optiona
The world's first national park is _____ which is located in USA	Yellow park	Yellow wildlife	Yellow stone	Yellow centre	optionc
The national park near Sydney is	Roger	Royal	Yellow stone	Sydney Harbour	optiond
The Jim Corbett National Park is near	Nainital	Delhi	Mumbai	Nagpur	optiona
First national park established in India is	Jawaharlal Nehru National Park	Salim Ali National Park	Dr. Bose National park	Jim Corbett National Park	optiond
Jim Corbett national park is in	Uttarakhand	Delhi	Hariyana	Panjab	optiona
Tadoba national park is in	Gujrat	Maharashtr	MP	UP	optionb

		ra			
At present, there are _____ biosphere reserve in India	3	24	20	13	optiond
The biosphere reserve consists of _____ zones.	1	2	3	4	optionc
The outermost part of the biosphere reserve is the	Core zone	Buffer zone	Transitional zone	Semi-buffer zone	optionc
Undisturbed and legally protected ecosystem comes under _____ of biosphere reserve.	Core zone	transition zone	Preserve zone	Buffer zone	optiona
_____ lake in Sikkim has been declared sacred by the people to save aquatic life from degradation	Khecheopalri	Dal	Nal	Zorich	optiona
Germplasm banks or gene banks are established for _____ conservation of biodiversity	In situ	Ex situ	Over situ	None of these	optionb
Storage of germplasm at ultra-low temperature is called _____	Cryopreservation	Preservation germ	Germ-pre	None of these	optiona
In cryopreservation storage of germ plasm at ultra-low temperature is preserved. That ultra-low temperature is	-196 degree Celsius in liquid nitrogen	196 degrees Celsius in liquid nitrogen	0 degree Celsius in liquid nitrogen	100 degrees Celsius in liquid nitrogen	optiona
The book list containing a record of threatened species is called as	Yellow data book	Red data book	Orange data book	Wild data book	optionb
Quinine the drug is use for treatment of _____ is an example of benefits of biodiversity	Bone T.B	Cancer	Cholera	Malaria	optiond
The name of largest flying bird of today is	California condor	Mangor bird	Eagle- sofara	Eagle- sky-sulfer	optiona
The edge effect _____ the amount of habitat typical to an ecosystem	Increases	Reduces	Keeps same	None of these	optiona
The historic convention on biological diversity held in rio de janerio in 1992 is known as	CITES convention	The earth summit	G -16 summit	MAB programme	optionb
The term Alpha diversity refer to	Genetic diversity	Community and ecosystem diversity	Species diversity	Diversity among the plants	optionc

The water vapour present in the unit volume of air is called :	Relative Humidity	Static Humidity	Absolute Humidity	Total Humidity	optionc
The plants which blooms when the light duration is more than 12 hours per day is known as :	Long day plants	Short day plants	Day neutral plant	Long day and short night plants	optiona

GURU GOBIND SINGH POLYTECHNIC

Computer Department

Subject Name: Advanced Java Programming

MCQ

Div: A & B

Sr N	Question	Option A	Option B	Option C	Option D
1	Which package is required for an adapter classes?	java.awt.event	java.lang	java.util	java.swing
2	_____ class have the KeyListener interface.	KeyListenerAdapter	KeyAdapter	Adapter	None
3	Write correct word at blank spaces. f.addWindowListener(new _____ { public void windowClosing(WindowEvent e) { System.exit(0); } _____ }	_____ and);	WindowAdapter() and);	KeyAdapter() and);	Window and ;
4	Identify the correct adapter name and event name. public class MyFocusListener extends _____ { public void focusGained(_____ fe) { Button button = (Button) fe.getSource(); label.setText(button.getLabel()); } }	FocusEvent, FocusAdapter	FocusAdapter, Event	FocusAdapter, FocusEvent	Adapter, FocusEvent
5	Adapter classes are an _____ class for receiving various events.	Abstract	Inner	Inline	Inherited
6	Adapter classes are used to create _____ objects.	Class	Method	Package	Listener
7	Identify the class which is not an adapter class?	KeyAdapter	FocusAdapter	ItemAdapter	MouseEventAdapter
8	Adapter classes are used to _____ the process of event handling.	solve	simplify	avoid	create
9	An _____ class listener interface and Event class Listener interface has same name.	adapter	Static	Inner	Super
10	_____ is a subclass of ComponentEvent.	InputEvent	ContainerEvent	TextEvent	WindowEvent
11	An adapter class provides an _____ implementation of all methods in an event listener interface.	pluggable	simple	empty	Interface
12	Which of the following method does not belongs to WindowListener interface?	windowActivated	windowClosed	windowClosing	windowReactivated
13	If an adapter class is inherited , there is no need of implementing all the methods of listener interfaces .	Sometimes	Never	always	None
14	Adapter class can be also used for incorporating _____ property of JAVA.	Inheritance	Polymorphism	Encapsulation	All of the above
15	In Adapter class it is sufficient to include only the methods required to override.	TRUE	FALSE	Sometimes	Never
16	Adapter class makes programmers task easier .	Sometime	TRUE	FALSE	Never
17	Filling the blank. this.addComponentListener(new _____ { public void componentShown(ComponentEvent evt) { System.out.println("componentShown"); } });	Component()	componentAdapter()	ComponentAdapter()	ContainerAdapter()
18	What is the output of following code? import java.awt.*; import java.awt.event.*; import java.applet.*; /*<applet code="AdapterDemo" width=300 height=100> </applet> */ public class AdapterDemo extends Applet { public void init() { addMouseListener(new MyMouseAdapter(this)); } } class MyMouseAdapter extends MouseAdapter { AdapterDemo adapterDemo; public MyMouseAdapter(AdapterDemo adapterDemo) { this.adapterDemo = adapterDemo; } // Handle mouse clicked. public void mouseClicked(MouseEvent me) { adapterDemo.showStatus("Mouse clicked"); } }	Mouse moved	Mouse dragged	Mouse pressed	Mouse clicked

19	_____ is a superclass of ContainerEvent .	ComponentEvent	WindowEvent	InputEvent	MouseEvent
20	In an adapter class program, if it contains 5 methods, how many methods are to be overridden?	1	2	4	5
21	Which is the abstract adapter class for receiving keyboard focus events.	FocusListener	FocusAdapter	AdapterFocus	AdapterListener
22	Adapter Class and interfaces are same.	Sometimes	Never	TRUE	FALSE
23	Adapter class saves _____.	Time	Code	Space	All of the above
24	An adapter class provides an empty implementation of all methods in an _____ .	inheritance	class	Class ,Object	event listener interface
25	Which one of the following is adapter class?	WindowAdapter	KeyAdapter	MouseAdapter	All the above
26	What is the output of following code? import java.awt.Frame; import java.awt.event.WindowAdapter; import java.awt.event.WindowEvent; public class FrameClosing2 extends Frame { public FrameClosing2() { CloseMe cm = new CloseMe(); addWindowListener(cm); setTitle("Frame closing Style 2"); setSize(300, 300); setVisible(true); } public static void main(String args[]) { new FrameClosing2(); } } class CloseMe extends WindowAdapter { public void windowClosing(WindowEvent e) { System.exit(0); } }				
27	Following are the integer constants which does not belong to ComponentEvent class .	COMPONENT_HIDDEN	COMPONENT_ICONIFIED	COMPONENT_MOVED	COMPONENT_SHOWN
28	_____ is a superclass of all AWT events that are handled by the delegation event model.	AWTEvent	Event	UtilityEvent	AWT
29	A class which adapts methods of another class by giving different names to essentially the same methods is called as _____.	Inner Class	Simple Class	Adapter Class	Inherited Class
30	If a class MyWindowAdapter extends WindowAdapter and implements the windowClosing() method. How to register this class?	this.addWindowListener(new MyWindowAdapter());	this.addWindow(new MyWindowAdapter());	this.addWindowAdapter(new MyWindowAdapter());	this.addWindow(new MyWindowAdapter());
31	Commonly used methods of CardLayout class are_____	public void next(Container parent)	public void previous(Container parent)	public void first(Container parent)	all the above
32	Java allows a programmer to write a class within another class, is called as _____ .	Abstract Class	Inner Class	Derived Class	Simple Class
33	What are the different types of inner classes ?	Local	Anonymous	Both A & B	None
34	Fill the proper name of class. import java.awt.*; import java.awt.event.*; import java.applet.*; /*<applet code="AdapterDemo" width=300 height=100></applet> */ public class AdapterDemo extends Applet { public void init() { addMouseListener(new MyMouseAdapter(this)); } } class MyMouseAdapter extends MouseAdapter { _____ adapterDemo; public MyMouseAdapter(AdapterDemo adapterDemo) { this.adapterDemo = adapterDemo; } // Handle mouse clicked. public void mouseClicked(MouseEvent me) { adapterDemo.showStatus("Mouse clicked"); } }	AdapterDemo	adapterdemo	AdapterDemo1	Adapter
35	Generates _____ when the user enters a character.	Text Event	Character Event	Label Event	TextField Event

36	MouseEvent defines integer constants.	WHEEL_BLOCK_SCROLL, WHEEL_UNIT_SCROLL	BLOCK_SCROLL, UNIT_SCROLL	WHEEL_SCROLL, BLOCK_SCROLL	WHEEL_PAGE_SCROLL, WHEEL_TRACK_SCROLL
37	What is the return type of isTemporary() method?	int	Long	String	boolean
38	The abstract class _____ is a subclass of ComponentEvent and is the superclass for component input events.	FocusEvent	InputEvent	WindowEvent	TextEvent
39	Inner class can access all the members of outer class including _____ data members and methods.	Private	Public	Protected	Static
40	_____ can be achieved by using Inner Class.	Code Extension	Code Inheritance	Code Optimization	Code Development
41	The _____ method returns the object that generated the event.	Adjustable()	getModifiers()	getAdjustable()	getAdjust()
42	_____ is a class which is declared inside the class or interface.	Inner Class	Inherited Class	Nested Interfaces	Static Class
43	To handle any events of mouse, you must implement following interfaces.	MouseListener, MouseMotionListener, MouseWheelListener	MouseListener, MouseWheelListener	MouseListener, MouseWheelListener	MouseListener
44	The _____ method returns a reference to the component that was added to or removed from the container.	getParent()	get()	getTime()	getChild()
45	A class that have no name is known as _____ inner class in java.	Anonymous	Local	Nested	Static
46	Which are two ways to create Java Anonymous inner class ?	Class, Interface	Class, Object	Interface, Object	Class, Constructor
47	Which event is generates, when button is pressed?	TextEvent	ItemEvent	InputEvent	ActionEvent
48	Which event is generates when checkable menu item is selected or deselected?	ActionEvent	InputEvent	ItemEvent	TextEvent
49	If you compile a file containing inner class how many .class files are created ?	1	4	3	2
50	When a component is added to and removed from a container, _____ event generates.	ComponentEvent	WindowEvent	FrameEvent	ContainerEvent
51	What is the output of the following code :- class TestMemberOuter1 { private int data=30; class Inner{ void msg(){System.out.println("data is "+data);} } void display() { Inner in=new Inner(); in.msg(); } public static void main(String args[]) { TestMemberOuter1 obj=new TestMemberOuter1(); obj.display(); } }	error	data is Null	data is 30	data is 0
52	The AdjustmentEvent class defines integer constants.	ALT, CTRL, META, and/or SHIFT	BLOCK_DECREMENT, BLOCK_INCREMENT, TRACK	ALT, CTRL, UNIT_INCREMENT, UNIT_DECREMENT	UNIT_INCREMENT, UNIT_DECREMENT, SHIFT
53	Since Nested class is a member of its enclosing class Outer, you can use _____ notation to access Nested class and its members.	->(arrow)	.(dot)	*(asterisk)	&(ampersand)
54	Inner classes provides _____ mechanism in Java.	Safety	Protection	Security	Risk Handling

55	ItemEvent class defines the integer constants.	DESELECT, SELECT	DESELECTED, SELECTED	ENABLED, NOTENABLED	CHECKED, UNCHECKED
56	The non-static nested classes are also known as _____.	event class	class	adapter classes	inner classes
57	Inner class mainly used for _____.	for Code Optimization	to access all the members	to develop more readable and maintainable code	all of these
58	Can outer Java classes access inner class private members?	No	Sometimes	Yes	Never
59	What is the output of following? import java.applet.*; import java.awt.event.*; /* <applet code="InnerClassDemo" width=200 height=100> </applet> */ public class InnerClassDemo extends Applet { public void init() { addMouseListener(new MyMouseAdapter()); } class MyMouseAdapter extends MouseAdapter { public void mousePressed(MouseEvent me) { showStatus("Mouse Pressed"); } } }	Mouse Clicked	Mouse Moved	Mouse Dragged	Mouse Pressed
60	Fill in the blanks. import java.applet.*; import java.awt.event.*; /* <applet code="InnerClassDemo" width=200 height=100> </applet> */ public class InnerClassDemo extends Applet { public void init() { _____ (new MyMouseAdapter()); } class MyMouseAdapter extends _____ { public void mousePressed(MouseEvent me) { showStatus("Mouse Pressed"); } } }	addMouse, Adapter	addMouseListener, Adapter	addMouseListener, MouseAdapter	addListener, MouseAdapter
61	What is the output of the following java program? class Outer { void outerMethod() { System.out.println("inside outerMethod"); // Inner class is local to outerMethod() class Inner { void innerMethod() { System.out.println("inside innerMethod"); } } Inner y = new Inner(); y.innerMethod(); } } class MethodDemo { public static void main(String[] args) { Outer x = new Outer(); x.outerMethod(); } }	inside innerMethod inside outerMethod	inside outerMethod inside innerMethod	inside innerMethod inside innerMethod	inside outerMethod inside outerMethod
62	Identify the correct adapter name and event name. class MyWindowAdapter extends _____ { public void windowClosing(_____ e) { System.exit(0); } }	Window, WindowEvent	WindowAdapter, Window	WindowAdapter, WindowEvent	Adapter, Event
63	In the following code, what is the name of the inner class? Public class Periodical { long ISBN; public class Book { public long getISBN() { return ISBN; } } }	getISBN	Periodical	ISBN	Book
64	Identify the type of class for following code? import java.applet.*; import java.awt.event.*; /*<applet code="Demo" width=300 height=100> </applet> */ public class Demo extends Applet { public void init() { addMouseListener(new MouseAdapter() { public void mousePressed(MouseEvent me) { showStatus("Mouse Pressed"); } }); } }	Inner Class	Adapter class	Anonymous Inner Class	static class
65	In case of _____ we can implement only required methods of any interface.	interface	package	adapter classes	event classes
66	The _____ method returns a value that indicates which modifier keys were pressed when the event was generated.	getModifiers()	getAdjustable()	Modifiers()	Adjustable()
67	getLocalHost() method simply returns the InetAddress object which represents _____.	host name	machine name	local host	remote host
68	The getByByName() method returns an _____ with host name	IP address	InetAddress Object	port number	IPv4
69	getAllByName() method returns an array of _____ that represents all of the addresses that specific host name has	host names	InetAddresses	ipaddresses	objects

70	what is the output of following program import java.net.*; class Demo { public static void main(String arg[]) throws UnknownHostException { InetAddress ipa=InetAddress.getLocalHost(); System.out.println(ipa); } }	host name/IP address	iPAddress/Host name	IPAddress	Host name
71	Which type of Statement can execute parameterized queries?	ParameterizedStatement	PreparedStatement	ParameterizedStatement and CallableStatement	All kinds of Statements
72	How can you retrieve information from a ResultSet?	By invoking the method get(String type) on the ResultSet, where type is the database type	By invoking the method get(Type type) on the ResultSet, where Type is an object which represents a database type	By invoking the method getValue(), and cast the result to the desired Java type	By invoking the special getter methods on the ResultSet: getString(), getBoolean(), getClob()
73	Which type of statement can execute parameterized queries ?	PreparedStatement	ParameterizedStatement	CallableStatement	All of the Above
74	Which of the following method is invoked when a window is changed from a normal to a minimized state?	windowActivated()	windowClosed()	windowClosing()	windowIconified()
75	What is adapter class for component listener interface?	Component	ComponentAdapter	ComponentListenerAdapter	None
76	Whether adapter classes use the methods of event classes?	Yes	No	Sometimes	Depends on some requirement
77	Which of these methods is defined in MouseMotionAdapter class?	mouseDragged()	mousePressed()	mouseReleased()	mouseClicked()
78	Which of these is a superclass of all Adapter classes?	Applet	ComponentEvent	Event	InputEvent
79	What is the meaning of ResultSet.TYPE_SCROLL_INSENSITIVE	This means that the ResultSet is insensitive to scrolling	This means that the ResultSet is sensitive to scrolling, but insensitive to updates, i.e. not updateable	This means that the ResultSet is sensitive to scrolling, but insensitive to changes made by others	The meaning depends on the type of data source, and the type and version of the driver you use with this data source

80	What statements are correct about JDBC transactions	A transaction is a set of successfully executed statements in the database	A transaction is finished when commit() or rollback() is called on the Connection object	A transaction is finished when commit() or rollback() is called on the Transaction object	A transaction is finished when close() is called on the Connection object
81	What happens if you call the method close() on a ResultSet object?	the method close() does not exist for a ResultSet. Only Connections can be closed.	the database and JDBC resources are released	you will get a SQLException, because only Statement objects can close ResultSets	the ResultSet, together with the Statement which created it and the Connection from which the Statement was retrieved, will be closed and release all database and JDBC resources
82	What happens if you call deleteRow() on a ResultSet object?	The row you are positioned on is deleted from the ResultSet, but not from the database.	The row you are positioned on is deleted from the ResultSet and from the database	The result depends on whether the property synchronizeWithDataSource is set to true or false.	You will get a compile error: the method does not exist because you can not delete rows from a ResultSet.

83	What is correct about DDL statements	DDL statements are treated as normal SQL statements, and are executed by calling the execute() method on a Statement	To execute DDL statements, you have to install additional support files	DDL statements can not be executed by making use of JDBC, you should use the native database tools for this	Support for DDL statements will be a feature of a future release of JDBC
84	Which of the following statements is false as far as different type of statements is concern in JDBC?	Regular Statement	Prepared Statement	Callable Statement	Interim Statement
85	JDBC facilitates to store the java objects by using which of the methods of Prepared Statement 1. setObject () 2. setBlob() 3. setClob()	1, 2	1, 2, 3	1,3	2,3
86	_____ method to establish actual database connection.	executeQuery()	executeUpdate()	getConnection()	prepareCall()
87	Which of the following describes the correct sequence of the steps involved in making a connection with a database. 1. Loading the driver 2. Process the results. 3. Making the connection with the database. 4. Executing the SQL statements.	1,3,4,2	1,2,3,4	2,1,3,4	4,1,2,3
88	Which method is used to perform DML statements in JDBC?	execute()	executeQuery()	executeUpdate()	executeResult()
89	Can we retrieve a whole row of data at once, instead of calling an individual ResultSet.getXXX method for each column ?	No	Yes	Statement is incorrect	None of the above
90	Are Prepared Statements actually compiled?	Yes	No	Statement is incorrect	None of the above
91	In order to transfer data between a database and an application written in the Java programming language, the JDBC API provides which of these methods?	Methods on the ResultSet class for retrieving SQL SELECT results as Java types.	Methods on the PreparedStatement class for sending Java types as SQL statement parameters.	Methods on the CallableStatement class for retrieving SQL OUT parameters as Java types.	All mentioned above
92	_____ calls get converted into native c or c++ API calls.	API	ODBC	JDBC API	None of the above.
93	Which method Drops all changes made since the previous commit/rollback?	public void rollback()	public void commit()	public void close()	public Statement createStatement()
94	Which of the following is used to set the maximum number of rows can contain?	setMaxRows(int i)	setMinRows(int i)	getMaxRows(int i)	getMinRows(int i)

95	____method of ResultSet is used to move the cursor to the row next from the current position.	fetch method	current method	next method	access method
96	INSERT, DELETE, UPDATE comes under ?	Data Modification Language	Data Definition Language	Data Control Language	Data Manipulation Language
97	The return type of execute(String query) is?	int	ResultSet	boolean	void
98	Consider the following program. Select the missing statement in given code import java.sql.*; class PreparedExample{ public static void main(String args[]){ try{ Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:snrao","scott","tiger"); PreparedStatement stmt=con.prepareStatement("select * from student where rollno=?"); stmt.setInt(1,1); ----- while(rs.next()) { } con.close(); } catch(Exception e){ System.out.println(e); } } }	stmt.setString(2,"Ratan");	int i=stmt.executeQuery();	ResultSet rs=stmt.executeQuery();	ResultSet rs=stmt.executeQuery("select * from student");
99	Consider the following code. To execute the query, which of the following code snippet is used? String sql = "update people set firstname=?, lastname=? where id=?"; PreparedStatement preparedStatement = connection.prepareStatement(sql); preparedStatement.setString(1, "Gary"); preparedStatement.setString(2, "Larson"); preparedStatement.setLong (3, 123);	int rowsAffected = preparedStatement.executeUpdate();	ResultSet rs=preparedStatement.executeQuery(sql);	int rowsAffected = preparedStatement.executeUpdate(sql);	ResultSet rs=preparedStatement.executeUpdate();
##	which method is used to insert image in database	statement.getImage()	statement.getDouble()	statement .getBLOB()	statement. getIcon()
##	All raw data types (including binary documents or images) should be read and uploaded to the database as an array of	byte	int	char	long
##	Consider the following code and Select the missing statement in given code import java.sql.*; class MySQL { public static void main(String args[]){ try{ Class.forName("com.mysql.jdbc.Driver"); Connection con=DriverManager.getConnection("jdbc:mysql://localhost:3306/dsn","root","root"); Statement stmt=con.createStatement(); ----- ----- while(rs.next()) System.out.println(rs.getInt(1)+" "+rs.getString(2)+" "+rs.getString(3)); con.close(); } catch(Exception e){ System.out.println(e); } } }	ResultSet rs=stmt.runQuery("select * from emp");	ResultSet rs=stmt.executeQuery("select * from emp");	int n=stmt.executeQuery("select * from emp");	int n=stmt.executeUpdate("select * from emp");
##	Consider the following program. Find which statement contains error import java.awt.*; import javax.swing.*; /* <applet code="JTableDemo" width=400 height=200> </applet> */ public class JTableDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final String[] colHeads = { "Name", "Phone", "Fax" }; final Object[][] data = { { "Pramod", "4567", "8675" }, { "Tausif", "7566", "5555" }, { "Nitin", "5634", "5887" }, { "Amol", "7345", "9222" }, { "Vijai", "1237", "3333" }, { "Ranie", "5656", "3144" }, { "Mangesh", "5672", "2176" }, { "Suhail", "6741", "4244" }, { "Nilofer", "9023", "5159" }, { "Jinnie", "1134", "5332" }, { "Heena", "5689", "1212" }, { "Saurav", "9030", "1313" }, { "Raman", "6751", "1415" } }; JTable table = new JTable(data, colHeads); int v = ScrollPaneConstants.VERTICAL_SCROLLBAR_AS_NEEDED; int h = ScrollPaneConstants.HORIZONTAL_SCROLLBAR_AS_NEEDED; JScrollPane jsp = new JScrollPane(table, v, h); contentPane.add(jsp, BorderLayout	No error	error	compile time error	Run time error

Consider the following code and write the value of String sql to delete record of an employee. import java.sql.*; import java.util.*; public class DeleteRecord { public static void main(String args[]) throws Exception { String sql; Scanner sc=new Scanner(System.in); System.out.println("Please Enter the ID no:"); int num = sc.readInt(); Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:EMP","scott","tiger"); Statement stmt=con.createStatement(); int affectedRecords = stmt.executeUpdate(sql); br.close(); stmt.close(); con.close(); } }	sql="delete from Employee where empid="+ num	sql="delete * Employee where empid="+ num	sql="select * from Employee "	sql="delete from Employee where empid="
Following four methods belongs to which class? 1) public void add(Component c) 2) public void setSize(int width,int height) 3) public void setLayout(LayoutManager m) 4) public void setVisible(boolean)	Graphics class	Component class	Both A & B	None of the above
Which is the container that does not contain title bar and MenuBars but it can have other components like button, textfield etc?	Window	Menu bar	Panel	Output Screen
Whose object is to be created to show any number of choices in the visible window?	JLabel	JButton	JList	JCheckbox
What is used to store partial data results, as well as to perform dynamic linking, return values for methods, and dispatch exceptions?	Window	Button	Container	Frame
Which class is used for processActionEvent() Processing Method ?	JButton,JList,JMenuItem	JButton Only	JScrollbar	None of the above
a) It is lightweight. b) It supports pluggable look and feel. c) It follows MVC (Model View Controller) architecture Above advantages are of _____	Swing	AWT	Networking	Databases
JFrame myFrame = new JFrame (); Any command (such as the one listed above) which creates a new object of a specific class (in this case a new JFrame object called myFrame) is generally called a ...	Constructor	Layout manager	Parameter	GUI
Suppose you are developing a Java Swing application and want to toggle between various views of the design area. Which of the views given below are present for the users to toggle?	Design View	Requirement View	Source View	Toggle View
The size of a frame on the screen is measured in:	Inches	Centimetres	Dots	Pixels
The layout of a container can be altered by using which of the following methods	setLayout(LayoutManager)	layoutmanager(LayoutManager)	addLayout(LayoutManager)	setLayoutManager(LayoutManager)
In JDBC _____ imports all java classes concerned with database connectivity.	javax.sql.*	java.mysql.*	java.sql.*	com.*
Methods of ResultSet throws exception.	IOException	SQLException	MethodNotFoundFoundException	ResultSetException
Which of the following is FALSE with reference to JDBC Driver	All drivers implements the java.sql.Driver interface.	driver classes are not supplied by the database vendor	Driver class return a java.sql.Connection object.	None of the Above
How do you indicate where a component will be positioned using Flowlayout?	North, South, East, West	Assign a row/column grid reference	Do nothing, the FlowLayout will position the component	Pass a X/Y percentage parameter to the add method
Match the following i) Type 1 Driver a) Native API, partly Java ii)Type 2 Driver b) Pure Java direct to database iii)Type 3 Driver c) JDBC-ODBC bridge iv)Type 4 Driver d) Pure Java to database middleware	i -> c, ii -> b, iii -> d, iv -> a	i -> c, ii -> a, iii -> d, iv -> b	i -> c, ii -> a, iii -> b, iv -> d	i -> c, ii -> d, iii -> a, iv -> b

		Interpreted Statements	Exceuted statements	Resultset statements	precompile Statement
##	PreparedStatements are used for calling..... statements				
##	Which TextComponent method is used to set a TextComponent to the read-only state ?	setReadOnly()	setRead()	setUpdate()	setTextReadOnly()
##	Which type of Driver communicate using a network protocol to a middleware server	Type 1 Driver	Type 2 Driver	Type 3 Driver	Type 4 Driver
##	Which method will cause a JFrame to get displayed?	show()	setVisible()	showFrame()	displayFrame()
##	Which of the Following Drivers Sun describes it as being experimental and appropriate for use only where no other driver is available.	Type 1 Driver	Type 2 Driver	Type 3 Driver	Type 4 Driver
##	_____ interface allows storing results of query?	ResultSet	Connection	Statement	Result
##	Which of the Following Drivers require native library files to be installed & configured on client systems.	Type 1 Driver	Type 2 Driver	Type 3 Driver	Type 4 Driver
##	InetAddress also Includes a factory method called_____	getByAddress()	getHostName()	getAddress()	getIPAddress()
##	Which of the following statements are TRUE in case of Type 2 JDBC Drivers	It use native methods to call vendor-specific API functions.	native library files are to be installed on client systems.	Both of the Above	None of the Above
##	in JDBC 2.0 a Connection object is created either by a call to	DriverManager.getConnection()	DataSource.getConnection()	Both of the Above	None of the Above
##	How to create the Tabbed pane in swings?	JTab jt=new JTab();	JTabPane jt=new JTabPane();	JTabP=new JTabP();	JTabbed Pane jt=new JTabbed Pane ();
##	In JDBC URL string protocol is always	jdbc	odbc	Jdbc-odbc	Any one of the above

		<pre>import java.sql.*; class Example1 { public static void main(String args[]) { try{ Class.forName(" oracle.jdbc.driver .OracleDriver"); Connection con=DriverMana ger.getConnection ("jdbc:oracle:thin :@localhost:1521 :xe","system","or acle"); PreparedStatement stmt=con.prepare Statement("insert into student values(?,?)"); stmt.setInt(1,101) ; stmt.setString(2," Ratan"); int i=stmt.executeUpdate (); con.close(); }catch(Exception</pre>	<pre>import java.sql.*; class Example1 { public static void main(String args[]) { try{ Class.forName("oracle.jdbc.dri ver.OracleDrive r"); Connection con=DriverMan ager.getConnect ion ("jdbc:oracle:thi n:@localhost:15 21:xe","system" ,"oracle"); PreparedStatement stmt=con.prepar edStatement("in sert into student values(?,?)"); stmt.setInt(1,"R atan"); stmt.setString(2 ,101); int i=stmt.executeQ</pre>	<pre>import java.sql.*; class Example1 { public static void main(Strin g args[]) { try{ Class.forN ame("orac le.jdbc.dri ver.Oracle Driver"); PreparedS tatement stmt=con. preparedSt atement("i nsert into student values(?,?) ") ; stmt.setInt (1,101); stmt.setStr ing(2,XY Z); int i=stmt.exe</pre>	<pre>import java.sql.*; class Example1 { public static void main(Strin g args[]) { try{ Class.forN ame("orac le.jdbc.dri ver.Oracle Driver"); Connectio n con=Drive rManager. getConne ction ("jdbc:ora cle:thin:@ localhost:1 521:xe","s ystem","or acle"); PreparedS tatement stmt=con.</pre>
##	Choose the correct option to insert rollno and student name into table named student and display its contents				
##	what is the output of following program <pre>import java.net.*; class Demo { public static void main(String arg[]) { InetAddress ip=InetAddress.getByAddress("www.google.com"); System.out.println(ip) }</pre>	www.google.com/217.56.216.195	www.google.com	217.56.216.195	All of the above
##	What does the following line of code do? JTextfield text = new JTextfield(10);	Creates text object that can hold 10 columns of text.	Creates text object that can hold 10 rows of text.	Creates the object text and initializes it with 10.	The code is illegal
##	Which of the following is FALSE with reference to JDBC database URL	URL string has three components	protocol in URL string is always jdbc	subprotocol in URL string is always jdbc.	subname identifies the specific database to connect
##	The Swing component classes that are used to encapsulate a mutually exclusive set of buttons ?	AbstractButton	ButtonGroup	JButton	Button
##	Which class has strong support of the JDBC architecture?	The JDBC driver manager	JDBC driver test suite	JDBC ODBC bridge	All of these
##	Connection object can be initialized using the _____ method of the Driver Manager Class.	putConnection()	setConnection()	Connection()	getConnection()
##	In model-view-controller (MVC) architecture of swings, model defines the_____	Data layer	Presentation layer	Business-logic layer	Both A and C
##	Which of the following methods are needed for loading a database driver in JDBC?	registerDriver() method	Class.forName()	Both A and B	getConnection()

##	Disadvantages of MVC architecture can be :	Navigation control is decentralized	Time consuming	both a&b	UI components are not user friendly
##	Which of the following encapsulates an SQL statement which is passed to the database to be parsed, compiled, planned and executed?	DriverManager	JDBC driver	Connection	Statement
##	The interface ResultSet has a method, getMetaData(), that returns a/an	Tuple	Value	Object	Result
##	Which method is used to find the number of column in ResultSet?	getNumberOfColumn()	getMaxColumn()	getColumnCount()	getColumnns()
##	commit() method is belongs to which interface?	ResultSet	Statement	PreparedStatement	Connection
##	Which one is the correct syntax for creating a Statement?	Statement stmt = connection.createStatement();	Statement stmt = connection.prepareStatement();	Statement stmt = connection.createStatement();	none of these
##	Which statement is correct?	ResultSet rs = stmt.executeQuery("SELECT ROLLNO,STUDENTNAME FROM STUDENT");	ResultSet rs = stmt.executeQuery("SELECT ROLLNO,STUDENTNAME FROM STUDENT");	ResultSet rs = stmt.executeUpdate("SELECT ROLLNO,STUDENTNAME FROM STUDENT");	ResultSet rs = stmt.executeQuery("SELECT ROLLNO,STUDENTNAME FROM STUDENT");
##	Native API converts _____into the _____used by DBMS.	JDBC API, network protocol	JDBC API, Native API calls	JDBC API, User call	JDBC API, ODBC API calls
##	_____ method of DriverManager class is used to establish connection with the database.	openConnection()	getConnection()	connect()	createConnection()
##	 helps you to maintain data when you move from controller to view.	View Bag	View Data	. Temp Data	Both A and B
##	What is output of following program import java.net.*; class Demo { public static void main(String arg[]) throws UnKnownHostException { InetAddress ipa[]=InetAddress.getAllByName("www.google.com"); for(int i=0;i<ipa.length;i++){ System.out.println(ipa[i]); } } }	array of hostnames	array of hostname/IPaddress	array of IPAddress	IPAddress/Hostname
##	Which of the following view file types are supported in MVC?	.cshtml	.vbhtml	.aspx	All of the above
##	Can we use view state in MVC?	Yes	No	Both A & B	None of the above
##	subname part of JDBC URL string NOT contains	Database name	Username & password	Port number	Protocol
##	The code below draws a line. What is the color of the line created? g.setColor(Color.red.green.yellow.red.cyan); g.drawLine(0, 0, 100,100);	Red	Green	Yellow	Cyan

##	What does the following code draw? g.setColor(Color.black); g.drawLine(10, 10, 10,50); g.setColor(Color.RED); g.drawRect(100, 100, 150, 150);	A red vertical line that is 40 pixels long and a red square with sides of 150 pixels.	A black vertical line that is 40 pixels long and a red square with sides of 150 pixels.	A black vertical square that is 50 pixels long and a red square with sides of 150 pixels.	A red vertical line that is 50 pixels long and a red square with sides of 150 pixels.
##	boolean equals(Object other) will return_____	Returns true if object has same internet address as other.	Returns False if object has same internet address as other.	Returns true if object has not same internet address as other.	Returns null if object has same internet address as other.
##	Which method is used to construct a 24-point bold serif font?	new Font(Font.SERIF, 24,Font.BOLD);	new Font("SERIF", 24, BOLD);	new Font("BOLD", 24,Font.SERIF);	new Font("SERIF", Font.BOLD,24);
##	What is the role of getAddress() method ?	returns Ip address of network.	Returns a byte array that represents the object's Ip address in the network byte order.	Returns an array of object's that represents Ip address .	Returns the a byte array of Ip address of network host machine .
##	Which of the following type of JDBC driver, is also called Type 3 JDBC driver?	JDBC-ODBC Bridge plus ODBC driver	Native-API, partly Java driver	JDBC-Net, pure Java driver	Native-protocol, pure Java driver

##	What will be the following code draw on the screen. Where "g" is a graphics instance in the following code of line g.fillArc(45,90,50,50,90,180);	An arc bounded by a box of height 45, width 90 with a centre point of 50,50, starting at an angle of 90 degrees traversing through 180 degrees counter clockwise.	An arc bounded by a box of height 50, width 50, with a centre point of 45,90 starting at an angle of 90 degrees traversing through 180 degrees clockwise.	An arc bounded by a box of width 50, height 50, with a top left at coordinate s of 45, 90, starting at 90 degrees and traversing through 180 degrees counter clockwise.	An arc starting at 45 degrees, traversing through 90 degrees clockwise bounded by a box of height 50, width 50 with a centre point of 90, 180.
##	Analyse the following code and fill the appropriate statement in the blanks import java.sql.*; class Demo { public static void main(String args[])throws Exception { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:stud"); Statement stmt=con.createStatement(); ResultSet rs=stmt._____("select * from student where rollno=1"); System.out.println("RollNo Name Branch"); where(rs.next()) { System.out.println(rs.getString(1)+" "+rs.getString(2)+" "+rs.getString(3)); } con.close(); } }	executeUpdate()	executeQuery()	execute()	All of the Above
##	What will be the output of the following program? The program creates a simple Frame and override the paint method as follows import java.applet.*; import java.awt.*; public class HelloWorldApplet extends Applet { public void paint (Graphics g) { g.drawString ("Dolly",50,10); } }	The string "Dolly" will be displayed at the centre of the frame.	An error at compilation complaining at the signature of the paint method.	The string "Dolly" will be seen at the top of the form	The string "Dolly" will be shown at the bottom of the form.
##	What is the output of the following ? import java.awt.*; import javax.swing.*; public class FrameTest extends JFrame { public FrameTest() { add (new JButton("First")); add (new JButton("Second")); add (new JButton("Third")); pack(); setVisible(true); } public static void main(String args []) { new FrameTest(); } }	Three buttons are displayed across a window.	A runtime exception is generated (no layout manager specified).	Only the first button is displayed.	Only the third button is displayed.
##	Which of the following type of JDBC driver, is also called Type 1 JDBC driver	JDBC-ODBC Bridge Driver	Native API/ Partly java driver	All java / Net-protocol driver	Native protocol / all-java driver
##	Which of the following type of JDBC driver, is also called Type 2 JDBC driver	Native API/ Partly java driver	JDBC-ODBC Bridge Driver	Native protocol / all-java driver	All java / Net-protocol driver
##	Suppose a JPanel is added to a JFrame and a JButton is added to the JPanel. If the JFrame's font is set to 12-point TimesRoman, the JPanel's font is set to 10-point TimesRoman, and the JButton's font is not set, what font will be taken to display the JButton's label?	12- point TimesRoman.	11- point TimesRoman.	10 -point TimesRoman	09 -point TimesRoman.

##	Which of the following type of JDBC driver, is also called Type 4 JDBC driver	All java / Net-protocol driver	Native protocol / all-java driver	Native API/ Partly java driver	JDBC-ODBC Bridge Driver
##	What is the result of the following applet code ? import java.applet.JApplet; import javax.swing.*; public class Sample extends JApplet { private String text = "Hello World"; public void init() { add(new JLabel(text)); } public Sample (String string) { text = string; } } It is accessed from the following HTML page: <html> <title>Sample Applet</title> <body> <applet code="Sample.class" width=200 height=200></applet></body></html>.	Prints "Hello World"	Generates a runtime error	. Does nothing	Generates a compile time error
##	import java.applet.JApplet; import javax.swing.*; public class Sample extends JApplet { private String text = "Hello World"; public void init() { add(new JLabel(text)); } public Sample (String string) { text = string; } } It is accessed from the following HTML page: <html> <title>Sample Applet</title> <body> <applet code="Sample.class" width=200 height=200></applet></body></html>. The method setLabel() can be used with what type of Object?	Float	int	JTextField	String.
##	Which Swing Component classes that are used to Encapsulates a mutually exclusive set of buttons?	AbstractButton	ButtonGroup	JButton	Button
##	Which method is used to add tooltip text to almost all components of Java swing?	getToolTipText()	setToolTipText(String s)	setToolTipText(String s)	getToolTipText(String s)
##	In Swing the content pane can be obtained by using _____method.	getContent()	getContentPane()	Both A & B	getContentPane()
##	Which one of the following is the correct sequence of activities to perform for database connectivity in java	Register the Driver class - Create statement - Create connection - Execute queries - Close connection	Register the Driver class - Create connection - Create statement - Execute queries - Close connection	Create connection - Register the Driver class - Create statement - Execute queries - Close connection	Create connection - Create statement - Register the Driver class - Execute queries - Close connection
##	Model is the _____ in the MVC architecture.	top most level	middle most level	bottom most level	None of the above
##	Double-buffering built in, tool tips, dockable tool bars, keyboard , accelerators, custom cursors, etc. are new features of _____?	AWT	Networking	Swing	All of the above
##	JCheckBox is _____Component .	heavyweight	mediumweight	No weight	lightweight
##	The default layout manager for the content pane of a swing is :	CardLayout	GridLayout	BorderLayout	None of the above
##	Type of server in two-tier architectures which provides data to client stored on disk pages is called	transaction server	functional server	disk server	data server
##	Application program interface in two tier architecture database management system is provided by the	close module connectivity	open module connectivity	close database connectivity	open database connectivity
##	Database system compiles query when it is	prepared	invoked	executed	initialized

##	Standard which allows access to DBMS by Java client programs is classified as	JCBD standard	JDBC standard	BDJC standard	CJBD standard
##	What is output of following code? import java.net.*; class Inet{ public static void main(String arg[]){ InetAddress ip=InetAddress.getLocalHost(); System.out.println(ip.getHostAddress()); } }	192.168.0.100	localhost/192.168.0.100	localhost machine	localhost//8080:
##	what is the output of following program import java.net.*; class Demo { public static void main(String arg[]) throws UnKnownHostException { InetAddress ipa=InetAddress.getLocalHost(); InetAddress ipa1=InetAddress.getLocalHost("www.google.com"); boolean b=ipa.equals(ipa1); System.out.println(b); } }	TRUE	FALSE	compile time error	0
##	what is the output of following program import java.net.*; class Demo { public static void main(String arg[]) throws UnKnownHostException { InetAddress ipa=InetAddress.getLocalHost(); InetAddress ipa1=InetAddress.getLocalHost(); boolean b=ipa.equals(ipa1); System.out.println(b); } }	TRUE	FALSE	0	1
##	InetAddress class is used to encapsulate both numerical IP address and the _____	port number	host name	server name	socket name
##	what is the output of following program import java.net.*; class Demo { public static void main(String arg[]) throws UnKnownHostException { InetAddress ipa=InetAddress.getByByName("www.google.com"); System.out.println(ipa.getHostAddress()); } }	www.google.com	www.google.com/217.196.214.99	217.196.214.99	None of the above
##	You can simply use InetAddress class when working with IP address because it can accommodate both _____ styles.	IP4V and IP6V	IPV4 and IPV6	host name and IP	A and B
##	What does getHostAddress() of InetAddress class return?	Returns host address with ipaddress.	Returns a string that represents ipaddresses with hostname.	Returns a string that represents a host address associated with the InetAddress object.	Returns a string that represents a host name associated with InetAddress object.
##	Which of the Following is NOT a valid Syntax for getConnection() Method	public static Connection getConnection(String url)	public static Connection getConnection(String url, String userID, String password)	public static Connection getConnection(jdbc: <subprotocol>:<subname>String userID, String password)	None of the Above
##	In two-tier client/server architecture, running of application programs and user interface programs is in control of _____	modulation side	client side	server side	host side
##	Which of the following must be closed at end of Java program ?	Result	Connection	Query	Both A and B
##	A Java application program does not include declarations for	Data stored in database	Data retrieved of database	Data executed	Data manipulated

##	A label is a simple control which is used to display _____ on the window	button	Editable Text	Non-Editable Text	All of above
##	Which statement is true with respect to the following code? import java.awt.*; import javax.swing.*; public class Test { public static void main(String[] args) { JFrame frame = new JFrame("My Frame"); frame.getContentPane().add(new JButton("OK")); frame.getContentPane().add(new JButton("Cancel")); frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); frame.setSize(200, 200); frame.setVisible(true); } }	Only button OK is displayed.	Only button Cancel is displayed.	Both button OK and button Cancel are displayed and button OK is displayed on the left side of button OK.	Both button OK and button Cancel are displayed and button OK is displayed on the right side
##	Label is _____ entity.	Active	Passive	Both A & B	None of these
##	_____ method is used to set or change the text in a Label.	setText(String strLabel)	getText()	getAlignment()	None of these
##	getAlignment() is the method of _____ class.	Button	List	Choice	Label
##	Label(String str) creates a label that contains the string specified by str which is _____	Right-Justified	Left-Justified	Center-Justified	All of above
##	Which of the following Statement is NOT true for Type-2 Drivers	Driver needs to be installed separately in individual client machines	The Vendor client library needs to be installed on client machine.	Type-2 driver isn't written in java, that's why it isn't a portable driver	None of the Above
##	Which of the following method is used to set Label for Button B	B.setLabel(String S)	B.getLabel()	Both A & B	B.setText(String S)
##	With respect to Type-3 drivers A)Type-3 drivers are fully written in Java, hence they are portable drivers. B)No client side library is required because of application server that can perform many tasks like auditing, load balancing, logging etc.	A is True But B is False	B is True But A is False	Both are False	Both are True
##	The various controls supported by AWT are	Buttons, Scrollbar	Label, TabbedPane	Trees, Tables	All of above
##	Which of the following is NOT true for Type - 4 drivers	Type-4 driver is also called native protocol driver.	Different driver is not needed for different database.	No client-side or server-side installation required.	It is fully written in Java language, hence they are portable drivers.
##	Which method does return true value if specified address is a multicast address ?	isMulticastHostName()	isMulticastHostAddress()	isMulticastAddress()	isMulticastIPAddresses()

##	InetAddress has two subclasses called as:	IPv4Address() and IPv6Address()	IPv4Address() and IPv6Address()	Inet4Address() and Inet6Address()	InetAddress4() and InetAddress6()
##	getHostName() of InetAddress class is used to_____	Return a string that represents host name associated with InetAddress object.	Return a string that represents host address associated with InetAddress object.	Return an object that represents Ipaddress associated with host name .	Return Ipaddress that is associated with InetAddress object .
##	Which of the following statement is correct ?	There are two kinds of sockets in java one is for server and other for clients.	There is only one socket for server.	There is only one socket for client.	There is only one socket for server as well as for client.
##	Which of the following class is used to create server that listen for clients ?	httpserver	ServerSocket	DatagramSocket	Socket
##	What happens if server socket is not able to listen on specified port ?	The system exits gracefully with appropriate message	The system will wait till port is free.	IOException is thrown when opening the socket	PortOccupiedException is thrown.
##	Which exception will be thrown if client socket does not specify the hostname when it has created ?	IOException	UnknownHostException	UnknownHostException	UnknownPortException
##	Which constructor will you use to create client socket using a preexisting InetAddress object and a port ?	Socket (String hostname, int port)	Socket (InetAddress ipAdd, int port)	Socket (InetAddress ip Add, string Hostname)	Socket (int port, InetAddress ipAdd)
##	_____method returns the local part to which the invoking socket object is bound.	int getLocalHost()	int getLocalPort()	int getPort()	int GetLocalHost()
##	Which of the following are factory methods of InetAddress class?	static InetAddress[] getAllByName(String hostname)	static InetAddress getLocalHost()	string getHostName()	A and B
##	Which of the following methods belong to ServerSocket class	accept()	connect()	bind()	A and C
##	ServerSocket class has one of the following constructor	ServerSocket(int port)	ServerSocket(String host, int port)	ServerSocket(int port, InetAddress add)	ServerSocket(InetAddress add, int port)

##	Socket method called _____ returns the port number that socket is bound to on local machine	int getLocalPort()	int getPort()	InetAddress getInetAddress()	string getHostAddress()
##	What are different factory methods of InetAddress class?	getByName()	GetLocalHost()	getByAddress()	both A & C
##	How long is an IPv6 address?	32 bits	128 bytes	64 bits	128 bits
##	_____ method is needed only when you instantiate the socket using the not argument constructor.	bind()	connect()	accept()	SetHostName()
##	InetAddress class having method which returns a string that shows the host name and IP address.	toString()	getHostAddress()	getLocalHost()	none of the above
##	If server socket is created using serversocket () constructor then which method should we use to bind the serve socket ?	isbind()	bind()	bind To()	bind (socketAddress host , int backlog)
##	accept method is used for _____	Incoming Client connection	Incoming Server socket	Accepting request from server	Waiting socket
##	_____ Class represents the socket that both the client & server use to communicate with each other	java.net.ServerSocket	java.net.Server	Java.net.socket	java.net.ClientSocket
##	Socket s1= Socket (localhost, 1346), What does it means ?	Client socket is waiting for connection	Client socket is created to connect with specified host name and port number	Client socket is name as localhost and Port number is 1346	server socket is connected to local host with port number 1346
##	What is the output of following statements Socket s1=new Socket("localhost",1234); int a=s1.getPort(); System.out.println(a);	localhost	localhost/1234	1234	1234/local host
##	Correct way of using ServerSocket is _____	ServerSocket(int port)	ServerSocket(int port,int maxQueue)	ServerSocket(int port,int maxQueue,InetAddress ss localAddress)	All of the above
##	What is the output of following statements? ServerSocket ss=new ServerSocket(1349); Socket s1=ss.accept(); System.out.println(ss.getLocalPort());	port number of client socket	1349	local port	None of the above
##	public InputStream getInputStream() is method of _____ class	ServerSocket	ClientSocket	Socket	All of the above
##	getOutputStream() returns the output stream of the _____	Socket	ServerSocket	ClientSocket	None of the above
##	Which of the following statement is correct?	The input stream of socket is connected to the output stream of remote socket	The output stream of socket is connected to the input stream of remote socket	The output stream of socket is connected to the output stream of remote socket	A and B

##	_____method makes socket object no longer capable of connecting again to any server	send()	wait()	connect()	close()
##	If your application has successfully bound to specified port and is ready for client request then _____	an exception is thrown	an IOException is thrown	it does not throw an exception	Unknown HostException is thrown
##	Socket is the combination of _____ and _____.	IP address and port number	port number and local host	IPAddress and machine number	All of the above
##	Which steps occur when establishing a TCP connection between two computers using socket?	The server initiates a ServerSocket object denoting port number to be connected	The server invokes the accept() method of ServerSocket class. This method waits until a client connects to the server on the given port	After the server is waiting, a client instantiates a socket object with specified server name and port number	All of the above
##	What is the output of the following statement? ServerSocket ss=new ServerSocket(1234); Socket s1=ss.accept(); System.out.println(s1.getPort());	port number of client socket	1234	local port	All of the above
##	What is the output of following statement? ServerSocket ss=new ServerSocket(1234); Socket s1=ss.accept(); System.out.println(s1.getRemoteSocketAddress());	1234	IPAddress of serversocket	IPAddress of client with port number	IPAddresses of server with port number
##	What is the output of following statement? Socket s1=new Socket("localhost",1234); System.out.println(s1.getRemoteSocketAddress());	IPAddress of client with port number	host name, IPAddress and port number of Serversocket	host name and IPAddress Serversocket	IPAddress of server with port number
##	Connection timed out exception is occurred _____	if client socket is not created	if serversocket does not accept client request	if port number is not available which is specified by client socket with host name	None of the above
##	Which method is used to expose the details of establishing connection between server socket & client socket ?	connect()	receive()	there is no such method	None of the above
##	You can gain access to the input and output streams associated with socket by use getInputStream()	getOutputStream()	setOutputStream()	getOutputStream()	getOutput Class()

##	Which exception will occur when port is already bound with an application and other application is requesting for same port?	IOException	PortNotFoundException	UnknownPortNameException	ConnectException
##	When you will use this ServerSocket(int port, int queue) constructor to create server socket	to create ServerSocket with port number	to create ServerSocket with port number & Ip address	to create ServerSocket with port number and number of incoming client queue	B & C
##	Socket(InetAddress host, int port) in this constructor, what does first parameter stands for ?	host name	host name and IPAddress specified by InetAddress object	IpAddress of host	ipaddress and port number
##	Which constructor will you use to connect to specified host and port by creating a socket on the local host at specified address & port	Socket()	Socket(String host, int port)	Socket (InetAddress ipAdd, int port)	Socket (String host, int port, InetAddress ipAdd, int localport)
##	Which of the following class is used to create client socket	HttpClient	DatagramSocket	Socket	ClientSocket
##	What will be the output of following statements Socket s1=Socket("localhost",1349); System.out.println(s1.getLocalPort());	1349	port number of local machine	localhost	localhost/1349
##	Which of the following are Instance method of InetAddress Class	byte[] getAddress()	string getHostName()	A and B	static InetAddress getByName(string hostname)
##	Which constructor of DatagramSocket class is used to create a datagram socket and binds it with the given port number?	DatagramSocket(int port)	DatagramSocket (int port, InetAddress add)	DatagramSocket()	None of the above
##	Which class is used for connection-less socket programming ?	DatagramSocket	DatagramServer	A and B	None of the above
##	Which exception will occur if specified port number is not available for DatagramSocket?	UnknownException	SocketException	UnknownSocketException	UnknownPortException
##	Which of the following constructor is used to create datagram socket with port number and host address	DatagramSocket(int port)	DatagramSocket(int port, InetAddress add)	DatagramSocket()	A & B

##	Which constructor will you use to send packet?	DatagramPacket(byte[] bar, int len)	DatagramPacket(byte[] bar, int len, int port)	DatagramPacket(string s1, int len, InetAddress, int port)	All of the above
##	Java DatagramSocket and DatagramPacket classes are used for _____ socket programming	Connection-oriented	Connection-less	A & B	Reliable
##	Datagram Packet is a message than can be used for _____ messages	Connection-oriented or connection less	send and store	send and receive	receive and read
##	Which constructors are used to receive data from packet?	DatagramPacket(byte[] bar, int len)	DatagramPacket(byte[] bar, int off, int len)	DatagramPacket(string s1, int len, InetAddress, int port)	A and B
##	getData() & getLenght() are the methods of _____ class	DatagramSoclet	ServerSocket	DatagramPacket	ClientSocket
##	What is the output of following code? DatagramPacket dp =new DatagramPacket(byte[] data, 1024); System.out.println(dp.getLength());	1024	data, 1024	1024, data	Null
##	Find the correct code from following program for given output	<pre>import java.awt.*; import javax.swing.*; /* <applet code="JLabelDemo" width=250 height=150> </applet> */ public class JLabelDemo extends JApplet { public void init() { Container contentPane = getContentPane() ; ImageIcon ii = new ImageIcon("IC.jpg"); JLabel jl = new JLabel("IC", ii, JLabel.CENTER); contentPane.add(jl); } }</pre>	<pre>import java.awt.*; import javax.swing.*; /* <applet code="JLabelDemo" width=250 height=150> </applet> */ public class JLabelDemo extends JApplet { public void init() { Container contentPane = getContentPane() ; ImageIcon ii = new ImageIcon("IC.jpg"); JLabel jl = new JLabel("IC", ii, JLabel.CENTE R); } }</pre>	<pre>import java.awt.*; import javax.swing.*; /* <applet code="JLabelDemo" width=250 height=150> </applet> */ public class JLabelDemo extends JApplet { public void init() { Container contentPane = getContentPane() ; ImageIcon ii = new ImageIcon("IC.jpg"); JLabel jl = new JLabel("IC", ii, JLabel.CENTE R); } }</pre>	<pre>import java.awt.*; import javax.swing.*; /* <applet code="JLabelDemo" width=250 height=150> </applet> */ public class JLabelDemo extends JApplet { public void init() { Container contentPane = getContentPane() ; ImageIcon ii = new ImageIcon("IC.jpg"); JLabel jl = new JLabel("IC", ii, JLabel.CENTE R); } }</pre>

##	Consider the following code and state the missing code. import java.sql.*; <pre> class Example1 { public static void main(String args[]){ try{ Class.forName("oracle.jdbc.driver.OracleDriver"); Connection con=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","sy stem","oracle"); PreparedStatement stmt=con.prepareStatement("insert into Emp values(?,?,?)"); ----- int i=stmt.executeUpdate(); con.close(); }catch(Exception e){ System.out.println(e);} } }</pre>	<pre> stmt.setInt(1,101) ; stmt.setString(2," Ratan"); stmt.setString(2,5 0000);</pre>	<pre> stmt.setInt(1,10 1); stmt.setString(2 ,"Ratan"); stmt.setInt(3,50 000);</pre>	<pre> stmt.setInt (1,101); stmt.setStr ing(2,2); stmt.setInt (3,50000);</pre>	<pre> stmt.setInt (101); stmt.setStr ing(2,2); stmt.setInt (3,50000);</pre>
##	Choose the correct code to display the following output.	<pre> import javax.swing.*; /* <applet code="JCheckBo xDemo" width=400 height=50> </applet> */ public class JCheckBoxDemo extends JApplet implements ItemListener { JTextField jtf; public void init() { Container contentPane = getContentPane() ; contentPane.setL ayout(new FlowLayout()); JCheckBox cb = new JCheckBox("C", true); cb.addItemListe ner(this); contentPane.add(</pre>	<pre> import java.awt.*; import java.awt.event.* ; import javax.swing.*; /*class JCheckBoxDem o extends JApplet implements ItemListener { JTextField jtf; public void init() { Container contentPane = getContentPane (); contentPane.set Layout(new FlowLayout()); JCheckBox cb = new JCheckBox("C" , true); cb.addItemListe ner(this); contentPane.ad</pre>	<pre> import java.awt.* ; import java.awt.e vent.*; import javax.swin g.*; /* <applet code="JC heckBoxD emo" width=400 height=50 > </applet> */ public class JCheckBox xDemo extends JApplet implement s ItemListen er { JTextField jtf; public void init()</pre>	<pre> import java.awt.* ; import java.awt.e vent.*; import javax.swin g.*; /* <applet code="JC heckBoxD emo" width=400 height=50 > </applet> */ public class JCheckBox xDemo extends JApplet implement s ItemListen er { JTextField jtf; public void init()</pre>

		<pre>import javax.swing.*; /* <applet code="JButtonDe mo" width=250 height=300> </applet> */ public class JButtonDemo extends JApplet implements ActionListener { JTextField jtf; public void init() { Container contentPane = getContentPane() ; contentPane.setL ayout(new FlowLayout()); ImageIcon france = new ImageIcon("green .jpg"); JButton jb = new JButton(france); jb.setActionCom mand("Green");</pre>	<pre>import java.awt.*; import java.awt.event.* ; import javax.swing.*; /* <applet code="JButton Demo" width=250 height=300> </applet> */ public class JButtonDemo extends JApplet implements ActionListener { JTextField jtf; public void init() { Container contentPane = getContentPane (); contentPane.set Layout(new FlowLayout()); ImageIcon france = new</pre>	<pre>import java.awt.* ; import java.awt.e vent.*; import javax.swin g.*; /* <applet code="JB uttonDem o" width=250 height=30 0> </applet> */ public class JButtonDe mo extends JApplet implement s ActionList ener { JTextField jtf; public void init()</pre>	<pre>import java.awt.* ; import java.awt.e vent.*; import javax.swin g.*; /* <applet code="JB uttonDem o" width=250 height=30 0> </applet> */ public class JButtonDe mo extends JApplet implement s ActionList ener { JTextField jtf; public void init()</pre>
##	Choose the correct code to display the following output.	<pre>import java.awt.*; import java.awt.event.*; import javax.swing.*; /* <applet code="JCheckBo xDemo" width=400 height=50> </applet> */ public class JCheckBoxDemo extends JApplet implements ItemListener { JTextField jtf; public void init() { Container contentPane = getContentPane() ; contentPane.setL ayout(new FlowLayout()); JCheckBox cb = new JCheckBox("C",</pre>	<pre>import java.awt.*; /* <applet code="JCheckB oxDemo" width=400 height=50> </applet> */ public class JCheckBoxDem o extends JApplet implements ItemListener { JTextField jtf; public void init() { Container contentPane = getContentPane (); contentPane.set Layout(new FlowLayout()); JCheckBox cb = new JCheckBox("C" , true); cb.addItemListe</pre>	<pre>import java.awt.* ; import java.awt.e vent.*; import javax.swin g.*; /* <applet code="JC heckBoxD emo" width=400 height=50 > </applet> */ public class JCheckBo xDemo extends JApplet implement s ItemListen er { JTextField jtf; public void init()</pre>	<pre>import java.awt.* ; import java.awt.e vent.*; import javax.swin g.*; /* <applet code="JC heckBoxD emo" width=400 height=50 > </applet> */ public class JCheckBo xDemo extends JApplet implement s ItemListen er { JTextField jtf; public void init()</pre>
##	Choose the correct code to display the following output.				

		<pre>import java.awt.*; import java.awt.event.*; import javax.swing.*; /* <applet code="JComboBoxDemo" width=300 height=100> </applet> */ public class JComboBoxDemo extends JApplet implements ItemListener { JLabel jl; ImageIcon green, red, black, yellow; public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new FlowLayout()); }</pre>	<pre>import javax.swing.*; /* <applet code="JComboBoxDemo" width=300 height=100> </applet> */ public class JComboBoxDemo extends JApplet implements ItemListener { JLabel jl; ImageIcon green, red, black, yellow; public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new FlowLayout()); JComboBox jc = new</pre>	<pre>import java.awt.*; import java.awt.event.*; import javax.swing.*; /* <applet code="JComboBoxDemo" width=300 height=100> </applet> */ public class JComboBoxDemo extends JApplet implements ItemListener { JLabel jl; ImageIcon green, red,</pre>	<pre>import java.awt.*; import java.awt.event.*; import javax.swing.*; /* <applet code="JComboBoxDemo" width=300 height=100> </applet> */ public class JComboBoxDemo extends JApplet implements ItemListener { JLabel jl; ImageIcon green, red,</pre>
##	Choose the correct code to display the following output.	<pre>import java.awt.*; import javax.swing.*; /* <applet code="JScrollPaneDemo" width=300 height=250> </applet> */ public class JScrollPaneDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); JPanel jp = new JPanel(); jp.setLayout(new GridLayout(20, 20)); int b = 0; for(int i = 0; i < 20; i++) { for(int j = 0; j < 20; j++) {</pre>	<pre>/* <applet code="JScrollPaneDemo" width=300 height=250> </applet> */ public class JScrollPaneDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); JPanel jp = new JPanel(); jp.setLayout(new GridLayout(20, 20)); int b = 0; for(int i = 0; i < 20; i++) { for(int j = 0; j < 20; j++) {</pre>	<pre>import java.awt.*; import javax.swing.*; /* <applet code="JScrollPaneDemo" width=300 height=250> </applet> */ public class JScrollPaneDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); JPanel jp = new JPanel(); jp.setLayout(new GridLayout(20, 20)); int b = 0; for(int i = 0; i < 20; i++) { for(int j = 0; j < 20; j++) {</pre>	<pre>import java.awt.*; import javax.swing.*; /* <applet code="JScrollPaneDemo" width=300 height=250> </applet> */ public class JScrollPaneDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); JPanel jp = new JPanel(); jp.setLayout(new GridLayout(20, 20)); int b = 0; for(int i = 0; i < 20; i++) { for(int j = 0; j < 20; j++) {</pre>
##	Choose the correct code to display the following output.	<pre>By creating the object of Frame class (association)</pre>	<pre>By extending Frame class (inheritance)</pre>	a and b	none of these
##	Which of the following are ways to create a Frame?				

		<pre>import java.awt.*;import java.awt.event.*;import javax.swing.*;import javax.swing.tree.*; /*<applet code="JTreeEvents" width=400 height=200></applet>*/ public class JTreeEvents extends JApplet {JTree tree;JTextField jtf; public void init() { // Get content pane Container contentPane = getContentPane(); // Set layout manager contentPane.setLayout(new BorderLayout()); // Create top node of tree</pre>	<pre>import java.awt.*;import java.awt.event.*;import javax.swing.*;import javax.swing.tree.*; /*<applet code="JTreeEvents" width=400 height=200></applet>*/ public class JTreeEvents extends JApplet {JTree tree;JTextField jtf; public void init() { // Get content pane Container contentPane = getContentPane(); // Set layout manager contentPane.setLayout(new</pre>	<pre>import java.awt.*;import java.awt.event.*;import javax.swing.*;import javax.swing.tree.*; /*<applet code="JTreeEvents" width=400 height=200></applet>*/ public class JTreeEvents extends JApplet {JTree tree;JTextField jtf; public void init() { // Get content pane</pre>	<pre>import java.awt.*;import java.awt.event.*;import javax.swing.*;import javax.swing.tree.*; /*<applet code="JTreeEvents" width=400 height=200></applet>*/ public class JTreeEvents extends JApplet {JTree tree;JTextField jtf; public void init() { // Get content pane</pre>
##	Choose the correct code to display the following output.				
##	Give the abbreviation of AWT?	Applet Windowing Toolkit	Abstract Windowing Toolkit	Absolute Windowing Toolkit	None of the above
##	Choose the correct code to display the following output.	<pre>import java.awt.*;import javax.swing.*; /*<applet code="JTableDemo" width=400 height=200></applet>*/ public class JTableDemo extends JApplet { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final String[] colHeads = { "Name", "Phone", "Fax" }; final Object[][] data = { { "Pramod", "4567", "8675" }, { "Tausif",</pre>	<pre>import java.awt.*;import javax.swing.*; /*<applet code="JTableDemo" width=400 height=200></applet>*/ public class JTableDemo extends JApplet { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final String[] colHeads = { "Name", "Phone", "Fax" }; final Object[][] data = { { "Pramod",</pre>	<pre>import java.awt.*;import javax.swing.*; /*<applet code="JTableDemo" width=400 height=200></applet>*/ public class JTableDemo extends JApplet { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final String[] colHeads</pre>	<pre>import java.awt.*;import javax.swing.*; /*<applet code="JTableDemo" width=400 height=200></applet>*/ public class JTableDemo extends JApplet { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final</pre>

##	Which of the below are common network protocols?	TCP	UDP	TCP and UDP	FTP
		// java Program to create a simple JPanel add components to it import java.awt.event.*; import java.awt.*; import javax.swing.*; class solution extends JFrame { // JFrame static JFrame f; // JButton static JButton b, b1, b2; // label to display text static JLabel l; // main class public static void main(String[] args) { // create a new frame to store text field and button f = new JFrame("panel"); // create a label to display text l =	// java Program to create a simple JPanel add components to it import java.awt.event.*; import java.awt.*; import javax.swing.*; class solution extends JFrame { // JFrame static JFrame f; // JButton static JButton b, b1, b2; // label to display text static JLabel l; // main class public static void main(String[] args) { // create a new frame to store text field and button f = new JFrame("panel");	// java Program to create a simple JPanel add components to it import java.awt.event.*; import java.awt.*; import javax.swing.*; class solution extends JFrame { // JFrame static JFrame f; // JButton static JButton b, b1, b2; // label to display text static JLabel l; //	// java Program to create a simple JPanel add components to it import java.awt.event.*; import java.awt.*; import javax.swing.*; class solution extends JFrame { // JFrame static JFrame f; // JButton static JButton b, b1, b2; // label to display text static JLabel l; //
##	Choose the following code for following output :				
##	Which of the following statement is used to establish connection with mysql database.	Connection conn = DriverManager.getConnection(jdbc:mysql://localhost:3306/booksdb, user, password);	Connection conn = DriverManager.getConnection(jdbc:mysql://localhost:3306/booksdb,user,password);	Connection conn = DriverManager.getConnection(jdbc:mysql://localhost:3306/booksdb,user,password);	Connection conn = DriverManager.getConnection(jdbc:mysql://localhost:3306/booksdb,user,password);
##	Which class provides many methods for graphics programming?	javax.awt.graphics	java.Graphics	java.awt. Graphics	None of the above
##	How would you set the color of a graphics context called g to cyan?	g.setColor(Color.cyan);	g.setCurrentColor(cyan);	g.setColor("Color.cyan");	g.setColor(new Color(cyan));
##	Which of the following are passed as an argument to the paint() method?	A Canvas object	A Graphics object	An Image object	A paint object
##	Which of the following methods are invoked by the AWT to support paint and repaint operations?	paint()	repaint()	draw()	redraw()
##	Which of the following classes have a paint() method? a.Canvas b.Image c.Frame d.Graphics	b and d	a and c	a and b	c and d
##	Which of the following are methods of the Graphics class? a.drawRect() b.drawImage() c.drawPoint() d. drawString()	a , b and c	a , c and d	b,c and d	a, b and d

##	Which of the following are true? a.The AWT automatically causes a window to be repainted when a portion of a window has been minimized and then maximized. b.The AWT automatically causes a window to be repainted when a portion of a window has been covered and then uncovered. c.The AWT automatically causes a window to be repainted when application data is changed. d. The AWT does not support repainting operations.	a and b	a and d	b and c	a and c
##	Given the following code import java.awt.*; public class SetF extends Frame { public static void main(String argv[]) { SetF s = new SetF(); s.setVisible(true); } } How could you set the frame surface color to pink and set its width to 300 and height to 200 pixels?	s.setBackground(Color.pink); s.setSize(300,200);	s.setColor(PINK); s.setSize(200,300);	s.setBackground(pink); s.setSize(300,200);	s.color=Color.pink; s.setSize(300,200);
##	PreparedStatement interface extends which interface?	Statement	CallableStatement	ResultSet	None of the above
##	Consider the following program. Find which statement contains error. import java.awt.*; import javax.swing.*; public class Demo { public static void main(String args[]) { JFrame f =new JFrame("Toggle Button Sample"); f.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); Container c=f.getContentPane(); c.add(new JToggleButton("North"),BorderLayout.NORTH); c.add(new JToggleButton("North"),BorderLayout.EAST); c.add(new JToggleButton("North"),BorderLayout.WEST); c.add(new JToggleButton("North"),BorderLayout.SOUTH); c.add(new JToggleButton("North"),BorderLayout.CENTER); f.setSize(300,300); f.setVisible(true); } }	error	No Error	compile time error	Run time error
##	Which of the following methods can be used to change the size of a java.awt.Component object? (A) dimension() (B) setSize() (C) size() (D) resize()	(A), (B), (C) and (D)	(A), (B) and (D)	(B), (C) and (D)	(B) and (D)
##	Consider the following program. Find correct output import java.awt.Color; import java.awt.FlowLayout; import java.awt.event.ActionEvent; import java.awt.event.ActionListener; import javax.swing.*; public class BgColor extends JFrame implements ActionListener{ private JButton btn; private JButton red,blue,green; private JLabel label; public BgColor() { red = new JButton("red"); red.addActionListener(this); add(red); green = new JButton("green"); green.addActionListener(this); add(green); blue = new JButton("blue"); blue.addActionListener(this); add(blue); setLayout(new FlowLayout()); setSize(700,700); setTitle("Bit Life - Java program Buttons Clicked"); setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); setVisible(true); label = new JLabel("what is happening ?"); add(label); } public static void main(String[] args) { new BgColor(); } public void actionPerformed(ActionEvent e) { if(e.getSource() == btn) { label.setText("button clicked"); } if (e.getSource() == red) { label.setText("red selected"); } getContentPane().setBackground(Color.RED); }				All of the above
##	find out missing line in following code. Import java.awt.*; import javax.swing.*; public class demo2 extends JApplet { _____ JRadioButton b1=new JRadioButton("Button1"); JRadioButton b2=new JRadioButton("Button2"); public void init() { cp.add(b1); cp.add(b2); ButtonGroup bg=new ButtonGroup(); bg.add(b1); bg.add(b2); } }	Container cp=getContentPane()	JRadioButton(	ButtonGroup bg=new ButtonGroup();	bg.add(b1);

##	Observe the following code <pre>import java.awt.*; import java.applet.*; import java.util.*; /* <applet code="BorderLayoutDemo" width=400 height=200> </applet> */ public class BorderLayoutDemo extends Applet { public void init() { setLayout(new BorderLayout()); add(new Button("This is across the top."), BorderLayout.NORTH); add(new Label("The footer message might go here."), BorderLayout.SOUTH); add(new Button("Right"), BorderLayout.EAST); add(new Button("Left"), BorderLayout.WEST); String msg = "The reasonable man adapts " + "himself to the world; " + "the unreasonable one persists in " + "trying to adapt the world to himself. " + "Therefore all progress depends " + "on the unreasonable man. " + " - George Bernard Shaw "; add(new TextArea(msg), BorderLayout.CENTER); } } What will be the output of the above program?</pre>	The output is obtained in Applet with BorderLayout placing button on east,west,north	The output is obtained in Applet with BorderLayout placing button on east,west,south and TextArea at center	The output is obtained in Applet south and TextArea at center	The output is obtained in Applet with BorderLayout placing button on east,west,north,south and TextArea at center
##	Observe the following code <pre>import java.awt.*; import javax.swing.*; /* <applet code="JTableDemo.class" width=400 height=500> </applet> */ public class JTableDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new FlowLayout()); final String[] colHeads = { "Name", "Phone", "Fax" }; final Object[][] data = { {"Prashant", "12345", "6789"}, {"Rupesh", "12345", "23456"} }; JTable table = new JTable(data, colHeads); int v = ScrollPaneConstants.VERTICAL_SCROLLBAR_ALWAYS; int h = ScrollPaneConstants.HORIZONTAL_SCROLLBAR_ALWAYS; JScrollPane jsp = new JScrollPane(table, v, h); contentPane.add(jsp, BorderLayout.CENTER); } }</pre>	The output is obtained in table with two rows and two columns with horizontal and vertical scrollbar	The output is obtained in table with two rows and three columns with horizontal and vertical scrollbar	The output is obtained in table with three rows and three columns with horizontal and vertical scrollbar	The output is obtained in table with four rows and three columns with horizontal and vertical scrollbar
##	Which of the following is true about AWT and Swing Component?	AWT Components create a process where as Swing Component create a thread	AWT Components create a thread where as Swing Component create a process	Both AWT and Swing Component create a process	Both AWT and Swing Component create a thread
##	Which of the following is not a constructor of JTree Class	JTree(Object obj[])	JTree(int x)	JTree(Tree Node tn)	JTree()
##	Observe the following program and point out which statement contains error. <pre>import java.awt.*; import javax.swing.*; /* <applet code="JTableDemo" width=400 height=200> </applet> */ public class JTableDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final String[] colHeads = { "emp_Name", "emp_id", "emp_salary" }; final Object[][] data = { {"Ramesh", "111", "50000"}, {"Sagar", "222", "52000"}, {"Virag", "333", "40000"}, {"Amit", "444", "62000"}, {"Anil", "555", "60000"} }; JTable table = new JTable(data, colHeads); int v = ScrollPaneConstants.VERTICAL_SCROLLBAR_AS_NEEDED; int h = ScrollPaneConstants.HORIZONTAL_SCROLLBAR_AS_NEEDED; JScrollPane jsp = new JScrollPane(table, h, v); contentPane.add(jsp, BorderLayout.CENTER); } }</pre>	Error in statement in which JScrollPane is created	statement in which JScrollPane is Not created	No Error in statement in which JScrollPane is created	Error in statement in which JScrollPane is deleted
##	 method is used to execute CREATE Table query.	executeQuery()	executeUpdate()	execute()	All of the above

##	The setBackground() method is part of the following class in java.awt package:	Graphics	Component	Applet	Container
##	Find the missing statement in the following code import java.awt.*; import javax.swing.*; /* <applet code="JLabelDemo" width=250 height=150> </applet> */ public class JLabelDemo extends JApplet { public void init() { Container contentPane = getContentPane(); ImageIcon ii = new ImageIcon("IC.jpg"); JLabel jl = new JLabel("IC", ii, JLabel.CENTER); ----- } }	setContentPane.add(jl);	getContentPane.add(jl);	contentPane.add(jl);	contentPane.add(jl);
##	Find the missing statement in the following code import java.awt.*; import javax.swing.*; /* <applet code="JTextFieldDemo" width=300 height=50> </applet> */ public class JTextFieldDemo extends JApplet { JTextField jtf; public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new FlowLayout()); ----- contentPane.add(jtf); } }	jtf = new JTextField(15);	jtf = JTextField(15);	Both A & B	None Of the above
##	Which of the following classes are derived from the Container class. Select the four correct answers. a. Component b. Panel c. Dialog d. Frame	b ,c and d	a ,b and c	a and b	all of above
##	Find the missing statement in the following code import java.awt.*; import java.awt.event.*; import javax.swing.*; /* <applet code="JButtonDemo" width=250 height=300> </applet> */ public class JButtonDemo extends JApplet implements ActionListener { JTextField jtf; public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new FlowLayout()); ImageIcon france = new ImageIcon("green.jpg"); JButton jb = new JButton(france); jb.setActionCommand("Green"); jb.addActionListener(this); ImageIcon germany = new ImageIcon("red.jpg"); jb = new JButton(germany); jb.setActionCommand("Red"); jb.addActionListener(this); contentPane.add(jb); ImageIcon italy = new ImageIcon("yellow.jpg"); jb = new JButton(italy); jb.setActionCommand("Yellow"); jb.addActionListener(this); contentPane.add(jb); ImageIcon japan = new ImageIcon("black.jpg"); jb = new JButton(japan); jb.setActionCommand("Black"); jb.addActionListener(this); contentPane.add(jb); jtf = new JTextField(15); contentPane.add(jtf); } public void actionPerformed(ActionEvent ae) { ----- } }	jtf.setText(ae.getActionCommand());	jtf.setText(ae.getActionCommand());	jtf.setText(ae.getActionCommand());	None of the above
##	Find the missing statement in the following code import java.awt.*; import java.awt.event.*; import javax.swing.*; /* <applet code="JCheckBoxDemo" width=400 height=50> </applet> */ public class JCheckBoxDemo extends JApplet implements ItemListener { JTextField jtf; public void init() { Container contentPane = getContentPane(); ----- JCheckBox cb = new JCheckBox("BLUE", true); cb.addItemListener(this); contentPane.add(cb); cb = new JCheckBox("RED", false); cb.addItemListener(this); contentPane.add(cb); cb = new JCheckBox("YELLOW", false); cb.addItemListener(this); contentPane.add(cb); cb = new JCheckBox("GREEN", false); cb.addItemListener(this); contentPane.add(cb); jtf = new JTextField(15); contentPane.add(jtf); } public void itemStateChanged(ItemEvent ie) { JCheckBox cb = (JCheckBox)ie.getItem(); jtf.setText(cb.getText()); } }	contentPane.setLayout(new FlowLayout());	contentPane.setLayout(new FlowLayout());	contentPane.setLayout(new FlowLayout());	contentPane.setLayout(new FlowLayout());

##	Find out the correct statement	public PreparedStatement prepareStatement (String query)throws IOException{ }	private PreparedStatement prepareStatement (String query)throws IOException{ }	public PreparedStatement prepareStatement (String query)throws SQLException{ }	protected PreparedStatement prepareStatement (String query)throws FileNotFoundException{ }
##	Which of the following classes are derived from the Container class. Select the correct answers. a. Panel b Window c Frame d Component e Dialog	a,b,d,c	a, b, c, e	b, c,d,e	a, e,c,d
##	Which are the parameters of setString() method?	String value,String paramIndex	String paramIndex, String value	int paramIndex, int value	int paramIndex, String value
##	Name the class used to represent a GUI application window, which is optionally resizable and can have a title bar, an icon, and menus. Select the one correct answer.	Window	Panel	Dialog	Frame
##	What components will be needed to get following output?	. Label, TabbedPane, CheckBox	Panel, TabbedPane, List	TabbedPane, List, Applet	Applet, TabbedPane, Pane
##	What is the return type of executeQuery() method?	int	connection	ResultSet	None of the above
##	Button B1=new Button("Submit");Which method is used to obtain output as "Submit"	setText()	setLabel()	getText()	getLabel()
##	Which of these package contains classes and interfaces for networking?	java.io	java.util	java.net	java.network
##	Label lb=new Label("Advanced Java");Which method is used to obtain output as "Advanced Java"	setText()	setLabel()	getText()	getLabel()
##	By using _____ control, we can create a set of mutually exclusive checkboxes in which one and only one checkbox in the group can be checked at a time.	Button	Checkbox	Checkbox Group	List
##	Superclass of TextField and TextArea classes that is used to create single Line or Multiple textfields are	TextBox	TextComponent	Checkbox	Choice
##	Subclass of TextComponent is	TextArea	Button	Label	Checkbox
##	Following are constructors of TextArea class	TextArea(String str)	TextArea(int numLines,int numChars)	TextArea(String str,int numLines, int numChars ,int sBars)	All of above
##	Which of these is a protocol for breaking and sending packets to an address across a network?	TCP/IP	DNS	Socket	Proxy Server
##	Which of the following is not an AWT class?	Label	CheckboxGroup	RadioButton	List
##	How many ports of TCP/IP are reserved for specific protocols?	10	1024	2048	512

##	Multiple selection of items in List is possible using following Constructor.	List()	List(int numRows)	List(int numRows, boolean multipleSelect)	None of these
##	Which object can be constructed to show and select any number of choices in the visible window?	Button	Choice	List	Label
##	Which method of Choice class is used to return index of the selected item ?	getSelectedIndex()	getSelectedIndexes()	getSelectedItem()	getSelectedItems()
##	Swing components that don't rely on Native GUI are referred to as _____	GUI component	heavy weight component	Lightweight component	middle weight component
##	How many bits are in a single IP address?	8	16	32	64
##	Developing GUI in swings does _____	uses buttons, menus, icons and all other components	should be easy for the end user to manipulate	stands for Graphic User Interaction	Both (a) and (c)
##	Which of these functions is called to display the output of an applet?	display()	paint()	displayApplet()	PrintApplet()
##	_____ AWT Component is used to select only one item from popup list of textual items	Button	Choice	Checkbox	All of above
##	Choose the correct code to display the following output.	<pre>import javax.swing.*; import java.awt.*; import java.awt.event.*; public class LabelExample extends Frame implements ActionListener{ JTextField tf; JLabel l; JButton b; LabelExample(){ tf=new JTextField(); tf.setBounds(50,50,150,20); l=new JLabel(); l.setBounds(50,100,250,20); b=new JButton("Find IP"); b.setBounds(50,150,95,30); b.addActionListener(this); }</pre>	<pre>import javax.swing.*; import java.awt.*; import java.awt.event.*; ; public class LabelExample extends Frame implements ActionListener{ JTextField tf; JLabel l; JButton b; LabelExample(){ tf=new JTextField(); tf.setBounds(50,50,150,20); b=new JButton("Find IP"); b.setBounds(50,150,95,30); b.addActionListener(this); add(b);add(tf);add(l); setSize(400,400)</pre>	<pre>import javax.swing.*; import java.awt.*; import java.awt.event.*; ; import java.awt.event.*; import java.awt.event.*; public class LabelExample extends Frame implements ActionListener{ JTextField tf; JLabel l; JButton b; LabelExample(){ tf=new JTextField(); tf.setBounds(50,50,150,20); l=new JLabel(); l.setBounds(50,100,250,20); b=new JButton("Find IP"); b.setBounds(50,150,95,30); b.addActionListener(this); add(b);add(tf);add(l); setSize(400,400)</pre>	<pre>import javax.swing.*; import java.awt.*; import java.awt.event.*; s ActionListener{ LabelExample(){ tf=new JTextField(); tf.setBounds(50,50,150,20); l=new JLabel(); l.setBounds(50,100,250,20); b=new JButton("Find IP"); b.setBounds(50,150,95,30); b.addActionListener(this); add(b);add(tf);add(l); setSize(400,400)</pre>
##	Which of these methods can be used to output a string in an applet?	display()	print()	drawString()	String()
##	Which component cannot be added to a container?	JPanel	JButton	JFrame	None of the above

##	Choose the correct syntax to create a table student with attributes rollno,studname, marks	CREATE TABLE STUDENT VALUES (ROLLNO 1, STUDNAME "ABC",MARKS 90);	CREATE TABLE STUDENT (ROLLNO INT, STUDNAME VARCHAR(10), MARKS INT);	CREATE TABLE STUDENT (ROLLNO NUMBER, STUDNAME STRING, MARKS INT);	All of the Above
##	Which statement is true with respect to the following code? import java.awt.*; import javax.swing.*; public class Test { public static void main(String[] args) { JFrame frame = new JFrame("My Frame"); frame.getContentPane().add(new JButton("OK")); frame.getContentPane().add(new JButton("Cancel")); frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); frame.setSize(200, 200); frame.setVisible(true); }}	Only button OK is displayed	Only button Cancel is displayed.	Both button OK and button Cancel are displayed and button OK is displayed on the left side of button OK.	Both button OK and button Cancel are displayed and button OK is displayed on the right side of button OK. Feedback Your answer is correct.
##	What is the Message displayed in the applet made by this program? import java.awt.*; import java.applet.*; public class myapplet extends Applet { public void paint(Graphics g) { g.drawString("A Simple Applet", 20, 20); } } /*<applet code="myapplet.class" width=200 height=200></applet>*/	A Simple Applet	a simple applet	Compile error	None of the above
##	How many bits value does IPv4 and IPv6 uses to represent the address?	32 and 64	64 and 128	32 and 128	. 64 and 64
##	What is the length of the application box made by this program? import java.awt.*; import java.applet.*; public class myapplet extends Applet { Graphic g; g.drawString("A Simple Applet", 20, 20); }	20	Default value	Compilation Error	Runtime Error
##	TCP,FTP,Telnet,SMTP,POP etc. are examples of ?	Socket	IP Address	Protocol	MAC Address
##	Which of following is subclass of java.awt.Component?	Container	LayoutManger	Color	Font
##	When should your program call repaint()?	Never--that is the system's job.	Only once when the frame is created.	Whenever it has made a change to what should be displayed in the Frame.	Always--- whenever any method finishes

	Consider the following code: import java.awt.*;import javax.swing.*;public class Test { public static void main(String[] args) { Component c = new JButton("OK"); JFrame frame = new JFrame("My Frame"); frame.add(c); frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); ## frame.setVisible(true); } }	You cannot add a Swing component directly to a JFrame. Instead, you have to add it to a JFrame's contentPane using frame.getContentPane().add(c).	You cannot assign a JButton to a variable of java.awt.Component.	All of the above	None of the above
	Which packages required for the program. public class DeleteRecord { public static void main(String args[]) throws Exception { String sql; Scanner sc=new Scanner(System.in); System.out.println("Please Enter the ID no:"); int num = sc.readInt(); Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:stud","scott","tiger"); Statement stmt=con.createStatement(); int affectedRecords = stmt.executeQuery("select * from student where rollno="+num); br.close(); ## stmt.close(); con.close(); } }	import java.sql.*; import java.util.*;	import java.io.*; import java.util.*;	import java.sql.*; import java.io.*;	import java.sql.*; import java.stdio.*;
	A Swing component can be viewed based on what state it's in, how it looks, and what it does. This is known as the model-view-_____ model ##	Model	Controller	View	None of the above
	Analyse the following code? import javax.swing.*; import java.awt.*; public class Test extends JFrame { public Test() { setLayout(new FlowLayout()); add(new JButton("Java")); add(new JButton("Java")); add(new JButton("Java")); add(new JButton("Java")); } public static void main(String [] args) { JFrame frame = new Test(); frame.setSize(200,100); frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); ## frame.setVisible(true); } }	Four buttons are displayed with the same text java	One buttons are displayed with the same text java	Three buttons are displayed with the same text java	Five buttons are displayed with the same text java
	Analyse the following code import javax.swing.*; Import javax.swing.border.*; Import java.awt.*; Public class Test extends JFrame { Public Test() { Border border=new TitledBorder("My button"); JButton jbt1=new JButton("OK"); JButton jbt2=new JButton("Cancel"); Jbt1.setBorder(border); Jbt2.setBorder(border); Add(jbt1,BorderLayout.NORTH); Add(jbt2,BorderLayout.NORTH); } Public static void main(String[] args){ JFrame frame=new Test(); Frame.setSize(200,100); Frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); ## Frame.setVisible(true); } }	The program has run time error	The program has compile error	No error	None of the above

##	The_____method is called every time the applet receives focus as a result of scrolling in the active window.	init()	start()	stop()	destroy()
##	Which of the following applet tag is legal to embed an applet class named Test into a webpage?		<code><applet> code=Test.class width=200 height=100> </applet></code>	<code><applet code="Test.class" width=200 height=100> </applet></code>	<code><applet param=Test.class width=200 height=100> </applet></code>
##	Find the missing statement in the following code <pre>import javax.swing.*; class gui { public static void main(String args[]) { JFrame frame = new JFrame("My First GUI"); frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); frame.setSize(300,300); JButton button1 = new JButton("Press"); frame.getContentPane().add(button1); ----- } }</pre>	frame.setVisible(true);	frame.setVisible(False);	Both A & B	None of the above
##	The_____class is an abstract class that represents the display area of the applet.	display()	graphics	text	area
##	Find the missing statement in the following code <pre>import javax.swing.*; <applet code="JTabbedPaneDemo" width=400 height=100> </applet> public class JTabbedPaneDemo extends JApplet { public void init() { JTabbedPane jtp = new JTabbedPane(); jtp.addTab("Languages", new LangPanel()); jtp.addTab("Colors", new ColorsPanel()); jtp.addTab("Flavors", new FlavorsPanel()); getContentPane().add(jtp); } } class LangPanel extends JPanel { public LangPanel() { JButton b1 = new JButton("Marathi"); add(b1); JButton b2 = new JButton("Hindi"); add(b2); JButton b3 = new JButton("Bengali"); add(b3); JButton b4 = new JButton("Tamil"); add(b4); } } class ColorsPanel extends JPanel { public ColorsPanel() { JCheckBox cb1 = new JCheckBox("Red"); add(cb1); JCheckBox cb2 = new JCheckBox("Green"); add(cb2); JCheckBox cb3 = new JCheckBox("Blue"); add(cb3); } } class FlavorsPanel extends JPanel { public FlavorsPanel() { JComboBox jcb = new JComboBox("Vanilla"); jcb.addItem("Chocolate"); jcb.addItem("Strawberry"); add(jcb); } }</pre>	Error	No Error	Both A & B	None of the above
##	Which of the following method of applet class is used to clear the screen and calls the paint() method	update()	paint()	repaint()	reupdate()
##	Observe the following code and Choose the correct output from the given options : <pre>import java.awt.*; import javax.swing.*; public class test extends JFrame { public test() { super("Login Form"); Container cpane=getContentPane(); cpane.setLayout(new FlowLayout()); JLabel l1=new JLabel("Name"); JLabel l2=new JLabel("Password"); JTextField t1=new JTextField(20); JTextField t2=new JTextField(20); JButton b1=new JButton("Login"); JButton b2=new JButton("Cancel"); cpane.add(l1); cpane.add(t1); cpane.add(l2); cpane.add(t2); cpane.add(b1); cpane.add(b2); setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); } public static void main(String args[]) { test obj=new test(); obj.setVisible(true); obj.setSize(200,200); } }</pre>			None of the above	
##	The_____method is automatically called the first time the applet is displayed on the screen and every time the applet receives focus.	update()	paint()	repaint()	reupdate()

Find the missing statement in the following code import java.awt.*; import java.awt.event.*; import javax.swing.*; public class ButtonDemo extends JFrame { JButton yes,no,close; JLabel lbl; ButtonDemo() { yes = new JButton("YES"); no = new JButton ("No"); close = new JButton ("CLOSE"); lbl = new JLabel (""); _____ setSize (400,200); add(yes); add(no); add(close); add(lbl); setVisible(true); //setDefaultCloseOperation(JFrame.EXIT_NO_CLOSE); ButtonHandler bh = new ButtonHandler(); yes.addActionListener(bh); yes.addActionListener(bh); no.addActionListener(bh); close.addActionListener(bh); } class ButtonHandler implements ActionListener { public void actionPerformed(ActionEvent ae) { if (ae.getSource()==yes) { lbl.setText("Button Yes is pressed"); } if (ae.getSource()==no) { lbl.setText("Button No is pressed"); } if (ae.getSource()==close) { System.exit(0); } } } public static void main(String args[]) { n					
##		setLayout (new GridLayout(4,1));	setLayout (new BorderLayout(4,1));	setLayout (new FlowLayout(4,1));	None of the above
##	The _____ method is defined by the AWT runtime system to execute a call to your applet's update() method.	update()	paint()	repaint()	reupdate()
##		import java.awt.*; import java.applet.*; /* <applet code="Buttonexample" width=300 height=200> </applet> */ public class Buttonexample extends Applet { public void init() { Button b1=new Button("ok"); Button b2=new Button("cancel"); Button b3=new Button("exit"); add(b1);add(b2); add(b3); } }	import java.awt.*; import java.applet.*; /* <applet code="Buttonexample" width=300 height=200> </applet> */ public class Buttonexample extends Applet { public void init() { Button b1=new Button("ok"); Button b2=new Button("cancel"); Button b3=new Button("exit"); add(b2);add(b1); add(b3); } }	import java.awt.*; import java.applet.*; /* <applet code="Buttonexample" width=300 height=200> </applet> */ public class Buttonexample extends Applet { public void init() { Button b1=new Button("ok"); Button b2=new Button("cancel"); Button b3=new Button("exit"); add(b2);add(b1); add(b3); } }	import java.awt.*; import java.applet.*; /* <applet code="Buttonexample" width=300 height=200> </applet> */ public class Buttonexample extends Applet { public void init() { Button b1=new Button("ok"); Button b2=new Button("cancel"); Button b3=new Button("exit"); add(b2);add(b1); add(b3); } }
##	which code gives following output ?				
##	What is the output of the following code ? import java.awt.event.*; import java.awt.*; import javax.swing.*; class solution extends JFrame { static JFrame f; static JButton b, b1, b2, b3; static JLabel l; public static void main(String[] args) { f = new JFrame("panel"); l = new JLabel("panel label"); b = new JButton("button1"); b1 = new JButton("button2"); b2 = new JButton("button3"); b3 = new JButton("button4"); JPanel p = new JPanel(new BorderLayout()); p.add(b, BorderLayout.NORTH); p.add(b1, BorderLayout.SOUTH); p.add(b2, BorderLayout.EAST); p.add(b3, BorderLayout.WEST); p.add(l, BorderLayout.CENTER); p.setBackground(Color.red); f.add(p); f.setSize(300, 300); f.show(); } }				

##	In Swing _____ is a component that displays rows and columns of data.	Tabpane	Table	Scrollpane	None of the above
##	Which of the following method is used to display numerical values in applet?	paint()	drawstring()	draw()	convert()
##	Consider the following program What will be the output? import java.sql.*; class Example { public static void main(String srgs[]) { try { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:STUD"); System.out.println("connection Established"); } catch(sQLException e) { System.out.pritln("SQL error"); } catch(Exceptiononn e) { System.out.println("error"); } } }	error ; missing	Error } missing	Connectio n Establish ed	SQL error
##	We can change the text to be displayed by an applet by supplying new text through a _____ tag.				
##	Which of the following is/are the possible values for alignment attribute of Applet tag. i) Top ii) Left iii) Middle iv) Baseline	i, ii and iii only	ii, iii and iv only	i, iii and iv only	All i, ii, iii and iv
##	We can change the text to be displayed by an applet by supplying new text through _____ tag.	SPACE=pixels	HSPACE=pixels	HWIDTH =pixels	HBLANK =pixels
##	Debug the following program import java.awt.*; import javax.swing.*; /* <applet code="JTableDemo" width=400 height=200> </applet> */ public class JTableDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final String[] colHeads = { "emp_Name", "emp_id", "emp_salary" }; final Object[][] data = { { "Ramesh", "111", "50000" }, { "Sagar", "222", "52000" }, { "Virag", "333", "40000" }, { "Amit", "444", "62000" }, { "Anil", "555", "60000" }, }; JTable table = new JTable(data,colHeads); int v = ScrollPaneConstants.VERTICAL_SCROLLBAR_AS_NEEDED; int h = HORIZONTAL_SCROLLBAR_AS_NEEDED; JScrollPane jsp = new JScrollPane(table, v, h); contentPane.add(jsp, BorderLayout.CENTER); }	Error in statement in which JTable is created	Error in statement in which JScrollPane is created	Error in statement in which Horizontal Scrollbar is declared	None of the above
##	_____ attribute of applet tag specify the width of the space on the HTML page that will reserved for the applet.	WIDTH=pixels	HSPACE=pixels	HWIDTH =pixels	HBLANK =pixels
##	Consider following code and state missing code? import java.sql.*; class Demo1 { public static void main(String args[])throws Exception { try { Class.forName("_____"); Connection con=DriverManager.getConnection("Jdbc:Odbc:demo"); Statement st=con.createStatement(); ResultSet rs=st.executeQuery("select * from student"); while(rs.next()) { System.out.println(rs.getInt(1)+" "+rs.getString(2)+" " +rs.getString(3)); } catch(Exception e) { } } }	sun.odbc.jdbc.OdbcJdbcDriver	oracle.jdbc.driver.OracleDriver	sun.jdbc.odbc.JdbcOdbcDriver	None of the Above
##	What is the super class of container?	java.awt.Container	java.awt.Component	java.awt.Panel	java.awt.Layout
##	Following methods belongs to which class? 1) public void add(Component c) 2) public void setSize(int width,int height) 3) public void setLayout(LayoutManager m) 4) public void setVisible(boolean)	Graphics class	Component class	Both A & B	None of the above
##	_____ is a server that is mediator between real web server and client application.	IBMServer	SQLServer	ReserverSockets	Proxy server
##	Port number 80 is reserved for	FTP	Telnet	e-mail	HTTP
##	View Data helps you to maintain data when you move from -----.	Controller to View	Temp Data	Controller to Data	None of above
##	What is the purpose of JTable?	JTable object displays ONLY rows	JTable object displays ONLY columns	JTable object displays both rows and columns	JTable object displays data in Tree form

##	MVC is composed of three components:	Member Vertical Controller	Model View Control	Model View Controller	Model Variable Centered
##	_____ method is used to know the type of content used in the URL.	ContentType()	Contenttype()	GetContenttype()	getContenttype()
##	Which of the following is TRUE?	Action method can be static method in a controller class	Action method can be private method in a controller class	Action method can be protected method in a controller class	Action method must be public method in a controller class
##	Port number 25 is reserved for	FTP	Telnet	SMTP	HTTP
##	To hold component _____ are used	Container	AWT	Both	None
##	What parameter we can pass to public int getInt() method?	int columnIndex	int row	Both	None of the above
##	Find the error in the following code : import java.awt.*; import javax.swing.*; /*<applet code="test" width=200 height=200> </applet>*/ public class test extends JApplet { public void init() { Container c=getContentPane(); JTabbedPane jp=new JTabbedPane(); JButton b1=new JButton("COMP.TECH"); p1.add(b1); JButton b2=new JButton("INFO.TECH"); p1.add(b2); JButton b3=new JButton("ELEC.ENG"); p1.add(b3); JButton b4=new JButton("FIRST"); p2.add(b4); JButton b5=new JButton("SECOND"); p2.add(b5); JButton b6=new JButton("THIRD"); p2.add(b6); jp.addTab("Branch",p1); jp.addTab("Year",p2); c.add(jp); } }	JPanel p2=new JPanel(); JButton b3=new JButton();	variable p1 ,cannot find symbol	/*<applet code="test" width=200 height=200> </applet>*/	jp.addTab()
##	List out few different return types of a controller action method	View Result	Javascript Result	Redirect Result	All of these
##	What are the steps for the execution of an MVC project?	Receive first request for the application	Performs routing	Creates MVC request handler	All of the above
##	Which method of a Frame object is used to place a GUI component (such as a button) into the Frame?	. insert(Component c)	add(Component c)	draw(Component c)	click(Component c)
##	Which of following is TRUE?	The controller redirects incoming request to model	The controller executes an incoming request	The controller controls the data	The controller render html to view
##	Which class is used to encapsulate IP address and DNS?	URLConnection	Telnet	Datagram Packet	netAddress
##	A JFrame supports three operations when the user closes the window. Which of the choices below is not one of the three:	LOWER_ON_CLOSE	DISPOSE_ON_CLOSE.	DO_NOTHING_ON_CLOSE	HIDE_ON_CLOSE.
##	What is the return type of getString() method?	String	int	byte	short

		<pre>import javax.swing.*; public class TableExample { JFrame f; TableExample() { f=new JFrame(); String data[][]={ {"101","Amit","670000"}, {"102","Jai","780000"}, {"101","Sachin","700000"} }; String column[]={ "ID", "NAME", "SALARY" }; JTable jt=new JTable(data,column); jt.setBounds(30,40,200,300); JScrollPane sp=new JScrollPane(jt); f.add(sp); f.setSize(300,400); } }</pre>	<pre>import javax.swing.*; public class TableExample { JFrame f; TableExample() { f=new JFrame(); String data[][]={ {"101","Amit","670000"}, {"102","Jai","780000"}, {"101","Sachin","700000"} }; String column[]={ "ID", "NAME", "SALARY" }; JTable jt=new JTable(data,column); jt.setBounds(30,40,200,300); JScrollPane sp=new JScrollPane(jt); f.add(sp); f.setSize(300,400); } }</pre>	<pre>import javax.swing.*; public class TableExample { JFrame f; TableExample() { f=new JFrame(); String data[][]={ {"101","Amit","670000"}, {"102","Jai","780000"}, {"101","Sachin","700000"} }; String column[]={ "ID", "NAME", "SALARY" }; JTable jt=new JTable(data,column); jt.setBounds(30,40,200,300); JScrollPane sp=new JScrollPane(jt); f.add(sp); f.setSize(300,400); } }</pre>	<pre>import javax.swing.*; public class TableExample { JFrame f; TableExample() { f=new JFrame(); String data[][]={ {"101","Amit","670000"}, {"102","Jai","780000"}, {"101","Sachin","700000"} }; String column[]={ "ID", "NAME", "SALARY" }; JTable jt=new JTable(data,column); jt.setBounds(30,40,200,300); JScrollPane sp=new JScrollPane(jt); f.add(sp); f.setSize(300,400); } }</pre>
##	Which is the correct code for displaying following output				
##	Select correct output for following code: import javax.swing.*; import java.awt.event.*; class RadioButtonExample extends JFrame implements ActionListener{ JRadioButton rb1,rb2; JButton b; RadioButtonExample(){ rb1=new JRadioButton("Male"); rb1.setBounds(100,50,100,30); rb2=new JRadioButton("Female"); rb2.setBounds(100,100,100,30); ButtonGroup bg=new ButtonGroup(); bg.add(rb1);bg.add(rb2); b=new JButton("click"); b.setBounds(100,150,80,30); b.addActionListener(this); add(rb1);add(rb2);add(b); setSize(300,300); setLayout(null); setVisible(true); } public void actionPerformed(ActionEvent e){ if(rb1.isSelected()){ JOptionPane.showMessageDialog(this,"You are Male."); } if(rb2.isSelected()){ JOptionPane.showMessageDialog(this,"You are Female."); } } public static void main(String args[]){ new RadioButtonExample(); } }				
##	Port number 21 is reserved for	FTP	Telnet	e-mail	HTTP

		<pre>import javax.swing.*; public class TabbedPaneExample { TabbedPaneExample() { f=new JFrame(); JTextArea ta=new JTextArea(200,200); JPanel p1=new JPanel(); p1.add(ta); JPanel p2=new JPanel(); JPanel p3=new JPanel(); JTabbedPane tp=new JTabbedPane(); tp.setBounds(50,50,200,200); tp.add("main",p1); tp.add("visit",p2); tp.add("help",p3); f.add(tp); f.setSize(400,400); } }</pre>	<pre>import javax.swing.*; public class TabbedPaneExample { JFrame f; TabbedPaneExample() { f=new JFrame(); JTextArea ta=new JTextArea(200,200); JPanel p1=new JPanel(); p1.add(ta); JPanel p2=new JPanel(); JPanel p3=new JPanel(); JTabbedPane tp=new JTabbedPane(); tp.setBounds(50,50,200,200); tp.add("main",p1); tp.add("visit",p2); } }</pre>	<pre>import javax.swing.*; public class TabbedPaneExample { JFrame f; TabbedPaneExample() { f=new JFrame(); JTextArea ta=new JTextArea(200,200); JPanel p1=new JPanel(); p1.add(ta); JPanel p2=new JPanel(); JPanel p3=new JPanel(); JTabbedPane tp=new JTabbedPane(); tp.add("main",p1); tp.add("visit",p2); } }</pre>	<pre>import javax.swing.*; public class TabbedPaneExample { JFrame f; TabbedPaneExample() { f=new JFrame(); JTextArea ta=new JTextArea(200,200); JPanel p1=new JPanel(); p1.add(ta); JPanel p2=new JPanel(); JPanel p3=new JPanel(); JTabbedPane tp=new JTabbedPane(); tp.add("main",p1); tp.add("visit",p2); } }</pre>
##	Select the code for following output:				
##	Which of the following statements are true. 1. ResultSet object can be moved forward only and it is not updatable. 2. The object of ResultSet maintains a cursor pointing to a row of a table. 3. The statement interface is a factory of ResultSet 4. The performance of the application will be faster if you use PreparedStatement interface	1,2,3	2,4	1,3,4	1,2,3,4
##	The Transmission Control Protocol	Support fast transfer of packets	support connectionless transport of packets	support unreliable transport of packets	support connection oriented transport of packets
##	Which of the following methods cannot be called on JLabel?	setIcon()	getText()	setLabel()	setBorder Layout()
##	User Datagram Protocol is _____	Support fast transfer of packets	support connection-less transport of packets	support unreliable transport of packets	All of the above
##	A JTabbedPane does the following operations _____	arranges GUI components into layers such that only one layer is visible at a time	allows users to access a layer of GUI components via a tab	extends JComponent	All of the above.
##	Where are the tabs on a JTabbedPane placed by default	top	bottom	left	right.

##	Find the missing statement from the below given code :- import java.awt.*; import javax.swing.*; import java.awt.event.*; public class menu extends JFrame { // menubar static JMenuBar mb; // JMenu static JMenu x; // Menu items static JMenuItem m1, m2, m3; // create a frame static JFrame f; public static void main() { // create a frame f = new JFrame("Menu demo"); // create a menubar mb = new JMenuBar(); // create a menu x = new JMenu("Menu"); // create menuitems m1 = new JMenuItem("MenuItem1"); m2 = new JMenuItem("MenuItem2"); m3 = new JMenuItem("MenuItem3"); // add menu items to menu x.add(m1); x.add(m2); x.add(m3); // add menu to menu bar _____ // add menubar to frame f.setJMenuBar(mb); // set the size of the frame f.setSize(500, 500); f.setVisible(true); } }	m1 = new JMenuItem("MenuItem1");	x.add(m1);	f.setVisible(true);	mb.add(x);
##	The Transmission Control Protocol is	Low level routing protocol	Middle level routing protocol	Higher level routing protocol	None of above
##	Mnemonics can be used with all sub classes of which class?	JComponent	JMenu	JMenuItem	All of the above
##	Menus are attached to the windows by calling _____ method	addMenus()	setMenu()	setJMenuBar()	addJMenuBar()
##	The elements of a _____ Layout are organized in a top to bottom, left to right pattern.	Grid	Border	Card	Flow
##	From the following program select the output. import java.awt.*; import javax.swing.*; public class JTPDemo extends JApplet { public void init() { JTabbedPane jt = new JTabbedPane(); jt.add("Colors", new CPanel()); jt.add("Fruits", new FPanel()); jt.add("Vitamins", new VPanel()); getContentPane().add(jt); } } class CPanel extends JPanel { public CPanel() { JCheckBox cb1 = new JCheckBox("Red"); JCheckBox cb2 = new JCheckBox("Green"); JCheckBox cb3 = new JCheckBox("Blue"); add(cb1); add(cb2); add(cb3); } } class FPanel extends JPanel { public FPanel() { JComboBox cb = new JComboBox(); cb.addItem("Apple"); cb.addItem("Mango"); cb.addItem("Pineapple"); add(cb); } } class VPanel extends JPanel { public VPanel() { JButton b1 = new JButton("Vit-A"); JButton b2 = new JButton("Vit-B"); JButton b3 = new JButton("Vit-C"); add(b1); add(b2); add(b3); } }			Both A & B	None of the above
##	Internet Protocol is	Low level routing protocol	Middle level routing protocol	Higher level routing protocol	None of above
##	Cookies were originally designed for	Client-side programming	Server-side programming	Both Client-side & Server-side programming	web programming
##	What happens if setSize() is not called on a JFrame ?	The window is displayed at its preferred size	The window is not displayed	The window is displayed at its absolute size	Only the title bar appears

##	When the user press Enter key in a JTextField, the GUI component generates an _____, _____ which is processed by an object that implements the interface.	ActionEvent, ActionListener	ActionEvent, TextEventListener.	TextEvent, TextListener	TextEvent, ActionListener
##	The following specifies the advantages of _____. It is lightweight. It supports pluggable look and feel. It follows MVC (Model View Controller) architecture.	AWT	SWING	Both A & B	None of the above
##	What is in terms of JDBC, a DataSource	A DataSource is the basic service for managing a set of JDBC drivers	DataSource is a java representation of physical data source	DataSource is a registry point	DataSource is a factory of connections to a physical data source
##	Which of the following encapsulates an SQL statement which is passed to the database to be parsed, compiled, planned and executed?	DriverManager	Connection	JDBC Driver	Statement
##	Which driver is efficient and preferable for using JDBC applications?	Type 1	Type 2	Type 3	Type 4
##	Which packages contains JDBC classes?	java.jdbc	java.jdbc.sql	java.sql	java.rdb
##	Which of the following methods are needed for loading the database driver in JDBC?	resultSet method	class.forName() method	getConnection()	Both A and B
##	Is the JDBC-ODBC bridge multithreaded ?	TRUE	FALSE	can't predict	don't know
##	_____ is an open source DBMS product that runs on UNIX, Linux and Windows.	MySQL	JSP/SQL	JDBC/SQL	Sun ACCESS
##	Which driver is efficient and always preferable for using JDBC applications	Type 1 driver	Type 2 driver	Type 3 driver	Type 4 driver
##	Which model does a Java applet or application talks directly to the data source?	Two Tier Model	Three Tier Model	Both A and B	None of the above
##	What is the reason that a java program cannot directly communicate with an ODBC driver?	ODBC written in C# language	ODBC written in C language	ODBC written in C++ language	None of the above
##	Which models do the JDBC API support for the database access?	Two Tier Model	Three Tier Model	Both A and B	None of the above
##	ODBC stands for?	Open database connectivity	Open database concept	Open database communications	None of the above
##	Which class has traditionally been the backbone of the JDBC architecture?	the JDBC driver manager	the JDBC driver test suite	the JDBC-ODBC bridge	All mentioned above
##	Which method is used to establish the connection with the specified url in a Driver Manager class?	public static void registerDriver(Driver driver)	public static void deregisterDriver(Driver driver)	public static Connection getConnection(String url)	None of the above

###	Consider the following program.What should be the correction done in the program to get correct output? import java.sql.*; class Ddemo1 { { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection c=DriverManager.getConnection("jdbc:odbc:ODSN"," "," "); Statement s=c.createStatement(); ResultSet rs=s.executeQuery("select *from StudTable"); System .out.println("Name" + " " + "Roll_No" + " " + "Avg");while(rs.next()) { System.out.println(rs.getString(1)+" "+rs.getInt(2)+" "+rs.getDouble(3)); } s.close(); c.close(); } }	Missing semicolon	Missing {	Missing }	Missing statement .
###	Consider the following program Select the statement that should be added to the program to get correct output. import java.sql.*; public class db { public static void main(String args[])throws Exception { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection c =DriverManager.getConnection("jdbc:odbc:XYZ"," "," "); PreparedStatement s=c.prepareStatement("update db3 set Name=? where Roll_no=?"); Statement s=c.createStatement(); s.setString(1,args[0]); s.setString(2,args[1]); s.setString(3,args[2]); ResultSet rs=s.executeQuery("select* from db3"); System.out.println("Name"+" "+ "Roll no"+" "+ "Avg"); while(rs.next()) { System.out.println(rs.getString(1)+" "+rs.getInt(2)+" "+rs.getDouble(3)); } s.close(); c.close(); } }	s.executeUpdate()	c.createStatement()	s.close()	c.close()
###	Consider the following program. What should be the correction done in the program to get correct output? class Ddemo1 {public static void main(String args[]) throws Exception { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection c=DriverManager.getConnection("jdbc:odbc:ODSN"," "," "); Statement s=c.createStatement(); ResultSet rs=s.executeQuery("select *from StudTable"); System .out.println("Name" + " " + "Roll_No" + " " + "Avg"); while(rs.next()) { System.out.println(rs.getString(1)+" "+rs.getInt(2)+" "+rs.getDouble(3)); } s.close(); c.close(); } }	Missing semicolon	Missing {	Missing }	Missing package statement.
###	Which of the following is correct about driver interface of JDBC?	JDBC driver is an interface enabling a Java application to interact with a database.	JDBC API is an application interface of javafor connecting java as back end	Both A and B	None of the above
###	Which of the following is correct about Statement?	Used for general-purpose access to your database.	Useful when you are using static SQL statements at runtime.	Both of the above.	None of the above.
###	Connection object can be initialized using the_____method of the Driver Manager class.	putConnection()	setConnection()	Connection()	getConnection()
###	The _____ method executes an SQL statement that may return multiple results.	.executeUpdate()	executeQuery()	execute()	noexecute()
###	_____ Use to execute parameterized query?	Statement Interface	PreparedStatement interface	ResultSet Interface	None of the above
###	Every driver must provide a class that should implement the_____	Driver interface	Driver manager	Driver class	Driver
###	How can you execute a stored procedure in the database?	Call method execute() on a CallableStatement object	Call method executeProcedure() on a Statement object	Call method execute() on a StoredProcedure object	Call method run() on a Procedure Command object

###	Which of the following is false as far as type 4 driver is concern?	Type 4 driver is native protocol, pure java driver	Type 4 drivers are 100% Java compatible	Type 4 drivers uses Socket class to connect to the database	Type 4 drivers can not be used with Netscape
##	Which driver is efficient and always preferable for using JDBC applications?	Type 4	Type 3	Type 2	Type 1
##	The JDBC-ODBC bridge is	Three tiered	Multithreaded	Best for any platform	All of the above
##	Which driver is called as thin-driver in JDBC?	Type-4 driver	Type-1 driver	Type-2 driver	Type-3 driver
##	_____ interface allows storing results of query?	Statement	Connection	ResultSet	None of the above
##	Which layout manager should you use to arrange the components of container in tabular form?	Grid Layout	Card Layout	Border Layout	Flow Layout
##	Which of the following is the default layout for a applet?	Grid Layout	Card Layout	Border Layout	Flow Layout
##	Which of the following is the default layout for Frame?	Grid Layout	Card Layout	Border Layout	Flow Layout
##	Which of the following statement is correct to change the layout of an applet?	setLayoutManager(new GridLayout());	setLayout(new GridLayout(2, 2));	setLayout(2,2);	setLayout();
##	Which method is used to set the layout of a container?	setLayout()	initLayout()	layoutContainer()	setLayout()
##	Which containers use a BorderLayout as their default layout?	Window	Frame	Dialog	All of the above
##	-----arranges the components as a deck of cards such that only one component is visible at a time.	Grid Layout	Card Layout	Border Layout	Flow Layout

		import java.awt.*; import javax.swing.*; public class Border { JFrame f; Border(){ f=new JFrame(); JButton b1=new JButton("NORTH"); JButton b2=new JButton("SOUTH"); JButton b3=new JButton("EAST"); JButton b4=new JButton("WEST"); JButton b5=new JButton("CENTER"); f.add(b1,BorderLayout.NORTH); f.add(b2,BorderLayout.SOUTH); f.add(b3,BorderLayout.EAST);	import java.awt.*; import javax.swing.*; public class Border { JFrame f; Border(){ f=new JFrame(); JButton b1=new JButton("NORTH"); JButton b2=new JButton("SOUTH"); JButton b3=new JButton("EAST"); JButton b4=new JButton("WEST"); JButton b5=new JButton("CENTER"); f.add(b1,BorderLayout.NORTH); f.add(b2,BorderLayout.SOUTH); f.add(b3,BorderLayout.EAST);	import java.awt.*; import javax.swing.*; public class Border { JFrame f; Border(){ f=new JFrame(); JButton b1=new JButton("NORTH"); JButton b2=new JButton("SOUTH"); JButton b3=new JButton("EAST"); JButton b4=new JButton("WEST"); JButton b5=new JButton("CENTER"); f.add(b1,BorderLayout.NORTH); f.add(b2,BorderLayout.SOUTH); f.add(b3,BorderLayout.EAST);	import java.awt.*; import javax.swing.*; public class Border { JFrame f; Border(){ f=new JFrame(); JButton b1=new JButton("NORTH"); JButton b2=new JButton("SOUTH"); JButton b3=new JButton("EAST"); JButton b4=new JButton("WEST"); JButton b5=new JButton("CENTER"); f.add(b1,BorderLayout.NORTH); f.add(b2,BorderLayout.SOUTH); f.add(b3,BorderLayout.EAST);
##	Select the correct option to get the given output.				
	import java.awt.*; import javax.swing.*; public class MyFlowLayout{ JFrame f; MyFlowLayout(){ f=new JFrame(); JButton b1=new JButton("1"); JButton b2=new JButton("2"); JButton b3=new JButton("3"); JButton b4=new JButton("4"); JButton b5=new JButton("5"); f.add(b1);f.add(b2);f.add(b3);f.add(b4);f.add(b5); ----- //setting flow layout of right alignment f.setSize(300,300); f.setVisible(true); } public static void main(String[] args) { new MyFlowLayout(); } } Find the missing statement to get the following output	f.setLayout(new FlowLayout());	f.setLayout(new FlowLayout(FlowLayout.RIGHT));	f.setLayout(new FlowLayout(FlowLayout.CENTRE));	f.setLayout(new FlowLayout(FlowLayout.LEFT));
##	Which of the following layout manager should be used so that every component occupies the same size in the container?	Grid Layout	Card Layout	Border Layout	Flow Layout
	import java.awt.*; class SampleFrame extends Frame { SampleFrame(String title) { super(title); } } class FileDialogDemo { public static void main(String args[]) { Frame f = new SampleFrame("File Dialog Demo"); ----- f.setSize(100, 100); FileDialog fd = new FileDialog(f, "File Dialog"); fd.setVisible(true); } } Find the missing statement to get the given output.	fd.setVisible(true);	f.setVisible(false);	fd.setVisible(false);	f.setVisible(true);
##	In CardLayout where components of every card are added?	Window	Panel	Applet	Frame
##	Select correct statement to add component in south region----	add(component obj,FlowLayout.SOUTH);	add(component obj,BorderLayout.RIGHT);	add(component obj,BorderLayout.SOUTH);	add(component obj,FlowLayout.RIGHT);

##	Which of the following statements are used to create panel in border layout?	Frame p=new Frame(new BorderLayout());	Panel p=new Panel(); p.setLayout(new BorderLayout());	Panel p=new Panel(); p.setLayo ut(new Border());
##	-----is used to position components in an applet window.	Layout Manager	addComponent();	add() Both a and b
##	What is use of GridLayout Manager ?	To lay out components in a two-dimensional grid	To lay components in tabular form	Both a and b none of the above
##	Which of the following is used to rollback a JDBC transaction?	rollback()	rollforward()	deleteTran saction()) RemoveTr ansaction()
##	When the message "No Suitable Driver" occurs?	When the driver is not registered by Class.forName() method	When the user name, password and the database does not match	When the JDBC database URL passed is not construct ed properly When the type 4 driver is used
##	What is the disadvantage of Type-4 Native-Protocol Driver?	At client side, a separate driver is needed for each database	Type-4 driver is entirely written in Java	The driver converts JDBC calls into vendor- specific database protocol It does not support to read MySQL data
##	The Java software Bridge provides JDBC access via_____	ODBC drivers	JDBC API	Both A and B None of the above
##	Which statement about JDBC are true	JDBC is an API to connect relational-object and XML data sources	JDBC stands for Java Database Connectivity	JDBC is an API to bridge the object- relational mismatch between OO programs and relational databases
##	Which of the following are interfaces in javax.servlet.http package?	HttpServletRequest	HttpServletResponse	HttpSession All of the above
##	Which of the following informs an object that it is bound to or unbound from an HTTP session?	HttpServletRequest	HttpServlet	HttpSession HttpSessi onBindin gListener

##	-----provides a way to identify a user across more than one page request or visit to a Web site and to store information about that user.	HttpServletRequest	HttpServlet	HttpSession	HttpSessionBindingListener
##	----- class provides methods to handle HTTP requests and responses	HttpServlet	GenericServlet	HttpSessionEvent	None of the above
##	Which type of driver converts JDBC calls into network protocol used by database management system directly?	Type 1	Type 2	Type 3	Type 4
##	Which JDBC driver types can be used either in applet or servlet code?	Both Type 1 and Type 2	Both Type 1 and Type 3	Both Type 3 and Type 4	Type 4 only
##	How many JDBC driver types does Sun define?	1	2	3	4
##	String[] getSelectedItems() is the method of _____ class.	List	Choice	Button	TextArea
##	_____ class is used to create radiobutton in AWT.	List	Choice	Checkbox	CheckboxGroup
##	_____ is used when user wants to enter text that is not displayed, such as password.	setEditable()	setEchoChar()	getText()	setText()
##	Which of the following is correct statement? Consider t1 as TextField object.	t1.setEchoChar('*');	t1.setEchoChar('*');	t1.setEchoChar('*');	None of these
##	To create radiobutton in Applet which of the following are valid statements ?	CheckboxGroup cbg=new CheckboxGroup(); Checkbox cb1=new Checkbox("java", true, cbg); Checkbox cb2=new Checkbox("php", true, cbg);	CheckboxGroup cbg=new CheckboxGroup(); Checkbox cb1=new Checkbox("java", true, cbg); Checkbox cb2=new Checkbox("php", false, cbg);	CheckboxGroup cbg=new CheckboxGroup(); Checkbox cb1=new Checkbox("java", false, cbg); Checkbox cb2=new Checkbox("php", false, cbg);	All of above
##	Which is the correct statement to produce following output ?	List l1=new List(4);	List l1=new List(3, true);	List l1=new List(3, false);	List l1=new List();
##	In the Delegation Event Model, a user interface element is able to delegate, the processing of an event.....	a separate piece of code	A source generates an event	a separate elements in a graphical user interface	None of above
##	In The delegation Event Model,	an Event propagated up the containment hierarchy	a source generates an event and sends it to one or more listeners.	notification sent to all components in containment hierarchy.	None of Above

##	Which of the following classes in Java contains swing version of an applet?	JButton	JApplet	AbstractButton	JLabel
##	Which of the following value is not available to align arguments to use in Swing Constants interface?	Left	Right	Middle	Leading
##	Which of the following classes of Java swing extends Applet class?	JButton	JApplet	AbstractButton	None of these
##	In Java swing, which of the following components is/are represented by a rectangular area in which a component may be viewed?	Scroll pane	Tabbed pane	Combo boxes	None of these
##	Swing components are ultimately derived from which of the following ?	javax.awt.*	java.awt.*	javax.swing.JComponent	java.swing.*
##	Identify the layout manager for the given output container having a row of components that should all be displayed at the same size, filling the container's entire area.	Grid Layout	Card Layout	Border Layout	Flow Layout
##	Swing components are preceded by the letter	S	A	X	J
##	The syntax for creating and setting layout manager object is-----	LayoutManager Obj= new LayoutManager() ;	LayoutManager Obj= new LayoutManager() setLayout(Obj);	setLayout(Obj); LayoutManager Obj= new LayoutManager();	setLayout(Obj);
##	The Swing is an API for providing graphical user interface for	Python programs	Java programs	C programs	PHP programs
##	An Event can be generated by-	Pressing a button	A counter exceeds a value	clicking the Mouse	All of the above.
##	A general form, event registration method-	public void addTypeListener (TypeListener el)	public void addEventObject (EventObject eo)	public void addAction Event(Act ionEvent ae)	public void addComp onetEvent (Compone ntEvent ce)
##	Listeners are created by implementing one or more of the _____ defined by the java.awt.event package.	class	interfaces	object	package
##	import javax.swing.*; import java.awt.*; ----- ---- public class FlowLayoutDemo extends JApplet { public void init() { Container cp = getContentPane(); ----- JButton button1 = new JButton("Button1"); JButton button2 = new JButton(" Button2"); JButton button3 = new JButton(" Button3"); cp.add(button1); cp.add(button2); cp.add(button3); } } Identify the missing statement to get the following output.	<applet code="FlowLayo utDemo" width=100 height=100></ap plet>	<applet code="FlowLay outDemo" width=100 height=100></a pplet> cp.setLayout();	<applet code="Flow wLayout" width=100 height=10 0></applet > cp.setLayo ut(new FlowLayo ut());	<applet code="Fl owLayout Demo" width=10 0 height=10 0></apple t> cp.setLay out(new FlowLayo ut());
##	At The root of the java event class hierarchy is.....	ContainerEvent	ComponentEve nt	WindowE vent	EventObj ect
##	Match the correct pairs- a. getSource() i. Determine the type of the event b. toString () ii. Returns the source of the event c. getID() iii- Constructor d. EventObject(Object src) iv- returns the string equivalent of the event.	c-i , a-ii, d-iii, b- iv	c-ii , a-i, d-iv, b- iii	c-iii , a-ii, d-i, b-iv	c-iv , a-iii, d-ii, b-i

##	An ActionEvent is generated -	a button is pressed, component gains or losses keyboard focus, scroll bar is manipulated.	a button is pressed, scroll bar is manipulated, menu item is selected.	a button is pressed, input received from the keyboard, window is activated.	a button is pressed, a list item is double-clicked, menu item is selected.
##	The method getWhen() returns-	a value that indicates which modifier keys pressed.	the time at which the event took place.	obtain the command name for the invoking ActionEvent object.	reference to the object that generated event.
##	Which of these are integer constants defined in ActionEvent class-	ALT_MASK	META_MASK	SHIFT_MASK	All of the mentioned
##	Which components of AWT are used to produce following output.	TextArea, Label, Button	Label, Choice, Button	List, TextField, Button	List, Label, TextArea
##	Select proper output for following.. import java.awt.*; import java.applet.*; public class list extends Applet { public void init() { Button b1=new Button("OK"); List l=new List(5,true); TextField t1=new TextField("Languages used"); CheckboxGroup cbg=new CheckboxGroup(); Checkbox c1,c2; c1=new Checkbox("Server Side",true,cbg); c2=new Checkbox("Client Side",false,cbg); l.add("java"); l.add("php"); l.add("c++"); l.add("c"); l.add("Python"); add(l); add(t1);add(b1);add(c1);add(c2); } }				
##	/*<applet code=list.class height=200 width=200> </applet>*/				
##	We cannot alter text in TextField when____	setEditable(true)	setEditable(false)	isEditable()	All of Above
##	____method is used to lock the textfield component	getText()	setText()	getSelectedText()	setEditable(false)
##	which is constructor of Checkbox()?	Checkbox(String label)	Checkbox(String label,boolean state)	Checkbox(String label,boolean state,CheckboxGroup group)	All of Above
##	Following are the method(s) of List class	getSelectedIndex()	getSelectedIndexes()	getSelectedItem()	All of Above
##	Which of the following method does not belongs to Choice class.	getItem()	getSelectedIndexes()	getSelectedItem()	All of Above
##	Which of these interfaces define a method actionPerformed()?	ComponentListener	ContainerListener	ActionListener	InputListener
##	setSelectedCheckbox() is the method of _____	Checkbox	CheckboxGroup	List	RadioButton
##	TextArea supports ____method(s) of TextComponent class	select()	isEditable()	getText()	All of above
##	Which of these are methods of MouseListener Interface?	mouseDragged()	MouseMotionListener()	MouseClicked()	MousePressed()

##	What does following line of code do ? <code>TextField text=new TextField(30);</code>	Creates text object with 30 rows of text	Creates text object and initializes with value 30	Creates text object with 30 columns of text	This is invalid code
##	How many ways can we align the label in a container ?	1	2	3	4
##	AWT includes multiline editor called as _____	TextField	Label	Button	TextArea
##	Which are the active controls that support any interaction with the user ?	Choice	List	Button	All of Above
##	1.import java.awt.*; 2.import java.applet.*; 3.public class ChoiceDemo extends Applet { 4. { 5. public void init() 6. { 7. Button b1=new Button("OK"); 8. Choice l=new Choice(); 9. l.add("java"); 10. l.add("php"); 11. l.add("c++"); 12. l.add("c",true); 13. l.add("Python"); 14. add(l); 15. add(b1); 16. } } 17. 18./*<applet code=choice.class height=200 width=200> 19.</applet>*/ Which statement number shows compilation error ?	7.Button b1=new Button("ok");	8.Choice l=new Choice();	12.l.add("c",true);	No Compilation Error in given code
##	import java.awt.*; import java.applet.*; public class choiceDemo extends Applet { public void init() { Button b1=new Button("OK"); Choice l=new Choice(); Label lb=new Label("List"); add(lb); l.add("java"); l.add("php"); l.add("c++"); l.add("c"); lb.add("Python"); add(l); add(b1); } } /*<applet code=choice.class height=200 width=200> </applet>*/ Which is incorrect statement ?	Label lb=new Label("List");	add(b1);	lb.add("Python");	None of above
##	import java.awt.*; import java.applet.*; public class textareax extends Applet { public void init() { TextField t2=new TextField("welcome",20,40); TextArea t1=new TextArea(10,30); add(t1);add(t2); } } /*<applet code=textareax.class height=200 width=200> </applet>*/ Which statement will give an error ?	TextArea t1=new TextArea(10,30);	TextField t2=new TextField("welcome",20,40);	public class textareax extends Applet	add(t1);add(t2);
##	An ItemEvent is generated when.....	user clicked the mouse	keyboard input occurs.	a checkable menu item is selected or deselected.	The window was activated.
##	The Swing was previously known as	Java shoot	Java control	Java Class	Java Foundation Class
##	Swing is an excellent replacement for	Abstract Window Toolkit (AWT)	Java control	Java drive	Java class
##	The following are advanced components that comes with Swing except	Trees	Lists	Graph	Table
##	Swing components are referred to as platform-independent and thus described to as	Heavyweight	Elements	Lightweight	Light Components
##	In Java Swing, the JTable has a model called	JModel	TableModel	JRule	JSwing
##	select the correct output for following code import javax.swing.*; public class FirstSwingExample { public static void main(String[] args) { JFrame f=new JFrame();//creating instance of JFrame JButton b=new JButton("click");//creating instance of JButton b.setBounds(130,100,100,40);//x axis, y axis, width, height f.add(b);//adding button in JFrame f.setSize(400,500);//400 width and 500 height f.setLayout(null);//using no layout managers f.setVisible(true);//making the frame visible } }				

##	select the correct output for following code import javax.swing.*; class LabelExample { public static void main(String args[]) { JFrame f= new JFrame("Label Example"); JLabel l1,l2; l1=new JLabel("First Label."); l1.setBounds(50,50, 100,30); l2=new JLabel("Second Label."); l2.setBounds(50,100, 100,30); f.add(l1); f.add(l2); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } }				None of the above
##	----- is the class representing event notifications for changes to sessions within a web application.	HttpServlet	Cookie	HttpSessionEvent	None of the above
##	Which of the following method call can be used to send an error response to the client using the specified integer 'statusCode' and String error message 'message'?	request.sendError(statusCode,message)	response.sendError(statusCode,message)	header.sendError(statusCode,message)	None of the above
##	_____ method of HttpServletResponse interface can be used to redirect response to another resource, it may be servlet, jsp or html file.	sendRedirect()	sendError()	Redirect()	None of the above
##	Which methods are used to bind the objects on HttpSession instance and get the objects?	setAttribute() only	getAttribute() only	Both A and B	None of the above
##	getAuthType() returns the name of the _____ used to protect the servlet.	authentication scheme	authority Scheme	Authorization scheme	none of the above
##	_____ returns an enumeration of the header names	getHeaderNames()	getNames()	getHeader()	none of the above
##	_____ method returns the part of this request's URL that calls the servlet.	getServletPath()	getPathInfo()	getPathTranslated()	None of the above
##	Which of the following is not a method of HttpServletRequest interface.	isRequestedSessionIdFromCookie()	getHeader(String field)	getMethod()	addCookie(Cookie cookie)
##	Which class provides system independent server side implementation?	Socket	ServerSocket	Server	ServerReader
##	-----Determines if the session ID must be encoded in the URL identified as url. If so, returns the modified version of url. Otherwise, returns url.	encodeRedirectURL(String url)	String encodeURL(String url)	encode(String url)	None of the above
##	_____ returns a boolean indicating whether the named response header has already been set.	void containsHeader(String name)	boolean containsHeader(String name)	boolean containsHeader()	Boolean isHeader(String name)
##	Following Shows networking terminologies ?	IP Address	Protocol	URL	All of the above
##	_____ returns true if the server created the session and it has not yet been accessed by the client.	invalidate()	isNew()	getLastAccessedTime()	None of the above
##	Invalidate() method belongs to _____ interface	SessionBindingListener	HttpSessionBindingListener	HttpBindingListener	HttpListener
##	_____ interface is implemented by objects that need to be notified when they are bound to or unbound from an HTTP session.	SessionBindingListener	HttpSessionBindingListener	HttpBindingListener	HttpSessionBinding
##	Cookies are stored at _____ side.	server	client	Both A and B	Neither A nor B
##	Some of the information that is saved for each cookie includes the following:	The name of the cookie	The value of the cookie	The expiration date of the cookie	All of the above

##	-----returns true if the browser is sending cookies only over a secure protocol, or false if the browser can send cookies using any protocol.	getSecure()	getName()	clone()	None of these
##	The HttpServlet class extends _____	GenericServlet	Servlet	Throwable	none of the above
##	Which of the following is not a method of HttpServlet class?	doDelete()	doGet()	doHead()	getValue()
##	Which method is Called by the server when an HTTP request arrives for this servlet?	getLastModified()	service()	init()	None of the above
##	HttpSessionEvent encapsulates _____Object	Event	session	request	response
##	_____ returns the name of the cookie.	getName()	getName(String s)	getName(String s,String a)	none of the above
##	-----returns the current session associated with this request, or if the request does not have a session, creates one.	getName()	getSession()	getSessionName()	putSession()
##	A servlet developer overrides which of the following methods?	doDelete()	doGet()	doHead()	All of the above
##	Identify Error in the following servlet code import java.io.*; public class ColorGetServlet extends HttpServlet { public void doGet(HttpServletRequest request,HttpServletResponse response) throws ServletException, IOException { String color = request.getParameter("color"); response.setContentType("text/html"); PrintWriter pw = response.getWriter(); pw.println("The selected color is: "); pw.println(color); pw.close(); } }	javax.servlet.http.*;is missing	javax.servlet.*; is missing	Both A and B	None of the above
##	Which classes are used for connection-oriented socket programming?	Socket	ServerSocket	Both A and B	None of the above
##	The _____is invoked when a form on a Web page is submitted.	servlet	session	cookie	none of above
##	Find error in the following code import java.io.*; import javax.servlet.*; import javax.servlet.http.*; public class ColorPostServlet extends HttpServlet { public void doPost(HttpServletRequest request,HttpServletResponse response) throws ServletException, IOException { String color = request.getParameter("color"); PrintWriter pw = response.getWriter(); pw.println("The selected color is: "); pw.println(color); pw.close(); } }	Some classes/ interfaces not imported	Correct Exception is not thrown by the method	No Error	response.setContentType("text/html"); is missing
##	Which is a one-way communication only between the client and the server and it is not a reliable and there is no confirmation regarding reaching the message to the destination?	TCP/IP	UDP	Both A & B	None of the above
##	Which method returns copy of this cookie object?	getclone()	clone()	setclone()	None of these
##	Which class allows state information to be stored on a client machine?	Cookie	HttpServlet	HttpSession	None of these
##	getCookies() method returns _____ of the cookies in this request	array	enum	object	none of the above
##	Which method returns the URL?	getURL()	URL()	getRequestURL()	None of the above
##	_____ returns true if a cookie contains session id otherwise false	isRequestedSessionFromCookie()	isRequestedFromCookie()	isRequestedSessionCookie()	None of the Above
##	_____ method returns true if requested session ID is valid in the current session context	isRequestedSessionIdValid()	isSessionIdValid()	isRequestedIdValid()	RequestedSessionIdValid()
##	Which method redirects the client to the URL?	sendRedirect(String url)	Redirect(String url)	sendError(String url)	None of the above

##	_____ method adds field to the header with date value equal to msec?	void setDateHeader(String field,long msec)	void DateHeader(String field,int msec)	void setDateHeader(long msec)	void setDate(String field,long msec)
##	Which method sets status code for this response to code	void setStatus(int code)	void setStatus()	void Status(int code)	None of the above
##	Which method returns the time when the client last made a request for this session	void getLastAccessDate()	long getLastAccessedTime()	getAccessedTime()	None of the above
##	Which method performs an HTTP DELETE?	void doDelete(HttpServletRequest req,HttpServletResponse res) throws IOException, ServletException	void Delete(HttpServletRequest req,HttpServletResponse res) throws IOException, ServletException	void destroy(HttpServletRequest req,HttpServletResponse res) throws IOException, ServletException	void doDestroy(HttpServletRequest req,HttpServletResponse res) throws IOException, ServletException
##	Which method performs an HTTP GET?	void Get(HttpServletRequest req,HttpServletResponse res) throws ServletException	void doGet(HttpServletRequest req,HttpServletResponse res) throws IOException, ServletException	void DoGet(HttpServletRequest req,HttpServletResponse res) throws IOException, ServletException	None of the above
##	_____ method invalidates this session and removes it from the context?	void invalidate()	void validate()	void verify()	void removeAttribute()
##	_____ method removes attribute specified by attr from the session.	void removeAttribute(String attr)	void removeAttribute()	void deleteAttribute(String attr)	void remove()
##	Which of the following is not a method of HttpSession interface?	getAttribute()	setAttribute()	setHeader()	isNew()
##	All the methods of _____Interface throw IllegalStateException	Session	HttpSession	cookies	Servlet
##	Which of the following is true about cookies?	Cookies are stored on client	Cookies contain state information	Cookies track user activities	All of the above
##	Which one is not a constructor for cookie?	Cookie() only	Cookie(String name) only	a and b	Cookie(String name,String value)

##	If an expiration date is not explicitly assigned to a cookie, it is deleted ____.	Immediately after creation	When session is expired	when current browser session ends.	Never
##	Which of the following is not a method of cookie class?	Clone()	getMaxAge()	doGet()	getName()
##	Which of the following are methods of HttpServlet Class?	setComment()	doDelete() only	doGet() only	b and c
##	HttpServlet class methods throw ____.	IOException only	ServletException only	IllegalStateException only	IOException and ServletException only
##	Which of the following is constructor for HttpSessionEvent Class?	HttpSessionEvent()	HttpSessionEvent(HttpSession session)	HttpSessionEvent(String value)	None of the above
##	HttpServlet program overrides ____ method	doPut() only	doHead() only	doTrace()	All Of The Above
##	____ and ____ requests are most commonly used when handling form input	get , post	put , trace	head , delete	none of above
##	____ identifies a servlet to process HTTP GET request	session	cookie	URL	request
##	Parameters of ____ request are included as part of the URL that is sent to the Web Server.	HTTPPOST	HTTPGET	HTTPDELETE	HTTPTRACE
##	_____ method returns true if the cookie contains session id. otherwise returns false	Boolean isRequestedSessionIdFromCookie()	Boolean isRequestedSessionId()	Boolean isSessionIdFromCookie()	None of the above
##	_____ method returns any extra path information associated with the URL the client sent when it made this request.	String getPathInfo()	String getPath()	String getMethod()	None of the above
##	_____ returns an array of the cookies in this request	Cookie[] getCookies()	Cookie[] getMaxCookies()	Cookie[] getMinCookies()	None of the above
##	Which method returns int equivalent of the header field named field?	int getHeader()	int getIntHeader()	int getIntHeader(String field)	None of these
##	_____ method returns name of the user who issues this request.	String getRemoteUser()	String getUser()	String getRemote()	None of these
##	Which method adds cookie to the HTTP response	void addCookie()	void addCookie(Cookie cookie)	void addCookie(String cookie)	void addCookie(int i)
##	_____ sets status code for this response to code	setStatus()	setStatus(int code)	setStatusCode(int code)	None of the Above
##	Cookies were originally designed for _____	Client-side programming	Server-side programming	Both Client-side & Server-side programming	web programming

##	----is not a protocol	Telnet	TCP	FTP	hit
##	Following are tasks of Proxy Server_____	Filter certain request	cache the results of request for future use	provide faster access of cached pages to clients	All of the above
##	Select incorrect statement about Internet Protocol	It is low level routing Protocol	It breaks data into small packets	sends packet to an address across network	it is higher level Protocol
##	Canvas is a _____	Window	Frame	Panel	applet
##	By default page-up and page-down increment of scrollbar is_____.	20	10	15	5
##	Scrollbar() creates a _____ scroll bar by default.	Vertical	Horizontal	Both	None
##	----- is the protocol that web browser and server use to transfer hypertext pages and images	FTP	HTTP	telnet	none of above
##	Which of the following are various AWT controls?	Labels, Push buttons, Check boxes, Choice lists.	Text components, Threads, Strings, Servlets, Vectors	Labels, Strings, JSP, Netbeans, Sockets	Push buttons, Servlets, Notepad, JSP
##	To execute a statement, we invoke method	execute method	executeRel method	executeStmnt method	executeConn method
##	A typical _____ program obtains a remote reference to one or more remote objects on a server and then invokes methods on them.	server	client	thread	concurrent
##	File transfer protocol(FTP) is used for_____	Speed	Efficient	Security	All of the above
##	Which of these class is necessary to implement datagrams?	DatagramPacket	DatagramSocket	All of the mentioned	None of the mentioned
##	The Prepared statement _____symbolis a placeholder that is replaced by the input parameter at seen time	?	*	/	+
##	Which methods are commonly used in ServerSocket class?	public OutputStream getOutputStream()	public synchronized void close()	public Socket accept()	none of the above
##	The _____ method is used to insert data into table	execute()	executeQuery()	executeUpdate()	None of the above
##	Which method is used to load the driver?	Class.forName()	class.forName()	Connection con	None of the above
##	A small data file in the browser.	Cookie	Web Server	FTP	DATABASE
##	Unlike User Datagram Protocol (UDP), Transmission Control Protocol (TCP) has Services which is	Connection Oriented	Connectionless	Connection Available	Connection Origin
##	Unlike Transmission Control Protocol (TCP), User Datagram Protocol (UDP) has Services which is	Connection Oriented	Connectionless	Connection Available	Connection Origin
##	The JDBC-ODBC Bridge driver translates the JDBC API and used with _____	JDBC drivers	ODBC drivers	Both A and B	None of the above

##	Which protocol is for breaking and sending packets to an address across a network.	UDP	TCP/IP	Proxy server	none of the above
##	Consider the following code. What will be student table data after executing this code as table has only one record. <pre>import java.sql.*; public class MyDB { public static void main(String[] args) throws Exception { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:mystud"); PreparedStatement ps = con.prepareStatement("delete * from student"); ps.executeUpdate(); Statement st = con.createStatement(); ResultSet Rset = ps.executeQuery("select * from student"); while (Rset.next()) { int studid = Rset.getInt("rno"); String studname = Rset.getString("name"); System.out.println(studid + " " +studname); } } }</pre>	One record will get displayed.	No record will get displayed.	All records will get displayed.	None of the above.
##	The _____ object allows you to execute parametrized queries	putString()	insertString()	setString()	setToString()
##	UDP stands for -----	User Datagram Protocol	Uses Datagram Protocol	user data procedure	user data program
##	Central Computer which is powerful than other computers in the network is called as _____.	client	server	hub	switch
##	which class is used to create servers that listen for either local or client program?	Server Machine	Client Machine	HttpServer	ServerSockets
##	The class java.sql.Timestamp is associated with _____	java.util.time	java.sql.Time	java.util.Date	None of the above
##	Fill in the blank space? <pre>import java.sql; class connectDB { public static void main(String arg[]) { try { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); System.out.println("Driver Loaded"); String url="jdbc:odbc:myDCN"); Connection con=_____.getConnection(url); System.out.println("Connection to database is created"); } catch(SQLException e) { System.out.println("Error"+e); } catch(Exception e) { system.out.println("Error"+e); } } }</pre>	DriverManager	classmanager	statement manager	None of the above
##	Which are the navigation methods of resultset?	beforeFirst()	afterLast()	first()	All of the above
##	_____ method is used to execute the queries that contains the INSERT, DELETE and UPDATE statements.	execute()	executeQuery()	executeUpdate()	getResultSet()
##	Which of the following query is use for select query?	execute()	execute(String sql)	executeUpdate(String sql)	executeQuery(String sql)
##	_____ method of HttpServletResponse interface adds cookies to the HTTP response .	public void addCookie(Cookie cookie)	public void addCookie()	public void getCookie(Cookie cookie)	public void getCookie()
##	HTTP stands for _____?	Hypertext transfer processor	Hypertext Transfer Protocol	High transfer protocol	hyper transfer protocol
##	_____ method from JDBC is the means of establishing a connection between URL and Database.	getConnection()	executeQuery()	createStatement()	executeUpdate()
##	A servlet can write a cookie to a user's machine via the addCookie() method of the _____ interface	ServletRequest	HttpServletRequest	HttpServletResponse	ServletResponse
##	Which driver converts JDBC API calls into DBMS-specific client API calls?	Type 1	Type 2	Type 3	Type 4

		Cookie(String value, String name)	Cookie(int value, String name)	Cookie(String name, String value)	Cookie(int value, int name)
##	Correct syntax of the constructor to create Cookie object is_____:				
##	which driver converts JDBC API calls directly into the DBMS specific network protocol without a middle tier?	Type 1	Type 2	Type 3	Type 4
##	Information that is saved for each cookie includes _____	The name, the value and expiration date of the cookie.	The name and expiration date of the cookie only	The name of Cookie only.	The name and the value of the cookie only
##	which driver converts JDBC API calls middle tier net server that translates the calls into the DBMS specific network protocol ?	Type 1	Type 2	Type 3	Type 4
##	Which driver allows access to multiple databases using one driver?	Type 1	Type 2	Type 3	Type 4
##	Following is the correct syntax for creating Cookies Object c .	Cookie c = new Cookie(MyCookie, data);	Cookie c = new Cookie("MyCookie", data);	cookie c = new cookie("MyCookie", data);	Cookie c = new Cookie(data, "MyCookie");
##	The Elements Of Flow Layouts are arranged in -----fashion	stacked, on the top of the other	laid out using the square of a grid	Organized top to bottom, left to right	organized at the borders and the centre of a container
##	which method returns the current result as Resultset object.	execute()	executeQuery()	getResult()	getResultSet()
##	Which method executes the given SQL statement , which return the single ResultSet object?	execute()	executeQuery()	executeUpdate()	getResultSet()
##	What is the Difference Between Grid And Gridbaglayout?	In Grid layout the size of each grid is varying where as in GridbagLayout grid size is constant.	In Grid layout the size of each grid is constant where as in GridbagLayout grid size can be varied.	The size of each component in both layout is same	All of the above
##	_____ method is called when servlet is initialized.	destroy()	service()	init()	connect()
##	Which driver provides JDBC access via one or more ODBC drivers	Type 1 driver	Type 2 driver	Type 3 driver	Type 4 driver
##	To iterate the resultset you use its _____ method	next()	previous()	beforefirst()	afterLast()
##	A servlet is an instance of _____	HTTPServlet class	Cookie	HttpSessionBindingEvent	HttpUtils
##	Which of the following method is used to Sets the maximum age of the cookie in seconds.	public void setmaxage(int secs)	public void Setmaxage(String secs)	public void setMaxAge(String secs)	public void setMaxAge(int secs)
##	When iterating the ResultSet you want to access the column values of each record. You do so by calling one or more of the many _____ methods.	getXXX()	updateXXX()	setXXX()	None of the above

##	Which method moves the cursor to the first row of the resultset?	first()	last()	next()	previous()
##	Which method is called to process HTTP request?	destroy()	service()	init()	None of these
##	Which of the following method of HttpServletRequest interface is used to return all the cookies from the browser.	Cookie getcookies()	private Cookie[] getCookies()	public Cookie[] getCookies()	public Cookie[] setCookies()
##	Which is correct for the Three Tier Architecture of JDBC? i) It can connect to different databases without changing code ii) Business logic is clearly separated from database.	only i	only ii	both	none
##	What Is A Layout Manager?	A layout manager is an object that is used to organize components in a container.	It is a container object.	It is a component object.	All of the above
##	getUser_name() is used to	retrieve name of the user	access name	Both of the above.	None of the above.
##	what are the components of Three Tier Architecture?	Client-Tier	Middle_Tier	Data Source Layer	All of the above
##	-----method indicates to the browser whether the cookie should only be sent using a secure protocol, such as HTTPS or SSL.	public void setSecure(boolean flag)	public void setsecure(int flag)	private void setSecure(boolean flag)	public boolean setSecure(boolean flag)
##	Which driver is known as Network Protocol, Pure Java Driver?	Type 1	Type 2	Type 3	Type 4
##	Which driver is known as Native Protocol, Pure Java Driver.?	Type 1	Type 2	Type 3	Type 4
##	Which method moves the cursor to the beginning of the resultset that is before first row?	beforeFirst()	afterLast()	first()	last()
##	Following method is used for setting up comments in the cookie.	public void setComment(int purpose)	public void setComment(String purpose)	public void getComment(String purpose)	private void setcomment(String purpose)
##	The server calls _____ method to relinquish any resources, such as files handles that are allocated for servlet.	service()	init()	destroy()	stop()
##	The life cycle of servlet is managed by _____	servlet context	servlet container	servletconfig	All of the above
##	Which of the following method is used to specify the path to which the client should return the cookie.	public void setPath(String path)	public void setpath(String value)	public void setPath(int path)	private void setpath(String path)
##	The include() method of RequestDispatcher _____	Sends a request to another resource	Include the content of resource like servlet.jsp or html	Appends the request and response object to the current servlet	None of the above

##	Find the error in the following code import java.io.*; import javax.servlet.*; public class HelloServlet extends GenericServlet{ public void service(ServletRequest request, ServletResponse response) throws ServletException, IOException{ response.setContentType("text/html"); PrintWriter pw = response.getOutputStream(); pw.println(" Hello"); pw.close();	import javax.servlet.*;	response.setCon tentType("text/h tml")	PrintWrit er pw = response. getOutpu tStream() ;	None of these
##	Which of the following method is used to Set the domain in which this cookie is visible.	public void setDomain(Strin g pattern)	public void setDomain(int pattern)	public void getDomai n(String pattern)	private void setdomain (String pattern)
##	Which package contains the classes and interfaces required to build servlet?	javax.servlet and javax.servlet.http	javax.servlet only	javax.servl et.http only	java.servle t and java.servle t.http
##	Which of the following method returns the cookie protocol version.	int getVersion()	int setversion()	int GetVersio n()	String getVersion ()
##	_____ class provides functionality that makes it easy to handle requests and responses.	Generic Servlet	ServletInputStre am	ServletOut putStream	None of these
##	Which of these classes implement the LayoutManager interface?	RowLayout	ColumnLayout	GridBag Layout	All of the above
##	_____method establishes the MIME type of the HTTP response.	setContentType ()	ContentType()	setType()	none of above
##	_____ is a way to maintain state (data) of an user.	Session Tracking	Cookie tracking	HttpServle tState	Session
##	Which of the following interface declares the lifecycle method for servlet.	Servlet	Servlet Config	ServletCo nText	ServletRes ponse
##	_____encapsulates session events.	HttpSessionEvent	HttpSessionEv ent	HttpSessio nTracking Event	HttpSessio nEventObj ect
##	_____ interface allows servlet to get initialization parameters.	SingleThreadMo del	ServletRequest	ServletCo nfig	ServletCo nText
##	Which of the following method returns the session in which the event occurred?	HttpSession getSession()	httpsession getSession()	HttpSessi on getSession ()	HttpSessio n getSession Event()
##	HTTP is a _____ protocol.	stateless	state oriented	stateful	none of above
##	How will the following program lay out its buttons. Select the one correct answer. import java.awt.*; public class MyClass { public static void main(String args[]) { String[] labels = { "A","B","C","D","E","F"}; Window win = new Frame(); win.setLayout(new GridLayout(1,0,2,3)); for(int i=0;i < labels.length;i++) win.add(new Button(labels[i])); win.pack(); win.setVisible(true); } }	The program will not display any buttons.	The program will display all buttons in a single row.	The program will display all buttons in a single column.	The program will display three rows - A B, C D, and E F.
##	A session can be created via the getSession() method of _____.	HttpServletRespo nse	HttpServletRe quest	HttpServle t	GenericSe rvlet
##	_____method Writes the specified message to a servlet log file, usually an event log.	log(jString msg)	log()	Both A and B	none of above
##	JComboBox constructors are _____	JComboBox()	JComboBox(ve ctor v)	JComboB ox(Vector v,Vector v)	both a & b

##	In some applications, it is necessary to _____ so that information can be collected from several interactions between a browser and a server.	save date and time information	save creation of session	save state information	save objects
##	A session can be created via the _____ method of HttpServletRequest.	getSessionCreate()	setSession()	setsession()	getSession()
##	Which Swing classes can be used with progress bars?	JProgressBar	ProgressMonitor	ProgressMonitorInputStream	all the above
##	How will the following program lay out its buttons. Select the one correct answer. <pre>import java.awt.*; public class MyClass { public static void main(String args[]) { String[] labels = { "A" }; Window win = new Frame(); win.setLayout(new FlowLayout()); for(int i=0; i < labels.length; i++) win.add(new Button(labels[i])); win.pack(); win.setVisible(true); } }</pre>	The button A will appear on the top left corner of the window.	The button A will appear on the middle row and column, in the center of the window.	The button A will appear on the top right corner of the window.	The button A will appear on the top right corner of the window.
##	HttpSession hs = request.getSession(true); Above statement indicates that _____	Get the HttpSession object	Get the Http object.	Set the HttpSession object.	Set the Cookie object.
##	What will be the output of the following code? <pre>1. import java.io.*; 2. import java.util.*; 3. import javax.servlet.*; 4. import javax.servlet.http.*; 5. public class DateServlet extends HttpServlet { 6. public void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { 7. HttpSession hs = request.getSession(true); 8. response.setContentType("text/html"); 9. PrintWriter pw = response.getWriter(); 10. pw.print(""); 11. Date date = (Date)hs.getAttribute("date"); 12. if(date != null) { 13. pw.print("Last access: " + date + " "
"); 14. } 15. date = new Date(); 16. hs.setAttribute("date", date); 17. pw.println("Current date: " + date); 18. } 19. }</pre>	The first line shows the date and time when the servlet was last accessed. The second line shows the current date and time.	shows the date and time when the servlet was last accessed.	shows the date and time when the servlet was last accessed	The first line shows the date and time when the servlet is first accessed. The second line shows the previous date and time.
##	The _____ method is overridden to process any HTTP POST requests that are sent to servlet.	doGet()	doPost()	doPut()	doHead()
##	The _____ method is overridden to process any HTTP GET requests that are sent to this servlet.	doPost()	doPut()	doGet()	doHead()
##	The doGet() method is overridden to process any _____ requests that are sent to this servlet.	HTTP POST	HTTP SET	HTTP TRACE	HTTP GET
##	The doPost() method is overridden to process any _____ requests that are sent to this servlet.	HTTP POST	HTTP SET	HTTP TRACE	HTTP GET
##	Suppose a JFrame uses the GridLayout(2,0). If six buttons are added to the frame, how many columns are displayed?	1	2	3	4
##	How many frames are created? <pre>import java.awt.*; import javax.swing.*; public class FrameTest { public static void main(String args[]) { JFrame fr=new JFrame("My frame"); JFrame fr1=fr; JFrame fr2=fr1; fr.setVisible(true); fr1.setVisible(true); fr2.setVisible(true); } }</pre>	1	2	3	0
##	_____ provide client request information to a servlet.	ServletResponse	ServletRequest	both a and b	None of these
##	The SingleThreadModel indicates that the _____ is thread safe.	process	Thread	Servlet	GenericServlet

##	GenericServlet class implements _____ and _____ interfaces.	ServletRequest and ServletResponse	ServletResponse and Servlet	Servlet and ServletConfig	None of these
##	_____ class provides stream to read binary data from the request.	ServletException	GenericServlet	ServletOutputStream	ServletInputStream
##	_____ class indicates that a servlet error occurred.	ServletException	IOException	ServletNotFound	None of these
##	_____ indicates that a servlet is permanently or temporarily unavailable.	ServletUnavailableException	IllegalException	ServletException	UnavailableException
##	The default alignment of buttons in Flow Layout is	LEFT	CENTER	RIGHT	JUSTIFY
##	The default horizontal and vertical gap in FlowLayout is	0 Pixel	1 Pixel	5 Pixel	10 Pixel
##	The default horizontal and vertical gap in BorderLayout is	0 Pixel	1 Pixel	5 Pixels	10 Pixels
##	Which of the following interface allows a servlet to get initialization parameters.	ServletConfig	ServletContext	ServletRequest	ServletResponse
##	getServletContext() returns the _____ for this servlet.	value	context	enumeration	None of these
##	Which of the following method returns the value of the initialization parameter named param	ServletContext.getServletContext()	String getInitParameter(String param)	Enumeration getInitParameterNames()	String getServerInfo()
##	The ServletContext interface is implemented by the _____	client	server	cookie	session
##	Which of the following interface enables the servlet to obtain information about their environment?	ServletContext	ServletConfig	ServletRequest	ServletResponse
##	_____ methods are dangerous to use because they can corrupt the server's state machine.	getServlet()	getServletNames()	both a and b	None of these
##	_____ returns the port number to which the request was sent.	String getScheme()	String getServerName()	int getServerPort()	String getRemoteHost()
##	_____ returns the host name of the server to which the request was sent.	String getScheme()	String getServerName()	int getServerPort()	String getRemoteHost()
##	_____ method returns the name of the scheme used to make this request, for example, http, https, or ftp.	getScheme()	setScheme()	putScheme()	none of the above
##	_____ Returns the fully qualified name of the client or the last proxy that sent the request.	String getRemoteHost()	String getRemoteAddr()	String getProtocol()	None of these
##	Which of the following package is missing for the below program? import java.io.*; import javax.servlet.*; public class PostParameterServlet extends GenericServlet { public void service(ServletRequest request, ServletResponse response) throws ServletException, IOException { PrintWriter pw = response.getWriter(); Enumeration e = request.getParameterNames(); while(e.hasMoreElements()) { String pname = (String) e.nextElement(); pw.print(pname + " = "); String pvalue = request.getParameter(pname); pw.println(pvalue); } pw.close(); } }	import java.util.*;	import javax.servlet.http.*;	import java.awt.*;	None of these
##	Write the missing statement in the below code import javax.servlet.*; public class WelcomeServlet extends GenericServlet { public void service(ServletRequest request, ServletResponse response) throws ServletException, IOException { response.setContentType("text/html"); PrintWriter pw = response.getWriter(); pw.println(" Hello"); } }	pw.close()	pw.stop()	pw.destroy()	none of these

##	Identify the missing statement at line no. 6. 1. import java.io.*; 2. import javax.servlet.*; 3. public class First extends GenericServlet{ 4. public void service(ServletRequest req,ServletResponse res) throws IOException, ServletException{ 5. res.setContentType("text/html"); 6. ? 7. out.print("<html><body>"); 8. out.print("hello generic servlet"); 9. out.print("</body></html>"); 10. } 11. }	PrintWriter out=res.getWriter();	PrintWriter in = res.getWriter()	PrintWriter out=res.getWriter();	PrintWriter in = res.getWriter();
##	Which method is used to specify before any lines that uses the PrintWriter?	SetPageType()	SetType()	setContentType()	setResponseType()
##	Which method of servlet is/are called several times in its life?	destroy()	service()	init()	none of above
##	In a web application, running in a web server, servlet is responsible for creating_____object.	request and response	request only	response only	none of above
##	Servlets execute _____of a web server	within the address space	out of the address space	any address space	none of the above
##	The UnavailableException Class is subclass of _____	IllegalArgumentException	ClassNotFoundException	ServletException	All Of The Above
##	Which of the following method writes and stacks the trace for e to the server log?	void log(Throwable e)	void log(String s)	void log()	void log(String s, Throwable e)
##	Which of the following method returns an enumeration with the name of servlets in the same namespace in the server?	String getInitParameter(String param)	Enumeration getInitParameterNames()	Enumeration getServletNames()	None of these
##	_____ returns the real path that corresponds to the virtual path 'vpath'.	String getServerInfo()	String getMimeType(String File)	String getRealPath(String vpath)	int getContentLength()
##	The _____ interface is used to indicate that only a single thread should execute the service() method of a servlet.	SingleThreadModel	UnithreadModel	ThreadModel	None of These
##	The SingleThreadModel interface defines no constants and declares no methods.	TRUE	FALSE		
##	The servlet programmer should implement_____ interface to ensure that servlet can handle only one request at a time.	ServletResponse	ServletRequest	SingleThreadModel	None of these
##	Which of the following class provides implementations of the basic life cycle methods for a servlet.	ServletInputStream	GenericServlet	ServletException	ServletOutputStream
##	void log(String s) method belongs to which of the following classes.	GenericServlet Class	Servlet OutputStream Class	Servlet InputStream Class	None of These
##	Every servlet has it's own _____object and servlet container is responsible for instantiating this object.	ServletConfig	servletContext	Both A and B	none of the above
##	The ServletContext is _____ object and available to all the servlets in the web application.	unique	seperate	different	optional
##	Which of the following is the unique object per servlet?	ServletConfig	ServletContext	ServletRequest	None of these
##	_____ is an unique object for complete application.	ServletConfig	ServletContext	ServletRequest	None of these
##	We cannot set attributes in _____ interface that other servlets can use in their implementations.	ServletConfig	ServletContext	ServletRequest	None of these
##	_____interface is used for inter-servlet communication	RequestDispatcher	ServletRequest	ServletResponse	none of above

##	Which of the following interface is used to forward the request to another resource that can be HTML, JSP or another servlet in same application?	Request Dispatcher Interface	SingleThreadModel Interface	ServletResponse Interface	None of These
##	Which of the following method forwards the request from a servlet to another resource (servlet, JSP file, or HTML file) on the server?	void include(ServletRequest request, ServletResponse response)	void forward(ServletRequest request, ServletResponse response)	void include(ServletRequest request)	void forward(ServletRequest request)
##	_____ is protocol independent implementation of Servlet	ServletInputStream	ServletOutputStream	GenericServlet	None of These
##	Which of the following interface guarantees that no two threads will execute concurrently in the servlet's service method ?	ServletResponse	ServletRequest	SingleThreadModel	ServletConfig
##	_____ is the super class of all servlets.	GenericServlet	HttpServlet	Servlet	none of above
##	How many ServletContext objects are available for an entire web application?	One each per servlet	One each per request	One each per response	Only one
##	Servlet creates _____ thread for each request of client.	single	two	multiple	None of These
##	Servlet runs each request in a _____ ?	OS shell	JVM	Separate thread	JRE
##	GenericServlet class is encapsulated inside _____ package	java.lang	javax.servlet	java.servlet	javax.servlet.http
##	_____ is responsible for managing execution of servlet	Web Container	Servlet Context	JVM	Server
##	Consider the following program which class should be extended? import java.io.*; import javax.servlet.*; public class First extends *****{ public void service(ServletRequest req,ServletResponse res) throws IOException,ServletException{ res.setContentType("text/html"); PrintWriter out=res.getWriter(); out.print("<html><body>"); out.print("hello generic servlet"); out.print("</body></html>"); } }	HttpServlet	GenericServlet	Servlet	None of These
##	ItemEvent constructor- ItemEvent(ItemSelectable src, int type, Object entry, int state) Here entry means.....	The specific item that generated the item event is passed	The type of object	a reference to the component that generated event	The current state of that item.
##	The getItem() method can be used...	to obtain a reference to the all item	to obtain a reference to the item that changed.	get reference to the component.	get reference to the frame
##	The example of user interface elements that implement the ItemSelectable interface-	Choices and TextBox	TextBox and Lists	Lists and choices	Lists and canvas
##	The getStateChange () method returns the state change.	The mouse pressed or released	Selected or Deselected	A page-up or page-down	The window gained input focus.

##	. Debug the following program <pre>import java.awt.*; import javax.swing.*; /* <applet code="JTableDemo" width=400 height=200> </applet> */ public class JTableDemo extends JApplet { public void init() { Container contentPane = getContentPane(); contentPane.setLayout(new BorderLayout()); final String[] colHeads = { "emp_Name", "emp_id", "emp_salary" }; final Object[][] data = { { "Ramesh", "111", "50000" }, { "Sagar", "222", "52000" }, { "Virag", "333", "40000" }, { "Amit", "444", "62000" }, { "Anil", "555", "60000" }, }; JTable table = new JTable(data); int v = ScrollPaneConstants.VERTICAL_SCROLLBAR_AS_NEEDED; int h = ScrollPaneConstants.HORIZONTAL_SCROLLBAR_AS_NEEDED; JScrollPane jsp = new JScrollPane(table, v, h); contentPane.add(jsp, BorderLayout.CENTER); } }</pre>	Error in statement in which applet tag is declared	Error in statement in which JScrollPane is created	Error in statement in which JTable is created	None of the above
##	Cookie ck=new Cookie("auth",null); ck.setMaxAge(0); A _____ value in the above method means that the cookie is not stored persistently and will be deleted when the Web browser exits.	Negative, Positive	Positive	Zero	Negative
##	A cookie's value can uniquely identify a client, so cookies are commonly used for _____.	Cookie Management	Session Management	Http Management	Servlet
##	_____ is removed each time when user closes the browser.	Non-persistent cookie	Persistent cookie	session	httpServlet
##	_____ valid for single session only.	Persistent cookie	Non-persistent cookie	session	httpServlet
##	_____ is not removed each time when user closes the browser. It is removed only if user logout or sign out.	Non-persistent cookie	Persistent cookie	session	httpServlet
##	_____ is valid for multiple session	Persistent cookie	Non-persistent cookie	session	httpServlet
##	Chose the correct output following code <pre>import javax.swing.*; class TextFieldExample { public static void main(String args[]) { JFrame f= new JFrame("TextField Example"); JTextField t1,t2; t1=new JTextField("Welcome to Javatpoint."); t1.setBounds(50,100, 200,30); t2=new JTextField("AWT Tutorial"); t2.setBounds(50,150, 200,30); f.add(t1); f.add(t2); f.setSize(400,400); f.setLayout(null); f.setVisible(true); } }</pre>				
##	Identify the methods which belong to Cookies.	public void setMaxAge(int expiry)	public String getName()	public String getValue()	All of above
##	Which of the following methods are related to Cookies?	public void setName(String name)	public void setValue(String value)	public Cookie[] getCookie(s)	All of above
##	Find which of the following options contains error : <pre>import java.applet.*; import java.awt.*; import javax.swing.*; Public class fonts extends JApplet { Public void paint(Graphics g) { String str = " "; String FontList[]; GraphicsEnvironment ge= GraphicsEnvironment.getLocalGraphicsEnvironment(); FontList=ge.getAvailableFontFamilyNames(); For(int i=0;i<fontlist.length;i++) Str+=FontList[i]+ " "; g.drawString(str,10,16); } }</pre>	str+=FontList[i]+ "";	String FontList[];	For(int i=0;i<fontlist.length;i++)	none of the above

Choose the correct output to display the following Code. import javax.swing.*; import java.awt.event.*; public class TextFieldExample implements ActionListener{ JTextField tf1,tf2,tf3; JButton b1,b2; TextFieldExample(){ JFrame f= new JFrame(); tf1=new JTextField(); tf1.setBounds(50,50,150,20); tf2=new JTextField(); tf2.setBounds(50,100,150,20); tf3=new JTextField(); tf3.setBounds(50,150,150,20); tf3.setEditable(false); b1=new JButton("+"); b1.setBounds(50,200,50,50); b2=new JButton("-"); b2.setBounds(120,200,50,50); b1.addActionListener(this); b2.addActionListener(this); f.add(tf1);f.add(tf2);f.add(tf3);f.add(b1);f.add(b2); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } public void actionPerformed(ActionEvent e) { String s1=tf1.getText(); String s2=tf2.getText(); int a=Integer.parseInt(s1); int b=Integer.parseInt(s2); int c=0; if(e.getSource()==b1){ c=a+b; }else if(e.getSource()==b2){ c=a-b; } String result=String.valueOf(c); tf3.setText(result); } public static void main(String[] args) { new TextFieldExample(); } }				
## import java.net.*; In above statement net is -----	package	class	interface	method
## Identify the correct sequence of creating cookies.	1) Create a Cookie object. 2) Set the maximum Age. 3) Place the Cookie in HTTP response header.	1) Set the maximum Age. 2) Place the Cookie in HTTP response header. 3) Create a Cookie object.	1) Place the cookie in HTTP response header. 2) Set the maximum Age. 3) Create a Cookie object."	1) Set the maximum Age. 2) Create a Cookie object. 3)Place the Cookie in HTTP response header.
Choose the correct output to display the following code import javax.swing.*; public class TextAreaExample { TextAreaExample(){ JFrame f= new JFrame(); JTextArea area=new JTextArea("Welcome to javatpoint"); area.setBounds(10,30, 200,200); f.add(area); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } public static void main(String args[]) { ## new TextAreaExample(); } }	Output	Output	Output	None of the above
## ----- is a protocol	netnews	Sting	hit	none of above
## -----is protocol	netnews	finger	e-mail	all of the above
## _____ interface enables a servlet to obtain information about a client request.	HttpServletRequest	HttpServletRequest	HttpServletRequest	Http Request
## which of the following are the methods in belong to HttpServletRequest interface.	String getAuthType()	Cookie[] getCookies()	Both A and B	Neither A nor B

##	choose the output for following code: package jprogressbardemo; import java.awt.*; import javax.swing.*; public class Main { public static void main(String[] args) { final int MAX = 100; final JFrame frame = new JFrame("JProgress Demo"); // creates progress bar final JProgressBar pb = new JProgressBar(); pb.setMinimum(0); pb.setMaximum(MAX); pb.setStringPainted(true); // add progress bar frame.setLayout(new FlowLayout()); frame.getContentPane().add(pb); frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE); frame.setSize(300, 200); frame.setVisible(true); // update progressbar for (int i = 0; i <= MAX; i++) { final int currentValue = i; try { SwingUtilities.invokeLater(new Runnable() { public void run() { pb.setValue(currentValue); } }); java.lang.Thread.sleep(100); } catch (InterruptedException e) { JOptionPane.showMessageDialog(frame, e.getMessage()); } } }			both a & b	none of the above
##	Which of the following methods belong to HttpServletResponse interface.	void sendRedirect(String url) throws IOException	void sendError(int c, String s) throws IOException	Both A and B	Neither A nor B
##	Which of the following methods belong to in HttpSession interface.	String getId()	void invalidate()	long getLastAccessedTime()	All of the above
##	What components will be needed to get following output?	JLabel, JTabbedPane, JCheckBox	JTabbedPane, JList, JApplet	JPanel, JTabbed Pane, JList	JApplet, JTabbedPane, JPanel
##	_____ enables a servlet to read and write the state information that is associated with an HTTP session.	HttpRequest	HttpSession	HttpServletRequest	HttpServletResponse
##	Choose the correct output to display the following Code. import javax.swing.*; import java.awt.event.*; public class TextAreaExample implements ActionListener{ JLabel l1,l2; JTextArea area; JButton b; TextAreaExample() { JFrame f= new JFrame(); l1=new JLabel(); l1.setBounds(50,25,100,30); l2=new JLabel(); l2.setBounds(160,25,100,30); area=new JTextArea(); area.setBounds(20,75,250,200); b=new JButton("Count Words"); b.setBounds(100,300,120,30); b.addActionListener(this); f.add(l1);f.add(l2);f.add(area);f.add(b); f.setSize(450,450); f.setLayout(null); f.setVisible(true); } public void actionPerformed(ActionEvent e){ String text=area.getText(); String words[]=text.split(" "); l1.setText("Words: "+words.length); l2.setText("Characters: "+text.length()); } public static void main(String[] args) { new TextAreaExample(); } }			Both A & B	None of the above
##	Choose the correct output to display the following code. import javax.swing.*; public class PasswordFieldExample { public static void main(String[] args) { JFrame f=new JFrame("Password Field Example"); JPasswordField value = new JPasswordField(); JLabel l1=new JLabel("Password:"); l1.setBounds(20,100, 80,30); value.setBounds(100,100,100,30); f.add(value); f.add(l1); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } }				

choose the correct output for for following code: import java.awt.*; import java.awt.event.*; import javax.swing.*; /* <applet code="JComboBoxDemo" width=300 height=100> </applet> */ public class JComboBoxDemo extends JApplet implements ItemListener { JLabel jl; ImageIcon france, germany, italy, japan; public void init() { // Get content pane Container contentPane = getContentPane(); contentPane.setLayout(new FlowLayout()); // Create a combo box and add it // to the panel JComboBox jc = new JComboBox(); jc.addItem("France"); jc.addItem("Germany"); jc.addItem("Italy"); jc.addItem("Japan"); jc.addItemListener(this); contentPane.add(jc); // Create label jl = new JLabel(new ImageIcon("france.gif")); contentPane.add(jl); } public void itemStateChanged(ItemEvent ie) { String s = (String)ie.getItem(); jl.setIcon(new ImageIcon(s + ".gif")); } }					none of the above
## import java.net.ServerSocket; In above statement ServerSocket is -----	package	class	interface	method	
choose output for following code: import javax.swing.*; import java.lang.*; public class ToolTipExample { public static void main(String[] args) { //Creating PasswordField and label JPasswordField value = new JPasswordField(); value.setBounds(100,100,100,30); value.setToolTipText("Enter your Password"); JLabel l1=new JLabel("Password:"); l1.setBounds(20,100, 80,30); //Adding components to frame f.add(value); f.add(l1); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } }	Error in the program				none of the above
Find the missing statement from the following code: import javax.swing.*; import java.lang.*; public class ToolTipExample { public static void main(String[] args) { _____ //Creating PasswordField and label JPasswordField value = new JPasswordField(); value.setBounds(100,100,100,30); value.setToolTipText("Enter your Password"); JLabel l1=new JLabel("Password:"); l1.setBounds(20,100, 80,30); //Adding components to frame f.add(value); f.add(l1); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } }	JPanel p=new JPanel("Password Field Example");	JFrame f=new JFrame("Password Field Example");	JContentPane c=new JContentPane("PasswordField Example");		none of the above
## Which of these is a full form of DNS?	Data Network Service	Data Name Service	Domain Network Service	Domain Name Service	
## The HttpSession interface is implemented by the _____.	session	cookies	client	server	
## A cookie is stored on a _____ and contains state information.	Session	Cookies	client	server	
## UDP support -----	a simpler communication	a faster communication	point to point data gram oriental model	All of the above	
## Panel is a pure container and is not a window in itself. The sole purpose of a Panel is to organize the components on to a window.	TRUE	FALSE			
## Swing is a -----, whose components are all ultimately derived from the javax.swing.JComponent class.	Model-Based	component-based framework	Relational Based	None of the above	
## java.net package's interfaces are _____	URLConnection	ContentHandlerFactory	Datagram Socket	All of the above	

Choose correct output for following code: import javax.swing.*; import java.awt.event.*; public class PasswordFieldExample { public static void main(String[] args) { JFrame f=new JFrame("Password Field Example"); final JLabel label = new JLabel(); label.setBounds(20,150, 200,50); final JPasswordField value = new JPasswordField(); value.setBounds(100,75,100,30); JLabel l1=new JLabel("Username:"); l1.setBounds(20,20, 80,30); JLabel l2=new JLabel("Password:"); l2.setBounds(20,75, 80,30); JButton b = new JButton("Login"); b.setBounds(100,120, 80,30); final JTextField text = new JTextField(); text.setBounds(100,20, 100,30); f.add(value); f.add(l1); f.add(label); f.add(l2); f.add(b); f.add(text); } f.setSize(300,300); f.setLayout(null); f.setVisible(true); b.addActionListener(new ActionListener() { public void actionPerformed(ActionEvent e) { String data = "Username " + text.getText(); data += ", Password: " + new String(value.getPassword()); label.setText(data); } }); }	Error in the program				
## Constructor of JCheckBoxMenuItem is	JCheckBoxMenuItem()	JCheckBoxMenuItem(Action a)	JCheckBoxMenuItem(String text, boolean b)	All of the above	
## Constructor of JTable is	JTable()	JTable(Object[] [] rows, Object[] columns)	Both A & B	None of the above	
Choose correct output for following code: import javax.swing.*; class MenuExample { JMenu menu, submenu; JMenuItem i1, i2, i3, i4, i5; MenuExample(){ JFrame f= new JFrame("Menu and MenuItem Example"); JMenuBar mb=new JMenuBar(); menu=new JMenu("Menu"); submenu=new JMenu("Sub Menu"); i1=new JMenuItem("Item 1"); i2=new JMenuItem("Item 2"); i3=new JMenuItem("Item 3"); i4=new JMenuItem("Item 4"); i5=new JMenuItem("Item 5"); menu.add(i1); menu.add(i2); menu.add(i3); submenu.add(i4); submenu.add(i5); menu.add(submenu); mb.add(menu); f.setJMenuBar(mb); f.setSize(400,400); f.setLayout(null); f.setVisible(true); } public static void main(String args[]) { new MenuExample(); }					

		<pre>import javax.swing.*; import javax.swing.tree. DefaultMutableT reeNode; public class TreeExample { TreeExample(){ f=new JFrame(); DefaultMutableT reeNode style=new DefaultMutableT reeNode("Style"); DefaultMutableT reeNode color=new DefaultMutableT reeNode("color"); DefaultMutableT reeNode font=new DefaultMutableT reeNode("font"); style.add(color); style.add(font); DefaultMutableT reeNode red=new</pre>	<pre>import javax.swing.*; import javax.swing.tree. DefaultMutableT reeNode; public class TreeExample { JFrame f; TreeExample(){ f=new JFrame(); DefaultMutableT reeNode style=new DefaultMutableT reeNode("Styl e"); DefaultMutableT reeNode color=new DefaultMutableT reeNode("colo r"); DefaultMutableT reeNode font=new DefaultMutableT reeNode("font</pre>	<pre>import javax.swing.*; import javax.swing. tree.Def aultMutabl eTreeNode; public class TreeExam ple { JFrame f; TreeExam ple(){ f=new JFrame(); DefaultM utableTree Node style=new DefaultM utableTree Node("Styl e"); DefaultM utableTree Node color=new</pre>	<pre>import javax.swing.*; import javax.swing. tree.Def aultMutabl eTreeNode; public class TreeExam ple { JFrame f; TreeExam ple(){ f=new JFrame(); DefaultM utableTree Node style=new DefaultM utableTree Node("Styl e"); DefaultM utableTree Node color=new</pre>
##	Select Correct Code for Given Output:				
	Choose correct output for following code: import javax.swing.*; public class RadioButtonExample { JFrame f; RadioButtonExample(){ f=new JFrame(); JRadioButton r1=new JRadioButton("A) Male"); JRadioButton r2=new JRadioButton("B) Female"); r1.setBounds(75,50,100,30); r2.setBounds(75,100,100,30); ButtonGroup bg=new ButtonGroup(); bg.add(r1);bg.add(r2); f.add(r1);f.add(r2); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } public static void main(String[] args) { new RadioButtonExample(); }}				all the above
##	What is the difference between scrollbar and scrollpane	A Scrollpane is a Component, but not a Container whereas Scrollbar is a Container and handles its own events and perform its own scrolling.	A Scrollbar is a Component, but not a Container whereas Scrollpane is a Container and handles its own events and perform its own scrolling	A Scrollbar handles not its own events and perform its own scrolling. whereas Scrollpane handles not its own events and perform its own scrolling	all the above

##	What does x mean in javax.swing	x mean in javax.swing is Extension of java	x mean in javax.swing is Extreme of java	x mean in javax.swing is Ex. of java	x mean in javax.swing is Extra of java
##	A layout manager is basically an object, Its mainly used to organize	components in a container	Objects in a container	components in a window	Objects in a panel
##	Find missing statement to get the output shown import javax.swing.*; import java.awt.*; import java.awt.event.*; public class LabelExample extends JFrame implements ActionListener { JTextField tf; JLabel l; JButton b; LabelExample() { tf=new JTextField(); tf.setBounds(50,50, 150,20); l=new JLabel(); l.setBounds(50,100, 250,20); b=new JButton("Find IP"); b.setBounds(50,150,95,30); b.addActionListener(this); add(b);add(tf);add(l); setSize(400,400); setLayout(null); setVisible(true); } public void actionPerformed(ActionEvent e) { try { String host=tf.getText(); _____l.setText("IP of "+host+" is: "+ip); } catch (Exception ex){System.out.println(ex);} } public static void main(String[] args) { new LabelExample(); } }	String ip=java.net.InetAddress.getHostAddress();	String ip=java.net.InetAddress.getBy Name(host).get HostAddress();	String ip=java.net.InetAddress.getBy Name(host).get HostAddress();	None of the above
##	Choose correct output for following code: import javax.swing.*; import java.awt.*; import java.awt.event.*; public class DialogExample { private static JDialog d; DialogExample() { JFrame f= new JFrame(); d = new JDialog(f, "Dialog Example", true); d.setLayout(new FlowLayout()); JButton b = new JButton ("OK"); b.addActionListener (new ActionListener() { public void actionPerformed(ActionEvent e) { DialogExample.d.setVisible(false); } }); d.add(new JLabel ("Click button to continue.")); d.add(b); d.setSize(300,300); d.setVisible(true); } public static void main(String args[]) { new DialogExample(); } }				none of the above
##	TreeNode and MutableTreeNode is _____	Both are classes	class and interface	Both are interfaces	interface and class
##	Find Correct Output for given Code : import javax.swing.*; public class ToolTipExample { public static void main(String[] args) { JFrame f=new JFrame("Password Field Example"); JPasswordField value = new JPasswordField(); value.setBounds(100,100,100,30); value.setToolTipText("Enter your Password"); JLabel l1=new JLabel("Password:"); l1.setBounds(20,100, 80,30); f.add(value); f.add(l1); f.setSize(300,300); f.setLayout(null); f.setVisible(true); } }	Error			
##	Which method is used to change size and position of Components?	void set(int x,int y,int width,int height)	void setBounds(int width,int height,int x)	void setbounds(int x,int y,int width,int height)	void setBounds(int x,int y,int width,int height)
##	JRadioButton is a subclass of _____ class.	AbstractButton	ButtonGroup	JButton	ImageIcon
##	To implement swings which package is to be imported from the following options :	javax.JSwing	java.swing	java.javas	javax.swing
##	import java.awt.*; import java.applet.*; public class ListExapp extends Applet { /* <applet code="ListExapp" width=300 height=300></applet> */ { public void init() { List c=new List(6); c.add("C"); c.add("C++"); c.add("Java"); c.add("PHP"); c.add("Android"); add(c); } } What is the ouput of above code ?				
##	The default layout manager for the content pane of a swing based applet is _____	GridBoxLayout	CardLayout	FlowLayout	Border-Layout

##	Which of the following GridBagLayout variable defines the external padding (border) around the component in its display area?	gridwidth, gridheight	gridx, gridy	ipadx, ipady	insets
##	Which of the following GridBagLayout variables defines the padding that gets added to each side of the component?	gridwidth, gridheight	gridx, gridy	ipadx, ipady	insets
##	Which of the following GridBagLayout variables specifies the number of cells occupied by the component horizontally and vertically in the grid?	gridwidth, gridheight	gridx, gridy	ipadx, ipady	insets
##	Which component displays information in hierarchical manner with parent-child relationship?	AWT	Frame	Swing	Window
##	What is the name of the Swing class that is used for frames?	SwingFrame	Window	Frame	JFrame
##	Swing is the set of _____ that provides more powerful & flexible components as compare to Abstract Window Toolkit (AWT).	constructors	methods	classes	destructors
##	Which method is used to close a swing frame	WINDOW_CLOSE	WindowEvent(Window src, int type, Window other)	windowClosing(WindowEvent we)	setDefaultCloseOperation()
##	Select the correct code for following output	<pre>import java.awt.*; import java.applet.*; public class ListExapp extends Applet /* <applet code="ListExapp" width=300 height=300></applet>*/ { public void init() { Button b1=new Button("ok"); Button b2=new Button("Cancel"); Checkbox c1=new Checkbox("Client side"); Checkbox c2=new Checkbox("Server Side"); List c=new List(5); c.add("C++"); c.add("Java");</pre>	<pre>import java.awt.*; import java.applet.*; public class ListExapp extends Applet /* <applet code="ListExapp" width=300 height=300></applet>*/ { public void init() { Button b1=new Button("ok"); Button b2=new Button("Cancel"); Checkbox c1=new Checkbox("Client side"); Checkbox c2=new Checkbox("Server Side"); List c=new List(5); c.add("C++"); c.add("C++");</pre>	<pre>import java.awt.*; import java.applet.*; public class ListExapp extends Applet /* <applet code="ListExapp" width=300 height=300></applet>*/ { public void init() { Button b1=new Button("ok"); Button b2=new Button("Cancel"); Checkbox c1=new Checkbox</pre>	<pre>import java.awt.*; import java.applet.*; public class ListExapp extends Applet /* <applet code="ListExapp" width=300 height=300></applet>*/ { public void init() { Button b1=new Button("ok"); Button b2=new Button("Cancel"); Checkbox c1=new Checkbox</pre>
##	Which of the following is not a swing class?	JComboBox	JFrame	JComponent	canvas
##	_____ is a Swing class that allows the user to enter a multipleline of text	JLabel	JTextField	JTextArea	JComboBox
##	_____ is not a Swing Component	CheckboxGroup	CheckBox	JComboBox	all the above
##	which AWT components are added in given output ?	Button,TextField	Label,TextField	Button,Label,TextArea	TextField, Button,TextArea

##	The Jtable of swings is used to display data in form of_____	JTable object displays rows and columns of data.	JTable object displays rows ONLY.	JTable object displays columns ONLY	none of the above
##	Which of the following view file types are supported in MVC?	.cshtml	.vbhtml	.aspx	All of the above
##	Observe the following code <pre>import java.awt.*; import java.applet.*; public class LayoutDemo5 extends Applet { public void init() { int i,j,k,n=4; setLayout(new BorderLayout()); Panel p1=new Panel(); Panel p2=new Panel(); p1.setLayout(new FlowLayout()); p1.add(new TextField(20)); p1.add(new Button("OK")); p2.add(new Button("Submit")); add(p1,BorderLayout.EAST); add(p2,BorderLayout.WEST); } } /*<applet code=LayoutDemo5.class width=300 height=400> </applet>*/</pre> What will be the output of the above program?	The output is obtained in Frame with two layouts: Frame layout and Flow Layout.	The output is obtained in Applet with two layouts: Frame layout and Flow Layout.	The output is obtained in Applet with two layouts: Frame layout and Border Layout.	The output is obtained in Applet with two layouts: Border layout and Flow Layout
##	Term in MVC architecture that receives events is called as_____	Receiver	Controller	Transmitter	Modulator
##	Which is the best approach to assign a session in MVC?	System.Web.HttpContext.Current.Session["LoginID"] =7;	Current.Session["LoginID"] =7;	Session["LoginID"] =7;	None
##	_____Constructs a new scroll bar with the specified orientation.	Scrollbar()	Scrollbar(int)	Scrollbar(int , int , int , int)	All of above
##	The class JList is a component which displays _____and allows the user to select one or more items.	List of lists	list of objects	MVC Model	Item List
##	<pre>import java.awt.*; public class microGUI { public static void main (String[] args) { Frame frm = new _____(); frm._____ (150, 100); frm._____ (true); } }</pre> Fill in the blanks with correct sequence of methods.	Form, setVisible, setOn	Frame, setSize, setVisible	Frame, setVisible, setSize	Window, setSize, paint
##	Which is the correct constructor of GridLayout	GridLayout(int numrows)	GridLayout(int numrows, int numcols,intx)	GridLayout(int numrows, int numcols,intx,inty)	GridLayout(int numrows, int numcols)
##	<pre>class helloFrame _____ Frame { public void _____ (Graphics g) { g._____ ("Hello", 10, 50); } } public class Tester { public static void main (String[] args) { helloFrame frm = new helloFrame(); frm.setSize(150, 100); frm.setVisible(true); } }</pre> fill in the blanks with correct option.	import, drawString, paint	extends, paint, drawString	extends, draw, paint	include, drawString, paint
##	Panel is a concrete subclass of _____.	Window	Container.	Panel	Frame
##	From Following list which is not a swing class?	ImageIcon	JIcon	JButton	JPane
##	<pre>import java.awt.*; import java.applet.*; public class buttonDemo extends Applet /* <applet code="buttonDemo" width=300 height=300> </applet>*/ { public void init() { Button a1=new Button("ok"); Button a2=new Button("Cancel"); Button a3=new Button("Submit"); a2.setLabel("Welcome"); a3.setEnabled(false); add(a1); add(a2); add(a3); } }</pre> What will be the output ?				
##	A _____ array of strings is created for specifying the column headings in JTable.	two-dimensional	one-dimensional	multi dimensional	none of these

##	JProgressBar() of swings creates _____	Vertical Progress Bar Only	Horizontal Progress Bar with Progress String.	Horizontal and Vertical Progress Bar without progress string.	Horizontal Progress Bar without progress string.
##	Which is correct statement from given option for using a table in an applet:	Create JScrollPane object	Add the table to the scroll pane.	Create jTable object	All of the above
##	Java Swings is used to create _____ applications.	mobile enabled	web based	window based	package based
##	To add tab to the panel which method is used?	addTab()	addJPanel()	addPanel()	addJTab()
##	How to change the current layout managers for a container?	ChangeLayout() method	setLayout() method	setLayout() method	getLayout() method
##	Select the correct code for given output?	<pre>import java.awt.*; import java.applet.*; public class buttonDemo1 extends Applet /* <applet code="buttonDemo1" width=300 height=300></applet>*/ { public void init() { Button a1=new Button("ok"); Button a2=new Button("Cancel"); Button a3=new Button("Submit"); add(a1); add(a2); add(a3); } }</pre>	<pre>import java.awt.*; import java.applet.*; public class buttonDemo1 extends Applet /* <applet code="buttonDemo1" width=300 height=300></applet>*/ { public void init() { Button a1=new Button("ok"); Button a2=new Button("Cancel"); Button a3=new Button("Submit"); a2.setEnabled(false); add(a1); add(a2); add(a3); } }</pre>	<pre>import java.awt.*; import java.applet.*; public class buttonDemo1 extends Applet /* <applet code="buttonDemo1" width=300 height=300></applet>*/ { public void init() { Button a1=new Button("ok"); Button a2=new Button("Cancel"); Button a3=new Button("Submit"); a2.setEnabled(false); add(a1); add(a2); add(a3); } }</pre>	<pre>import java.awt.*; import java.applet.*; public class buttonDemo1 extends Applet /* <applet code="buttonDemo1" width=300 height=300></applet>*/ { public void init() { Button a1=new Button("ok"); Button a2=new Button("Cancel"); Button a3=new Button("Submit"); a2.setEnabled(false); add(a1); add(a2); add(a3); } }</pre>
##	JComboBox control initially displays _____ entry	One	Two	Empty	NULL
##	What does the File dialog constructor Dialog(Frame parent,String title,int mode) does ?	Creates a file dialog window with the specified title ONLY.	Creates a file dialog window with the specified title for loading or saving a file.	Creates a file dialog window with the specified title for loading ONLY.	Creates a file dialog window with the specified title for saving a file ONLY.
##	The title of the dialog box is stored in _____	dialog variable	Window variable	Title variable	Frame Variable

##	Dialog box is closed then which method is called?	Exit()	dialog_close()	close()	dispose()
##	AbstractButton is the template class for _____	Push Buttons	Radio Buttons	Check boxes	All of the above.
##	What is use of 5th parameter in given constructor Scrollbar(int,int,int,int,int)	orientation	visible	maximum	minimum
##	In given constructor what 3rd parameter indicates Scrollbar s=new Scrollbar(0,10,20,0,1000)	orientation	visible	thumbsize	none of these
##	What is purpose of default constructor of Scrollbar() class?	To create vertical Scrollbar	To create horizontal Scrollbar	Both	all of above
##	The three software parts of a GUI program are:	Windows, Buttons, Mice	GUI Components, Graphics, Code	GUI Components, Event Listeners, Application Code	Frames, Code, Events
##	Consider the following code segment. Insert correct code at blank space. checkbox._____ (new ItemListener() { public void _____ (ItemEvent ie) { if (checkbox.getState() == true) { JOptionPane.showMessageDialog(null, "checkbox is checked"); } else { JOptionPane.showMessageDialog(null, "checkbox is unchecked"); } } });	itemStateChanged, addItem	ItemListener, itemChanged	StateChang ed, addItem	addItemL istener, itemState Changed
##	Which of the following sets the frame to 300 pixels wide by 200 high?	frm.setSize(300, 200);	frm.setSize(200, 300);	frm.paint(300, 200);	frm.setVis ible(300, 200);
##	What is a container object in GUI programming?	A container is another name for an array or vector.	A container is any class that is made up of other classes.	A container is a primitive variable that contains the actual data.	A container is an object like a Frame that has other GUI components placed inside of it.
##	Which of the following is the Java toolkit used to write GUI programs?	GUI toolkit	Abstract Windowing Toolkit	Graphics Event Toolkit	Java Enhancem ent Toolkit

##	1. import java.awt.*; 2. import java.awt.event.*; 3. public class ItemEx1 implements ItemListener { 4. Frame jf; 5. Checkbox chk1, chk2; 6. Label label1; 7. ItemEx1() { 8. jf= new Frame("Checkbox"); 9. chk1 = new Checkbox("Happy"); 10. chk2 = new Checkbox("Sad"); 11. label1 = new Label(); 12. jf.add(chk1); 13. jf.add(chk2); 14. chk1.addItemListener(this); 15. chk2.addItemListener(this); 16. jf.setLayout(new FlowLayout()); 17. jf.setSize(220,150); 18. jf.setVisible(true); 19. } 20. // Line no 20 21. Checkbox ch =(Checkbox) ie.getItemSelectable(); 22. if(ch.getState()==true) { 23. label1.setText(ch.getLabel()+ " is checked"); 24. jf.add(label1); 25. jf.setVisible(true); 26 } 27 else { 28 label1.setText(ch.getLabel()+ " is unchecked"); 29 jf.add(label1); 30 jf.setVisible(true); 31 } 32 } 33 public static void main(String... ar) { 34 new ItemEx1(); 35 } 36 } Identify correct code at line no 20	public void itemModified(ItemEvent ie) {	public void itemStateChanged(ItemEvent ie) {	public void itemChange(ItemEvent ie) {	public void itemStateChanged(ItemEvent ie) {
##	When is the paint() method of a frame object called?	The user calls it to display the frame.	The main() method calls it once when the program starts.	The Java system calls it every time it decides to display the frame.	The Java system calls it once when the program starts.
##	1. public void itemStateChanged(ItemEvent ie) { 2. Checkbox ch =(Checkbox)ie.getItemSelectable(); 3. if(ch.getState()==true) { 4. label1.setText(ch.getLabel()+ " is checked"); 5. jf.add(label1); 6. jf.setVisible(true); 7. } Which statement is true ?	There are syntax errors on line no. 1	There are syntax errors on line no. 2	There are syntax errors on line no. 4	There are syntax errors on line no. 6
##	What is a Graphics object?	The Graphics object represents the part of the Frame that you can draw on.	The Graphics object represents the whole Frame.	The Graphics object represents the entire monitor.	The Graphics object represents the graphics board.
##	Which of the following determines how the components of a container are displayed?	Display Manager	Component Manager	Stage Manager	Layout Manager
##	Which method of a Frame is used to set the layout manager?	setLayout()	add()	actionPerformed()	setVisible()
##	1. public void itemStateChanged(ItemEvent ie) { 2. JCheckBox cb = (JCheckBox) ie.getItem(); 3. int state ie.getStateChange(); 4. // Line no 4 5. System.out.println(cb.getText() + "selected"); 6. else 7. System.out.println(cb.getText() + "cleared"); 8. } Identify correct code at line no 4	if (state == ItemEvent.CHANGED)	if (state == ItemEvent.MODIFIED)	if (state == ItemEvent.SELECTED)	if (state == ItemEvent.getText())
##	Which are the not types of key events-	KEY_PRESSED	KEY_DOUBLE	KEY_RELEASED	KEY_TYPED
##	Interface MouseMotionListener belongs to _____ package.	java.listener	java.util.event	java.awt.event	java.motion
##	_____ is the super class of all event classes.	Event	Object	EventObject	EventClasses
##	Which of this interface is defines a method adjustmentValueChanged() ?	ComponentListener	ContainerListener	ItemStateListener	AdjustmentListener
##	Which of these interfaces define a method keyPressed()?	MouseMotionListener	MouseListener	KeyListener	KeyListener

##	From following options which of these is method of MouseMotionListener Interface	mouseMoved()	MouseMotionListener()	MouseClicked()	MousePressed()
##	Fill in the blank: MouseMotionListener interface defines _____ methods	one	two	three	four
##	A source is an _____ that generates an event .	class	interface	object	variable
##	Assuming we have a class which implements the ActionListener interface, which method should be used to register this with a Button? ;	addListener(*)	addActionListener(*);	addButtonListener(*);	setListener(*);
##	windowGainedFocus() and windowLostFocus() methods are belongs to _____ interface .	WindowInterface	WindowFocusEvent Interface	WindowFocusListener	WindowAction Interface
##	Fill in the blank: MouseListener interface define.....methods	2	5	7	4
##	KEY_TYPED Event generated when....	key pressed or released	only when character is generated	only key pressed	only key released
##	Which of these methods are used to register a Window listener?	windowListener()	addListener()	addWindowListener()	eventWindowListener()
##	Which of these methods are used to register a mouse motion listener?	addMouse()	addMouseListener()	addMouseEventListener()	eventMouseListener()
##	KeyEvent Constructor- KeyEvent(Component src, int type, long when, int modifiers, int code, char ch) Here when means-	a reference to the component that generated the event.	The type of event occurred.	virtual key codes	The system time at which the key was pressed.
##	What is a listener in context to event handling?	A listener is a variable that is notified when an event occurs.	A listener is a object that is notified when an event occurs.	A listener is a method that is notified when an event occurs.	None of the mentioned .
##	The KeyEvent class methods-	getKeyCode ()	getKeyTyped()	getKeyChar ()	both a and c
##	Which of these are methods of TextListener Interface?	textChange()	textModified()	textValueChanged()	textValueModified()
##	If no valid character is available then geyKeyChar() returns-	VK_UNDEDEFINED	CHAR_UNDEFINED	VK_CONTROL	CHAR_ERROR
##	Which of these are methods of KeyListener Interface?	keyPressed()	keyReleased()	keyTyped()	All of this
##	KeyEvent is a subclass of-	InputEvent	TextEvent	ItemEvent	MouseEvent
##	Which source generates adjustment events?	Button	List	Scroll bar	Text components
##	DatagramPacket(byte data[], int size) DatagramPacket(byte data[], int offset, int size) are examples of-----	package	class	Interface	constructors
##	_____ method is used to register a Component listener.	addMouse()	addComponentListener()	addMouseListener()	eventMouseListener()

	MouseEvent Constructor- MouseEvent(Component src, in type, long when, int modifiers, int x, int y, int clicks, boolean triggersPopup) Here x and y means-	co-ordinates of the mouse passed	The click count	Reference to the component	The system time at which the mouse event occurred.
##	getPoint() , method to obtain	x - co-ordinates of the mouse.	y- co-ordinates of the mouse.	both x and y co-ordinates of the mouse.	The total number of click count.
##	The following statement return- Point getPoint()	to obtain the coordinates of the mouse.	returns Point int that contains the Y	returns Point object that contains the X	to obtain the coordinates of the key
##	The, int getClickCount() method returns-	number of mouse clicks for widgets.	number of mouse clicks for graphical user interface.	number of mouse clicks for this event.	number of mouse clicks from application started.
##	The isPopupTrigger() methods returns-	int	void	object	boolean
##	The, getButton() method returns-	returns int value that represents the button that caused the event.	returns boolean value that represents the button that caused the event.	returns void and generates events.	returns object and generates events.
##	The _____ interface handles item event.	ActionListener	ItemListener	ItemHandler	WindowListener
##	Which method not use to obtain the coordinates of the mouse-	Point getLocationOnScreen()	int getKeyCode()	int getXOnScreen()	int getYOnScreen()
##	Which of these method are used to register a keyboard event Listener ?	KeyListener()	addKeyListener()	RegisterKeyListener()	addKeyboard()
##	The TextEvent generated by-	text fields and text areas when characters are entered.	text fields and text areas when mouse entered.	text fields and text areas when mouse clicked	text fields and text areas when keyboard press.
##	Which is the correct general form of method of the ActionListener interface?	void ActionPerformed (ActionEvent ae)	void ActionPerformed (ActionEvent ae)	void actionPerformed(ActionEvent ae)	void ActionPerformed (ActionEvent ae)
##	The TextEvent Constructor- TextEvent(Object src, int type) Here type means-	The type of text	The type of object passed.	The type of event.	The type of source generated events.
##	keyTyped() is method of _____ interface.	KeyBoard Interface	Mouse Interface	WindowListener Interface	KeyListener Interface

##	keyPressed() is method of _____ interface.	KeyBoard Interface	Mouse Interface	WindowListener Interface	KeyListener Interface
##	keyReleased() is method of _____ interface.	KeyBoard Interface	Mouse Interface	WindowListener Interface	KeyListener Interface
##	windowDeiconified() is method of _____ interface	WindowListener Interface	Window Interface	WindowConified Interface	Action Interface
##	windowIconified() is method of _____ interface	WindowListener Interface	Window Interface	WindowConified Interface	Action Interface
##	WindowActivated() is method of _____ interface.	WindowListener Interface	Window Interface	WindowActivated Interface	Action Interface
##	windowClosed() is method of _____ interface.	WindowListener Interface	Window Interface	WindowClosed Interface	Action Interface
##	windowClosing() is method of _____ interface	WindowListener Interface	Window Interface	WindowConified Interface	Action Interface
##	When a ----- Dialog box is active, it blocks user input to all other windows in the program.	modal	modeless	file	none of the above
##	Find the missing Statements in the following program to get the given output: import java.awt.*; import java.awt.event.*; public class DialogEx extends WindowAdapter implements ActionListener { Frame frame; Label label1; TextField field1; Button button1, button2, button3; Dialog d1, d2, d3; DialogEx() { frame = new Frame("Frame"); button1 = new Button("Open Modal Dialog"); label1 = new Label("Click on the button to open a Modal Dialog"); frame.add(label1); frame.add(button1); button1.addActionListener(this); frame.pack(); frame.setLayout(new FlowLayout()); frame.setSize(330,250); frame.setVisible(true); } public void actionPerformed(ActionEvent ae) { if(ae.getActionCommand().equals("Open Modal Dialog")) { ----- Label label= new Label("You must close this dialog window to use Frame window",Label.CENTER); d1.add(label); d1.addWindowListener(this); d1.pack(); d1.setLocationRelativeTo(frame); d1.setLocation(new Point(100,100)); d1.setSize(400,200); ----- } } public void windowClosing(WindowEvent we) { d1.setVisible(false); } public static void main(String...ar) { new DialogEx(); } }	d1= new Dialog(frame,"Modal Dialog",true);	d1.setVisible(true);	d1= new Dialog(frame,"Modal Dialog",true); d1.setVisible(true);	d1= new Dialog(frame,"Modal Dialog",true); d1.setVisible(false);
##	Following method returns true if a cookie contains the session ID. Otherwise, returns false.	boolean RequestedSessionIdFromCookie()	boolean isRequestedSessionId()	boolean isRequestedFromCookie()	boolean isRequestedSessionIdFromCookie()
##	Which of the following method returns true if the URL contains the session ID. Otherwise, returns false.	boolean isRequestedSessionIdFromURL()	int requestedSessionIdFromURL()	boolean isRequestedFromcookie()	int isRequestedSessionIdFromURL()

##	_____ method returns true if the requested session ID is valid in the current session context.	boolean RequestedSessionIdValid()	boolean isRequestedSessionIdValid()	boolean isRequestedValid()	boolean isRequestedSessionIdValid()
##	Which of the following method returns the session for this request. If a session does not exist, one is created and then returned.	HttpSession getSession()	HttpServletRequest getSession()	HttpSession getSession()	Session getSession()
##	Text Fields is also known as _____	Single line control	Active Control	Passive Control	Edit Control
##	All the methods of HttpSession interface throw an _____ if the session has already been invalidated.	IllegalState	IllegalException	LegalStateException	IllegalStateException
##	Following method returns an enumeration of the attribute names associated with the session..	Enumeration getAttributeNames()	String getAttributeNames()	void getAttributeNames()	none of the above
##	Echoing of characters can be disabled as they are typed by using _____	echoChar()	isEchoChar()	setEchoChar()	echoCharsSet()
##	Following method returns the time (in milliseconds since midnight, January 1, 1970, GMT) when this session was created.	int getCreationTime()	long CreationTime()	long getCreationTime()	long getCreationTime()
##	JChoice control of swings is a kind of _____	Menu	Item	Radio	List
##	Which of the following method invalidates the session and removes it from the context.	String invalidate()	void invalidate()	int invalidate()	void setInvalidated()
##	JLabels are _____ Control.	Active	User	Passive	Interactive
##	Which of the following classes represents event notifications for changes to sessions within a web application	Cookie	HttpServletRequest	HttpSessionEvent	HttpSessionBindingEvent
##	Which Property is wrong for JLabel	Label.LEFT	Label.CENTER	Label.RIGHT	Label.BOTTOM
##	URLDecoder, URLConnection, URLEncoder are examples of	package	class	interface	method
##	ContentHandlerFactory, CookiePolicy, CookieStore are examples of	package	class	interface	method
##	Which of the following are the different methods of ResultSet interface? 1. public boolean next() 2. public boolean previous() 3. public boolean back() 4. public boolean last()	1,2,3	1,2,4	2,3,4	All of the above.
##	Which of the following are the different methods of Statement interface? 1. public int[] executeBatch() 2. public boolean execute(String sql) 3. public int executeUpdate(String sql) 4. public int insert(String sql)	1,2,3	2,3,4	1,3,4	All of the above.
##	Consider the following program, Select the statement that should be added to the program to get correct output. import java.sql.*; public class MyData { public static void main(String args[]) throws Exception { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection c=DriverManager.getConnection("jdbc:odbc:MyDSN","",""); PreparedStatement s=c.prepareStatement("update student set Name=? where Roll_no=?"); s.setString(1,"XYZ"); s.setString(2,"1"); s.executeUpdate(); s.close(); c.close(); } }	a. use s.executeQuery() method	Use ; in main method	Use s.setString(2,1) method	use ? in Prepared Statement

##	6. Which is the incorrect statement in the following Code? import java.sql.*; public class Sample1 { public static void main(String args[])throws Exception { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection c =DriverManager.getConnection("jdbc:odbc:DSN2","", ""); PreparedStatement s=c.createStatement(); ResultSet rs=s.executeQuery("select* from student"); System.out.println("Name"+" "+"Roll no"+" "+"Avg"); while(rs.next()) { System.out.println(rs.getString(1)+" "+"rs.getInt(2)+" "+"rs.getDouble(3)); } s.close(); c.close(); } }	ResultSet rs=s.executeQuery();	Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");	Prepared Statement s=c.createStatement();	None of the above
##	Consider the following program. What should be the correction done in the program to get correct output? import java.sql.*; public class DataBase{ public static void main(String[] args) { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection conn = DriverManager.getConnection("jdbc:odbc:abc", "", ""); String s1="insert into student values(1,'abc')"; s.executeUpdate(s1); s.close(); conn.close();} catch(IOException e) { System.out.println(e); } }	Insert try and catch(FileNotFoundException fe)	Use s.executeQuery(s1);	Insert try and catch(Exception e)	Insert catch(Exception e)
##	Fill in the blanks respectively. import java.io.*; import javax.servlet.*; import javax.servlet.http.*; public class GetCookiesServlet extends HttpServlet { public void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { Cookie[] cookies = request._____; response.setContentType("text/html"); PrintWriter pw = response.getWriter(); pw.println(""); for(int i = 0; i < cookies.length; i++) { String name = cookies[i]._____; String value = cookies[i]._____; pw.println("name = " + name + "; value = " + value); } pw.close(); } }	getName(); getValue(); getCookies();	doHead(); doOptions(); doTrace()	service(); doHead(); doTrace();	getCookies(); getName(); getValue();
##	Fill in the blanks at the line number 4 and 8 respectively. 1. import java.io.*; 2. import javax.servlet.*; 3. import javax.servlet.http.*; 4. public class GetCookiesServlet extends _____ { 5. public void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException { 6. Cookie[] cookies = request.getCookies(); 7. response.setContentType("text/html"); 8. PrintWriter pw = _____.getWriter(); 9. pw.println(""); 10. for(int i = 0; i < cookies.length; i++) { 11. String name = cookies[i].getName(); 12. String value = cookies[i].getValue(); 13. pw.println("name = " + name + "; value = " + value); 14. } 15. pw.close(); 16. } 17. }	GenericServlet , request	HttpServlet , response	HttpServlet , request	GenericServlet , response
##	What will be the output of the following program. import java.sql.*; import java.io.*; public class RetrieveImage { public static void main(String[] args) { try{ Class.forName("oracle.jdbc.driver.OracleDriver"); Connection con=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","oracle"); PreparedStatement ps=con.prepareStatement("select * from imgtable"); ResultSet rs=ps.executeQuery(); if(rs.next()){ Blob b=rs.getBlob(2); data byte barr[]=b.getBytes(1,(int)b.length()); FileOutputStream fout=new FileOutputStream("d:\\picture.jpg"); fout.write(barr); fout.close(); } //end of if con.close(); } catch (Exception e) {e.printStackTrace(); } }	image will be inserted into the database	Image will be retrieved from the database.	; missing	} missing
##	setAttribute(), getAttribute(), getAttributeNames(), and removeAttribute() methods of _____ interface.	HttpSession	HttpServlet	HttpServletResponse	HttpServletRequest

##	<pre>import java.awt.*; import java.applet.*; public class checkboxDemo extends Applet /* <applet code="checkboxDemo" width=300 height=300></applet>*/ { public void init() { Checkbox cb1,cb2; CheckboxGroup cbg=new CheckboxGroup(); cb1=new Checkbox("Java",true,cbg); cb2=new Checkbox("C++",false,cbg); add(cb1);add(cb2); } } What is expected output of above code ?</pre>	Creates two checkboxes named "Java" and "C++"	Creates two radio buttons with "Java" and "C++" with "Java" button as selected initially.	Creates two radio buttons with "Java" and "C++" with "C++" button as selected initially.	None of these
##	<pre>void setPath(String p) void setSecure(boolean secure) void setValue(String v) void setVersion(int v) Identify the class where above methods belong to.</pre>	HttpSession	HttpServlet	Cookie	GenericServlet
##	<pre>import java.awt.*; import javax.swing.*; public class LayoutDemo{ JFrame f; LayoutDemo(){ f=new JFrame(); JButton b1=new JButton("1"); JButton b2=new JButton("2"); JButton b3=new JButton("3"); JButton b4=new JButton("4"); JButton b5=new JButton("5"); f.add(b1);f.add(b2);f.add(b3);f.add(b4);f.add(b5); f.setLayout(new FlowLayout(FlowLayout.RIGHT)); //setting flow layout of right alignment f.setSize(300,300); f.setVisible(true); } public static void main(String[] args) { new LayoutDemo(); } }</pre> Find the output.				
##	<pre>Select correct option to get the proper output: import java.awt.*; import java.applet.*; public class LayoutDemo extends Applet { static final int n = 4; public void init() { setLayout(new GridLayout(n, n)); setFont(new Font("SansSerif", Font.BOLD, 24)); for(int i = 0; i < n; i++) { for(int j = 0; j < n; j++) { int k = i * n + j; if(k > 0) add(new Button("" + k)); } } } } /*<applet code="LayoutDemo.class" width=100 height=100></applet>*/</pre>				
##	Which of the following statement is used for connectivity with Oracle database?	<pre>Connection con=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","oracle");</pre>	<pre>Connection con=DriverManager.getConnection("jdbc:thin:oracle:@localhost:1512:xe","system","oracle");</pre>	<pre>Connection con=DriverManager.getConnection("jdbc:thin:oracle:thin:@localhost:1521:xe","system","oracle");</pre>	<pre>Connection con=DriverManager.getConnection("jdbc:thin:oracle:thin:@localhost:1521:xe","system","oracle");</pre>
##	Which layout is used to align fixed width components at the edges?	java.awt.BorderLayout	java.awt.FlowLayout	java.awt.GridLayout	java.awt.CardLayout
##	Which of the following class is used to apply the grid layout?	java.awt.BorderLayout	java.awt.FlowLayout	java.awt.GridLayout	java.awt.CardLayout
##	----- class is used to apply flow layout.	java.io.FlowLayout	java.awt.FlowLayout	javax.awt.GridLayout	javax.awt.CardLayout
##	Which of the following methods are used to navigate through the different cards in card layout?	public void next(Container parent)	public void previous(Container parent)	public void first(Container parent)	All of the above

##	Which of the following method is used to show the specific card?	public void show(Container parent, String name)	public void show(Container parent)	public void first(Container parent, String name)	public void next(Container parent, String name)
##	We can control the alignment of components in a flow layout arrangement, by using----- FlowLayout Fields.	FlowLayout.RIGHT	FlowLayout.LEFT	FlowLayout.CENTER	All of the above
##	Identify the Layout and alignment of components in the given output.	FlowLayout and LEFT alignment	FlowLayout and RIGHT alignment	GridLayout and LEFT alignment	GridLayout and RIGHT alignment
##	Consider the following code. Fill the proper method in the blank space to get the count of total records updated. <pre>import java.sql.Statement; public class MyExecuteMethod { public static void main(String a[]){ try { Class.forName("oracle.jdbc.driver.OracleDriver"); Connection con = DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","oracle"); Statement stmt = con.createStatement(); //The query can be update query or can be select query String query = "select * from emp"; boolean status = stmt.execute(query); if(status){ ResultSet rs = stmt.getResultSet(); while(rs.next()){ System.out.println(rs.getString(1)); } rs.close(); } else { int count = stmt.-----; System.out.println("Total records updated: "+count); } } catch (SQLException e) { e.printStackTrace(); } }</pre>	getUpdateCount()	getCount();	readCount();	readUpdateCount();
##	Identify the layout in the given output.	BorderLayout	GridLayout	GridBagLayout	CardLayout
##	insert() is the method of _____ class.	TextArea	TextField	Button	None of above
##	A programmer uses a Java class known as _____ to connect to a database	JDBC driver	Package	JDBC Interface	none of the Above
##	Identify the layout in the given output.	BorderLayout	GridLayout	GridBag Layout	CardLayout
##	_____ is a call-level interface.	Oracle's Oracle Call Interface (OCI)	Microsoft's Open Database Connectivity (ODBC)	JDBC	All of the Above
##	Identify the layout in given output.	BorderLayout	GridLayout	FlowLayout	CardLayout
##	Because of _____ coupling a 2 tiered application will run _____.	loose, faster	tight, faster	loose, slower	tight, slower

		<pre> public class MyAutoGenerate dKeys { public static void main(String a[]){ try { Class.forName(" oracle.jdbc.driver .OracleDriver"); Connection con = DriverManager. getConnection getConnection("j dbc:oracle:thin:@ localhost:1521:xe ","system","orac le"); String query = "insert into emps (name, dept, salary) values (?, ?, ?)"; PreparedStatement pstmt = con.prepareStatement (query, State ment.RETURN_ GENERATED_ KEYS); pstmt.setString(1, </pre>	<pre> public class MyAutoGenerate dKeys { public static void main(String a[]){ try { Class.forName("oracle.jdbc.dri ver.OracleDrive r"); Connection con = DriverManager. getConnection getConnection(" jdbc:oracle:thin: @localhost:152 1:xe","system", "oracle"); String query = "insert into emps (name, dept, salary) values (?, ?, ?)"; PreparedStatement pstmt = con.prepareStatement (query, Sta tement.RETUR N_GENERATE </pre>	<pre> public class MyAutoG eneratedK eys { public static void main(Strin g a[]){ try { Class.forN ame("orac le.jdbc.driv er.Oracle Driver"); Connectio n con = DriverMa nager. getConnec tion getConnection("jdb c:oracle:thin :@localho st:1521:xe ","system" ,"oracle"); String </pre>	<pre> public class MyAutoG eneratedK eys { public static void main(Strin g a[]){ try { Class.forN ame("orac le.jdbc.driv er.Oracle Driver"); Connectio n con = DriverMa nager. getConnec tion getConnection("jdb c:oracle:thin :@localho st:1521:xe ","system" ,"oracle"); String </pre>
##	Which of the following code is used to retrieve auto generated primary key.				
##	Which of the Following is NOT true for Two Tier Architecture	The direct communication takes place between client and server.	There is no intermediate between client and server.	A 2 tiered application will run faster.	In two tier architecture the server can respond multiple request same time
##	Which of the following methods are used to set the Hgap and Vgap in flow layout?	setHgap (int)	int setVgap (int), int setHgap (int)	void setHgap (int),void setVgap (int)	None of the above
##	A driver is used to _____ to a particular database.	issue sql queries	open a connection	load database	load resultset
##	-----method is used to set the alignment in flow layout.	setAlignment (int)	getAlignment ()	setAlignm ent ()	getAlignm ent (int)
##	The core API in java.sql consists of ____ interfaces, ____ classes, and 4 exception types.	16, 8	32,8	8, 4	32,4
##	By using which interface one can store images in the database in java	ResultSet interface	PreparedStatement interface	Connectio n interface	None of the above
##	The constructors in BorderLayout class are-----	BorderLayout()	BorderLayout(i nt hgap, int vgap)	Both a and b	None of the above
##	The core API in java.sql consists of ____ interfaces, 8 classes, and ____ exception types.	8, 4	16, 8	4, 4	16, 4

##	The constructors in GridLayout class are-----	GridLayout()	GridLayout(int rows, int cols)	GridLayout(int rows, int cols, int hgap, int vgap)	All of the above
##	The JDBC interface is contained in the.....	java.sql Package	javax.sql Package	Both of the Above	None of the Above
##	Which method is used to find out the number of rows in the grid layout?	int getRows()	void getRows()	void getRows(int)	None of the above
##	The-----method is used to know number of columns in the grid layout.	int getColumns()	void getColumns()	void getColumns(int)	None of the above
##	TextArea a2=new TextArea("Advanced is multitasking",5,30); Which method is used to get output as "Advanced Java is multitasking."	insert("Java",9)	append("Java",9)	getRows("Java",10)	None of these
##	The ----- and ----- methods are used to set the number of rows and columns in the grid layout respectively.	void setRows(int rows) , void setColumns(int cols)	void setColumns(int cols)	void setColumns(int cols), void setRows(int rows)	void setRows(int rows)
##	Identify the layout in given output	BorderLayout	GridLayout	FlowLayout	CardLayout
##	Identify the layout in given output	BorderLayout	GridLayout	FlowLayout	CardLayout
##	Identify the Driver in the Figure	Type 1 Driver	Type 2 Driver	Type 3 Driver	Type 4 Driver
##	To execute a statement ,we invoke method_____	executeUpdate()	executeRel()	executeStatement()	executeConnection()
##	The ----- constructor is used to create FileDialog with specified title.	FileDialog(Dialog parent)	FileDialog(Dialog parent, String title)	FileDialog(Frame parent)	None of the above
##	Identify the Type of Following Driver	Type 1 Driver	Type 2 Driver	Type 3 Driver	Type 4 Driver
##	Identify the JDBC Driver	Type 1 Driver	Type 2 Driver	Type 3 Driver	Type 4 Driver
##	Which of the Following is Type 1 Driver				
##	Which of the Following is Type 2 Driver				
##	Identify the Type 3 Driver From the following Figures				
##	Identify the Type 4 Driver From the following Figures				
##	Consider Following Program import java.sql.*; public class JdbcSelectTest { public static void main(String args[]){ try { ----- -- Statement stmt = conn.createStatement(); String strSelect = "select rollno, name, marks from student"; System.out.println("The SQL query is: " + strSelect); ResultSet rset = stmt.executeQuery(strSelect); System.out.println("The records selected are:"); int rowCount = 0; while(rset.next()) { String rollno = rset.getString("rollno"); String name = rset.getString("name"); int marks = rset.getInt("marks"); System.out.println(rollno + " , " + name + " , " + marks); ++rowCount; } System.out.println("Total number of records = " + rowCount); conn.close(); } catch(SQLException ex) { ex.printStackTrace(); } } } Chose correct response to fill the blank.	Connection conn = DriverManager.getConnection("jdbc:mysql://localhost:3306/mydata", "root", "root");	Connection conn; conn = DriverManager.getConnection("jdbc:mysql://localhost:3306/mydata", "scott", "tiger");	Connection conn = DriverManager.getConnection("jdbc:mysql://192.168.1.1:3306/mydata", "root", "root");	All of the Above

##	Consider following Program import java.sql.*; public class JdbcSelectTest { public static void main(String args[]){ try { Connection conn = DriverManager.getConnection("jdbc:mysql://localhost:3306/mydata", "root", "root"); Statement stmt = conn.createStatement(); String strSelect = "select rollno, name, marks from student"; System.out.println("The SQL query is: " + strSelect); ResultSet rset = stmt.executeQuery(strSelect); System.out.println("The records selected are:"); int rowCount = 0; while(rset.next()) { String rollno = _____; String name = rset.getString("name"); int marks = _____; System.out.println(rollno + " " + name + " " + marks); ++rowCount; } System.out.println("Total number of records = " + rowCount); conn.close(); } catch(SQLException ex) { ex.printStackTrace(); } } } Choose Correct Option to replace Blank	rs.getInt(	rset.getString(1) ; & rset.getInt(3);	stmt.getStr ing(	Both A and B
##	Fill in the blanks to insert values in Student(rollno,name,marks,contact) table. import java.sql.*; public class SampleInsert { public static void main(String args[])throws Exception { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection c =DriverManager.getConnection("jdbc:odbc:DSN2","", ""); PreparedStatement s=c.prepareStatement("_____"); int n=s. .executeUpdate(); Statement st=con.createStatement();ResultSet rs=st.executeQuery("select * from student"); System.out.println("Name"+" "+"Roll no"+" "+"Avg"); while(rs.next()) { System.out.println(rs.getInt(1)+" "+rs.getString(2)+" "+rs.getDouble(3) + " "+rs.getInt(4)); } s.close(); c.close(); } }	Insert into student values(?,?,?)	Insert into table student (?,?,?,?)	Insert into table student values(?,? ?)	Insert into student values(?,?, ?,?)
##	The ----- method is used to move to the first card in card layout.	public void previous(Contain er parent)	public void first(Container parent)	public void next(Cont ainer parent)	All of the above
##	Predict the output of Following program import java.sql.*; public class JdbcSelectTest { public static void main(String args[]){ try { Connection conn = DriverManager.getConnection("jdbc:mysql://localhost:3306/mydata", "root", "root"); Statement stmt = conn.createStatement(); String strSelect = "select rollno, name, marks from student"; System.out.println("The SQL query is: " + strSelect); ResultSet rset = stmt.executeQuery(strSelect); System.out.println("The records selected are:"); int rowCount = 0; while(rset.first()) { String rollno = rset.getString("rollno"); String name = rset.getString("name"); int marks = rset.getInt("marks"); System.out.println(rollno + " " + name + " " + marks); ++rowCount; } System.out.println("Total number of records = " + rowCount); conn.close(); } catch(SQLException ex) { ex.printStackTrace(); } } }	print all the columns of student table	print roll no, name and marks from student table	print roll no, name and marks of first student from student table	None of the Above
##	Which method is used to know the mode of the FileDialog.?	int getMode()	void getMode()	int getMode(i nt)	void getMode(i nt)
##	The ----- method is used to set the mode of the FileDialog.	void setMode(int mode)	int setMode(int mode)	void setMode()	int setMode()

##	Consider Following Program import java.sql.*; public class JdbcSelectTest { public static void main(String args[]){ try { Connection conn = DriverManager.getConnection("jdbc:mysql://localhost:3306/mydata", "root", "root"); Statement stmt = conn.createStatement(); String strSelect = "select rollno, name, marks from student"; System.out.println("The SQL query is: " + strSelect); ResultSet rset = stmt.executeQuery(strSelect); System.out.println("The records selected are:"); int rowCount = 0; while(rset.next()) { String rollno = rset.getString("rollno"); String name = rset.getString("name"); _____ marks = _____; System.out.println(rollno + ", " + name + ", " + marks); ++rowCount; } System.out.println("Total number of records = " + rowCount); conn.close(); } catch(SQLException ex) { ex.printStackTrace(); } } } Choose Correct Option to replace Blank.	int, rset.getInt	String, a.getString	Both of the Above	None of the Above
##	Predict the Output of following program import java.sql.*; public class JdbcSelectTest { public static void main(String args[]){ try { Connection conn = DriverManager.getConnection("jdbc:mysql://localhost:3306/mydata", "root", "root"); Statement stmt = conn.createStatement(); String strSelect = "select rollno, name, marks from student"; System.out.println("The SQL query is: " + strSelect); ResultSet rset = stmt.executeQuery(strSelect); System.out.println("The records selected are:"); int rowCount = 0; while(rset.last()) { String rollno = rset.getString("rollno"); String name = rset.getString("name"); int marks = rset.getInt("marks"); System.out.println(rollno + ", " + name + ", " + marks); ++rowCount; } System.out.println("Total number of records = " + rowCount); conn.close(); } catch(SQLException ex) { ex.printStackTrace(); } } }	print all the columns of student table	print roll no, name and marks from student table	print roll no, name and marks of last student from student table	generate sql Exception
##	_____ class implements a single line text-entry area.	Button	TextField	Checkbox	TextArea
##	Return type for method next(), first() and last() method of resultset is _____	int	String	boolean	ResultSet Object
##	Identify Correct Syntax for following method of ResultSet _____ absolute (_____);	boolean, int	boolean, void	void, int	void, void
##	Identify Correct Syntax for following method of ResultSet _____ first (_____);	boolean, int	boolean, void	void, int	void, void
##	Which is the correct syntax of next() method of ResultSet() interface ?	boolean next()	void next()	void first()	void new()
##	Which driver provides JDBC access via one or more ODBC drivers	Type 1 driver	Type 2 driver	Type 3 driver	Type 4 driver
##	Which type of driver is called partly java driver?	Type 1 driver	Type 2 driver	Type 3 driver	Type 4 driver
##	_____ method of ResultSet object is called to retrieve Binary large Object from database.	getBigDecimal	getBlob	getBinary Stream	getASCIISt ream
##	What should be enter at the blank space? import java.sql.*; class PreparedUpdate { public static void main(String a[]) { try { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:javadb"); Statement st=con.createStatement(); String stm = "update employee set name=? where name=?"; PreparedStatement ps = con._____ (stm); ps.setString(1,"Ram"); ps.setString(2,"Ramesh"); ps.executeUpdate(stm); ResultSet rs = st.executeQuery("select * from employee"); while(rs.next()) { System.out.println(" ID : "+ rs.getInt(1)); System.out.println(" Name : "+ rs.getString(2)); System.out.println(" Salary : "+ rs.getInt(3)); System.out.println(); } con.close(); } catch(SQLException e) { System.out.println("SQL Error"); } catch(Exception e) { System.out.println("Error"); } } }	PreparedStateme nt	ParameterizedSt atement	prepareSt atement	None of the above

##	Which statement should be missing in the following program? class PreparedInsert { public static void main(String a[]) { try { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); Connection con=DriverManager.getConnection("jdbc:odbc:javadb"); System.out.println("Connection to DataBase created"); String a1 = "Insert into employee(id,name,salary) values(?,?,?)"; PreparedStatement ps = con.prepareStatement(a1); ps.setInt(1,5); ps.setString(2,"sahil"); ps.setInt(3,5000); ps.execute(a1); System.out.println("Record Inserted"); String querySel = "Select * from employee"; ResultSet rs = ps.executeQuery(querySel); System.out.println("After Insertion"); while(rs.next()) { System.out.println(" ID : "+ rs.getInt(1)); System.out.println(" Name : "+ rs.getString(2)); System.out.println(" Salary : "+ rs.getInt(3)); System.out.println(); } con.close(); } catch(SQLException e) { System.out.println("SQL Error"); } catch(Exception e) { System.out.println("Error"); } } }	Missing semicolon	Missing {	Missing }	Missing package statement.
##	Which AWT components are used to produce given output ?	Button,TextArea,Choice	List,TextArea,Label,Button	Label,TextField,Choice,CheckboxGroup	List,Label,TextField,Button
##	Return type of execute() method is _____	boolean	int	ResultSet	None of the Above
##	What should be added at the blank spaces? import java.sql.*; class ConnectDB { public static void main(String a[]) { try { Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); System.out.println("Driver Loaded"); String url="jdbc:odbc:javadb"; _____ con=DriverManager.getConnection(url); System.out.println("Connection to DataBase created"); } catch(SQLException e) { System.out.println("Error"+e); } catch(Exception e) { System.out.println("Error"+e); } } }	DriverManager	Connection	Statement	None of the above
##	import java.awt.*; import java.applet.*; public class checkboxDemo extends Applet /* <applet code="checkbox" width=300 height=300></applet>*/ { public void init() { Checkbox cb1,cb2; ----- cb1=new Checkbox("Java",true); cb2=new Checkbox("C++",true,cbg); add(cb1);add(cb2); } } Fill in the blanks with correct statement.	CheckboxGroup p cbg=new CheckboxGroup(p);	CheckboxGroup p cbg=new CheckboxGroup(p(true);	CheckboxGroup cbg=new CheckboxGroup("Male",true);	None of the above
##	_____ interface defines methods that enable user to send SQL queries and receive data from the database.	Statement	Connection	DriverManager	None of the above
##	Which method moves record cursor to the next row of result set?	beforeFirst()	afterLast()	first()	next()
##	_____ object is used for precompiled SQL statements.	PreparedStatement	ParameterizedStatement	prepareStatement	None of the above
##	Identify Problem in the following code import java.sql.*; public class JdbcSelectTest { public static void main(String args[]){ Connection conn = DriverManager.getConnection("jdbc:mysql://192.168.1.1:3306/mydata", "root", "root"); Statement stmt = conn.createStatement(); String strSelect = "select rollno, name, marks from student"; System.out.println("The SQL query is: " + strSelect); ResultSet rset = stmt.executeQuery(strSelect); System.out.println("The records selected are:"); int rowCount = 0; while(rset.next()) { String rollno = rset.getString("rollno"); String name = rset.getString("name"); int marks = rset.getInt("marks"); System.out.println(rollno + " , " + name + " , " + marks); ++rowCount; } System.out.println("Total number of records = " + rowCount); } }	Try catch not used	ResultSet object not created	wrong getConnection() method syntax	Both A&B

##	_____package contains the various interfaces and classes used by the JDBC API.	java.sql	java.io	java.net	java.lang
##	windowDeactivated() is method of _____interface	WindowListene r Interface	Window Interface	WindowC onified Interface	Action Interface
##	windowOpened() is method of _____interface	WindowListene r Interface	Window Interface	Window Conified Interface	Action Interface
##	mouseClicked() is method of _____interface.	Mouse Interface	MouseMotionLi stener Interface	MouseClic k Interface	MouseLis tener Interface
##	mouseEntered() is method of _____interface .	Mouse Interface	MouseMotionLi stener Interface	MouseEnt ered Interface	MouseLis tener Interface
##	mouseExited() is method of _____interface.	Mouse Interface	MouseMotionLi stener Interface	MouseExi ted Interface	MouseLis tener Interface
##	mousePressed() is method of _____interface.	Mouse Interface	MouseMotionLi stener Interface	MousePre ssed Interface	MouseLis tener Interface
##	mouseReleased() is method of _____interface.	Mouse Interface	MouseMotionLi stener Interface	MouseRel eased Interface	MouseLis tener Interface
##	Which of the following statements are true? 1) The MouseMotionListener interface defines methods for handling mouse clicks. 2) The ActionListener interface defines methods for handling the clicking of a button. 3) The MouseClickListener interface defines methods for handling mouse clicks. 4) The MouseListener interface defines methods for handling mouse dragged	Statement 1 and 3 are true	Only first statement is true	Only second statement is true	All statements are true
##	Which of the following statements is true? 1) keyPressed() is method of KeyListerner Interface 2) keyPressed() is method of MouseListener Interface 3) keyPressed() is method of ActionListener Interface 4) keyPressed() is method of KeyBoardListener Interface	Statement 1 is true	Statement 2 is true	Statement 3 is true	Statement 4 is true
##	Which package is required for events?	java.listener	java.util.event	java.awt. event	java.motio n
##	The Following steps are required to perform 1) Implement the Listener interface and overrides its methods 2) Register the component with the Listener	Exception Handling	String Handling	Event Handling	Listener Handling
##	Consider following three statement 1) ActionListener Interace defines one method to receive action event 2) ItemListener Interface defines one method to recognize when the state of item change.. 3) MouseListener interface defines mouseMoved() method	Statement 1 and 2 are true	Only first statement is true	Only second statement is true	All statements are true
##	Which of the following statements are false 1)windowlistener define seven method 2)mouseMotionListerne define 2 method 3) ActionListener Interace defines three method to receive action event 4)KeyListener Interface define Three method	Statement 1 is false	Statement 2 is false	Statement 3 is false	Statement 4 is false
##	Consider following two statement 1) Implement the Listener interface and overrides its methods is required to perform in event handling. 2) ActionListener Interace defines one method to receive action event	Only first statement is true	Only second statement is true	Both statements are true	Both statements are False
##	Which of the following method of a Frame is used to change it's color?	setBackground(Color c)	setForeground(Color c)	add()	getBackgr ound()
##	ContentHandler , MulticastSocket , URL, SocketImpl are examples of -----	package	class	Interface	Method

##	URLEncoder , URLConnection , URLDecoder are examples of -----	package	class	Interface	All of the above
##	The WindowEvent class, WINDOW_ICONIFIED, integer constants meaning-	Showing a window for the first time.	The window which contains the focus owner.	Reducing the window from to minimize d.	Restoring the window to its original size.
##	ItemEvent constructor- ItemEvent(ItemSelectable src, int type, Object entry, int state) Here src means.....	The specific item that generated the item event is passed	The type of object	a reference to the component that generated event	The current state of that item.
##	The WindowEvent class, WINDOW_DEICONIFIED, integer constants meaning-	Reducing the window to an icon on the desktop	The window which contains the focus owner.	Showing a window for the first time.	Restoring the window to its original size.
##	Choose the incorrect statement ?	List l=new List(4);	List l1=new List(6,true);	Choice c=new Choice();	Choice c1=new Choice(3);
##	What does URL stands for?	Uniform Resource Locator	Uniform Resource Latch	Universal Resource Locator	Universal Resource Latch
##	The WindowEvent class, WINDOW_DEACTIVATED, integer constants meaning-	Reducing the window to an icon on the desktop	The window which contains the focus owner.	This window has lost the focus	Restoring the window to its original size.
##	Which of the following are true? A. The event-inheritance model has replaced the event-delegation model. B. The event-inheritance model is more efficient than the event-delegation model. C. The event-delegation model uses event listeners to define the methods of event-handling classes. D. The event-delegation model uses the handleEvent() method to support event handling.	Statement 1 is true	Statement 2 is true	Statement 3 is true	Statement 4 is true
##	WindowEvent is a subclass of _____.	ComponentEvent	TextEvent	InputEvent	Window
##	Which of these exceptions is thrown by URL classes constructors?	URLNotFound	URLSourceNotFound	MalformedURLException	URLNotFoundException
##	Which of these methods is used to know host of an URL?	host()	getHost()	GetHost()	gethost()
##	WindowEvent Constructor- WindowEvent(Window src, int type, Window other, int fromState, int toState) Here fromState means-	the new state of the window	prior state of the window.	opposite window when a focus or activation event occurs.	reference to the object that generated this event.
##	Which of the following components generate action events?	Button	Labels	Check boxes	Windows
##	getWindow () method returns	int value of window	Location of window	void value	Window object

##	Which of the following are true? A) The MouseListener interface defines methods for handling mouse clicks. B) The MouseMotionListener interface defines methods for handling mouse clicks. C) The MouseClickListener interface defines methods for handling mouse clicks. D) The ActionListener interface defines methods for handling the clicking of a button.	Only Statement A is true	Only Statement D is true	Statement A and D are true	Statement B and D are true
##	WindowEvent class methods are-	getOppositeWindow()	getNewState()	getOldState()	All of above
##	Which of these class is used to access actual bits or content information of a URL?	URL	URLDecoder	URLConnection	All of the mentioned
##	What is the output of this program? import java.net.*; class networking { public static void main(String[] args) throws MalformedURLException { URL obj = new URL("https://www.sanfoundry.com/javamcq"); System.out.print(obj.getProtocol()); } }	http	https	www	com
##	Which of these methods is used to know the full URL of an URL object?	fullHost()	getHost()	ExternalForm()	toExternalForm()
##	Match the correct pairs- a. getKeyLocation() i. Set the keyCode value to indicate a physical key. b. getKeyCode() ii. Returns the character associated with the key in this event. c. getKeyChar() iii. Returns the location of the key that originated this key event. d. setKeyCode(int keyCode) iv. Returns the integer keyCode associated with the key in this event.	d-i, c-ii, a-iii, b-iv	d-ii, c-i, a-iii, b-iv	d-i, c-ii, a-iv, b-iii	d-iv, c-ii, a-iii, b-i
##	Which of the following statements is true?	keyTyped() is method of KeyListener Interface	keyTyped() is method of MouseListener Interface	keyTyped() is method of ActionListener Interface	keyTyped() is method of KeyBoard Listener Interface
##	.ContentHandlerFactory , SocketOptions , FileNameMap are included in ----- package	.net	.util	.io	.lang
##	.com,.gov,.org are examples of-----	domain	server name	client name	package
##	Which of the following option is true?	keyReleased() is method of KeyListener Interface	keyReleased() is method of MouseListener Interface	keyReleased() is method of ActionListener Interface	keyReleased() is method of KeyBoard Listener Interface
##	Consider following code segment- 1. public void keyReleased(getKeyChar()) { 2. str+="-Key Released- "; 3. label2.setText(str); 4. jf.setVisible(true); 5. str=""; 6. } 7. public void keyTyped(KeyEvent ke) { 8. str+="-Key Typed- "; 9. label2.setText(str); 10. jf.setVisible(true); 11. } Which statement is true ?	There are syntax errors on line no. 1	There are syntax errors on line no. 3	There are syntax errors on line no. 7	There are syntax errors on line no. 10
##	Select true statement from the following options.	mousePressed() is method of MouseMotionListener Interface	mousePressed() is method of Mouse Interface	mousePressed() is method of MousePressed Interface	mousePressed() is method of MouseListener Interface

##	Select correct general form of Mouse Clicked method of Mouse Listener interface.	void mouseClicked(m ouseEvent me)	void MouseClicked(mouseEvent me)	void MouseClicked(MouseEvent me)	void mouseCli cked(Mo useEvent me)
##	public void removeTypeListener(TypeListener el) Here Type means-	reference to the event listener	name of the event	type of multicasti ng of event	None of the above
##	Which of these methods is used to know when was the URL last modified?	LastModified()	getLastModifie d()	GetLastM odified()	getlastMo dified()
##	Which of these methods is used to know the type of content used in the URL?	ContentType()	contentType()	getContent Type()	GetConten tType()
##	What is the output of this program? import java.net.*; class networking { public static void main(String[] args) throws Exception { URL obj = new URL("https://www.sanfoundry.com/javamcq"); URLConnection obj1 = obj.openConnection(); System.out.print(obj1.getContentType()); } }	html	text	html/text	text/html
##	What is the output of this program? import java.net.*; class networking { public static void main(String[] args) throws Exception { URL obj = new URL("https://www.sanfoundry.com/javamcq"); URLConnection obj1 = obj.openConnection(); int len = obj1.getContentLength(); System.out.print(len); } }	127	-1	Compilati on Error	Runtime Error
##	Select correct general form of Mouse Entered method of Mouse Listener interface.	void mouseEntered(m ouseEvent me)	void MouseEntered(mouseEvent me)	void MouseEnt ered(Mous eEvent me)	void mouseEnt ered(Mou seEvent me)
##	Consider following code segment- 1. public void mouseClicked(MouseEvent event){ 2. setBackground(Color.blue); 3.int x = event.getX(); 4.int y = event.getY(); 5.int c = getClickCount(); 6. } Which statement is true?	There are syntax errors on line no. 1	There are syntax errors on line no. 2	There are syntax errors on line no. 4	There are syntax errors on line no. 5
##	Consider following code segment- 1. public void mouseClicked(MouseEvent event){ 2. boolean d = event.isPopupTrigger(); 3. } In above code segment Line no. 2 specifies:	tests if this event causes a pop-up menu to appear on this platform.	tests if this event response pop-up menu to appear on this platform.	tests if this event is pop-up window.	tests if this event is pop-up Trigger.
##	Find the Error in given code for implementing Mouse motion event handler import java.awt.*; import java.awt.event.*; public class MouseEventsDemo extends Frame implements KeyListener { String msg="" int mouseX=0, mouseY=0; public MouseEventsDemo() { addMouseMotionListener(this); addWindowListener(new MyWindowAdapter()); } public void mouseDragged(MouseEvent me) { mouseX=me.getX(); mouseY=me.getY(); msg= "*" + "mouse at " + mouseX + " , " + mouseY; repaint(); } public void mouseMoved(MouseEvent me) { msg="Moving mouse at " + me.getX() + " , " + me.getY(); repaint(); } public void paint(Graphics g) { g.drawString(msg, mouseX, mouseY); } public static void main(String [] args) { MouseEventsDemo M1= new MouseEventsDemo(); M1.setSize(new Dimension(300,300)); M1.setTitle("MouseEventsDemo"); M1.setVisible(true); } } class MyWindowAdapter extends WindowAdapter { Public void windowClosing(WindowEvent we) { System.exit(0); } }	Error in registering Listener	All methods of Interface are not implemented	Implement s Wrong name of interface class	Required packages are not implement ed.

##	Consider following code segment- public void mousePressed(MouseEvent event) { System.out.println(event.getPoint()); } Following code segment output is-	Print value of x and y co-ordinates	Print value of x co-ordinates	Print value of y co-ordinates	Print value of event object.
##	Find the Error in given code for implementing Mouse motion event handler import java.awt.*; import java.awt.event.*; public class MouseEventsDemo extends Frame implements MouseMotionListener { String msg=" " int mouseX=0, mouseY=0; public MouseEventsDemo() { addMouseMotionListener(this); addWindowListener(new MyWindowAdapter()); } public void mouseMoved(MouseEvent me) { msg="Moving mouse at " + me.getX() + " , " + me.getY(); repaint(); } public void paint(Graphics g) { g.drawString(msg, mouseX, mouseY); } public static void main(String [] args) { MouseEventsDemo M1= new MouseEventsDemo(); M1.setSize(new Dimension(300,300)); M1.setTitle("MouseEventsDemo"); M1.setVisible(true); } } class MyWindowAdapter extends WindowAdapter { Public void windowClosing(WindowEvent we) { System.exit(0); } }	Error in registering Listener	All methods of Interface are not implemented	Correct Interface class not implemented	Required packages are not implemented.
##	Find the Error in given code for implementing Mouse motion event handler import java.awt.*; import java.awt.event.*; public class MouseEventsDemo extends Frame implements MouseMotionListener { String msg="" int mouseX=0, mouseY=0; public MouseEventsDemo() { addWindowListener(new MyWindowAdapter()); } public void mouseDragged(MouseEvent me) { mouseX=me.getX(); mouseY=me.getY(); msg= "*" + "mouse at " + mouseX + " , " + mouseY; repaint(); } public void mouseMoved(MouseEvent me) { msg="Moving mouse at " + me.getX() + " , " + me.getY(); repaint(); } public void paint(Graphics g) { g.drawString(msg, mouseX, mouseY); } public static void main(String [] args) { MouseEventsDemo M1= new MouseEventsDemo(); M1.setSize(new Dimension(300,300)); M1.setTitle("MouseEventsDemo"); M1.setVisible(true); } } class MyWindowAdapter extends WindowAdapter { Public void windowClosing(WindowEvent we) { System.exit(0); } }	Listener not registered	All methods of Interface are not implemented	Correct Interface class not implemented	Required packages are not implemented.
##	Consider following code segment- 1. public void mouseClicked(MouseEvent event) { 2. // Line 2 3. } Following code segment, identify statement to print co-ordinates -	int p = getLocationOnScreen();	Point p = getLocationOnScreen();	int x,y = getLocationOnScreen();	None of above
##	Find the Error in given code for implementing Mouse motion event handler import java.lang.*; import java.util.event.*; public class MouseEventsDemo extends Frame implements MouseMotionListener { String msg="" int mouseX=0, mouseY=0; public MouseEventsDemo() { addMouseMotionListener(this); addWindowListener(new MyWindowAdapter()); } public void mouseDragged(MouseEvent me) { mouseX=me.getX(); mouseY=me.getY(); msg= "*" + "mouse at " + mouseX + " , " + mouseY; repaint(); } public void mouseMoved(MouseEvent me) { msg="Moving mouse at " + me.getX() + " , " + me.getY(); repaint(); } public void paint(Graphics g) { g.drawString(msg, mouseX, mouseY); } public static void main(String [] args) { MouseEventsDemo M1= new MouseEventsDemo(); M1.setSize(new Dimension(300,300)); M1.setTitle("MouseEventsDemo"); M1.setVisible(true); } } class MyWindowAdapter extends WindowAdapter { Public void windowClosing(WindowEvent we) { System.exit(0); } }	Listener not registered	All methods of Interface are not implemented	Correct Interface class not implemented	Required packages are not imported

##	Which constructor is used to set the grid layout with vertical gap and horizontal gap?	GridLayout()	GridLayout(int rw, int cl)	GridLayout(int rw, int cl, int hgap, vgap)	All of the above
##	Write the correct code at blank spaces: import java.awt.*; import java.awt.event.*; public class MouseMotionListenerExample extends Frame implements MouseMotionListener { MouseMotionListenerExample() { addMouseMotionListener(this); setSize(300,300); setLayout(null); setVisible(true); } public void _____(MouseEvent e) { Graphics g=getGraphics(); g.setColor(Color.RED); g.drawOval(e.getX(),e.getY(),20,20); } public void _____(MouseEvent e) { } public static void main(String[] args) { new MouseMotionListenerExample(); } }	mouseDragged, mouseMoved	mousePressed, mouseDragged	mouseClicked, mouseMoved	mouseReleased, mouseClicked
##	Find error in given program 1. import java.awt.*; 2. import java.awt.event.*; 3. public class KeyListenerExample extends Frame implements KeyListener{ Label MyLabel; 4. TextArea area; 5. KeyListenerExample(){ 6. MyLabel=new Label(); 7. MyLabel.setBounds(20,50,100,20); 8. area=new TextArea(); 9. area.setBounds(20,80,300, 300); 10. add(MyLabel);add(area); 11. setSize(400,400); 12. setLayout(null); 13. setVisible(true); 14. } 15. public void keyPressed(KeyEvent e) { 16. MyLabel.setText("Key Pressed"); 17. } 18. public void keyReleased(KeyEvent e) { 19. MyLabel.setText("Key Released"); 20. } 21. public void keyTyped(KeyEvent e) { 22. MyLabel.setText("Key Typed"); 23. } 24. public static void main(String[] args) { 25. new KeyListenerExample(); 26. } 27. }	Listener not registered	All methods of Interface are not implemented	Wrong name of Interface class	Required packages are not imported
##	The _____ method changes the location of the event.	int getX()	Point getPoint()	translatePoint()	isPopupTrigger()
##	Find error in given program 1 import java.awt.*; 2 import java.awt.event.*; 3 public class KeyListenerExample extends Frame implements KeyListener{ Label MyLabel; 4 TextArea area; 5 KeyListenerExample(){ 6 MyLabel=new Label(); 7 MyLabel.setBounds(20,50,100,20); 8 area=new TextArea(); 9 area.setBounds(20,80,300, 300); 10 area.addKeyListener(this); 11 add(MyLabel);add(area); 12 setSize(400,400); 13 setLayout(null); 14 setVisible(true); 15 } 16 public void keyPressed(KeyEvent e) { 17 MyLabel.setText("Key Pressed"); 18 } 19 public void keyReleased(KeyEvent e) { 20 MyLabel.setText("Key Released"); 21 } 22 public static void main(String[] args) { 23 new KeyListenerExample(); 24 } 25 }	Listener not registered	All methods of Interface are not implemented	Wrong name of Interface class	Required packages are not imported
##	Find error in given program import java.awt.*; import java.awt.event.*; public class KeyListenerExample extends Frame implements KeyBoardListener { Label MyLabel; TextArea area; KeyListenerExample() { MyLabel=new Label(); MyLabel.setBounds(20,50,100,20); area=new TextArea(); area.setBounds(20,80,300, 300); area.addKeyListener(this); add(MyLabel);add(area); setSize(400,400); setLayout(null); setVisible(true); } public void keyPressed(KeyEvent e) { MyLabel.setText("Key Pressed"); } public void keyReleased(KeyEvent e) { MyLabel.setText("Key Released"); } public void keyTyped(KeyEvent e) { 1.setText("Key Typed"); } public static void main(String[] args) { new KeyListenerExample(); } }	Listener not registered	All methods of Interface are not implemented	Implements Wrong name of Interface class	Required packages are not imported
##	ContentHandler , MulticastSocket , URL, SocketImpl are included in ----- package	.net	.util	.io	.lang
##	HttpURLConnection , URLConnection , URL are included in -----package	.net	.util	.io	.lang

Find error in given program import java.util.*; import java.util.event.*; public class KeyListenerExample extends Frame implements KeyListener{ Label MyLabel; TextArea area; KeyListenerExample() { MyLabel=new Label(); MyLabel.setBounds(20,50,100,20); area=new TextArea(); area.setBounds(20,80,300, 300); area.addKeyListener(this); add(MyLabel);add(area); setSize(400,400); setLayout(null); setVisible(true); } public void keyPressed(KeyEvent e) { MyLabel.setText("Key Pressed"); } public void keyReleased(KeyEvent e) { MyLabel.setText("Key Released"); } public void keyTyped(KeyEvent e) { l.setText("Key Typed"); } public static void main(String[] args) { new KeyListenerExample(); } }					
##		Listener not registered	All methods of Interface are not implemented	Wrong name of Interface class	Required packages are not imported
Consider following code segment- 1. public void textValueChanged(TextEvent e) { 2. TextComponent tc = (TextComponent) e.getSource(); 3. // Line No. 3 4. } Above segment of code, identify code a Line No 3 to display text in TextComponent-		System.out.println("Typed value in TextComponent "+tc.getText());	System.out.println("Typed value in TextComponent "+tc.getParameterString());	System.out.println("Typed value in TextComponent "+tc.getSource());	System.out.println("Typed value in TextComponent "+tc.getValue());
##	Consider following code segment- 1. t=new TextField(20); 2. public void textValueChanged(TextEvent te) { 3. // Line No. 3 4. } Above segment of code, identify the code at Line No 3 to set the frame title.	setTitle(t.getValue());	setTitle(te.getText());	setTitle(te.getValue());	setTitle(t.getText());
##	Consider following code segment- 1. TextArea typeText, displayText; 2. public void textValueChanged(TextEvent e) { 3.String str=typeText.getText(); 4.// Line No. 4 5. } Following segment of code, identify code a Line No 4 to read text from typeText and display to displayText	displayText.setText(e.str);	displayText.setText(e.getText());	displayText.setText(e.str);	displayText.setText(e.typeText);
##	Fill the blank at line no 5. 1. public class WindowExample extends Frame implements WindowListener 2. { 3. WindowExample() 4. { 5. _____ (this); 6. setSize(400,400); 7. setLayout(null); 8. setVisible(true); 9. }	addWindowListener	addwindow	WindowListener()	addwindowlistener
##	----- layout lays out the components in a directional flow.	Grid Layout	Card Layout	FlowLayout	BorderLayout
##	Identify the incorrect Integer constants for WindowEvent.	WINDOW_ACTIVATED	WINDOW_DEACTIVATED	WINDOW_LOST_FOCUS	WINDOW_GOT_FOCUS
##	Write the correct code at blank space: public class _____ extends Frame implements WindowListener { WindowExample() { addWindowListener(this); setSize(400,400); setLayout(null); setVisible(true); } public static void main(String[] args) { new WindowExample(); } }	addWindowListener	WindowExample	Window	WindowListener
##	Which top-level class provides methods to add and remove keyboard and mouse event listeners-	Object	ActionEvent	EventObject	Component
##	The getActionCommand() method returns-	String	Object	int	void
##	----- class displays a dialog window from which the user can select a file.	java.awt.FileDialog	java.awt.Dialog	java.awt.File	All of the above
##	The getItem() method returns-	String	Object	void	int
##	Which method used to capture ALT, CTRL, META OR SHIFT keys-	getWhen()	getActionCommand()	getModifiers()	getAdjustable()
##	1.public void textValueChanged(TextEvent e) { 2.TextComponent tc = (TextComponent) e.getSource(); 3.System.out.println("Typed value in TextComponent " + e.getText()); 4. } Following segment of code, Identify syntax error-	There are syntax errors on line no. 1	There are syntax errors on line no. 2	There are syntax errors on line no. 3	There are syntax errors on line no. 2 and 3

##	1.Label label; 2.TextField textField=new TextField(); 3.public void keyPressed(KeyEvent ke) { 4.// Line No 4 5. } Identify code at Line No. 4 to get key code-	char keyChar=key.ge tKeyChar();	charkeyChar = textField.getKey Char();	char keyChar=l abel.getKe yChar();	char keyChar = KeyEvent. getKeyCh ar();
##	Select the interface which define a method actionPerformed()?	ComponentListen er	ContainerListen er	ActionLis tener	InputLis tner
##	1.Label label; 2.TextField textField=new TextField(); 3.public void keyPressed(KeyEvent ke) { 4.// Line No 4 5.} Identify code at Line No. 4 to get key code-	char keyChar =KeyEvent. getKeyCode ();	char keyChar =textField. getKeyCode ();	char keyChar =label. getKeyCo de ();	char keyChar =ke. getKeyCo de ();
##	The translatePoint() method-	changes the location of the event.	changes x co- ordinates of the event.	changes y co- ordinates of the event.	returns the translate co- ordinates.
##	Select the method of MouseMotionListener Interface.	mouseDragged()	MouseMotionLi stener()	MouseClic k()	MousePre ssed()
##	Select the interface: Which defines a method itemStateChanged()?	ItemState	ContainerListen er	ActionList ener	ItemLis tner
##	How many method define in FocusListener interface	one	two	four	seven
##	How many method define in ContainerListener interface.	seven	two	five	one
##	-----types of exceptions are occurred in networking programming	UnknownHostEx ception	MalformedURLException	Exception	All of the above
##	.net,.util,.lang are examples of -----	package	class	Interface	Method
##	.net,.util,.lang,.gov, from this -----is a domain	.net	.util	.lang	.gov
##	From following which is package?	.com	.util	.gov	All of the above
##	Networking classes encapsulate the "socket" paradigm pioneered in the (BSD) Give the abbreviation of BSD?	Berkeley Software Distribution	Berkeley Socket Distribution	Berkeley System Distributio n	None of the above
##	Datagrams are ----- of information passed between machines	bundles	sets	none of A and B	Both A and B
##	TCP/IP style of networking provides -----	serialized stream of packet data	predictable stream of data	reliable stream of data	All of the above
##	TCP includes many complicated algorithms for dealing with-----	congestion control on crowded networks	pessimistic expectations about packet loss	inefficient way to transport data	All of the above
##	----- constructor specifies only a buffer that will receive data and the size of packet.	DatagramPac ket(byte data[], int size)	DatagramPac ket(byte data[], int offset, int size)	Datagram Packet(byte data[], int offset, int size , InetAddress, int port)	All of the above
##	DatagramPacket has ----- methods	int getPort()	byte[] getData()	int getLength()	All of the above

##	What is the output of this program? import java.net.*; class networking { public static void main(String[] args) throws MalformedURLException { URL obj = new URL("http://www.sanfoundry.com/javamcq"); System.out.print(obj.getPort()); } }	1	0	-1	garbage value
##	import java.net.*; class networking { public static void main(String[] args) throws Exception { URL obj = new URL("http://www.oracle.com"); URLConnection obj1 = obj.openConnection(); int len = obj1.getContentLength(); System.out.print(len); } }	0	127	compile time error	run time error
##	Which steps occur when establishing a TCP connection between two computers using sockets?	The server instantiates a ServerSocket object, denoting which port number communication is to occur on	The server invokes the accept() method of the ServerSocket class. This method waits until a client connects to the server on the given port	After the server is waiting, a client instantiates a Socket object, specifying the server name and port number to connect to	All of the above
##	Which of these transfer protocol must be used so that URL can be accessed by URLConnection class object?	http	https	Any Protocol can be used	None of the mentioned
##	What is the output of following program? import java.io.*; import java.net.*; public class URLEDemo { public static void main(String[] args) { try { URL url=new URL("http://www.sanfoundry.com/java-mcq"); System.out.println("Protocol: "+url.getProtocol()); System.out.println("Host Name: "+url.getHost()); System.out.println("Port Number: "+url.getPort()); } catch(Exception e){System.out.println(e);} } }	Protocol: http	Host Name: www.sanfoundry.com	Port Number: -1	all above mentioned
##	What is the output of this program? import java.net.*; class networking { public static void main(String[] args) throws Exception { URL obj = new URL("https://www.sanfoundry.com/javamcq"); URLConnection obj1 = obj.openConnection(); System.out.print(obj1.getLastModified()); } } Note: Host URL was last modified on june 18 tuesday 2018 .	july	18-6-2013	Tue 18 Jun 2013	Tue Jun 18 2018
##	In Uniform Resource Locator (URL), path is pathname of file where information is	Stored	Located	to be transferred	Transferred
##	The class _____ is used for accessing the attributes of remote resource.	URI	URLConnection	URL	URLLoader
##	How many forms of constructors URL class have?	1	2	3	4
##	How many forms of constructors URLConnection class have?	1	2	3	none of the above
##	openConnection() method present in which class?	URL	URLConnection	InetAddress	HTTPURLConnection
##	getContentType() method present in which class?	URL	URLDecoder	URLConnection	none of the above

##	getLength() method present in which class?	URL	URLConnection	URLDecoder	URLConnectionException
##	Which of these classes can be added to a Frame component ?	Component	Window	Button	Applet
##	getDate() method present in which class?	URL	URLConnection	URLConnection	All of the mentioned
##	Which of the following method of Applet class execute only once ?	stop()	paint()	start()	init()
##	getConnectionTimeout() method present in which class?	URL	URLConnection	URLConnection	URLConnectionException
##	getProtocol() method present in which class?	URL	URLConnection	URLConnection	none of the above
##	_____method of DatagramPacket is used to find the port number.	port()	GetPort()	getPort()	findPort()
##	getInetAddress() method present in which class?	URL	Socket	ServerSocket	none of the above
##	getLocalPort()method present in which class?	Socket	URLConnection	URLConnection	URLConnectionException
##	getQuery() method present in which class?	URL	URLConnection	URLConnection	none of the above
##	getRef() method present in which class?	URLConnection	URLConnection	URLConnection	URL
##	getPath() method present in which class?	URL	URLConnection	URLConnection	none of the above
##	URLConnection class present in which package?	url	URLConnection	URL	.net
##	getExpiration() method present in which class?	URL	URLConnection	URLConnection	none of the above
##	To create menus on the container which of the following classes are used?	Menu	MenuBar	MenuItem	All of the above
##	-----method is used to add the menu items to menus.	add()	addComponent();	addMenuItem()	setItem()
##	-----method is used to add the menubar to the frame.	setMenu()	setMenuBar()	addMenuBar()	All of the above
##	Which of the following components allow multiple selections? A. Checkbox B. Radio buttons C. Choice D. List	A and B	B and C	C and D	A and D
##	_____ is immediate super class of Menu class.	MenuBar	MenuItem	MenuComponent	Object
##	Which of the following creates a List with 5 visible items and multiple selection enabled?	new List(5,true)	new List(true,5)	new List(5,false)	new List(false,5)
##	Which of the following may a menu contain? A) separator B) check box C) menu item D) panel	A and B	B and C	A and D	A and C
##	How could you set the frame surface color to pink ?	s.setBackground(Color.pink);	s.setColor(PINK);	s.setBackground(pink);	s.setColor=Color.pink
##	which of the following method is used to retrieve whether checkbox is selected?	getState()	getLabel()	setState()	setLabel()
##	Which of the following statements are true? A) A Dialog can have a MenuBar. B) Menu extends MenuItem C) A MenuItem can be added to a Menu. D) A Menu can be added to a Menu.	A and B	B and C	A and D	C and D
##	write output of following import java.net.*; class networking16 { public static void main(String[] args) throws MalformedURLException { URL obj = new URL("http://www.sanfoundry.com/javamcq"); System.out.print(obj.toExternalForm()); } }	sanfoundry	sanfoundry.com	www.sanfoundry.com	http://www.sanfoundry.com/javamcq