

Lecture 1 – Task Given

➤ Create and access a linux machine in EC2

CREATE A LINUX MACHINE IN EC2

1. Use steps learnt to create a windows instance
2. Use same steps to create the instance
3. Instance created

The screenshot displays the AWS Management Console interface for the EC2 service. A red rectangle highlights the instance list table, which contains the following data:

Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP	IPv6 IF
Linux-Demo	i-07d0798be17cd42d1	Running	t3.small	Initializing	ap-south-1a	ec2-65-2-140-49.ap-so...	65.2.140.49	-	-

Below the table, the details for the selected instance 'i-07d0798be17cd42d1 (Linux-Demo)' are shown. The 'Instance summary' section includes the following information:


- Instance ID:** i-07d0798be17cd42d1
- IPV6 address:** -
- Hostname type:** IP name: ip-172-51-37-5.ap-south-1.compute.internal
- Answer private resource DNS name:** IPv4 (A)
- Auto-assigned IP address:** 65.2.140.49 [Public IP]
- IAM role:** -
- IMDSv2:** Required
- Operator:** -

The 'Instance details' section provides further configuration information:


- Public IPv4 address:** 65.2.140.49 | open address
- Instance state:** Running
- Private IP DNS name (IPv4 only):** ip-172-51-37-5.ap-south-1.compute.internal
- Instance type:** t3.small
- VPC ID:** vpc-09d858fc18c3a0009
- Subnet ID:** subnet-017b373c6dc401498
- Instance ARN:** arn:aws:ec2:ap-south-1:857812840271:instance/i-07d0798be17cd42d1
- Private IPv4 addresses:** 172.31.37.5
- Public DNS:** ec2-65-2-140-49.ap-south-1.compute.amazonaws.com | open address
- Elastic IP addresses:** -
- AWS Compute Optimizer finding:** Opt-in to AWS Compute Optimizer for recommendations. | Learn more
- Auto Scaling Group name:** -
- Managed:** false

ACCESS A LINUX MACHINE IN EC2

1. Use public Ip to access instance
2. Add SSH in security groups as RDP is only for windows machine SSH is used to connect Linux Machine



3. For accessing we have to install a software Putty or Gitbash
4. Here we download gitbash
5. Locate your pem file (Private key file)
6. Right click on empty space and click open gitbash here



[illegible]

```

root@ip-172-31-37-5:~#
DIR_COLORS.lightbgcolor
GREP_COLORS
NetworkManager
X11
acpi
adjtime
aliases
alternatives
amazon
amazon-linux-release
amazon-linux-release-cpe
at.deny
audit
bash_completion.d
bashrc
bindresvport.blacklist
binfmt.d
chkconfig.d
chrony.conf
chrony.d
chrony.keys
cifs-utils
cloud
cron.daily
cron.hourly
cron.monthly
cron.weekly
crontab
crypto-policies
csh.cshrc
csh.login
dbus-1
default
depmod.d
dhcp
dnf
dracut.conf
dracut.conf.d
environment
ethertypes
exports
exports.d
filesystems
fstab
gcrypt
gnupg
groff
group
group-
grub.d
grub2-efi.cfg
grub2.cfg
gshadow
gshadow-
gss
gssproxy
host.conf
hostname
hosts
idmapd.conf
image-id
init.d
inittab
inputrc
issue
issue.net
kernel
keyutils
krb5.conf
krb5.conf.d
ld.so.cache
ld.so.conf
ld.so.conf.d
libaudit.conf
libibverbs.d
libnl
libreport
libuser.conf
locale.conf
localtime
login.defs
logrotate.conf
logrotate.d
lsm
machine-id
magic
man_db.conf
mke2fs.conf
modprobe.d
modules-load.d
motd
motd.d
mtab
nanorc
netconfig
networks
nfs.conf
nfsmount.conf
nsswitch.conf
openldap
opt
os-release
pam.d
passwd
passwd-
pkcs11
pkgconfig
pki
pm
popt.d
printcap
profile
protocols
rc.d
rc0.d
rc1.d
rc2.d
rc3.d
rc4.d
rc5.d
rc6.d
request-key.conf
request-key.d
resolv.conf
rpc
rpm
rsyncd.conf
rsyslog.d
rwtab.d
sas12
screenrc
security
selinux
services
sestatus.conf
shadow
shadow-
shells
skel
ssh
ssl
sssd
statetab.d
subgid
subgid-
subuid
subuid-
sudo.conf
sudoers
sudoers.d
sysconfig
sysctl.conf
sysctl.d
system-release
system-release-cpe
systemd
terminfo
tmpfiles.d
trusted-key.key
udev
update-motd.d
vimrc
virc
wgetrc
xattr.conf
xdg
yum.repos.d
[root@ip-172-31-37-5 ~]#

```

8. Terminate the Instance

Saved filter sets
Choose filter set ▼

Find Instance by attribute or tag (case-sensitive)

☐	Name	Instance ID	Instance state	Instance type	Status check
☒	Linux-Demo	i-07d0798be17cd42d1	Shutting-d...	t3.small	-
☐	Linux-Demo	i-0ffb7731bf062f467	Terminated	t3.small	-