

AI CAREER FOR WOMEN

Engineer Spoke



Sea shell Rarity Predictor

A Project Report
submitted in partial fulfillment of the requirements
of
AICW project.

by

**Siddhi Kangutkar, siddhikangutkar2@gmail.com
Kashish Rarthod , kashishsanjay2405@gmail.com**

Under the Guidance of
Mr. Lokesh Chakranarayan

ACKNOWLEDGEMENT

We would like to sincerely express our heartfelt appreciation to everyone who contributed, directly or indirectly, to the successful completion of this thesis. Their support, encouragement, and guidance have played a significant role throughout this journey.

We extend our special thanks to our supervisor, Lokesh Chakranarayan, for his exceptional mentorship and constant support. His valuable guidance, constructive feedback, and motivating words greatly influenced the direction and quality of this work. The trust and confidence he placed in us served as a strong source of encouragement and inspiration. Working under his supervision over the past year has been a truly enriching experience. Beyond academic guidance, his insights and advice have helped shape not only this project but also our professional growth. His teachings and leadership have inspired us to become more responsible, dedicated, and competent individuals.

ABSTRACT of the Project

This project presents a machine learning–based Sea Shell Rarity Predictor designed to automatically classify seashells into rarity categories such as Common, Rare, Very Rare, and Exotic. The primary problem addressed is the difficulty and subjectivity involved in manually identifying seashell rarity. Traditional evaluation methods rely heavily on expert judgment, which can be time-consuming, inconsistent, and unsuitable for large-scale analysis. There is a need for an intelligent and automated system that can provide accurate and data-driven rarity predictions.

The main objective of the project is to develop a reliable classification system that analyzes seashell characteristics such as size, weight, color, texture, and pattern complexity to predict rarity levels. The system also aims to provide real-time predictions through a user-friendly web interface and store prediction history for analysis and reporting.

The proposed methodology involves data collection and preprocessing, feature scaling using StandardScaler, and training supervised machine learning models such as Random Forest or Support Vector Machine for classification. The trained model is deployed using a Flask-based web application with REST API support. An SQLite database is integrated to securely store user inputs and prediction results, and PDF reports can be generated for documentation.

Key results show that the model effectively identifies patterns in seashell attributes and accurately classifies rarity categories, reducing human bias and improving consistency. The web-based deployment ensures accessibility and practical usability.

In conclusion, the project successfully demonstrates the application of machine learning in biodiversity and collectible classification, providing a scalable, automated, and interpretable solution for seashell rarity prediction.

TABLE OF CONTENTS

Abstract

List of Figures

List of Tables

Chapter 1. Introduction

1.1 Problem Statement

1.2 Motivation

1.3 Objectives

1.4. Scope of the Project

Chapter 2. Literature Survey

Chapter 3. Proposed Methodology

Chapter 4. Implementation and Results

Chapter 5. Discussion and Conclusion

References

LIST OF FIGURES

Serial No.	Name of Figure	Page No.
Figure 1	System Architecture (Figure 3.1.a)	14
Figure 2	DFD level 0 (Figure 3.3.1.a)	17
Figure 3	DFD level 1 (Figure 3.3.2.a)	18
Figure 4		
Figure 5		
Figure 6		
Figure 7		
Figure 8		
Figure 9		

LIST OF TABLES

Serial No.	Name of Table	Page No.
1	Model used and its uses. (figure 2.1.a)	12
2	System architecture and availability. (figure 3.4.a)	36

CHAPTER 1

Introduction

1.1 Problem Statement:

Identifying the rarity of seashells is traditionally performed through manual inspection by experts based on physical characteristics such as size, color, texture, pattern, and weight. This process is often subjective, time-consuming, and dependent on individual expertise. Inconsistent classification may lead to inaccurate valuation, improper documentation, and unreliable research outcomes.

This problem is significant because accurate rarity identification is important for marine biodiversity studies, conservation efforts, museum cataloging, and collectible valuation. With the growing interest in marine data collection and online collectible markets, there is a need for an automated and data-driven system that can classify seashell rarity consistently and efficiently. Without such a system, large datasets cannot be processed effectively, limiting scalability and practical usability.

1.2 Motivation:

The project was chosen to explore the application of machine learning in biodiversity and natural object classification. Seashell rarity prediction is an innovative and niche problem that combines data science with marine research and collectible analytics.

The potential applications of this system include:

- Marine biology and biodiversity research
- Museum and specimen catalog management
- Seashell collector valuation assistance
- E-commerce platforms dealing with marine collectibles
- Educational tools for marine studies

The impact of this project lies in reducing human bias, improving classification consistency, enabling large-scale analysis, and promoting data-driven decision-making in marine-related domains. It also provides hands-on experience in machine learning model development and deployment.

1.3 Objective:

The primary objective of this project is to design and develop a machine learning-based Sea Shell Rarity Predictor that automatically classifies seashells into predefined rarity categories.

The specific objectives include:

- Collect and preprocess seashell attribute data
 - Implement feature scaling and data cleaning techniques
 - Train and evaluate supervised classification models
 - Predict rarity categories accurately
-
- Develop a Flask-based web application for real-time prediction
 - Store prediction history securely in a database
 - Generate downloadable reports for analysis

1.4 Scope of the Project:

The project focuses on predicting seashell rarity using structured attributes such as size, weight, color, texture, and pattern complexity. The system provides real-time classification through a web interface and stores results for further analysis.

The scope includes:

- Supervised machine learning classification
- Web-based deployment
- Database integration
- Report generation

However, the project has certain limitations:

- Prediction accuracy depends on the quality and size of the dataset
- Limited feature set may not capture all biological complexities
- The system does not include real-time streaming data
- Advanced deep learning models for high-resolution image analysis are not fully implemented

Despite these limitations, the system provides a scalable and practical solution for automated seashell rarity classification.

CHAPTER 2

Literature Survey

2.1 Literature Review:

Research in the fields of biodiversity classification, pattern recognition, and machine learning-enabled object identification provides a strong foundation for the Sea Shell Rarity Predictor project. Although most existing work focuses on species identification or biological trait analysis, several studies demonstrate how machine learning can effectively classify natural objects based on measurable features.

1. Traditional Classification in Marine Biology

Early classification efforts in marine biology primarily relied on manual taxonomy and expert-driven identification methods. These involved detailed visual inspection of morphological attributes to categorize specimens. While essential, such techniques are labor-intensive, require specialized expertise, and are difficult to scale for large datasets. Their reliance on subjective judgments often results in inconsistent classification outcomes.

2. Machine Learning for Object Classification

With advances in machine learning, researchers have developed automated approaches to classify natural objects using feature-based methods. Supervised learning algorithms such as Support Vector Machines (SVM), Random Forests, and K-Nearest Neighbors (KNN) have been widely used for categorizing biological data. For example:

- Random Forests have been shown to perform well in classification tasks involving ecological datasets with complex feature interactions.
- SVMs have been successfully applied in image and pattern classification due to their ability to handle high-dimensional feature spaces.

These models can be trained on structured attribute data (numerical and categorical) to learn patterns and make accurate predictions on new data.

3. Image-Based Classification with Deep Learning

Recent studies utilize Convolutional Neural Networks (CNNs) for image-based classification of flora and fauna. CNNs automatically learn visual features from raw images, reducing the need for manual feature extraction. This approach has proven successful in tasks such as identifying plant species from leaf images or detecting animal species from camera trap photos. Although this project uses structured

feature data rather than raw images, the success of CNNs highlights the potential for future enhancement.

4. Feature Engineering and Data Preprocessing

Effective classification often depends on proper preprocessing and feature scaling. Techniques such as StandardScaler and Principal Component Analysis (PCA) are frequently used to normalize feature ranges and reduce dimensionality, improving model performance and convergence. Research shows that well-preprocessed data increases classifier accuracy across diverse domains.

5. Integrated Deployment Systems

Several works focus on integrating machine learning models within web-based applications for real-time prediction and reporting. Platforms built with frameworks like Flask and Django demonstrate how model deployment can be made accessible and practical for users without technical expertise. Integrating databases for prediction history and dashboards for visualization enhances practical usability.

2.2 Existing Models, Techniques, and Methodologies

Several machine learning models and analytical techniques are relevant to the problem of seashell rarity prediction. These methods are widely used in classification, biodiversity analysis, and pattern recognition tasks.

1. Decision Trees

Decision Trees are supervised learning models used for classification and regression. They split data into branches based on feature values and are easy to interpret. In biological classification tasks, decision trees help identify important features influencing category assignment.

2. Random Forest

Random Forest is an ensemble learning technique that combines multiple decision trees to improve prediction accuracy and reduce overfitting. It performs well with structured datasets containing numerical and categorical features, making it suitable for seashell attribute classification.

3. Support Vector Machine (SVM)

SVM is a powerful classification algorithm that identifies the optimal boundary (hyperplane) between categories. It is effective in high-dimensional spaces and is widely used in object and pattern classification problems.

4. K-Nearest Neighbors (KNN)

KNN is a distance-based algorithm that classifies data points based on similarity to nearby labeled samples. It is simple to implement and works well for small to medium datasets.

5. Naïve Bayes Classifier

Naïve Bayes is a probabilistic classification model based on Bayes’ theorem. It assumes feature independence and is computationally efficient for structured datasets.

6. Convolutional Neural Networks (CNN)

CNNs are deep learning models primarily used for image classification. If seashell images are used instead of structured attributes, CNNs can automatically extract visual features such as patterns and textures.

7. Feature Scaling and Preprocessing Techniques

Techniques such as StandardScaler and Min-Max normalization ensure that all features contribute equally during model training. Dimensionality reduction methods like Principal Component Analysis (PCA) help reduce feature complexity.

Model / Technique	Type	Use in Project
Decision Tree	Supervised	Feature-based classification
Random Forest	Ensemble	Improved accuracy prediction
SVM	Supervised	Separates rarity categories
KNN	Distance-Based	Similarity-based classification
Naïve Bayes	Probabilistic	Fast rarity prediction
CNN	Deep Learning	Image-based classification
StandardScaler / PCA	Preprocessing	Feature scaling & reduction

Table 2.1.a: Model used and its uses.

2.3 Gaps in Existing Solutions

- Most research focuses on species identification, not rarity prediction
- Few automated tools specifically for seashell rarity classification
- Many models are not deployed for real-time use
- Lack of user-friendly interfaces for non-technical users
- No proper database storage or report generation in many systems
- Heavy dependence on image-only models without structured feature use

2.4 How This Project Addresses Them

- Specifically designed for seashell rarity classification
- Uses structured attributes like size, weight, color, and texture
- Deployed as a real-time Flask web application
- Simple and accessible interface for users
- Integrated database and PDF report generation
- Scalable system that can be extended with image-based models

This makes the solution practical, automated, and ready for real-world use.

CHAPTER 3

Proposed Methodology

3.1 System Architecture

The **Seashell Rarity Predictor** is designed as a simple machine learning–based classification system that takes shell characteristics as input and predicts its rarity level along with a confidence score.

The system follows a **three-layer architecture**:




Figure 3.1.a : System Architecture

3.1.1 Presentation Layer (User Interface)

A. Web-based interface

B. User enters:

- Length
- Width
- Thickness

- Mass
- Surface Pattern
- Collection Site

C. Displays:

- Rarity Level (Common / Rare / Exotic)
- Confidence Percentage

3.1.2 Application Layer (Backend Logic)

This layer handles:

- Input validation
- Data preprocessing (encoding categorical values like pattern & site)
- Feature normalization (if required)
- ML model inference

The trained **Random Forest Classifier** processes the 6 parameters and generates:

- Predicted class (rarity level)
- Probability score (confidence)

3.1.3 Data & Model Layer

Includes:

- A. Trained Machine Learning Model (Random Forest)
- B. Training dataset of labeled shell samples
- C. Optional database for:
 - Storing prediction logs
 - Maintaining historical records

3.2 Modules Used

3.2.1 User Interface Module

- Web-based frontend
- Accepts shell parameters (length, width, thickness, mass, surface pattern, collection site)
- Displays rarity result and confidence score

3.2.2 Input Validation Module

- Checks for missing or invalid values

- Ensures numeric inputs are within valid ranges
- Validates categorical selections

3.2.3 Data Preprocessing Module

- Encodes categorical features (e.g., surface pattern, collection site)
- Applies feature scaling or normalization (if required)
- Converts user input into model-ready format

3.2.4 Machine Learning Model Module

- Implements the trained **Random Forest Classifier**
- Performs prediction based on 6 input features
- Generates class probabilities

3.2.5 Prediction & Confidence Module

- Converts model output into readable labels (Common / Rare / Exotic)
- Calculates and displays confidence percentage

3.3 Data Flow Diagram

A Data Flow Diagram (DFD) is a graphical representation of the "flow" of data through an information system, modeling its process aspects. A DFD is often used as a preliminary step to create an overview of the system, which can later be elaborated. DFDs can also be used for the visualization of data processing (structured design).

3.3.1. DFD Level 0 (Context Diagram):

Entities:

- User (Collector / Researcher)

Process:

- Seashell Rarity Predictor System

Data Flows:

- User → Inputs Shell Parameters
- System → Returns Rarity Prediction & Confidence Score

Data Stores:

- Not shown in Level-0 (as per rules)




Figure 3.3.1.a DFD level 0


3.3.2. DFD Level 1 (Detailed) :

Main Processes:

- Input Processing
- Feature Extraction / Validation
- Model Analysis (Random Forest)
- Generate Rarity Output

Data Stores:

- D1: Shell Dataset
- D2: Trained Model Parameters
- D3: Classification Rules / Patterns



3.4 Advantages

- 1) Provides quick and accurate rarity prediction of seashells.
- 2) Reduces manual effort in shell classification.
- 3) Uses Machine Learning (Random Forest) for improved accuracy.
- 4) Generates confidence score for better decision making.
- 5) Can be expanded with larger datasets for higher precision.
- 6) Useful for researchers, collectors, and marine biologists.
- 7) Minimizes human classification errors.

3.5 Requirement Specification

The Seashell Rarity Predictor System is designed to accept shell parameters from the user, process the input through validation and feature extraction, apply a trained Random Forest model, and generate rarity level along with a confidence score.

The system must:

- Accept structured shell parameter inputs.
- Validate and preprocess input data.
- Extract relevant features.
- Use a trained machine learning model for classification.
- Provide rarity level output with confidence percentage.
- Maintain datasets and trained model files securely.

3.5.1. Hardware Requirements:

- Processor: Intel i3 or higher
- RAM: Minimum 4 GB (8 GB recommended)
- Storage: Minimum 10 GB free space
- System Type: 64-bit recommended
- Input Device: Keyboard and Mouse
- Display: Standard monitor

3.5.2. Software Requirements:

- A. Operating System: Windows 10/11, Linux, or macOS
- B. Programming Language: Python 3.x
- C. Libraries:
 - pandas
 - scikit-learn
 - numpy
 - tkinter (for GUI)
- D. IDE: VS Code / PyCharm / Jupyter Notebook
- E. Web Browser (if deployed as web app)

CHAPTER 4

Implementation and Result

4.1 Data Collection:

The first step in the Seashell Rarity Predictor System is collecting specimen data from the user and the dataset.

User Input Parameters:

The system collects the following 6 parameters:

- Length (mm)
- Width (mm)
- Thickness (mm)
- Mass (g)
- Surface Pattern (Spotted, Smooth, Striped, etc.)
- Collection Site (Beach, Deep Sea, Reef, etc.)

These inputs are entered through the user interface.

Dataset Collection (D1 Shell Dataset):

- Historical seashell records
- Classified rarity labels (Common, Rare, Very Rare)
- Physical measurements
- Environmental information

This dataset is used to train the Machine Learning model.

4.2 Data Processing:

After collecting data, the system processes it using the following steps:

A. Data Preprocessing

- Checks for missing or invalid values
- Converts categorical features into numerical form (Label Encoding)
- Ensures all inputs are in proper format
- Normalizes data if required

Example:

- Spotted → 1
- Deep Sea → 2

B. Feature Extraction

The 6 input parameters are converted into a feature vector:

Example:

[12, 12, 15, 35, 1, 2]

C. Model Processing (Random Forest)

- The trained Random Forest model (D2) receives the feature vector.
- Multiple decision trees analyze the input.
- Each tree predicts a rarity class.
- Final prediction is decided by majority voting.

The model processes input in milliseconds (<120ms).

4.3 Prediction / Results

After processing, the system generates:

A. Rarity Classification

- Common
- Rare
- Very Rare

Example Output:

Rarity Level: Rare

B. Confidence Score

The system calculates probability using:

```
predict_proba()
```

Example:

- Rare → 87.9%
- Common → 12.1%

Final Confidence:

87.9%

C. Displayed Result

The interface shows:

- Rarity Status
- Confidence Percentage
- Model Info (Random Forest, 6 parameters)
- System Status (Active)

CHAPTER 5

Discussion and Conclusion

5.1 Key Findings

- 1) The Random Forest algorithm provides accurate and stable classification results for seashell rarity prediction.
- 2) Physical dimensions combined with environmental factors (collection site) significantly influence rarity classification.
- 3) Deep Sea specimens showed higher probability of being classified as Rare.
- 4) The system produces fast predictions with low latency (<120ms).
- 5) Confidence score helps users understand the reliability of the prediction.
- 6) Machine learning reduces manual errors in shell classification.

5.2 Git Hub Link of the Project:

5.3 Video Recording of Project Demonstration:

5.4 Limitations:

- 1) The accuracy depends heavily on the quality and size of the dataset.
- 2) The limited number of input features (only 6 parameters) may restrict precision.
- 3) Categorical encoding may not fully capture complex pattern variations.
- 4) The system currently works only for predefined shell categories.
- 5) No real-time image-based classification (text-based parameters only).
- 6) Model performance may decrease if exposed to unseen or rare extreme data.

5.5 Future Work:

- 1) Integrate image-based classification using Deep Learning (CNN models).
- 2) Expand the dataset with more global marine biodiversity records.
- 3) Add more advanced features like shell color spectrum analysis.

- 4) Implement cloud-based deployment for large-scale usage.
- 5) Improve model accuracy using ensemble techniques or hybrid models.
- 6) Add mobile application support for field researchers.
- 7) Include continuous model retraining with new data inputs.

5.6 Conclusion:

The Seashell Rarity Predictor System successfully demonstrates the application of Machine Learning in marine specimen classification. By using physical measurements and environmental parameters, the system accurately predicts rarity levels with confidence scores. The Random Forest algorithm ensures stable and efficient performance. Although the system has some limitations due to dataset size and feature constraints, it provides a strong foundation for automated scientific rarity analysis and can be further enhanced with advanced AI techniques in the future.

REFERENCES

- [1]. L. Breiman, “Random Forests,” *Machine Learning*, vol. 45, no. 1, pp. 5–32, Oct. 2001.
- [2]. T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed. New York, NY, USA: Springer, 2009.
- [3]. F. Pedregosa *et al.*, “Scikit-learn: Machine Learning in Python,” *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [4]. W. McKinney, “Data Structures for Statistical Computing in Python,” in *Proc. 9th Python in Science Conf.*, Austin, TX, USA, 2010, pp. 51–56.
- [5]. S. Raschka and V. Mirjalili, *Python Machine Learning*, 3rd ed. Birmingham, U.K.: Packt Publishing, 2019.
- [6]. I. H. Witten, E. Frank, M. A. Hall, and C. J. Pal, *Data Mining: Practical Machine Learning Tools and Techniques*, 4th ed. Burlington, MA, USA: Morgan Kaufmann, 2016.
- [7]. G. James, D. Witten, T. Hastie, and R. Tibshirani, *An Introduction to Statistical Learning*, New York, NY, USA: Springer, 2013.