

Winning Space Race with Data Science

Siddhu Jayaraman 16/09/2022



Outline

- Executive Summary
- Introduction
- Methodology
- Results
- Conclusion
- Appendix

Executive Summary

- Summary of methodologies
 - Data collection
 - Data wrangling
 - EDA with data visualization
 - EDA with SQL
 - Building an interactive map with Folium
 - Building a dashboard with Plotly Dash
 - Predictive analysis (Classification)
- Summary of all results
 - EDA results
 - Interactive analytics
 - Predictive analysis

Introduction

- Project background and context
 - SpaceX advertises Falcon 9 rocket launches on its website with a cost of 62 million dollars, where other providers cost upward of 165 million dollars each, much of the savings is because SpaceX can reuse the first stage
- Problems you want to find answers
 - The project task is to predicting if the first stage of the SpaceX Falcon 9 rocket will land successfully



Methodology


Executive Summary

- Data collection methodology:
 - SpaceX Rest API
 - Web Scraping from Wikipedia
- Perform data wrangling
 - One Hot Encoding data fields for Machine Learning and cleaning of null values and irrelevant columns
- Perform exploratory data analysis (EDA) using visualization and SQL
- Perform interactive visual analytics using Folium and Plotly Dash
- Perform predictive analysis using classification models
 - LR,KNN,SVM,DT models have been built and evaluated for the best classifier

Data Collection

Datasets Collected:


- SpaceX launch data that is gathered from the SpaceX REST API.
- This API will give us data about launches, including Information about the rocket used, payload delivered, Launch specifications, landing specifications, and Landing outcome
- The SpaceX Rest API endpoints or URL starts with Api.spacexdata.com/v/4.
- Another web scraping used is Beautiful Soup.



Data Collection – SpaceX API

Data collection with SpaceX REST calls


https://github.com/siddhuj81/testrepo/blob/master/1.Data%20Collection%20API-Data%20Science%20Final%20Project.ipynb




Data Collection - Scraping

• Web Scraping from Wikipedia


https://github.com/siddhuj81/t estrepo/blob/master/1(1)Data %20Collection%20WebScrap-Data%20Science%20Final%2 OProject.ipynb



Data Wrangling




EDA with Data Visualization



EDA with SQL


- Displaying the names of the unique launch sites in the space mission
- Displaying 5 records where launch sites begin with the string 'KSC'
- Displaying the total payload mass carried by boosters launched by NASA (CRS)
- Displaying average payload mass carried by booster version F9v1.1
- Listing the date where the successful landing outcome in drone ship was achieved.
- Listing the names of the boosters which have success in ground pad and have payload nass greater than 4000 but less than 6000
- Listing the total number of successful and failure mission outcomes
- Listing names of the booster versions which have carried the maximum payload mass.
- Listing the records which will display the month names ,successful landing outcomes in ground pad, booster
- Versions, launch site for the months in year 2017
- Ranking the count of successful landing outcomes between the date 2010 06 04 and 2017 03 20 in descending order.


Build an Interactive Map with Folium



Build a Dashboard with Plotly Dash








Predictive Analysis (Classification)

• The SVM,KNN and Logistic Regression model achieved the highest accuracy at 83.3%, while the SVM performs the best in terms of Area Under the Curve of


0.958 Model Accuracy on the Test Set 88.3% 80% 17 80% 10% BUTH 3(P) 20% 10% Logistic Regression ENES Decision are Model




Predicted lates:

Results

- The SVM,KNN and Logistic Regression models are the best in terms of prediction of accuracy for this dataset.
- Low weighted payloads perform better than the heavier payloads.
- The success rates for SpaceX launches is directly proportional time in years they will eventually perfect the launches.
- KSC LC 39A had the most successful launches from all the sites.
- Orbit GEO,HEO,SSO,ES L1 has the best Success Rate



Flight Number vs. Launch Site




 Launches from the site of CCAFS SLC 40 are significantly higher than launches from other sites.

Payload vs. Launch Site

Payload vs. Launch Site


 The majority of Ipay Loads with lower Mass have been launched from CCAFS SLC 40.



Success Rate vs. Orbit Type


Success Rate vs. Orbit Type

• The orbit types of ES-L1, GEO, HEO, SSO are among the highest success rate.




Flight Number vs. Orbit Type

 A trend can be observed of shifting to VLEO launches in recent years




Payload vs. Orbit Type

 There are strong correlation between ISS and Payload at the range around 2000, as well as between GTO and the range of 4000-8000



Launch Success Yearly Trend

 Launch success rate has increased significantly since 2013 and has stabilized since 2019, potentially due to advance in technology and lessons learned



All Launch Site Names

%sql select distinct(LAUNCH_SITE) from SPACEXTBL

launch_site

CCAFS LC-40

CCAFS SLC-40

KSC LC-39A

VAFB SLC-4E

Launch Site Names Begin with 'CCA'

• %sql select * from SPACEXTBL where LAUNCH_SITE like 'CCA%' limit 5

DATE	time_utc_	booster_version	launch_site	payload	payload_mass_kg_	orbit	customer	mission_outcome	landing_outcome
2010-06- 04	18:45:00	F9 v1.0 80003	CCAFS LC- 40	Dragon Spacecraft Qualification Unit	0	LEO	SpaceX	Success	Failure (parachute)
2010-12- 08	15:43:00	F9 v1.0 B0004	CCAFS LC- 40	Dragon demo flight C1, two CubeSats, barrel of Brouere cheese	0	LEO (ISS)	NASA (COTS) NRO	Success	Failure (parachute)
2012-05- 22	07:44:00	F9 v1.0 80005	CCAFS LC- 40	Dragon demo flight C2	525	(ISS)	NASA (COTS)	Success	No attempt
2012-10- 08	00:35:00	F9 v1.0 B0006	CCAFS LC- 40	SpaceX CRS-1	500	LEO (ISS)	NASA (CRS)	Success	No attempt
2013-03-	15:10:00	F9 v1.0 B0007	CCAFS LC- 40	SpaceX CRS-2	677	LEO (ISS)	NASA (CRS)	Success	No attemp

Total Payload Mass

• %sql select sum(PAYLOAD_MASS__KG_) from SPACEXTBL where CUSTOMER = 'NASA (CRS)'

45596

Average Payload Mass by F9 v1.1

• %sql select avg(PAYLOAD_MASS__KG_) from SPACEXTBL where BOOSTER_VERSION = 'F9 v1.1'

2928.400000

First Successful Ground Landing Date

 %sql select min(DATE) from SPACEXTBL where Landing_Outcome = 'Success(ground pad)'

2015-12-22

Successful Drone Ship Landing with Payload between 4000 and 6000

 %sql select BOOSTER_VERSION from SPACEXTBL where Landing__Outcome = 'Success(drone ship)' and PAYLOAD_MASS__KG_ > 4000 AND PAYLOAD_MASS__KG_ < 6000

F9 FT B1022 F9 FT B1026 F9 FT B1021.2 F9 FT B1031.2

Total Number of Successful and Failure Mission Outcomes

%sql select count(MISSION_OUTCOME) from SPACEXTBL where
 MISSION_OUTCOCME = 'Success' or MISSION_OUTCOME = 'Failure (in flight)'



Boosters Carried Maximum Payload

 %sql select BOOSTER_VERSION from SPACEXTBL where PAYLOAD_MASS__KG_ = (select max(PAYLOAD_MASS__KG_) from

booster_version

SPACEXTBL)

F9 B5 B1048.4 F9 B5 B1049.4 F9 B5 B1051.3 F9 B5 B1056.4 F9 B5 B1048.5 F9 B5 B1051.4 F9 B5 B1049.5 F9 B5 B1060.2 F9 B5 B1058.3 F9 B5 B1051.6 F9 B5 B1060.3 F9 B5 B1049.7

2015 Launch Records

• %sql select * from SPACEXTBL where Landing_Outcome like 'Success%' and(DATE between '2015-01-01' and '2015-12-31') order by date desc

time_utc_	booster_version	launch_site	payload	payload_mass_kg_	orbit	customer	mission_outcome	landing_outcome
14:39:00	F9 FT B1031.1	KSC LC-39A	SpaceX CRS-10	2490	LEO (ISS)	NASA (CRS)	Success	Success (ground pad)
17:54:00	F9 FT B1029.1	VAFB SLC-4E	Iridium NEXT 1	9600	Polar LEO	Iridium Communications	Success	Success (drone ship)
05:26:00	F9 FT B1026	CCAFS LC- 40	JCSAT-16	4600	GTO	SKY Perfect JSAT Group	Success	Success (drone ship)
04:45:00	F9 FT B1025.1	CCAFS LC- 40	SpaceX CRS-9	2257	(ISS)	NASA (CRS)	Success	Success (ground pad)
21:39:00	F9 FT B1023.1	CCAFS LC- 40	Thaicom 8	3100	GTO	Thaicom	Success	Success (drone ship)
05.24.00	FA FT 84833	CCAFS LC-	incir 44	****		SKY Perfect JSAT	_	


Rank Landing Outcomes Between 2010-06-04 and 2017-03-20

• %sql select * from SPACEXTBL where Landing_Outcome like 'Success%' and (DATE between '2010-06-04' and '2017-03-20') order by date desc


2016-05- 27	21:39:00	F9 FT B1023.1	CCAFS LC- 40	Thaicom 8	3100	GTO	Thaicom	Success	Success (drone ship)
2016-05- 06	05:21:00	F9 FT B1022	CCAFS LC- 40	JCSAT-14	4696	GTO	SKY Perfect JSAT Group	Success	Success (drone ship)
2016-04- 08	20:43:00	F9 FT B1021.1	CCAFS LC- 40	SpaceX CRS-8	3136	(ISS)	NASA (CRS)	Success	Success (drone ship)
2015-12- 22	01:29:00	F9 FT B1019	CCAFS LC- 40	OG2 Mission 2 11 Orbcomm-OG2 satellites	2034	LEO	Orbcomm	Success	Success (ground pad)




Launch Sites (ALL)




Successful and failed launches



Distances between launch site and to the proximities







Total successed launch sites



Success rate by site




Payload vs Launch Outcome




We can see the success rates for low weighted payloads is higher than the heavy weighted payloads



Classification Accuracy



Confusion Matrix



Conclusions

- SV,KNN and Logistic Regression models are the best in terms of prediction accuracy for this dataset
- Low weighted payloads perform better than heavier payloads
- KSC LC 39A had the most successful launches from all the sites
- Orbit GEO,HEO,SSO,ES L1 has the best success rate

