

Digestive System – Page 414

Source: Lucent's General Knowledge – Biology

Biology: Digestive System

50 Questions • 30 Minutes

Instructions:

- Each question has 4 options (A, B, C, D).
- The correct answer is shown on the right side of each question.
- Detailed explanations with textbook page references are at the end.

Questions

Q1. The enzyme Amylase is present in:

- A. Gastric juice
- B. Saliva
- C. Pancreatic juice only
- D. Intestinal juice only

Ans: B

Q2. Saliva converts starch into:

- A. Glucose
- B. Maltose
- C. Protein
- D. Fat

Ans: B

Q3. Gastric juice contains which enzymes?

- A. Amylase and Lipase
- B. Pepsin and Rennin
- C. Trypsin and Lipase
- D. Lactase and Sucrase

Ans: B

Q4. Pepsin in gastric juice converts:

- A. Starch into Maltose
- B. Protein into Polypeptides
- C. Fat into Fatty acid
- D. Sucrose into Glucose

Ans: B

Q5. Rennin in gastric juice converts:

- A. Starch to sugar
- B. Casein (milk protein) into Calcium paracasein
- C. Fat to fatty acid
- D. Maltose to glucose

Ans: B

Q6. Pancreatic juice contains:

- A. Pepsin and Rennin
- B. Trypsin, Amylase, and Lipase
- C. Sucrase only
- D. Lactase only

Ans: B

Q7. Intestinal juice contains:

- A. Pepsin
- B. Erepsin, Maltase, Lactase, Sucrase, Lipase
- C. Rennin only
- D. Amylase only

Ans: B

Q8. Maltase converts Maltose into: A. Protein B. Glucose C. Fat D. Amino acid	Ans: B
Q9. Sucrase converts Sucrose into: A. Maltose B. Glucose and Fructose C. Protein D. Fatty acid	Ans: B
Q10. Lactase converts Lactose into: A. Maltose and Sucrose B. Glucose and Galactose C. Protein and Fat D. Amino acid and Glycerol	Ans: B
Q11. Lipase converts fat into: A. Glucose B. Fatty acid and Glycerol C. Amino acid D. Starch	Ans: B
Q12. Erepsin converts: A. Starch to maltose B. Remaining protein into amino acid C. Fat to glycerol D. Sucrose to glucose	Ans: B
Q13. Enzymes are: A. Inorganic catalysts B. Biocatalysts (organic biological catalysts) C. Minerals D. Vitamins	Ans: B
Q14. The root of tooth is covered by: A. Enamel B. Cementum C. Dentin D. Pulp	Ans: B
Q15. The pouch of caecum is connected to: A. Stomach B. Junction of small and large intestine C. Esophagus D. Pharynx	Ans: B

Q16. Complete digestion of food takes place in: A. Stomach B. Small intestine C. Large intestine D. Mouth	Ans: B
Q17. Digestion of fat takes place in: A. Mouth B. Small and large intestine C. Stomach only D. Esophagus	Ans: B
Q18. Small intestine is longer than: A. Esophagus B. Large intestine C. Trachea D. All of above	Ans: B
Q19. Undigested food reaches into large intestine where bacteria turns it into: A. Vitamins B. Faeces C. Blood D. Glucose	Ans: B
Q20. Absorption of digested food takes place through: A. Stomach wall B. Wall of small intestine into blood C. Large intestine only D. Esophagus	Ans: B
Q21. Intestinal juice is alkaline in nature. In healthy people approximately how many litres are secreted daily? A. 1 litre B. 2 litres C. 5 litres D. 500 mL	Ans: B
Q22. The liver converts the emulsified fats into: A. Protein B. Glycerol and fatty acid C. Starch D. Amino acid	Ans: B

Q23. Liver converts the maltose into: A. Starch B. Glucose C. Protein D. Fat	Ans: B
Q24. Liver converts the lactose into: A. Maltose B. Glucose and galactose C. Sucrose D. Fructose	Ans: B
Q25. Liver converts the sucrose into: A. Maltose B. Glucose and fructose C. Starch D. Protein	Ans: B
Q26. The liver is the largest gland in the human body. Its weight is approximately: A. 500 grams B. 1500 grams C. 2500 grams D. 3000 grams	Ans: B
Q27. Bile is secreted from: A. Pancreas B. Liver C. Stomach D. Small intestine	Ans: B
Q28. Liver converts excess of amino acid into ammonia by: A. Hydrolysis B. Deamination C. Oxidation D. Reduction	Ans: B
Q29. Ammonia is further converted into urea by: A. Glycolysis B. Ornithine cycle C. Krebs's cycle D. Calvin cycle	Ans: B
Q30. Bile of liver accelerates the action of: A. Amylase B. Enzymes present in intestine C. Pepsin D. Rennin	Ans: B

Q31. The main functions of bile include making the pH of food as: A. Acidic B. Alkaline and facilitates action of bile C. Neutral D. Very acidic	Ans: B
Q32. Bile neutralizes the acidic pH of food coming from: A. Mouth B. Stomach C. Esophagus D. Large intestine	Ans: B
Q33. The pH value of bile is: A. 5.7 B. 7.7 C. 3.7 D. 9.7	Ans: B
Q34. Bile contains approximately what percentage of water? A. 75% B. 85% C. 95% D. 65%	Ans: B
Q35. Bile is a yellowish-green coloured and: A. Acidic liquid B. Alkaline liquid C. Neutral liquid D. Oily liquid	Ans: B
Q36. Bile comes from the bile duct into the: A. Stomach B. Duodenum C. Large intestine D. Esophagus	Ans: B
Q37. Gall bladder of liver is a: A. Kidney shaped structure B. Pear shaped sac C. Round ball D. Tube shaped	Ans: B
Q38. Liver is an important organ in regulating body: A. Movement B. Temperature C. Height D. Hair growth	Ans: B

Q39. Liver helps in investigation of a person's death due to: A. Heart attack B. Poisoning (it has been done due to investigating a person's death) C. Natural death D. Old age	Ans: B
Q40. Dead RBCs are destroyed by: A. Kidneys B. Liver C. Heart D. Lungs	Ans: B
Q41. Liver reserves some quantity of: A. Calcium only B. Iron, copper, and vitamins C. Sodium only D. Potassium only	Ans: B
Q42. Liver produces which protein that helps in clotting of blood? A. Albumin B. Fibrinogen and Heparin C. Insulin D. Glucagon	Ans: B
Q43. In case of obstruction in bile duct, liver cells stop working. Bilirubin from blood spreads throughout the body causing: A. Anemia B. Jaundice C. Diabetes D. Scurvy	Ans: B
Q44. Pancreatic juice secretes out of pancreas. The liquid's pH value is: A. 5.5-6.5 B. 7.5-8.3 C. 3.5-4.5 D. 9.5-10.5	Ans: B
Q45. Pancreas is the second largest gland of the human body. It functions as both: A. Only endocrine B. Exocrine and endocrine gland C. Only exocrine D. Neither	Ans: B

Q46. Islets of Langerhans are present in: A. Liver B. Pancreas C. Kidney D. Stomach	Ans: B
Q47. Insulin is secreted by which cells of Islets of Langerhans? A. α-cells B. β-cells C. δ-cells D. γ-cells	Ans: B
Q48. Glucagon is secreted by which cells of Islets of Langerhans? A. β-cells B. α-cells C. δ-cells D. γ-cells	Ans: B
Q49. Insulin was discovered by: A. Pasteur B. Medical scientist Langerhans C. Fleming D. Darwin	Ans: B
Q50. In case of excess glucose in blood, liver converts glucose into glycogen. If not, it converts to: A. Protein B. Fat C. Amino acid D. Vitamin	Ans: B

Answer Key & Explanations

Q1. Answer: B — Saliva

Page 414: Saliva contains enzyme Amylase which converts starch into maltose.

Topic: Digestive Enzymes

Q2. Answer: B — Maltose

Page 414: Saliva (Amylase) converts Starch into Maltose.

Topic: Digestive Enzymes

Q3. Answer: B — Pepsin and Rennin

Page 414: Gastric juice contains Pepsin and Rennin.

Topic: Digestive Enzymes

Q4. Answer: B — Protein into Polypeptides

Page 414: Pepsin converts Protein into Polypeptides.

Topic: Digestive Enzymes

Q5. Answer: B — Casein (milk protein) into Calcium paracasein

Page 414: Rennin converts Casein (milk protein) into Calcium paracasein.

Topic: Digestive Enzymes

Q6. Answer: B — Trypsin, Amylase, and Lipase

Page 414: Pancreatic juice contains Trypsin (Protein→Sugar), Amylase (Starch→Amino acid and glycerol), and Lipase (Fat→Fatty acid and glycerol).

Topic: Digestive Enzymes

Q7. Answer: B — Erepsin, Maltase, Lactase, Sucrase, Lipase

Page 414: Intestinal juice contains Erepsin, Maltase, Lactase, Sucrase, Lipase etc.

Topic: Digestive Enzymes

Q8. Answer: B — Glucose

Page 414: Maltase converts Maltose into Glucose.

Topic: Digestive Enzymes

Q9. Answer: B — Glucose and Fructose

Page 414: Sucrase converts Sucrose into Glucose and Fructose.

Topic: Digestive Enzymes

Q10. Answer: B — Glucose and Galactose

Page 414: Lactase converts Lactose into Glucose and Galactose.

Topic: Digestive Enzymes

Q11. Answer: B — Fatty acid and Glycerol

Page 414: Lipase converts Fat into Fatty acid and Glycerol.

Topic: Digestive Enzymes

Q12. Answer: B — Remaining protein into amino acid

Page 414: Erepsin in intestinal juice converts remaining protein (peptones) into amino acids.

Topic: Digestive Enzymes

Q13. Answer: B — Biocatalysts (organic biological catalysts)

Page 414: Enzymes are biocatalysts.

Topic: Digestive Enzymes

Q14. Answer: B — Cementum

Page 414: Root of tooth is covered by cementum.

Topic: Digestive System

Q15. Answer: B — Junction of small and large intestine

Page 414: The pouch (caecum) is connected to the junction of small and large intestine.

Topic: Digestive System

Q16. Answer: B — Small intestine

Page 414: Complete digestion of food takes place in small intestine.

Topic: Digestive System

Q17. Answer: B — Small and large intestine

Page 414: Digestion of fat takes place in small and large intestine.

Topic: Digestive System

Q18. Answer: B — Large intestine

Page 414: Small intestine is longer than large intestine.

Topic: Digestive System

Q19. Answer: B — Faeces

Page 414: Undigested food reaches large intestine where bacteria turns it into faeces, which is excreted.

Topic: Digestive System

Q20. Answer: B — Wall of small intestine into blood

Page 414: Absorption of digested food gets mixed into blood through the wall of small intestine.

Topic: Digestive System

Q21. Answer: B — 2 litres

Page 414: Intestinal juice is alkaline. In healthy people approximately 2 litres of intestinal juice is secreted everyday.

Topic: Digestive System

Q22. Answer: B — Glycerol and fatty acid

Page 414: Liver converts the emulsified fats into glycerol and fatty acid.

Topic: Liver

Q23. Answer: B — Glucose

Page 414: Liver converts maltose into glucose.

Topic: Liver

Q24. Answer: B — Glucose and galactose

Page 414: Liver converts lactose into glucose and galactose.

Topic: Liver

Q25. Answer: B — Glucose and fructose

Page 414: Liver converts sucrose into glucose and fructose.

Topic: Liver

Q26. Answer: B — 1500 grams

Page 414: Liver is the largest gland of the human body. Weight is approximately 1500 grams.

Topic: Liver

Q27. Answer: B — Liver

Page 414: Bile is secreted from liver.

Topic: Liver

Q28. Answer: B — Deamination

Page 414: Liver converts excess of amino acid into ammonia by deamination.

Topic: Liver

Q29. Answer: B — Ornithine cycle

Page 414: Ammonia is further converted into urea by ornithine cycle. Urea comes out of body through kidney.

Topic: Liver

Q30. Answer: B — Enzymes present in intestine

Page 414: Bile accelerates the action of enzymes present in intestine.

Topic: Liver

Q31. Answer: B — Alkaline and facilitates action of bile

Page 414: Bile makes pH of food alkaline and facilitates action of enzymes.

Topic: Liver

Q32. Answer: B — Stomach

Page 414: Bile neutralizes the acidic pH of food coming from stomach.

Topic: Liver

Q33. Answer: B — 7.7

Page 414: Bile pH value is 7.7.

Topic: Liver

Q34. Answer: B — 85%

Page 414: Bile contains 85% water and pigments 12%.

Topic: Liver

Q35. Answer: B — Alkaline liquid

Page 414: Bile is a yellowish-green coloured and alkaline liquid. Its pH is 7.7.

Topic: Liver

Q36. Answer: B — Duodenum

Page 414: Bile comes from the bile duct into the duodenum.

Topic: Liver

Q37. Answer: B — Pear shaped sac

Page 414: Gall bladder of liver is a pear shaped sac. Bile is stored here.

Topic: Liver

Q38. Answer: B — Temperature

Page 414: Liver is an important organ in regulating the body temperature.

Topic: Liver

Q39. Answer: B — Poisoning (it has been done due to investigating a person's death)

Page 414: Liver helps in investigating a person's death (especially in poisoning cases).

Topic: Liver

Q40. Answer: B — Liver

Page 414: Dead RBCs are destroyed by the liver.

Topic: Liver

Q41. Answer: B — Iron, copper, and vitamins

Page 414: Liver reserves some quantity of iron, copper and vitamins.

Topic: Liver

Q42. Answer: B — Fibrinogen and Heparin

Page 414: Liver produces Fibrinogen protein (clotting) and Heparin (anti-clotting).

Topic: Liver

Q43. Answer: B — Jaundice

Page 414: Obstruction in bile duct → bilirubin spreads → Jaundice.

Topic: Liver

Q44. Answer: B — 7.5-8.3

Page 414: Pancreatic juice pH is 7.5-8.3. It contains 98% water and enzymes which can digest all three types of food.

Topic: Pancreas

Q45. Answer: B — Exocrine and endocrine gland

Page 414: Pancreas is the second largest gland, functions as both exocrine (digestive juice) and endocrine (hormones).

Topic: Pancreas

Q46. Answer: B — Pancreas

Page 414: Islets of Langerhans are part of the Pancreas.

Topic: Pancreas

Q47. Answer: B — β -cells

Page 414: Insulin is secreted by β -cells of Islets of Langerhans.

Topic: Pancreas

Q48. Answer: B — α -cells

Page 414: Glucagon is secreted by α -cells. Somatostatin hormones are secreted from δ -cells.

Topic: Pancreas

Q49. Answer: B — Medical scientist Langerhans

Page 414: It was discovered by the medical scientist Langerhans.

Topic: Pancreas

Q50. Answer: B — Fat

Page 414: Liver regulates blood glucose: excess $\rightarrow$ glycogen $\rightarrow$ if more excess $\rightarrow$ fat.

Topic: Liver