



K L LATIFIX

K L LATIFIX PVT.LTD.

— **With European Technology** —

Your Trusted Partner in Quality Tiling Solutions

Welcome to K L Latifix Pvt. Ltd., a professionally managed manufacturing company engaged in the production of high-quality tiles and tile adhesive solutions. With a strong focus on innovation, consistency, and performance, we manufacture products that meet modern construction standards and site requirements. Our manufacturing process is driven by strict quality control to ensure durability, reliability, and long-lasting results. We are committed to delivering cost-effective and dependable solutions while maintaining customer satisfaction as our top priority. At K L Latifix Pvt. Ltd., we aim to build strong foundations and long-term partnerships through quality-driven products and professional service.



Premium Quality Standards



Cost-Optimized Solutions



Timely & Reliable Deliver





K L LATIFIX

Tiling Solution

- ▶ Latifix 515
- ▶ Latifix 525
- ▶ Latifix 535
- ▶ Latifix 545
- ▶ Latifix 555

AAC Block Adhesive

- ▶ Latifix AAC Block Adhesive

Waterproof Solution

- ▶ Hyrobond WP
- ▶ KL Flexiseal WP

Tile Grout Epoxy Grout Ready Mix Plaster



Tiling Solution



Polymer Modified Tiles Adhesive

Latifix 515



Application

For ceramic, vitrified & stone tiles internal & external wall, floor.

Feature:

- superior bond strength
- Longer opentimes
- Excellent Adhesion
- Enhances strength & provides high durability
- Reduced suction

Weight 20kg

Color Grey



Highly modified tiles adhesive

Latifix 525

Application

Latifix 525 is ideal For
ceramic vitrified tiles &
stone internal &
external wall & floor

Feature:

- High bond strength
- Longer opentimes
- Superior workability
- For installation for vitrified
tiles on wall & floor



Color

Weight 20kg

Grey White



KL LATIFIX

Highly improved modified tiles adhesive



Latifix 535

Application

For fixing large ceramic tiles, vitrified tiles & stone on internal & external wall & floor

Feature:

- High bond strength
- Perfect for tile on tile
- Enduring quality
- Single component simply add water
- high polymer modified adhesive

Color



Grey



White

Weight 20kg



Flexible Highly modified tiles
adhesive

Latifix 545

Application

For fixing large ceramic,
vitrified tiles & natural
stone for interior,
exterior wall & floor

Feature:

- Excellent adhesion to various substrate
- High slip resistance
- Extended open time & self curing
- High strength polymer modified
- More durability



Color

Weight 20kg

Grey White



Highly Flexible modified tiles
adhesive

Latifix 555



Application

For fixing large Format
tiles & stone for
swimming pool tiles &
exterior wall & floor


Feature:

- Supreme bond strength
- High slip resistance
- suitable for heavy movement
- High strength polymer modified
- superior durability
- Excellent adhesion to various substrate

Color

Weight 20kg

Grey White



AAC BLOCK ADHESIVES



Latifix AAC Block Adhesive Application

ACC Block Adhesive



Application

"A high-strength, polymer-modified adhesive specifically designed for aerated lightweight concrete (AAC) blocks and other compatible masonry substrates, ensuring superior bonding, durability, and long-term performance."

Feature:

- Provides flexibility during installation
- Enhanced bonding between blocks for stability
- Immediate strength after block work is done
- Efficient application at a lower cost compared to conventional mortar

Weight 40kg

Color : **Grey**



Polymer Modified Tile Grout

• Application •

- ▶ KL LATIFIX Tile Grout is a high-performance grout specially designed to fill tile joints smoothly and uniformly.
- ▶ It ensures long-lasting durability, excellent bonding, and a neat, polished finish for both residential and commercial applications



Feature:

- ▶ Smooth Finish
- ▶ High Durability
- ▶ Strong Bond Strength

Colour



Packaging
01 kg



Epoxy Grout

Premim Building Solution

• Application •

Epoxy Grout is a premium building solution offering high strength, excellent adhesion, chemical resistance, and a smooth finish, suitable for a wide range of applications.



Colour



Packaging

01 kg



Ready Mix Plaster



Ready Mix Plaster



Ready Mix Plaster

Application

LATIFIX PLASTER is a premium ready-mix wall plaster made with high-quality materials, offering excellent workability, strong bonding, and durable performance for both internal and external walls.

Feature:

- Excellent water retention
- High strength and more durability
- Durable & Crack resistant
- Lower rebound loss
- Requires less curing than conventional plaster

Weight 40kg



Water Proofing





Hydrobond WP

Application

- It protects tiled surfaces from water seepage and moisture damage.
- Hydrobond WP improves durability and ensures long-lasting performance in wet areas.
- It is ideal for bathrooms, kitchens, balconies, and other tiled zones.



**Net Wt.
20 kg**

Feature

- Strong adhesion with tiles and cementitious substrates.
- Suitable for interior wet areas
- Enhances durability of tiled surfaces
- Ideal for bathrooms, kitchens, and wash areas
- Protects tiles and substrate from moisture damage



KL FLEXISEAL WP

Application

Flexiseal WP is effective on concrete, plastered surfaces, masonry, brickwork, and blockwork, making it ideal for both interior and exterior areas exposed to moisture



**Net Wt.
20 kg**

Feature

- ♦ High-quality flexible waterproofing compound
- ♦ Suitable for both interior and exterior applications
- ♦ Effectively prevents water seepage and leakage
- ♦ Ideal for bathrooms, terraces, balconies, and wet areas
- ♦ Easy to apply with brush or roller





K L LATIFIX



K L LATIFIX PVT.LTD.

◎ Gat No. 138, Kasurdi K.B, Khed. Shivapur, Pune - 412205

◎ www.kllatifix.com

◎ kllatifix26@gmail.com

📞 +91 73509 96738 / +91 70422 60431

(AN ISO9001:2015 & ISO 14001 : 2018 Certified company)

• **Thank You For Doing Business With Us** •