```
@prefix foaf: <http://xmlns.com/foaf/0.1/> .
@prefix ops: <http://purl.org/socialparticipation/ops/> .
@prefix owl: <http://www.w3.org/2002/07/owl#>
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#>
@prefix snap: <http://www.ifomis.org/bfo/1.1/snap#>
@prefix span: <http://www.ifomis.org/bfo/1.1/span#>
@prefix xml: <http://www.w3.org/XML/1998/namespace> .
@prefix xsd: <http://www.w3.org/2001/XMLSchema#>
ops: Action a rdfs: Class,
        owl:Class ;
    rdfs:label "Action"@en,
        "Acción"@es,
        "AÇão"@pt ;
    rdfs:comment "what is done in terms os social participation"@en;
    rdfs:subClassOf span:ProcessualEntity .
ops:Cause a rdfs:Class,
        owl:Class;
    rdfs:label "Cause"@en,
        "Causa"@es,
    "Causa"@pt;
rdfs:comment "the motivation for Action"@en;
    rdfs:subClassOf snap:IndependentContinuant .
ops:Executor a rdfs:Class,
    owl:Class ;
rdfs:label "Executor"@en,
        "Ejecutor"@es,
        "Executor"@pt ;
    rdfs:comment "performs action directly and is responsible for results"@en ;
    rdfs:subClassOf ops:SocialActor,
        {\tt snap:MaterialEntity} .
ops:Initiator a rdfs:Class,
        owl:Class;
    rdfs:label "Initiator"@en,
        "Iniciador"@es,
        "Iniciador"@pt ;
    rdfs:comment "originates cause, individually or collaborativelly"@en ;
    rdfs:subClassOf ops:SocialActor,
        snap: Material Entity .
ops:Organization a rdfs:Class,
        owl:Class ;
    rdfs:label "Organization"@en,
        "Organización"@es,
        "OrganizaÇão"@pt ;
    rdfs:comment "social actor is a group of individuals, organized formally or informally (e.g. movements, collectives) "@en ;
    rdfs:subClassOf ops:SocialActor,
        snap:MaterialEntity,
        foaf:Organization ;
    owl:disjointWith ops:Person .
ops:ParticipationCharacteristic a rdfs:Class,
        owl:Class ;
    rdfs:label "Participation Characteristic"@en,
        "Característica de Participación"@es,
        "Característica de ParticipaÇão"@pt ;
    rdfs:comment "the way the participation of specific actor is happening "@en ;
    rdfs:subClassOf snap:DependentContinuant .
ops:Person a rdfs:Class,
        owl:Class;
    rdfs:label "Person"@en,
         "Persona"@es,
        "Pessoa"@pt ;
    rdfs:comment "a person (social actor is a person)"@en ;
    rdfs:subClassOf ops:SocialActor,
        snap:MaterialEntity,
        foaf:Person .
ops:Problem a rdfs:Class,
        owl:Class;
    rdfs:label "Problem"@en,
        "Problema"@es.
    "Problema"@pt;
rdfs:comment "the problem that the Action aims to solve"@en;
    {\tt rdfs:subClassOf\ snap:IndependentContinuant\ .}
ops:Result a rdfs:Class
   owl:Class ;
rdfs:label "Result"@en,
        "Resultado"@es.
    "Resultado"@pt; rdfs:comment "the result obtained with Action"@en;
    {\tt rdfs:subClassOf\ snap:DependentContinuant\ .}
ops:Scope a rdfs:Class
    owl:Class;
rdfs:label "Scope"@en,
        "Ambito"@es,
        "Escopo"@pt ;
   rdfs:comment "the scope of Action"@en ;
```

```
rdfs:subClassOf snap:DependentContinuant .
ops:SocialActor a rdfs:Class,
              owl:Class ;
       rdfs:label "Social Actor"@en,
              "Actor Social"@es,
              "Ator Social"@pt ;
       rdfs:comment "entity that might have a participatory role"@en;
       rdfs:subClassOf snap:MaterialEntity .
ops:Solution a rdfs:Class,
             owl:Class;
       rdfs:label "Solution"@en,
              "Solución"@es,
              "SoluÇão"@pt ;
       rdfs:comment "solution achieved with Action"@en;
       rdfs:subClassOf snap:DependentContinuant .
ops:Supporter a rdfs:Class,
              owl:Class;
       rdfs:label "Supporter"@en,
               "Apoyador"@es,
              "Apoiador"@pt ;
       rdfs:comment "supports cause with resources of any kind (e.g. cognitive, financial, equipments)"@en ;
       rdfs:subClassOf ops:SocialActor,
              snap: Material Entity .
ops: Theme a rdfs: Class,
             owl:Class ;
       rdfs:label "Theme"@en,
              "Tema"@es,
       "Tema" @pt ;
rdfs:comment "the theme in focus by Action" @en ;
       {\tt rdfs:subClassOf\ snap:IndependentContinuant\ .}
ops:action a rdf:Property,
              owl:ObjectProperty ;
       rdfs:label "action"@en,
"acción"@es,
              "aÇão"@pt .
ops:belongsTo a rdf:Property,
              owl:ObjectProperty
       rdfs:label "belongs to"@en,
               "pertence al"@es,
              "pertence ao"@pt ;
       rdfs:range ops:Scope
ops:contributesTo a rdf:Property,
       owl:ObjectProperty;
rdfs:label "contributes to"@en,
              "contribuye a la"@es,
              "contribui para "Opt .
ops:executes a rdf:Property,
              owl:ObjectProperty ;
       rdfs:label "executes"@en,
              "ejecuta"@es,
              "executa"@pt .
ops:generates a rdf:Property,
             owl:ObjectProperty ;
       "gera"@pt .
ops:ops.owl a owl:Ontology;
       rdfs:label "OPS"^^xsd:string,
              "Social Participation Ontology"@en,
              "Ontología de la participación social"@es,
              "Ontologia de ParticipaÇão Social"@pt;
       rdfs:comment "Social Participation Ontology headed by Cidade Democrática, Brazilian Federal Government and Corais Platform, in
               direct collaboration with dozens of actors throughout latin america "Gen,
              "Ontología de Participación Social conducida por el Cidade Democrática, el Gobierno Federal de Brasil y la Plataforma Corais,
                        en colaboración directa con docenas de actores en toda América Latina "Ges,
              "Ontologia de ParticipaÇão Social capitaneada pelo Cidade Democrática, Governo Federal Brazileiro e Plataforma Corais, em
                      colaboraÇão direta com dezenas de agentes de toda américa latina "@pt ;
       rdfs:seeAlso <http://purl.org/socialparticipation/aa>,
               <http://purl.org/socialparticipation/obs>,
               <http://purl.org/socialparticipation/ocd>,
              <http://purl.org/socialparticipation/opa>,
       \label{linear_condition} $$ \begin{array}{ll} \hfill \
ops:produces a rdf:Property.
             owl:ObjectProperty ;
       "produz"@pt .
ops:proposes a rdf:Property,
              owl:ObjectProperty ;
       rdfs:label "proposes"@en,
               "propone"@es,
              "propõe"@pt .
```

```
ops:solves a rdf:Property,
    oul:ObjectProperty;
rdfs:label "solves"@en,
    "resuelve"@es,
    "soluciona"@pt .

ops:starts a rdf:Property,
    oul:ObjectProperty;
rdfs:label "starts"@en,
    "inicia"@es,
    "inicia"@es,
    "inicia"@es,
    "anoia"@es,
    "apoja"@es,
    "apoja"@es,
    "apoja"@es,
    "apoja"@es,
    "apoja"@pt .

ops:theme a rdf:Property,
    oul:ObjectProperty;
rdfs:label "supports"@en,
    "apoja"@s,
    "apoja"@s,
    "tema"@es,
    "trago"@es,
    "trago"@pt .
```