Listing S2-1: OWL code of social participation

```
@prefix foaf: <http://xmlns.com/foaf/0.1/> .
@prefix ops: <http://purl.org/socialparticipation/ops/> .
@prefix owl: <http://www.w3.org/2002/07/owl#</pre>
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#>
@prefix snap: <http://www.ifomis.org/bfo/1.1/snap#>
@prefix span: <http://www.ifomis.org/bfo/1.1/span#>
@prefix xml: <http://www.w3.org/XML/1998/namespace>
@prefix xsd: <http://www.w3.org/2001/XMLSchema#>
ops:Action a rdfs:Class,
        owl:Class ;
    rdfs:label "Action"@en,
        "Acción"@es,
        "AÇão"@pt ;
    rdfs:comment "what is done in terms os social participation"@en ;
    rdfs:subClassOf span:ProcessualEntity .
ops: Cause a rdfs: Class,
       owl:Class;
    rdfs:label "Cause"@en,
        "Causa"@es,
        "Causa"@pt ;
    rdfs:comment "the motivation for Action"@en;
    rdfs:subClassOf snap:IndependentContinuant .
ops: Executor a rdfs: Class,
        owl:Class;
    rdfs:label "Executor"@en,
        "Ejecutor"@es,
        "Executor"@pt ;
    rdfs:comment "performs action directly and is responsible for results"@en ;
    rdfs:subClassOf ops:SocialActor,
        snap: Material Entity .
ops: Initiator a rdfs: Class,
   owl:Class ;
rdfs:label "Initiator"@en,
        "Iniciador"@es.
        "Iniciador"@pt ;
    rdfs:comment "originates cause, individually or collaborativelly"@en ;
    rdfs:subClassOf ops:SocialActor,
        snap: Material Entity .
ops:Organization a rdfs:Class,
        owl:Class ;
    rdfs:label "Organization"@en,
        "Organización"@es,
        "OrganizaÇão"@pt ;
    rdfs:comment "social actor is a group of individuals, organized formally or informally (e.g. movements, collectives) "@en ;
    rdfs:subClassOf ops:SocialActor,
        snap: Material Entity,
        foaf:Organization ;
    owl:disjointWith ops:Person .
ops:ParticipationCharacteristic a rdfs:Class,
        owl:Class ;
    rdfs:label "Participation Characteristic"@en,
        "Característica de Participación"@es,
        "Característica de ParticipaÇão"@pt ;
    rdfs:comment "the way the participation of specific actor is happening "Gen ;
    {\tt rdfs:subClassOf\ snap:DependentContinuant\ .}
ops:Person a rdfs:Class,
        owl:Class ;
    rdfs:label "Person"@en,
        "Persona"@es,
        "Pessoa"@pt ;
    rdfs:comment "a person (social actor is a person) "@en ;
    rdfs:subClassOf ops:SocialActor,
        snap:MaterialEntity,
        foaf:Person .
ops:Problem a rdfs:Class,
       owl:Class ;
    rdfs:label "Problem"@en,
        "Problema"@es,
        "Problema"@pt ;
    rdfs:comment "the problem that the Action aims to solve"@en;
    {\tt rdfs:subClassOf\ snap:IndependentContinuant\ .}
ops:Result a rdfs:Class.
       owl:Class ;
    rdfs:label "Result"@en.
        "Resultado"@es,
        "Resultado"@pt ;
    rdfs:comment "the result obtained with Action"@en;
    {\tt rdfs:subClassOf\ snap:DependentContinuant\ .}
ops:Scope a rdfs:Class,
       owl:Class ;
   rdfs:label "Scope"@en,
        "Ambito"@es,
```

```
"Escopo"@pt ;
    rdfs:comment "the scope of Action"@en;
    {\tt rdfs:subClassOf\ snap:DependentContinuant\ .}
ops:SocialActor a rdfs:Class,
        owl:Class ;
    rdfs:label "Social Actor"@en,
        "Actor Social"@es,
        "Ator Social"@pt;
    rdfs:comment "entity that might have a participatory role"@en;
    rdfs:subClassOf snap:MaterialEntity .
ops:Solution a rdfs:Class,
        owl:Class ;
    rdfs:label "Solution"@en,
        "Solución"@es,
        "SoluÇão"@pt ;
    rdfs:comment "solution achieved with Action"@en;
    rdfs:subClassOf snap:DependentContinuant .
ops:Supporter a rdfs:Class,
        owl:Class;
    rdfs:label "Supporter"@en,
        "Apoyador"@es,
        "Apoiador"@pt ;
    rdfs:comment "supports cause with resources of any kind (e.g. cognitive, financial, equipments) "@en ;
    rdfs:subClassOf ops:SocialActor,
        snap: Material Entity .
ops: Theme a rdfs: Class,
        owl:Class ;
    rdfs:label "Theme"@en.
        "Tema"@es,
    "Tema"@pt;
rdfs:comment "the theme in focus by Action"@en;
    {\tt rdfs:subClassOf\ snap:IndependentContinuant\ .}
ops:action a rdf:Property,
        owl:ObjectProperty ;
    rdfs:label "action"@en,
"acción"@es,
        "aÇão"@pt .
ops:belongsTo a rdf:Property,
        owl:ObjectProperty
    rdfs:label "belongs to"@en,
        "pertence al"@es,
        "pertence ao"@pt ;
    rdfs:range ops:Scope
ops:contributesTo a rdf:Property,
    owl:ObjectProperty;
rdfs:label "contributes to"@en,
        "contribuye a la"@es,
        "contribui para"@pt .
ops:executes a rdf:Property,
    owl:ObjectProperty ;
rdfs:label "executes"@en,
        "ejecuta"@es,
        "executa"@pt .
ops:generates a rdf:Property,
        owl:ObjectProperty ;
    "gera"@pt .
ops:ops.owl a owl:Ontology;
    rdfs:label "OPS"^^xsd:string,
         "Social Participation Ontology"@en,
        "Ontología de la participación social"@es,
        "Ontologia de ParticipaÇão Social"@pt ;
    rdfs:comment "Social Participation Ontology headed by Cidade Democrática, Brazilian Federal Government and Corais Platform, in
        direct collaboration with dozens of actors throughout latin america "@en,
        "Ontología de Participación Social conducida por el Cidade Democrática, el Gobierno Federal de Brasil y la Plataforma Corais,
              en colaboración directa con docenas de actores en toda América Latina"@es,
        "Ontologia de ParticipaÇão Social capitaneada pelo Cidade Democrática, Governo Federal Brazileiro e Plataforma Corais, em
             colaboração direta com dezenas de agentes de toda américa latina "Opt ;
    rdfs:seeAlso <a href="http://purl.org/socialparticipation/aa">http://purl.org/socialparticipation/aa</a>,
        <http://purl.org/socialparticipation/obs>,
        <http://purl.org/socialparticipation/ocd>,
        <http://purl.org/socialparticipation/opa>,
        <http://purl.org/socialparticipation/vbs> ;
    owl:versionInfo "0.02"^^xsd:string .
ops:produces a rdf:Property
        owl:ObjectProperty ;
    rdfs:label "produces"@en,
        "produce"@es,
        "produz"@pt .
ops:proposes a rdf:Property,
        owl:ObjectProperty ;
    rdfs:label "proposes"@en,
        "propone"@es,
```

```
"propoe"@pt .

ops:solves a rdf:Property,
    ou!ObjectProperty ;
    rdfs:label "solves"@en,
        "resuelve"@es,
        "soluciona"@pt .

ops:starts a rdf:Property,
        owl:ObjectProperty;
    rdfs:label "starts"@en,
        "inicia"@es,
        "inicia"@pt .

ops:supports a rdf:Property,
        owl:ObjectProperty;
    rdfs:label "supports"@en,
        "apoya"@es,
        "apoia"@pt .

ops:theme a rdf:Property,
        owl:ObjectProperty;
    rdfs:label "theme"@en,
        "tema"@es,
        "tema"@es,
```