

Ollinqui-4781977 Documentation

Generated at:
26/8/2026, 11:44:09 a.m.



Ollinqui

Data Summary	10 Tables
	106 Columns
	3 Slices
UX Summary	29 Views
	3 Format Rules
Behavior Summary	47 Actions
	0 Workflow Rules

Short Name	Ollinqui
Version	1.000105
Default app folder	/appsheet/data/Ollinqui-4781977
Function	Field_Service
Runnable?	Yes
Deployable?	Yes
Personal use only?	No

Data

Tables

Table name GUIAS_ASIGNADAS

Table name	GUIAS_ASIGNADAS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	GUIAS_ASIGNADAS_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	BD_APP_RUTA_2025
Worksheet Name/Qualifier	GUIAS_ASIGNADAS
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	es-MX
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many
files/sources? No

Partitioned across many
worksheets? No

Table name PIEZAS_PID

Table name	PIEZAS_PID
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	PIEZAS_PID_Schema
Are updates allowed?	ALL_CHANGES
Source Path	BD_APP_RUTA_2025
Worksheet Name/Qualifier	PIEZAS_PID
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name CAT_CHECKPOINTS

Table name	CAT_CHECKPOINTS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	CAT_CHECKPOINTS_Schema
Are updates allowed?	ALL_CHANGES
Source Path	BD_APP_RUTA_2025
Worksheet Name/Qualifier	CAT_CHECKPOINTS
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name CAT_USUARIOS

Table name	CAT_USUARIOS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	CAT_USUARIOS_Schema
Are updates allowed?	ALL_CHANGES
Source Path	BD_APP_RUTA_2025
Worksheet Name/Qualifier	CAT_USUARIOS
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ENTREGA_MASIVA

Table name	ENTREGA_MASIVA
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	ENTREGA_MASIVA_Schema
Are updates allowed?	ALL_CHANGES
Source Path	BD_APP_RUTA_2025

Worksheet Name/Qualifier	ENTREGA_MASIVA
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name PIEZAS_ESCANEADAS_MASIVAS

Table name	PIEZAS_ESCANEADAS_MASIVAS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	PIEZAS_ESCANEADAS_MASIVAS_Schema
Are updates allowed?	ALL_CHANGES
Source Path	BD_APP_RUTA_2025
Worksheet Name/Qualifier	PIEZAS_ESCANEADAS_MASIVAS
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name RECOLECCIONES_ASIGNADAS

Table name	RECOLECCIONES_ASIGNADAS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	RECOLECCIONES_ASIGNADAS_Schema

Are updates allowed?	ALL_CHANGES
Source Path	BD_APP_RUTA_2025
Worksheet Name/Qualifier	RECOLECCIONES_ASIGNADAS
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Bot_Inyector_Pickups - 1 Process Table

Table name	Process for Bot_Inyector_Pickups - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Bot_Inyector_Pickups - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/270fddf7-4cd4-41f4-8ba8-1e58a13b5f59/6342316b-7dc3-4e0a-a2d2-09cad32bed0f/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Paso_Enviar_Webhook_PU Output

Table name	Paso_Enviar_Webhook_PU Output
Visible?	NEVER
Shared?	Yes
Schema	Paso_Enviar_Webhook_PU Output_Schema

Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/270fddf7-4cd4-41f4-8ba8-1e58a13b5f59/6342316b-7dc3-4e0a-a2d2-09cad32bed0f/StepOutput_Paso_Enviar_Webhook_PU
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{ "RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": "\"These options control the content and behavior of the app\\\"\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":n ull,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto",

	Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum {"EnumValues": ["English","French","Tamil"],"AllowOtherValues":false,"AutoComplete OtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength\":null,"MinLength\":null,"LongTextFormatting\":"Plain Text","IsMulticolumnKey\":false,"Valid_If\":null,"Error_Message _If_Invalid\":null,"Show_If\":null,"Required_If\":null,"Editable_If\": null,"Reset_If\":null,"Suggested_Values\":null},"EnumInputMode" :"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null," Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value s":null}
Type Qualifier	
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Schema Name GUIAS_ASSIGNADAS_Schema

Schema Name	GUIAS_ASSIGNADAS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":n ull,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto"," Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Require d_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: HWB_Guia

Column name	HWB_Guia
Visible?	ALWAYS
Display name	=Guía
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=AND(\n LEN(CONCATENATE([_THIS])) = 10,\n MOD(NUMBER(LEFT(CONCATENATE([_THIS]), 9)), 7) = NUMBER(RIGHT(CONCATENATE([_THIS]), 1))\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Destinatario

Column name	Destinatario
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Direccion_Entrega

Column name	Direccion_Entrega
Visible?	ALWAYS
Type	Address
Type Qualifier	{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 5: EDD

Column name	EDD
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Chofer_Asignado

Column name	Chofer_Asignado
Visible?	ALWAYS
Type	Email
Type Qualifier	{ "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 7: Total_Piezas

Column name	Total_Piezas
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Tel_Query

Column name	Tel_Query
Visible?	ALWAYS
Type	Phone
Type Qualifier	{ "Callable":true,"Texttable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	Yes

Column 9: Estatus_Guia

Column name	Estatus_Guia
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Check_In_GPS

Column name	Check_In_GPS
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":"=HERE()","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Nuevo_Estatus

Column name	Nuevo_Estatus
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"CAT_CHECKPOINTS","ReferencedRootTableName":"CAT_CHECKPOINTS","ReferencedType":"Text","ReferencedTypeQualifier":"

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}, \"ReferencedKeyColumn\": \"Clave_Estatus\", \"IsAPartOf\":false, \"RelationshipName\":null, \"InputMode\": \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Nombre_Recibe

Column name	Nombre_Recibe
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\": \"=OR([Nuevo_Estatus] = \\\"OK\\\", [Nuevo_Estatus] = \\\"PD\\\")\", \"Required_If\": \"=OR([Nuevo_Estatus] = \\\"OK\\\", [Nuevo_Estatus] = \\\"PD\\\")\", \"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Firma_Evidencia

Column name	Firma_Evidencia
Visible?	ALWAYS
Type	Signature
Type Qualifier	{ "SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=OR([Nuevo_Estatus] = \"OK\", [Nuevo_Estatus] = \"PD\")", "Required_If": "=OR([Nuevo_Estatus] = \"OK\", [Nuevo_Estatus] = \"PD\")", "Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Foto_Fachada_Paquete

Column name	Foto_Fachada_Paquete
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=AND(ISNOTBLANK([Nuevo_Estatus]), [Nuevo_Estatus] <> \"OK\")", "Required_If": "=AND(ISNOTBLANK([Nuevo_Estatus]), [Nuevo_Estatus] <> \"OK\")", "Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Foto_INE

Column name	Foto_INE
-------------	----------

Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Monto_Aduana

Column name	Monto_Aduana
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Comentarios_Chofer

Column name	Comentarios_Chofer
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If": "[Nuevo_Estatus] = \"PD\\\"","Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Autorizacion_Incompleto

Column name	Autorizacion_Incompleto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Primer_Intento_GPS

Column name	Primer_Intento_GPS
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(AND(ISNOTBLANK([Nuevo_Estatus]), ISBLANK([Primer_Intento_GPS])), HERE(), [Primer_Intento_GPS])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Primer_Intento_Hora

Column name	Primer_Intento_Hora
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(AND(ISNOTBLANK([Nuevo_Estatus]), ISBLANK([Primer_Intento_Hora])), NOW(), [Primer_Intento_Hora])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Contador_Visitas

Column name	Contador_Visitas
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=1
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Related PIEZAS_PIDs

Column name	Related PIEZAS_PIDs
Visible?	ALWAYS
Description	= "Listado de bultos individuales que debes escanear físicamente en la rampa para validar tu carga."
Display name	= "Bultos de esta Guía (" & COUNT([Related PIEZAS_PIDs]) & ")"
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "PIEZAS_PID", "ReferencedRootTableName": "PIEZAS_PID", "ReferencedType": "Text", "ReferenceTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "ErrorMessageIfInvalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "SuggestedValues": null, "ReferencedKeyColumn": "PID_Codigo", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "ValidIf": null, "ErrorMessageIfInvalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "SuggestedValues": null, "ItemSeparator": " ,", "ValidIf": null, "ErrorMessageIfInvalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "SuggestedValues": null }</pre>
App formula	REF_ROWS("PIEZAS_PID", "HWB_Guia")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes

Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name PIEZAS_PID_Schema

Schema Name	PIEZAS_PID_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: PID_Codigo

Column name	PID_Codigo
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	Yes
NFC Scannable	No
Sensitive data	No

Column 3: HWB_Guia

Column name	HWB_Guia
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"GUIAS_ASSIGNADAS","ReferencedRootTableName":"GUIAS_ASSIGNADAS","ReferencedType":"Text","ReferencedTypeQualifier": {"MaxLength\\":null,"MinLength\\":null,"LongTextFormatting\\": "Plain Text\\","IsMulticolumnKey\\":false,"Valid_If\\":\\"=AND(\\n

```
LEN(CONCATENATE([_THIS])) = 10,\nMOD(NUMBER(LEFT(CONCATENATE([_THIS]), 9)), 7) =\nNUMBER(RIGHT(CONCATENATE([_THIS],\n1))\n)\",\n\"Error_Message_If_Invalid\":null,\n\"Show_If\":null,\n\"Required_If\":null,\n\"Editable_If\":null,\n\"Reset_If\":null,\n\"Suggested_Values\":null}\",\n\"ReferencedKeyColumn\":\"HWB_Guia\", \"IsAPartOf\":true,\n\"RelationshipName\":null,\n\"InputMode\":\"Auto\", \"Valid_If\":null,\n\"Error_Message_If_Invalid\":null,\n\"Show_If\":null,\n\"Required_If\":null,\n\"Editable_If\":null,\n\"Reset_If\":null,\n\"Suggested_Values\":null}
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Descripcion

Column name	Descripcion
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Estatus_PID

Column name	Estatus_PID
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "CAT_CHECKPOINTS", "ReferencedRootTableName": "CAT_CHECKPOINTS", "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "ReferencedKeyColumn": "Clave_Estatus", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Escaneo_Validacion

Column name	Escaneo_Validacion
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Schema Name CAT_CHECKPOINTS_Schema

Schema Name	CAT_CHECKPOINTS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Clave_Estatus

Column name	Clave_Estatus
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Related GUIAS_ASSIGNADASs

Column name	Related GUIAS_ASSIGNADASs
Visible?	ALWAYS
Description	GUIAS_ASSIGNADAS entries that reference this entry in the Nuevo_Estatus column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"GUIAS_ASSIGNADAS","ReferencedRootTableName":"GUIAS_ASSIGNADAS","ReferencedType":"Text","ReferencedTypeQualifier": {"\\"MaxLength\\"":null,\\"MinLength\\"":null,\\"LongTextFormatting\\"":\\"Plain Text\\"",\\"IsMulticolumnKey\\"":false,\\"Valid_If\\"":\\"=AND(\\n LEN(CONCATENATE([_THIS])) = 10,\\n MOD(NUMBER(LEFT(CONCATENATE([_THIS]), 9)), 7) =

```
NUMBER(RIGHT(CONCATENATE([_THIS]),
1))\\n)\\",\\\\"Error_Message_If_Invalid\\":null,\\\\"Show_If\\":
null,\\\\"Required_If\\":null,\\\\"Editable_If\\":null,\\\\"Reset_If\\":
null,\\\\"Suggested_Values\\":null}\\",\\\\"ReferencedKeyColumn\\":\\"
HWB_Guia\\",\\\\"IsAPartOf\\":false,\\\\"RelationshipName\\":null,\\\\"Input
Mode\\":\\"Auto\\",\\\\"Valid_If\\":null,\\\\"Error_Message_If_Invalid\\":null,\\
\\"Show_If\\":null,\\\\"Required_If\\":null,\\\\"Editable_If\\":null,\\\\"Reset_If\\":n
ull,\\\\"Suggested_Values\\":null}\\",\\\\"ItemSeparator\\":\\" ,
\\",\\\\"Valid_If\\":null,\\\\"Error_Message_If_Invalid\\":null,\\\\"Show_If\\":null,\\\\"Requi
red_If\\":null,\\\\"Editable_If\\":null,\\\\"Reset_If\\":null,\\\\"Suggested_Values\\":null
}\\
```

App formula	REF_ROWS("GUIAS_ASIGNADAS", "Nuevo_Estatus")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: Related

PIEZAS_ESCANEADAS_MASIVASs

Column name	Related PIEZAS_ESCANEADAS_MASIVASs
Visible?	ALWAYS
Description	PIEZAS_ESCANEADAS_MASIVAS entries that reference this entry in the Estatus_PID column

Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "PIEZAS_ESCANEADAS_MASIVAS", "ReferencedRootTableName": "PIEZAS_ESCANEADAS_MASIVAS", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "ID_Detalle", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": " ,", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("PIEZAS_ESCANEADAS_MASIVAS", "Estatus_PID")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: Related PIEZAS_PIDs

Column name	Related PIEZAS_PIDs
Visible?	ALWAYS
Description	PIEZAS_PID entries that reference this entry in the Estatus_PID column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"PIEZAS_PID\", \"ReferencedRootTableName\": \"PIEZAS_PID\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }\", \"ReferencedKeyColumn\": \"PID_Codigo\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } \", \"ItemSeparator\": \" \", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }</pre>
App formula	REF_ROWS("PIEZAS_PID", "Estatus_PID")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No

NFC Scannable	No
Sensitive data	No

Schema Name CAT_USUARIOS_Schema

Schema Name	CAT_USUARIOS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Correo

Column name	Correo
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 3: Nombre

Column name	Nombre
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Rol

Column name	Rol
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Grupo

Column name	Grupo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Webhook_Chat

Column name	Webhook_Chat
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":

	null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name ENTREGA_MASIVA_Schema

Schema Name	ENTREGA_MASIVA_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Masivo

Column name	ID_Masivo
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Fecha_Hora

Column name	Fecha_Hora
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Chofer

Column name	Chofer
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Nombre_Recibe

Column name	Nombre_Recibe
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Firma

Column name	Firma
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Foto_Fachada

Column name	Foto_Fachada
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Foto_INE

Column name	Foto_INE
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Comentarios

Column name	Comentarios
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
-----------	----

Sensitive data	No
----------------	----

Column 10: Check_In_GPS

Column name	Check_In_GPS
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Related PIEZAS_ESCANEADAS_MASIVASs

Column name	Related PIEZAS_ESCANEADAS_MASIVASs
Visible?	ALWAYS
Description	= "Escanea aquí los códigos de barra (PIDs) de todos los bultos individuales que vas a entregar juntos a este cliente."

Display name	= "Piezas Escaneadas para esta Entrega (" & COUNT([Related PIEZAS_ESCANEADAS_MASIVASs]) & ")"
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": { "ReferencedTableName": "PIEZAS_ESCANEADAS_MASIVAS", "ReferencedRootTableName": "PIEZAS_ESCANEADAS_MASIVAS", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } }, "ReferencedKeyColumn": "ID_Detalle", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("PIEZAS_ESCANEADAS_MASIVAS", "ID_Masivo")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name PIEZAS_ESCANEADAS_MASIVAS_Schema

Schema Name	PIEZAS_ESCANEADAS_MASIVAS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Detalle

Column name	ID_Detalle
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Masivo

Column name	ID_Masivo
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"ENTREGA_MASIVA","ReferencedRootTableName":"ENTREGA_MASIVA","ReferencedType":"Text","ReferencedTypeQualifier":"{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"ID_Masivo","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_I

	f":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: PID_Codigo

Column name	PID_Codigo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	Yes
Sensitive data	No

Column 5: Estatus_PID

Column name	Estatus_PID
Visible?	ALWAYS
Type	Ref { "ReferencedTableName": "CAT_CHECKPOINTS", "ReferencedRootTableName": "CAT_CHECKPOINTS", "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "ReferencedKeyColumn": "Clave_Estatus", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	= "OK"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name RECOLECCIONES_ASSIGNADAS_Schema

Schema Name	RECOLECCIONES_ASSIGNADAS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No

Scannable	No
-----------	----

Sensitive data	No
----------------	----

Column 2: ID_PU

Column name	ID_PU
-------------	-------

Visible?	ALWAYS
----------	--------

Type	Text
------	------

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
----------------	--

Read-Only	Yes
-----------	-----

Hidden	Yes
--------	-----

Label	No
-------	----

Formula version	0
-----------------	---

Reset on edit?	No
----------------	----

Initial value	UNIQUEID()
---------------	------------

System Defined?	No
-----------------	----

Key	Yes
-----	-----

Part of Key?	Yes
--------------	-----

Fixed definition?	No
-------------------	----

Editable Initial Value?	Yes
-------------------------	-----

Virtual?	No
----------	----

LocaleName	es-MX
------------	-------

Searchable	No
------------	----

Scannable	No
-----------	----

Sensitive data	No
----------------	----

Column 3: ID_Booking

Column name	ID_Booking
-------------	------------

Visible?	ALWAYS
----------	--------

Type	Text
------	------

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
----------------	--

```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	= "AL_VUELO-" & UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Cliente_Remitente

Column name	Cliente_Remitente
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Direccion

Column name	Direccion
Visible?	ALWAYS
Type	Address
Type Qualifier	{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: CP

Column name	CP
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Horario_Apertura

Column name	Horario_Apertura
Visible?	ALWAYS
Type	Time
Type Qualifier	{ "MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	="09:00:00"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Horario_Cierre

Column name	Horario_Cierre
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="18:00:00"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: Chofer_Asignado

Column name	Chofer_Asignado
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Estatus_PU

Column name	Estatus_PU
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["PENDIENTE","PU","INCIDENCIA"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":

```
{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain  
Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}, \"EnumInputMode\": \"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=\"PU\"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Pzs_Estimadas

Column name	Pzs_Estimadas
Visible?	ALWAYS
Type	Number
Type Qualifier	{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\": \"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	=1
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Pzs_Reales

Column name	Pzs_Reales
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=1
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Firma_Remitente

Column name	Firma_Remitente
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Foto_Evidencia

Column name	Foto_Evidencia
Visible?	ALWAYS
Type	Image

Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Motivo_Incidencia

Column name	Motivo_Incidencia
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Check_In_GPS

Column name	Check_In_GPS
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Timestamp_PU

Column name	Timestamp_PU
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name

Process for Bot_Inyector_Pickups - 1 Process Table_Schema

Schema Name	Process for Bot_Inyector_Pickups - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: ID_PU

Column name	ID_PU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Booking

Column name	ID_Booking
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Cliente_Remitente

Column name	Cliente_Remitente
-------------	-------------------

Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Direccion

Column name	Direccion
Visible?	ALWAYS
Type	Address
Type Qualifier	{"GeocodingEnabled":true,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: CP

Column name	CP
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Horario_Apertura

Column name	Horario_Apertura
-------------	------------------

Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Horario_Cierre

Column name	Horario_Cierre
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Chofer_Asignado

Column name	Chofer_Asignado
Visible?	ALWAYS
Type	Email
Type Qualifier	{ "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Estatus_PU

Column name	Estatus_PU
Visible?	ALWAYS

Type	Enum
Type Qualifier	<pre>{"EnumValues": ["PENDIENTE","PU","INCIDENCIA"],"AllowOtherValues":false,"AutoC ompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message _If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\": null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode \":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\" Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Value s\":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Pzs_Estimadas

Column name	Pzs_Estimadas
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":n ull,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\", Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Require d_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Pzs_Reales

Column name	Pzs_Reales
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 13: Firma_Remitente

Column name	Firma_Remitente
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Foto_Evidencia

Column name	Foto_Evidencia
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Motivo_Incidencia

Column name	Motivo_Incidencia
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 16: Check_In_GPS

Column name	Check_In_GPS
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Timestamp_PU

Column name	Timestamp_PU
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Paso_Enviar_Webhook_PU

Column name	Paso_Enviar_Webhook_PU
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "Paso_Enviar_Webhook_PU Output", "ReferencedRootTableName": null, "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message _If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "ReferencedKeyC olumn": "Instance Id", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "V alid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required _If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Paso_Enviar_Webhook_PU Output_Schema

Schema Name	Paso_Enviar_Webhook_PU Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Slices

Slice Name Ruta de Hoy

Slice Name	Ruta de Hoy
	_RowNumber
	HWB_Guia
	Destinatario
	Direccion_Entrega
	EDD
	Chofer_Asignado
	Total_Piezas
	Tel_Query
	Estatus_Guia
	Check_In_GPS
Slice Columns	Nuevo_Estatus
	Nombre_Recibe
	Firma_Evidencia
	Foto_Fachada_Paquete
	Foto_INE
	Monto_Aduana
	Comentarios_Chofer
	Autorizacion_Incompleto
	Primer_Intento_GPS
	Primer_Intento_Hora
	Contador_Visitas
	Related PIEZAS_PIDs
Row filter condition	=[Chofer_Asignado] = USEREMAIL()
Update mode	UPDATES_ONLY
Source Table	GUIAS_ASIGNADAS
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Mesa_Control_Rampa

Slice Name	Mesa_Control_Rampa
	_RowNumber
	HWB_Guia
	Destinatario
	Direccion_Entrega
	EDD
	Chofer_Asignado
	Total_Piezas
	Tel_Query
	Estatus_Guia
	Check_In_GPS
Slice Columns	Nuevo_Estatus
	Nombre_Recibe
	Firma_Evidencia
	Foto_Fachada_Paquete
	Foto_INE
	Monto_Aduana
	Comentarios_Chofer
	Autorizacion_Incompleto
	Primer_Intento_GPS
	Primer_Intento_Hora
	Contador_Visitas
	Related PIEZAS_PIDs
Row filter condition	=OR([Estatus_Guia] = "PENDIENTE", [Estatus_Guia] = "PD")
Update mode	UPDATES_ONLY
Source Table	GUIAS_ASIGNADAS
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name S_Pickups_Hoy

Slice Name	S_Pickups_Hoy
Slice Columns	_RowNumber
	ID_PU
	ID_Booking
	Cliente_Remitente
	Direccion
	CP
	Horario_Apertura

Horario_Cierre
Chofer_Asignado
Estatus_PU
Pzs_Estimadas
Pzs_Reales
Firma_Remitente
Foto_Evidencia
Motivo_Incidencia
Check_In_GPS
Timestamp_PU

Row filter condition	=[Chofer_Asignado] = USEREMAIL()
Update mode	ALL_CHANGES
Source Table	RECOLECCIONES_ASIGNADAS
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name Mi Ruta

View name	Mi Ruta 
Created by	App owner
View type	deck
ActionType	Square Image
Position	left
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "**auto**", "SecondaryDeckHeaderColumn": "Direccion_Entrega", "DeckSummaryColumn": "Destinatario", "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["Escáner Metralleta ⚡", "Edit", "View Ref (Nuevo_Estatus)", "View Map (Direccion_Entrega)", "Call Phone (Tel_Query)", "Send SMS (Tel_Query)"], "GroupBy": [{ "Column": "Estatus_Guia", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fas fa-road", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=OR(ANY(SELECT(CAT_USUARIOS[Rol], [Correo] = USEREMAIL())) = "Pochteca", ANY(SELECT(CAT_USUARIOS[Rol], [Correo] = USEREMAIL())) = "Tlachixqui", ANY(SELECT(CAT_USUARIOS[Rol], [Correo] = USEREMAIL())) = "Tlayacanqui")</pre>

View name Mi Jornada

View name	Mi Jornada
Created by	App owner
View type	dashboard

Position	left most
View configuration	<pre>{"ViewEntries":[{"ViewName":"Mi Progreso","ViewSize":"Small"}, {"ViewName":"Mi Ruta ","ViewSize":"Small"}],"InteractiveMode":true,"ShowTabs":false,"Events":[],"Icon":"far fa-tachometer-alt","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Entrega Masiva

View name	Entrega Masiva
Created by	App owner
View type	form
Position	right
View configuration	<pre>{"ColumnOrder":["Related PIEZAS_ESCANEADAS_MASIVASs","Nombre_Recibe","Firma","Foto_Fachada","Foto_INE","Comentarios"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"Procesar Lote Masivo"}],"Icon":"fas fa-qr-code","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Mis Pickups de Hoy

View name	Mis Pickups de Hoy
Created by	App owner
View type	deck
ActionType	Square Image
Position	right
View configuration	<pre>{"MainDeckImageColumn":"**auto**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":</pre>

```
[{"ActionBarEntries":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":
[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":
[{"EventType":"Row Selected","EventAction":"**auto**"},
{"EventType":"Row Swiped Left","EventAction":"**auto**"},
{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-
list-ul","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name CAT_CHECKPOINTS_Detail

View name	CAT_CHECKPOINTS_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"**n one**", "HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder": [], "ImageStyle":"Fill", "Layout":null, "UseCardLayout":false, "DisplayMode": Automatic, "MaxNestedRows":5, "SlideshowMode":true, "DesktopSplitM ode":"Split view", "UseDesktopMultiColumn":true, "SortBy": [], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events": [], "Icon":"fa-indent", "IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name CAT_CHECKPOINTS_Form

View name	CAT_CHECKPOINTS_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null, "AutoSave":false, "AutoReopen":false, "FinishView":"* Automatic**", "RowKey":""," "FormStyle":"Automatic", "PageStyle":"Automa tic", "FormFooterStyle":"Bottom", "MaxNestedRows":5, "AudiolInput":false, "

Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 

Menu order 1

View name CAT_USUARIOS_Detail

View name CAT_USUARIOS_Detail

Created by System

View type detail

ActionType Automatic

Position ref

View configuration {"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":["Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1]}

Visible? ALWAYS

Icon 

Menu order 1

View name CAT_USUARIOS_Form

View name CAT_USUARIOS_Form

Created by System

View type form

Position ref

View configuration {"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon 

Menu order

1

View name ENTREGA_MASIVA_Detail

View name	ENTREGA_MASIVA_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name ENTREGA_MASIVA_Form

View name	ENTREGA_MASIVA_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{" "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name GUIAS_ASIGNADAS_Detail

View name	GUIAS_ASIGNADAS_Detail
-----------	------------------------

Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name GUIAS_ASSIGNADAS_Form

View name	GUIAS_ASSIGNADAS_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{" "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name GUIAS_ASSIGNADAS_Inline

View name	GUIAS_ASSIGNADAS_Inline
Created by	System
View type	table
Position	ref

View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Mesa de Control

View name	Mesa de Control
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "**auto**", "SecondaryDeckHeaderColumn": "**auto**", "DeckSummaryColumn": "**auto**", "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Bypass Guia Supervisor"}, {"EventType": "Row Swiped Left", "EventAction": "**auto**"}, {"EventType": "Row Swiped Right", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=LOOKUP(USEREMAIL(), "CAT_USUARIOS", "Correo", "Rol") = "Tlachixqui"

View name Mesa_Control_Rampa_Detail

View name	Mesa_Control_Rampa_Detail
Created by	System
View type	detail
ActionType	Automatic

Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Mesa_Control_Rampa_Form

View name	Mesa_Control_Rampa_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Mi Progreso

View name	Mi Progreso
Created by	App owner
View type	chart
ActionType	Aggregate PieChart
Position	ref
View configuration	<pre>{ "ChartType": "Aggregate PieChart", "UseNewChartExperience": false, "ChartConfig": null, "ChartColumns": ["Estatus_Guia"], "GroupAggregate": "COUNT", "TrendLine": "None", "ChartC</pre>

olors":[],"LabelType":"Percent","ShowLegend":true,"SortBy":[],"Events":
[],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS
Icon 
Menu order 1

View name PIEZAS_ESCANEADAS_MASIVAS_Detail

View name PIEZAS_ESCANEADAS_MASIVAS_Detail
Created by System
View type detail
ActionType Automatic
Position ref

View configuration {"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":
[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":
Automatic,"MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM
ode":"Split view","UseDesktopMultiColumn":true,"SortBy":
[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":
[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS
Icon 
Menu order 1

View name PIEZAS_ESCANEADAS_MASIVAS_Form

View name PIEZAS_ESCANEADAS_MASIVAS_Form
Created by System
View type form
Position ref

View configuration {"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"*
*Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automa
tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"
Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-
edit","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS
Icon 

Menu order

1

View name PIEZAS_ESCANEADAS_MASIVAS_Inline

View name	PIEZAS_ESCANEADAS_MASIVAS_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": [],"GroupBy":[],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fa- table","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name PIEZAS_PID_Detail

View name	PIEZAS_PID_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode": Automatic,"MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name PIEZAS_PID_Form

View name	PIEZAS_PID_Form
-----------	-----------------

Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": **Automatic**,"RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":**auto**}], Icon:"fa-edit", IconRunnerUps:null,"MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name PIEZAS_PID_Inline

View name	PIEZAS_PID_Inline
Created by	System
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": [], "GroupBy":[], "GroupAggregate":"NONE","SortBy": [], "PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":**auto**}], Icon:"fa-table", IconRunnerUps:null,"MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name RECOLECCIONES_ASIGNADAS_Detail

View name	RECOLECCIONES_ASIGNADAS_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":**auto**,"DetailContentColumn":**n one**,"HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder": [], "ImageStyle":"Fill", "Layout":null,"UseCardLayout":false,"DisplayMode": }

```
Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM
ode":"Split view","UseDesktopMultiColumn":true,"SortBy":
[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":
[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name RECOLECCIONES_ASIGNADAS_Form

View name	RECOLECCIONES_ASIGNADAS_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"* *Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Ruta de Hoy_Detail

View name	Ruta de Hoy_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":" Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Ruta de Hoy_Form

View name	Ruta de Hoy_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "Automatic", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "auto" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name S_Pickups_Hoy_Detail

View name	S_Pickups_Hoy_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "auto", "DetailContentColumn": "none", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name S_Pickups_Hoy_Form

View name	S_Pickups_Hoy_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"*Automatic*", "RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom", "MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

Format Rules

Rule name Guia_OK_Verde

Rule name	Guia_OK_Verde
Format these columns and actions	HWB_Guia Estatus_Guia
For this data	GUIAS_ASIGNADAS
If this condition is true	=[Estatus_Guia] = "OK"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"green","highlightColor":"green","textSize":1.0,"underline":false, "strikethrough":false,"bold":false,"italic":false,"uppercase":false, "icon":"fas fa-check-circle","imageSize":null}
Visible?	ALWAYS

Rule name PU_Pendiente_Amarillo

Rule name	PU_Pendiente_Amarillo
Format these columns and actions	ID_Booking Direccion
For this data	RECOLECCIONES_ASIGNADAS

If this condition is true	=AND([Estatus_PU] = "PENDIENTE", TIME(NOW()) >= "18:00:00")
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"#FFC107","highlightColor":"#FF9F00","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-truck","imageSize":null}
Visible?	ALWAYS

Rule name PU_Pendiente_Rojo

Rule name	PU_Pendiente_Rojo
Format these columns and actions	ID_Booking Direccion
For this data	RECOLECCIONES_ASIGNADAS
If this condition is true	=AND([Estatus_PU] = "PENDIENTE", TIME(NOW()) >= "19:30:00")
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"yellow","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fas fa-engine-warning","imageSize":null}
Visible?	ALWAYS

Behavior

Actions

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	GUIAS_ASSIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Chofer_Asignado)

Action name	Compose Email (Chofer_Asignado)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{"EmailTo":"[Chofer_Asignado]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>
Do this	EMAIL

Attach to column	Chofer_Asignado
Set this column	Chofer_Asignado
Only if this condition is true	NOT(ISBLANK([Chofer_Asignado]))
Disable automatic updates?	No
Action icon	
For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Check_In_GPS)

Action name	View Map (Check_In_GPS)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=map&table=GUIAS_ASIGNADAS&mapcolumn=Check_In_GPS&row=\", ENCODEURL([_THISROW]))", "Prominence": "Display_Inline", "Needs Confirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Check_In_GPS
Set this column	Check_In_GPS
Only if this condition is true	NOT(ISBLANK([Check_In_GPS]))
Disable automatic updates?	No
Action icon	
For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Primer_Intento_GPS)

Action name	View Map (Primer_Intento_GPS)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=map&table=GUIAS_ASIGNADAS&mapcolumn=Primer_Intento_GPS&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	Primer_Intento_GPS
Set this column	Primer_Intento_GPS
Only if this condition is true	NOT(ISBLANK([Primer_Intento_GPS]))
Disable automatic updates?	No
Action icon	
For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table	PIEZAS_PID
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_PID
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}</pre>
Do this	ADD_RECORD

Disable automatic updates?	No
Action icon	+
For a record of this table	PIEZAS_PID
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (HWP_Guia)

Action name	View Ref (HWP_Guia)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=GUIAS_ASSIGNADAS&row=\", ENCODEURL([HWP_Guia]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	HWP_Guia
Set this column	HWP_Guia
Only if this condition is true	NOT(ISBLANK([HWP_Guia]))
Disable automatic updates?	No
Action icon	➔
For a record of this table	PIEZAS_PID
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Escáner Metralleta ⚡

Action name	Escáner Metralleta ⚡
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"NavigateTarget": "=CONCATENATE(\"https://heroic-youtiao-74046e.netlify.app/?chofer=\", ENCODEURL(USEREMAIL()))", "LaunchExternal": false, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</pre>
Do this	NAVIGATE_URL
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}</pre>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CAT_CHECKPOINTS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CAT_CHECKPOINTS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CAT_CHECKPOINTS
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CAT_USUARIOS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CAT_USUARIOS

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Correo)

Action name	Compose Email (Correo)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"EmailTo":["Correo"],"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	EMAIL
Attach to column	Correo
Set this column	Correo
Only if this condition is true	NOT(ISBLANK([Correo]))
Disable automatic updates?	No
Action icon	
For a record of this table	CAT_USUARIOS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	CAT_USUARIOS
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ENTREGA_MASIVA
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay

Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ENTREGA_MASIVA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Check_In_GPS)

Action name	View Map (Check_In_GPS)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=map&table=ENTREGA_MASIVA&mapcolumn=Check_In_GPS&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	Check_In_GPS
Set this column	Check_In_GPS
Only if this condition is true	NOT(ISBLANK([Check_In_GPS]))
Disable automatic updates?	No
Action icon	
For a record of this table	ENTREGA_MASIVA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	ENTREGA_MASIVA
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (Nuevo_Estatus)

Action name	View Ref (Nuevo_Estatus)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CAT_CHECKPOINTS&row=\", ENCODEURL([Nuevo_Estatus]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Nuevo_Estatus
Set this column	Nuevo_Estatus
Only if this condition is true	NOT(ISBLANK([Nuevo_Estatus]))
Disable automatic updates?	No
Action icon	

For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Direccion_Entrega)

Action name	View Map (Direccion_Entrega)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=map&table=GUIAS_ASIGNADAS&mapcolumn=Direccion_Entrega&row=\", ENCODEURL([_THISROW]))", "Prominence": "Display_Inline", "Needs Confirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Direccion_Entrega
Set this column	Direccion_Entrega
Only if this condition is true	NOT(ISBLANK([Direccion_Entrega]))
Disable automatic updates?	No
Action icon	
For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Tel_Query)

Action name	Call Phone (Tel_Query)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline

Action order	1
With these properties	<pre>{ "Number": "[Tel_Query]", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	CALL
Attach to column	Tel_Query
Set this column	Tel_Query
Only if this condition is true	NOT(ISBLANK([Tel_Query]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Tel_Query)

Action name	Send SMS (Tel_Query)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{ "Number": "[Tel_Query]", "Message": "", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	SMS
Attach to column	Tel_Query
Set this column	Tel_Query
Only if this condition is true	NOT(ISBLANK([Tel_Query]))
Disable automatic updates?	No
Display name	Text message
Action icon	

For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_ESCANEADAS_MASIVAS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD

Disable automatic updates? No

Action icon 

For a record of this table PIEZAS_ESCANEADAS_MASIVAS

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Add

Action name Add

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Display_Overlay

Action order 1

With these properties {"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}

Do this ADD_RECORD

Disable automatic updates? No

Action icon 

For a record of this table PIEZAS_ESCANEADAS_MASIVAS

Does this action apply to the whole table? Yes

Visible? ALWAYS

Action name View Ref (ID_Masivo)

Action name View Ref (ID_Masivo)

Bulk action? No

Modifies data? No

Needs confirmation? No

Prominence Display_Inline

Action order 1

With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=detail&table=ENTREGA_MASIVA&row=\", ENCODEURL([ID_Masivo]))\",\"Prominence\":\"Display_Inline\",\"NeedsConfirmation\":false,\"ConfirmationMessage\":\"\",\"ModifiesData\":false,\"BulkApplicable\":false}</code>
Do this	NAVIGATE_APP
Attach to column	ID_Masivo
Set this column	ID_Masivo
Only if this condition is true	NOT(ISBLANK([ID_Masivo]))
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_ESCANEADAS_MASIVAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Estatus_PID)

Action name	View Ref (Estatus_PID)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CAT_CHECKPOINTS&row=\", ENCODEURL([Estatus_PID]))\",\"Prominence\":\"Display_Inline\",\"NeedsConfirmation\":false,\"ConfirmationMessage\":\"\",\"ModifiesData\":false,\"BulkApplicable\":false}</code>
Do this	NAVIGATE_APP
Attach to column	Estatus_PID
Set this column	Estatus_PID
Only if this condition is true	NOT(ISBLANK([Estatus_PID]))
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_ESCANEADAS_MASIVAS
Does this action apply to the whole table?	No

Visible?

ALWAYS

Action name View Ref (Estatus_PID)

Action name View Ref (Estatus_PID)

Bulk action? No

Modifies data? No

Needs confirmation? No

Prominence Display_Inline

Action order 1

With these properties {"NavigateTarget":"CONCATENATE(\"#page=detail&table=CAT_CHECKPOINTS&row=\", ENCODEURL([Estatus_PID]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this NAVIGATE_APP

Attach to column Estatus_PID

Set this column Estatus_PID

Only if this condition is true NOT(ISBLANK([Estatus_PID]))

Disable automatic updates? No

Action icon 

For a record of this table PIEZAS_PID

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Marcar Pieza Entregada Masiva

Action name Marcar Pieza Entregada Masiva

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Display_Prominently

Action order 1

With these properties {"Assignments":[{"ColumnToEdit":"Estatus_PID","NewColumnValue":"=\\\"OK\\\""}],"ColumnToEdit":"Estatus_PID","NewColumnValue":"=\\\"OK\\\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConf

	irmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	PID_Codigo
Set this column	Estatus_PID
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_PID
Does this action apply to the whole table?	No
To this value	="OK"
Visible?	ALWAYS

Action name Sincronizar Pieza Individual

Action name	Sincronizar Pieza Individual
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "ReferencedTable": "PIEZAS_PID", "ReferencedRows": "=FILTER(\"PIEZAS_PID\", [PID_Codigo] = [_THISROW].[PID_Codigo])", "ReferencedAction": "Marcar Pieza y Actualizar Guia", "InputAssignments": [], "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": true }</pre>
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_ESCANEADAS_MASIVAS
Does this action apply to the whole table?	No

Visible?

ALWAYS

Action name Procesar Lote Masivo

Action name Procesar Lote Masivo

Bulk action? Yes

Modifies data? No

Needs confirmation? No

Prominence Display_Prominently

Action order 1

With these properties {"ReferencedTable":"PIEZAS_ESCANEADAS_MASIVAS","Reference
dRows":"=[Related
PIEZAS_ESCANEADAS_MASIVASs]","ReferencedAction":"Sincroni
zar Pieza Individual","InputAssignments":
[],"InputParametersUsed":null,"Prominence":"Display_Prominently",
"NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesDat
a":false,"BulkApplicable":true}

Do this REF_ACTION

Only if this condition is true true

Disable automatic updates? No

Action icon 

For a record of this table ENTREGA_MASIVA

Does this action apply to
the whole table? No

Visible? ALWAYS

Action name Calcular Estatus de Guia

Action name Calcular Estatus de Guia

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Do_Not_Display

Action order 1

With these properties {"Assignments":
[{"ColumnToEdit":"Estatus_Guia","NewColumnValue":"=IFS(COUNT
(FILTER(\\"PIEZAS_PID\\", AND([HWB_Guia] = [_THISROW].

```
[HWB_Guia], [Estatus_PID] = \"OK\"))) = [Total_Piezas], \"OK\",
COUNT(FILTER(\"PIEZAS_PID\", AND([HWB_Guia] = [_THISROW].
[HWB_Guia], [Estatus_PID] = \"OK\"))) > 0, \"PD\", TRUE, \"EN
RUTA\")}],\"ColumnToEdit\":\"Estatus_Guia\",\"NewColumnValue\":\"=IF
S(COUNT(FILTER(\"PIEZAS_PID\", AND([HWB_Guia] =
[_THISROW].[HWB_Guia], [Estatus_PID] = \"OK\"))) =
[Total_Piezas], \"OK\", COUNT(FILTER(\"PIEZAS_PID\",
AND([HWB_Guia] = [_THISROW].[HWB_Guia], [Estatus_PID] =
\"OK\"))) > 0, \"PD\", TRUE, \"EN
RUTA\")\"],\"InputParametersUsed\":null,\"Prominence\":\"Do_Not_Displ
ay\",\"NeedsConfirmation\":false,\"ConfirmationMessage\":\"\",\"Modifies
Data\":true,\"BulkApplicable\":true}
```

Do this

Attach to column

Set this column

Estatus_Guia

Estatus_Guia

Only if this condition is true

Disable automatic updates?

true

No

Action icon

For a record of this table



GUIAS_ASIGNADAS

Does this action apply to the whole table?

No

To this value

=IFS(COUNT(FILTER("PIEZAS_PID", AND([HWB_Guia] = [_THISROW].[HWB_Guia], [Estatus_PID] = "OK"))) = [Total_Piezas], "OK", COUNT(FILTER("PIEZAS_PID", AND([HWB_Guia] = [_THISROW].[HWB_Guia], [Estatus_PID] = "OK"))) > 0, "PD", TRUE, "EN RUTA")

Visible?

ALWAYS

Action name Chart Data for Mi Progreso

Action name

Chart Data for Mi Progreso

Bulk action?

No

Modifies data?

No

Needs confirmation?

No

Prominence

Display_Prominently

Action order

1

With these properties

{"NavigateTarget":"=\"#page=fastTable&table=Ruta%20de%20Hoy\", \"Prominence\":\"Display_Prominently\", \"NeedsConfirmation\":false,

```
"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
```

Do this NAVIGATE_APP

Only if this condition is true =CONTEXT("View") = "Mi Progreso"

Disable automatic updates? No

Display name Data

Action icon 

For a record of this table GUIAS_ASIGNADAS

Does this action apply to the whole table? Yes

Visible? ALWAYS

Action name Actualizar Guia Madre Desde Pieza

Action name Actualizar Guia Madre Desde Pieza

Bulk action? Yes

Modifies data? No

Needs confirmation? No

Prominence Display_Prominently

Action order 1

With these properties {"ReferencedTable":"GUIAS_ASIGNADAS","ReferencedRows":"LIST([HWB_Guia]","ReferencedAction":"Calcular Estatus de Guia","InputAssignments": [],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}

Do this REF_ACTION

Only if this condition is true true

Disable automatic updates? No

Action icon 

For a record of this table PIEZAS_PID

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Marcar Pieza y Actualizar Guia

Action name	Marcar Pieza y Actualizar Guia
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"Actions":[{"ActionName":"Marcar Pieza Entregada Masiva"}, {"ActionName":"Actualizar Guia Madre Desde Pieza"}], "Prominence":"Display_Prominently", "NeedsConfirmation":false, "ConfirmationMessage":"","ModifiesData":true, "BulkApplicable":true}</pre>
Do this	COMPOSITE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_PID
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"InputParametersUsed":null, "Prominence":"Display_Prominently", "NeedsConfirmation":true, "ConfirmationMessage":"","ModifiesData":true, "BulkApplicable":true}</pre>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	RECOLECCIONES_ASIGNADAS

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	RECOLECCIONES_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Check_In_GPS)

Action name	View Map (Check_In_GPS)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{"NavigateTarget":"CONCATENATE(\"#page=map&table=RECOLECCIONES_ASIGNADAS&mapcolumn=Check_In_GPS&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>

Do this	NAVIGATE_APP
Attach to column	Check_In_GPS
Set this column	Check_In_GPS
Only if this condition is true	NOT(ISBLANK([Check_In_GPS]))
Disable automatic updates?	No
Action icon	
For a record of this table	RECOLECCIONES_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	RECOLECCIONES_ASIGNADAS
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Map (Direccion)

Action name	View Map (Direccion)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline

Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=map&table=RECOLECCIONES_ASIGNADAS&mapcolumn=Direccion&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	Direccion
Set this column	Direccion
Only if this condition is true	NOT(ISBLANK([Direccion]))
Disable automatic updates?	No
Action icon	
For a record of this table	RECOLECCIONES_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Chofer_Asignado)

Action name	Compose Email (Chofer_Asignado)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"EmailTo":"[Chofer_Asignado]","Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	EMAIL
Attach to column	Chofer_Asignado
Set this column	Chofer_Asignado
Only if this condition is true	NOT(ISBLANK([Chofer_Asignado]))
Disable automatic updates?	No
Action icon	
For a record of this table	RECOLECCIONES_ASIGNADAS

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (Webhook_Chat)

Action name	Open Url (Webhook_Chat)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{ "NavigateTarget": "[Webhook_Chat]", "LaunchExternal": false, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_URL
Attach to column	Webhook_Chat
Set this column	Webhook_Chat
Only if this condition is true	NOT(ISBLANK([Webhook_Chat]))
Disable automatic updates?	No
Action icon	
For a record of this table	CAT_USUARIOS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Marcar PID Bypass

Action name	Marcar PID Bypass
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Escaneo_Validacion", "NewColumnValue": "\BY" }] }</pre>

```
PASS_TLACHIXQUI\''}], "ColumnToEdit": "Escaneo_Validacion", "NewColumnValue": "=", "BYPASS_TLACHIXQUI\''", "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true
}
```

Do this	SET_COLUMN_VALUE
Attach to column	Escaneo_Validacion
Set this column	Escaneo_Validacion
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	PIEZAS_PID
Does this action apply to the whole table?	No
To this value	= "BYPASS_TLACHIXQUI"
Visible?	ALWAYS

Action name Bypass Guia Supervisor

Action name	Bypass Guia Supervisor
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "ReferencedTable": "PIEZAS_PID", "ReferencedRows": "=FILTER(\"PIEZAS_PID\", AND([HWB_Guia] = [_THISROW].[HWB_Guia], ISBLANK([Escaneo_Validacion])))", "ReferencedAction": "Marcar PID Bypass", "InputAssignments": [], "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": true }</pre>
Do this	REF_ACTION
Only if this condition is true	=LOOKUP(USEREMAIL(), "CAT_USUARIOS", "Correo", "Rol") = "Tlachixqui"
Disable automatic updates?	No
Action icon	

For a record of this table	GUIAS_ASIGNADAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Calcular Custodia Guia Madre

Action name	Calcular Custodia Guia Madre
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	<pre> {"Assignments": [{"ColumnToEdit":"Estatus_Guia","NewColumnValue":IFS(\n COUNT(FILTER(\\"PIEZAS_PID\\", AND([HWB_Guia] = [_THISROW]. [HWB_Guia], OR([Escaneo_Validacion] = \\"A_BORDO\\", [Escaneo_Validacion] = \\"BYPASS_TLACHIXQUI\\")))) = [Total_Piezas], \\"CUSTODIA\\",\n COUNT(FILTER(\\"PIEZAS_PID\\", AND([HWB_Guia] = [_THISROW].[HWB_Guia], OR([Escaneo_Validacion] = \\"A_BORDO\\", [Escaneo_Validacion] = \\"BYPASS_TLACHIXQUI\\")))) > 0, \\"PD\\",\n TRUE, \\"PENDIENTE\\\""}], "ColumnToEdit":"Estatus_Guia","NewColumn Value":IFS(\n COUNT(FILTER(\\"PIEZAS_PID\\", AND([HWB_Guia] = [_THISROW].[HWB_Guia], OR([Escaneo_Validacion] = \\"A_BORDO\\", [Escaneo_Validacion] = \\"BYPASS_TLACHIXQUI\\")))) = [Total_Piezas], \\"CUSTODIA\\",\n COUNT(FILTER(\\"PIEZAS_PID\\", AND([HWB_Guia] = [_THISROW]. [HWB_Guia], OR([Escaneo_Validacion] = \\"A_BORDO\\", [Escaneo_Validacion] = \\"BYPASS_TLACHIXQUI\\")))) > 0, \\"PD\\",\n TRUE, \\"PENDIENTE\\\""}, "InputParametersUsed":null, "Prominence": "Do_ Not_Display", "NeedsConfirmation":false, "ConfirmationMessage": "", "ModifiesData":true, "BulkApplicable":true} </pre>
Do this	SET_COLUMN_VALUE
Attach to column	Estatus_Guia
Set this column	Estatus_Guia
Only if this condition is true	true

Disable automatic updates? No

Action icon 

For a record of this table GUIAS_ASIGNADAS

Does this action apply to the whole table? No

To this value =IFS(COUNT(FILTER("PIEZAS_PID", AND([HWB_Guia] = [_THISROW].[HWB_Guia], OR([Escaneo_Validacion] = "A_BORDO", [Escaneo_Validacion] = "BYPASS_TLACHIXQUI")))) = [Total_Piezas], "CUSTODIA", COUNT(FILTER("PIEZAS_PID", AND([HWB_Guia] = [_THISROW].[HWB_Guia], OR([Escaneo_Validacion] = "A_BORDO", [Escaneo_Validacion] = "BYPASS_TLACHIXQUI")))) > 0, "PD", TRUE, "PENDIENTE")

Visible? ALWAYS