

How to create custom image in Docker?
1. Code clone karke local p lao
2. Jis bhi computer pr clone karo, usme docker install hona chahiye
3. Jaha code hai waha ek file banaenge Dockerfile
4. Is file ke andar bharenge, kuch kuch
5. Bharne ke lie chahiye instructions

`ADD`	Add local or remote files and directories.
`ARG`	Use build-time variables.
`CMD`	Specify default commands.
`COPY`	Copy files and directories.
`ENTRYPOINT`	Specify default executable.
`ENV`	Set environment variables.
`EXPOSE`	Describe which ports your application is listening on.
`FROM`	Create a new build stage from a base image.
`HEALTHCHECK`	Check a container's health on startup.
`LABEL`	Add metadata to an image.
`MAINTAINER`	Specify the author of an image.
`ONBUILD`	Specify instructions for when the image is used in a build.
`RUN`	Execute build commands.
`SHELL`	Set the default shell of an image.
`STOPSIGNAL`	Specify the system call signal for exiting a container.
`USER`	Set user and group ID.
`VOLUME`	Create volume mounts.
`WORKDIR`	Change working directory.



Loadbalancing is possible using Docker Swarm and nginx loadbalancer.
But this fails in complex system.





Docker file in applications ke lie kaise banega?

Application ko deploy karne ke lie application ko build kia jata hai aur har application ko build karne ke lie build tool hota hai..

Har application ka paas dependency hota hai.

Pehle dependency install karne ke baad, fir build karna hota hai..