Marwadi Chandarana Group NAAC University Marwadi Chandarana Group	Marwadi University Faculty of Engineering & Technology Department of Information and Communication Technology	
Subject: Programming With	Aim: Building a Basic User-Interactive GUI Application using Kivy in	
Python (01CT1309)	Python	
Experiment No: 16	Date:	Enrollment No:92400133102

<u>Aim:</u> Building a Basic User-Interactive GUI Application using Kivy in Python

IDE:

A comparative analysis of Tkinter and Kivy, two popular Python GUI frameworks:

Criteria	Tkinter	Kivy
Origin/Integration	Built-in standard GUI toolkit for Python	Third-party library, must be installed separately
Platform Support	Cross-platform (Windows, macOS, Linux)	Cross-platform (Windows, macOS, Linux, Android, iOS)
Mobile App Support	Not natively supported	Yes, designed for mobile apps (Android/iOS)
Look and Feel	Native look (uses OS elements; sometimes outdated)	Custom UI (same look on all platforms)
Ease of Use (Beginner Friendly)	Easier for beginners, simple widgets and layout	Slightly steeper learning curve due to different approach
Custom Widgets	Limited custom widgets	Highly customizable, supports multi-touch, gestures
Performance	Lightweight, fast for basic applications	Better for graphics-rich or touch-based applications
Layout Management	Pack, Grid, Place layout managers	Uses relative positioning and advanced layout controls
Graphics and Animation	Basic support	Rich support for OpenGL, animations, and gestures
Community and Support	Long-standing, extensive community	Newer but active open-source community
Event Handling	Traditional event binding using command and bind	Event-driven, uses Clock, on_touch_*, properties
Development Use Case	Desktop apps, simple tools, admin panels	Mobile apps, multimedia apps, dashboards, games

Marwadi U n i v e r s i t y Marwadi Chandarana Group	1	
Subject: Programming With		
Python (01CT1309)		
Experiment No: 16	Date:	Enrollment No:92400133102


Use Tkinter:

You are developing a simple desktop application, teaching basic GUI programming, or need something lightweight and native-looking on desktops.

Use Kivy:

You are targeting mobile platforms, want touch support, need consistent UI across devices, or are building multimedia-rich or gesture-based apps.

Library	Purpose / UI Type	Installation	Import Syntax	Best Use Case
Tkinter	Native Desktop GUI	Built-in (python3-tk on Linux)	import tkinter as tk	Basic desktop apps, learning GUI concepts
Kivy	Multi-touch apps for desktop & mobile	pip install kivy	from kivy.app import App	Mobile-like UIs, gesture support, kiosk apps
Textual	Terminal UI with applike look	pip install textual	from textual.app import App	Terminal dashboards, TUI-based dev tools
Remi	Web UI from pure Python (no HTML)	pip install remi	import remi.gui as gui	Turn Python scripts into web apps easily
NiceGUI	Fast web UI with Vue3 + Python	pip install nicegui	from nicegui import ui	Reactive dashboards, IoT UI, admin panels
Flet	Flutter-style UI in pure Python	pip install flet	import flet as ft	Mobile/web-style apps, no need for Dart
Eel	HTML/JS frontend + Python backend	pip install eel	import eel	Convert HTML+JS UI into desktop apps with Python
Dear	GPU-accelerated	pip install	import	High-perf apps,
PyGui	desktop GUI	dearpygui	dearpygui.dearpygui as dpg	dashboards, tools with fast UI
pywebview	Native desktop app with embedded web UI	pip install pywebview	import webview	Build web UI as desktop apps with native look
Toga	Native UI for desktop/mobile (BeeWare)	pip install toga	import toga	Native look across macOS, Windows, Linux



Date:

JustPy	Server-side reactive	pip install justpy	import justpy as jp	Dashboards, education
J T T J	web UI (no JS needed)		1 3 13 31	tools, reactive forms
Gooey	Turn CLI apps into	pip install gooey	from gooey import	Beautify CLI tools,
	GUI instantly		Gooey	Python scripts for non-
				coders

Enrollment No:92400133102

Example Syntax Comparison:

Experiment No: 16

Tkinter Button Example:

import tkinter as tk

def say_hello():
 print("Hello, Tkinter!")

root = tk.Tk()

btn = tk.Button(root, text="Click Me", command=say_hello)

btn.pack()

root.mainloop()

Kivy Button Example:

from kivy.app import App from kivy.uix.button import Button

class MyApp(App):

def build(self):

return Button(text='Click Me', on press=lambda x: print("Hello, Kivy!"))

MyApp().run()



Faculty of Engineering & Technology

Department of Information and Communication Technology

Subject: Programming With Python (01CT1309)

Aim: Building a Basic User-Interactive GUI Application using Kivy in

Python

Experiment No: 16 Date: Enrollment No:92400133102

Kivy was first released in early 2011. This cross-platform Python framework can be deployed to Windows, Mac, Linux, and Raspberry Pi. It supports multitouch events in addition to regular keyboard and mouse inputs. Kivy even supports GPU acceleration of its graphics, since they're built using OpenGL ES2.

Before using Kivy, you need to install it. You can install it using pip: pip install kivy

Create a Simple Kivy Application Let's start by building a basic app with a label and a button.

Importing necessary modules from kivy from kivy.app import App from kivy.uix.button import Button from kivy.uix.label import Label from kivy.uix.boxlayout import BoxLayout

Defining the main application class class SimpleApp(App):

def build(self):


Creating a layout

layout = BoxLayout(orientation='vertical')

Creating a label and adding it to the layout self.label = Label(text="Hello, ICT Department") layout.add widget(self.label)


Creating a button, binding it to the on_button_press function, and adding it to the layout button = Button(text="Click Me!")
button.bind(on_press=self.on_button_press)
layout.add_widget(button)

Returning the layout to be displayed return layout



```
# Function to handle button click event
def on_button_press(self, instance):
    self.label.text = "Button Clicked!"
```

```
# Running the application
if __name__ == '__main__':
    SimpleApp().run()
```



Kivy Login Page Example

from kivy.app import App from kivy.uix.boxlayout import BoxLayout from kivy.uix.label import Label from kivy.uix.textinput import TextInput from kivy.uix.button import Button

Defining the main application class class LoginApp(App):



Faculty of Engineering & Technology

Department of Information and Communication Technology


Subject: Programming With Python (01CT1309)

Aim: Building a Basic User-Interactive GUI Application using Kivy in

Python

Experiment No: 16 Date: Enrollment No:92400133102

```
def build(self):
  # Main layout
  layout = BoxLayout(orientation='vertical', padding=10, spacing=10)
  # Username label and input
  self.username label = Label(text="Username:")
  layout.add widget(self.username label)
  self.username input = TextInput(multiline=False)
  layout.add widget(self.username input)
  # Password label and input
  self.password label = Label(text="Password:")
  layout.add widget(self.password label)
  self.password input = TextInput(password=True, multiline=False)
  layout.add widget(self.password input)
  # Login button
  self.login_button = Button(text="Login")
  self.login button.bind(on press=self.check credentials)
  layout.add widget(self.login button)
  # Label to display the login status
  self.status label = Label(text="")
  layout.add widget(self.status label)
  return layout
# Function to check the credentials
def check credentials(self, instance):
  username = self.username input.text
  password = self.password_input.text
```



```
# Simple validation (hardcoded username/password for demonstration)
if username == "admin" and password == "password":
    self.status_label.text = "Login Successful"
    self.status_label.color = (0, 1, 0, 1) # Green color for success
else:
    self.status_label.text = "Invalid Credentials"
    self.status_label.color = (1, 0, 0, 1) # Red color for error

# Running the application
if name == ' main ':
```

```
08 □ □ □ −
                                                                                                                                                                                      ▷ ~ □ ..
                                                                                           C Login
           def build(self):
               return layout
                                                                                                                                             Username:
           def check_credentials(self, instance):
               username = self.username_input.text
                                                                                             admin
               password = self.password_input.text
               if username == "admin" and password == "password":
                   self.status_label.text = "Login Successful"
                     self.status_label.color = (0, 1, 0, 1) # Green color for s
                                                                                                                                              Password:
                    self.status_label.text = "Invalid Credentials"
                    self.status_label.color = (1, 0, 0, 1) # Red color for erro
      # Running the application
if __name__ == '__main__':
           LoginApp().run()
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
                        ] OpenGL renderer <b'Intel(R) UHD Graphics 600'>
                         OpenGL parsed version: 4, 6
| Shading version <b'4.60 - Build 30.0.100.9864'>
                         l Texture max size <16384>
[INFO
                          Texture max units <32>
[INFO
          [Window
[Window
                         ] auto add sdl2 input provider
] virtual keyboard not allowed, single mode, not docked
                         Start application main loop
NPOT texture support is available
                                                                                                                                          Login Successful
```

Calculator App Using Kivy from kivy.app import App from kivy.uix.gridlayout import GridLayout from kivy.uix.button import Button from kivy.uix.textinput import TextInput

LoginApp().run()



Faculty of Engineering & Technology

Department of Information and Communication Technology

Subject: Programming With Python (01CT1309)

Aim: Building a Basic User-Interactive GUI Application using Kivy in

Python

Experiment No: 16 Date: Enrollment No:92400133102

```
# Defining the calculator layout and logic
class CalculatorGrid(GridLayout):
  def init (self, **kwargs):
    super(CalculatorGrid, self). init (**kwargs)
    self.cols = 4 # Grid layout with 4 columns
    # TextInput field to display the calculation results
    self.result = TextInput(font size=32, readonly=True, halign="right", multiline=False)
    self.add widget(self.result)
    # Buttons for numbers and operations
    buttons = [
       '7', '8', '9', '/',
      '4', '5', '6', '*',
       '1', '2', '3', '-',
       '.', '0', '=', '+'
    1
    # Adding buttons to the layout
    for button in buttons:
       self.add widget(Button(text=button, font size=24, on press=self.on button press))
    # Clear button to reset the calculator
    self.add widget(Button(text="C", font size=24, on press=self.clear result))
  # Function to handle button press events
  def on button press(self, instance):
    current text = self.result.text
    button text = instance.text
    # If the equals sign is pressed, evaluate the expression
    if button text == "=":
       try:
         self.result.text = str(eval(current text))
```



Faculty of Engineering & Technology


Department of Information and Communication Technology


Subject: Programming With Python (01CT1309)

Aim: Building a Basic User-Interactive GUI Application using Kivy in Python

Experiment No: 16 Date: Enrollment No:92400133102

```
except Exception:
         self.result.text = "Error"
    else:
       # Otherwise, append the pressed button's text to the current expression
       if current_text == "Error":
         self.result.text = button text # Reset the result if there's an error
       else:
         self.result.text += button text
  # Function to clear the result field
  def clear result(self, instance):
    self.result.text = ""
# Main App class
class CalculatorApp(App):
  def build(self):
    return CalculatorGrid()
# Running the application
if __name__ == '__main__':
  CalculatorApp().run()
```





Post Lab Exercise:

- Design Counter App (This app has a button that increments a counter displayed on the screen every time the button is clicked)
- Gid hub
- https://github.com/sidhartha914/PWP-LABS.git
- Text Input App (This app allows users to type in a text field and display the typed text on the screen when a button is pressed.)
- Gid hub
- https://github.com/sidhartha914/PWP-LABS.git