




Home

financialstorageact

Storage account

Search

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage
- Containers
- Classic file shares

Add or remove favorites by pressing Ctrl+Shift+F

- Check data resiliency for storage accounts

How can I make this storage account more secure?

Help me reduce the costs of my storage account

- Upload
- Open in Explorer
- Delete
- Move
- Refresh
- Open in mobile
- CLI / PS
- Feedback

Essentials

JSON View

Resource group (move) : [Resource-Financial](#)

Location : uaenorth

Primary/Secondary Lo... : Primary: UAE North, Secondary: UAE Central

Subscription (move) : [Azure for Students](#)

Subscription ID : 9a873dfa-69f5-4efe-9bb2-5ff8e1573276

Disk state : Primary: Available, Secondary: Available

Tags (edit) : [Add tags](#)

Performance : Standard

Replication : Read-access geo-redundant storage (RA-GRS)

Account kind : StorageV2 (general purpose v2)

Provisioning state : Succeeded

Created : 7/30/2026, 3:12:30 AM

Properties

Monitoring

Capabilities (7)

Recommendations (2)

Tutorials

Tools + SDKs

Blob service

Hierarchical namespace

Disabled

Default access tier

Hot

Blob anonymous access

Enabled

Blob soft delete

Disabled

Container soft delete

Enabled (7 days)

Security

Require secure transfer for REST API operations

Enabled

Storage account key access

Enabled

Minimum TLS version

Version 1.2

Infrastructure encryption

Disabled

financial-container

...

Container

Search

×

«

Overview

- Diagnose and solve problems
- Access Control (IAM)
- ▼

Settings
- Shared access tokens
- Access policy
- Properties
- Metadata

+

Add Directory

↑

Upload

🔒

Change access level

🔄

Refresh

🗑️

Delete

📄

Copy

📄

Paste

🏷️

Rename

🔗

Acquire lease

🔗

Break lease

🛠️

Edit columns

financial-container

Authentication method: Access key [\(Switch to Microsoft Entra user account\)](#)

🔍

 Add filter

🔍

 Search blobs by prefix (case-sensitive)

Only show active blobs

▼

Showing all 5 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state	
☐	📁 raw-data						...
☐	📁 transform-data						...
☐	📄 raw-data	8/3/2026, 11:17:11 AM	Hot (Inferred)	Block blob	0	Available	...
☐	📄 transform-data	8/3/2026, 11:53:02 AM	Hot (Inferred)	Block blob	0	Available	...
☐	📄 transformed-data	8/1/2026, 12:01:36 PM	Hot (Inferred)	Block blob	0	Available	...

Explore upgrade options to Microsoft Fabric Data Factory. Get started with guided support. [Learn more](#)

Factory Resources

Filter resources by name

Pipelines1

Data-Ingestion

Change Data Capture (preview)0

Datasets...

Data flows0

Power Query0

Data-Ingestion

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Copy data

Cards_Data

Copy data

Customer_Data

Copy data

Transaction_Data

Copy data

Merchant

Parameters

Variables

Settings

Output

Pipeline run ID

1e20d4e5-598b-4c17-89fa-ae98bbdb922f

[@]

Pipeline status

Succeeded

View debug run consumption

All status

Monitor in Azure Metrics

Export to CSV

Showing 1 - 4 of 4 items



+ New

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Agents

Alerts

Query History

SQL Warehouses

Data Engineering



financial_fraud_data_analysis_transformation



File Edit View Run Help

Python



Last edit was 6...



Run all

202217b3794@wilp.bit...

Schedule

Comments

Share



Aug 03, 2026 (14s)

1

Python



```
configs = {"fs.azure.account.auth.type": "OAuth",
"fs.azure.account.oauth.provider.type": "org.apache.hadoop.fs.azurebfs.oauth2.ClientCredsTokenProvider",
"fs.azure.account.oauth2.client.id": "4f918595-5984-406f-8f5f-e3be154e1428",
"fs.azure.account.oauth2.client.secret": 'Hdy8Q~4yLHwFqr~SFh~.08btYupioMj~PEtB8cSh',
"fs.azure.account.oauth2.client.endpoint": "https://login.microsoftonline.com/e24ac094-efd8-4a6b-98d5-a129b32a8c9a/
oauth2/token"}
```

```
dbutils.fs.mount(
source = "abfss://financial-container@financialstorageact.dfs.core.windows.net", # contrainer@storageacc
mount_point = "/mnt/financial-fraud",
extra_configs = configs)
```

True



Aug 03, 2026 (1s)

2

```
%fs
ls "/mnt/financial-fraud"
```



+ New

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Agents

Alerts

Query History

SQL Warehouses

Data Engineering



financial_fraud_data_analysis_transformation



File

Edit

View

Run

Help

Python



Last edit was 6...



Run all

202217b3794@wilp.bit...

Schedule

Comments

Share



2024-05-30	25102.280357142856
2026-05-23	14998.449392265195
2025-11-04	43237.58078431373
2025-06-29	22224.75786516854
2024-06-12	13570.538735632184
2024-06-04	13594.763653846154
2024-08-27	18074.32616438356
2023-05-22	15625.2625862069
2024-02-05	11936.037875
2026-01-14	12617.41702479339



✓ Aug 03, 2026 (9s)

15

```
cards.write.mode("overwrite").option("header","true").csv("/mnt/financial-fraud/transform-data/cards")
customer.write.mode("overwrite").option("header","true").csv("/mnt/financial-fraud/transform-data/customer")
transaction.write.mode("overwrite").option("header","true").csv("/mnt/financial-fraud/transform-data/transaction")
merchant.write.mode("overwrite").option("header","true").csv("/mnt/financial-fraud/transform-data/merchant")
```

▶ (4) Spark Jobs

📘

We use optional cookies to provide a better experience. [Learn more](#)

Accept

Reject

More options

✕

>>

Synapse live

Validate all

Publish all

🔄

🗑️

🏠

Data

+

⌵

⏪

SQL script 1

✕

📘

Other users in your workspace may have access to modify this item. Do not use this item unless you trust all users who may have access to the workspace.

✕

🔗

⋮

Workspace

Linked

🔍

Filter resources by name

📁

Lake database

1

▶

📁

FinancialDB

🔗

⋮

```
26 SELECT
27     ... Merchant_ID,
28     ... COUNT(*) AS Fraud_Count,
29     ... SUM(Transaction_Amount) AS Fraud_Amount
30 FROM transactions
31 WHERE Fraud_Flag = 1
32 GROUP BY Merchant_ID
```

Results

Messages

View


Table

Chart

🖨️


Save as image

⌵



🟢

00:00:05 Query executed successfully.



« Filters

« Visualizations

Data

»

Q Search



> cards

> customer

> Date Table

> merchant

> transactions



Financial_Fraud_Data

Search

Power BI trial:
55 days left

25

File

Home

Help

Get data

OneLake catalog

Transform data

Refresh data

New measure

New column

New table

Calculation group

New parameter

Manage roles

Manage permissions

Manage relationships

Best practice analyzer

Memory analyzer

Community notebooks

New report

Explore Lineage

Analyze in Excel

Prep data for AI

Copilot

Properties

Tables

Model

Search

cards

customer

Account_Type

Age

Annual_Income

City

Customer_ID

Customer_Name

Customer_Segment

Customer_Since

Gender

transactions

Card_ID

Customer_City

Customer_ID

Customer_State

Device_Type

Fraud_Flag

Fraud_Reason

Hour

Is_International

cards

Card_ID

Card_Mode

Card_Network

Card_Status

Card_Type

Contactless

Credit_Limit

Customer_ID

Expiry_Date

merchant

City

Merchant_Category

Merchant_ID

Merchant_Name

Merchant_Rating

Merchant_Risk_Level

Merchant_Since

Merchant_Status

State

Date Table

Date

Day

Month

Month No

Quarter

All tables

Model view

DAX query view

TMDL View (Preview)

65%