









































Null?	Туре
	VARCHAR2(20) VARCHAR2(50) VARCHAR2(20)
Null?	Туре
NOT NULL	VARCHAR2(50) VARCHAR2(20) VARCHAR2(20)
Null?	Туре
	VARCHAR2(400)
Null?	Туре
	VARCHAR2(400) VARCHAR2(50) VARCHAR2(50) VARCHAR2(50) VARCHAR2(50) VARCHAR2(50) VARCHAR2(5)
Null?	Туре
	NUMBER(10)
Null?	Туре
	NUMBER(5) NUMBER(5)
	Null? Null? Null?

```
1 <!DOCTYPE html>
 2
    <html>
 3
    <head>
        <title></title>
 4
 5
    </head>
 6 ▼ <body>
        <%@ page import= "java.sql.*"%>
 7
 8
        <%
 9
        Class.forName("oracle.jdbc.driver.OracleDriver");
10
11
        Connection conn = DriverManager.getConnection("
12
            jdbc:oracle:thin:@localhost:1521:xe", "system", "
            jenar");
13
14
        Statement st=conn.createStatement(ResultSet.
            TYPE SCROLL SENSITIVE, ResultSet.CONCUR READ ONLY)
15
16
        %>
17
    </body>
18
    </html>
```