DATA STRUCTURE PRACTICAL NO.:-09

Aim:- HASH TABLE IMPLEMENTATION

Implement a hash table data structure using different hash function and collision resolution techniques such as chaining and open addressing. PROGARM:-

```
#include <stdio.h>
#include <stdlib.h>
#define SIZE 10
// Node for chaining
struct Node {
int data;
struct Node* next:
};
struct Node* chainTable[SIZE]; // Hash table for chaining
int openAddressingTable[SIZE]; // Hash table for open addressing
// Hash function
int hashFunction(int value) {
return value % SIZE;
}
// Chaining
void insertChaining(int value) {
int index = hashFunction(value);
struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
newNode->data = value;
newNode->next = chainTable[index];
```

```
chainTable[index] = newNode;
}
void displayChaining() {
  for (int i = 0; i < SIZE; i++) {
    struct Node* temp = chainTable[i];
    printf("Index %d: ", i);
    while (temp) {
       printf("%d -> ", temp->data);
       temp = temp->next;
    printf("NULL\n");
}
// Linear Probing
void insertLinearProbing(int value) {
  int index = hashFunction(value);
  while (openAddressingTable[index] != 0) {
    index = (index + 1) \% SIZE;
  }
  openAddressingTable[index] = value;
}
```

```
void displayLinearProbing() {
  for (int i = 0; i < SIZE; i++) {
    printf("Index %d: %d\n", i, openAddressingTable[i]);
  }
}
// Quadratic Probing
void insertQuadraticProbing(int value) {
  int index = hashFunction(value);
  for (int i = 0; i < SIZE; i++) {
    int newIndex = (index + i * i) % SIZE;
    if (openAddressingTable[newIndex] == 0) {
       openAddressingTable[newIndex] = value;
       return;
// Double Hashing
int secondHashFunction(int value) {
  return 7 - (value % 7); // Secondary hash function
```

```
}
void insertDoubleHashing(int value) {
  int index = hashFunction(value);
  int stepSize = secondHashFunction(value);
  while (openAddressingTable[index] != 0) {
    index = (index + stepSize) % SIZE;
  }
  openAddressingTable[index] = value;
}
// Main function
int main() {
  // Chaining
  printf("Chaining:\n");
  insertChaining(10);
  insertChaining(20);
  insertChaining(30);
  insertChaining(42);
  displayChaining();
  // Open Addressing
```

```
printf("\nLinear Probing:\n");
for (int i = 0; i < SIZE; i++) {
  openAddressingTable[i] = 0; // Initialize the table
}
insertLinearProbing(10);
insertLinearProbing(21);
insertLinearProbing(30);
insertLinearProbing(46);
displayLinearProbing();
// Quadratic Probing
printf("\nQuadratic Probing:\n");
for (int i = 0; i < SIZE; i++) {
  openAddressingTable[i] = 0; // Initialize the table
}
insertQuadraticProbing(12);
insertQuadraticProbing(24);
insertQuadraticProbing(34);
insertQuadraticProbing(45);
displayLinearProbing(); // Reusing display function
// Double Hashing
printf("\nDouble Hashing:\n");
for (int i = 0; i < SIZE; i++) {
```

```
openAddressingTable[i] = 0; // Initialize the table
}
insertDoubleHashing(10);
insertDoubleHashing(22);
insertDoubleHashing(32);
insertDoubleHashing(45);
displayLinearProbing(); // Reusing display function
return 0;
}
```

```
PS C:\Users\mthan\OneOneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\One\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthan\OneOne\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\to\Users\mthanoone\mthanoone\to\Users\mthanoone\to\Users\mthanoone\mthanoone\mthanoone\to\Users\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoone\mthanoo
```

GITHUB LINK:-

https://github.com/sidheshwar2005/Data_strucutre_practical.git