

Endpoints

Endpoint	Method	Authorization	Request	Response	Comments
/menu	GET	Base 64 encoded Hardcoded token for dummy use	NA	Menu	For getting the Menu items
/customer/<customerId>/order	POST	Base 64 encoded hardcoded token for dummy use	OrderRequest	OrderResponse	For creating a new order for a particular customer
/customer/<customerId>/order/<orderId>	PUT	Base 64 encoded hardcoded token for dummy use	OrderRequest	OrderResponse	For updating any order

Request and Response Models

Menu:

```
{
  "item": [
    {
      "itemName": "Hamburger",
      "price": 5.0
    }
  ]
}
```

OrderRequest:

```
{
  "customer": {
    "id": "784374837438"
  },
  "item": [
    {
      "itemName": "Hamburger",
      "price": 5.0,
      "quantity": 3
    }
  ],
  "discount": [
    {
      "code": "BURGER_FRY",
      "desc": "Burger fries drink meal",
      "quantity": 2
    },
    {
      "code": "BURGER_FRY_DESERT",
      "desc": "Burger fries drink desert",

```

```
        "quantity": 1
    }
]
}
```

OrderResponse:

```
{
  "orderId": "UUID string",
  "status": "SUCCESS",
  "message": "Order placed successfully"
}
```