THE CYBERSECURITY PENETRATION LOG: OPERATIONS ARCHIVE

Security Analyst: Abdoulaye Sidibe | **Specialization:** Defensive Auditing

A unified operational log capturing hands-on training, network footprinting, and perimeter firewall interface remediation across Linux and automated security environments.

SECURITY AUDITING ARCHIVE

Target ID	Audit Method	CLI vs. GUI Penetration & Footprinting Methodology
SEC-001	Network Layer Triage (Linux DHCP Warmup)	**Remediation:** Simulated a network interface link failure on a Linux system. Used administrative tools to force-release the interface configuration lease via dhclient -r, cleared the network footprint, and successfully re-initialized the discovery protocol mapping via dhclient eth0 to restore routing connectivity.
SEC-002	Local Footprinting (Nmap Recon)	**CLI Path:** Executed local loopback host reconnaissance natively inside Kali Linux via nmap -sV 127.0.0.1 to analyze running daemon version controls and verify network service hardening boundaries. **GUI Path:** Deployed the graphical Zenmap software interface window, inputting the target node parameter directly into the Target bar and selecting an Intense Scan execution profile loop.
SEC-003	Host Hardening (Port Filtering)	**CLI Path:** Fortified Windows Server 2022 perimeter defenses against lateral movement ransomware vectors. Loaded security dependencies via Import-Module NetSecurity, then deployed an inbound filtering rule targeting TCP Port 445 (SMB) via New-NetFirewallRule to completely drop scanning traffic with a verified baseline status of Block True.
SEC-004	Incident Response (Host Containment)	**CLI Path:** Enforced live threat mitigation inside a virtual infrastructure node. Deployed an out-of-band inbound firewall isolation block targeting a suspected hostile remote host address (192.168.1.99) using the New-NetFirewallRule -RemoteAddress cmdlet to forcefully drop all unauthorized packet ingestion streams.

■ COMMAND INFRASTRUCTURE DEPLOYED:

```
[Host Firewall Port Lockdown] New-NetFirewallRule -DisplayName 'LAB_Block_SMB_Malware' -Direction Inbound -LocalPort 445 -Protocol TCP -Action Block

[Host Firewall Host Containment] New-NetFirewallRule -DisplayName 'LAB_Block_Rogue_Attacker' -Direction Inbound -RemoteAddress '192.168.1.99' -Action Block
```