MediTrack

Hospital Management System

Complete Project Documentation — history, every change, the final system and how to use it

Part	Live link
Patient website	https://hospital-mis-system.vercel.app
Staff portal (Admin & Doctors)	https://hospital-mis-system-p3i7.vercel.app
Backend API (no home page)	https://hospital-mis-system-950b.onrender.com
Source code	https://github.com/sidsahoo1203/Hospital-MIS-System

Owner: Siddharth Sahoo • Project period: 26 October – 3 November 2026

This document contains no passwords. Logins are kept in LOCAL_ADMIN_CREDENTIALS.txt on your PC.

Contents

1. Summary at a glance

- What the system does today
- The journey in one table

2. Detailed history — every step, how and why

- Phase 1 — Cloning the repository and running it for the first time
- Phase 2 — Moving the project into your own folder
- Phase 3 — Making the project yours (no dependency on your friend)
- Phase 4 — Connecting your own MongoDB Atlas database
- Phase 5 — Making everything work locally
- Phase 6 — Real numbers on the dashboard
- Phase 7 — Demo data through the app's own pages
- Phase 8 — Turning it into a real hospital workflow
- Phase 9 — Patient website polish
- Phase 10 — Single admin, live sync, medicine store, prescriptions
- Phase 11 — Doctors browse the medicine store
- Phase 12 — Admin home page redesign
- Phase 13 — Time slots, queue order and the sync audit
- Phase 14 — Navigation and compact pages
- Phase 15 — Doctor management
- Phase 16 — Cloudinary and accounts review
- Phase 17 — Deployment
- Phase 18 — Final touches

3. The final system — how it is built

- Architecture
- Technology
- Database collections
- Project folders

4. Features and how to use them

- Patient website — hospital-mis-system.vercel.app
- Staff portal — hospital-mis-system-p3i7.vercel.app
- Rules built into the system

5. Technical reference

- API addresses
- Settings (environment variables)
- Command-line tools (run inside the project folder)

6. Deployment, maintenance and troubleshooting

- Where everything runs
- Updating the live system
- Running it on your laptop (optional)
- Troubleshooting
- Accounts

7. Logins, data and future ideas

- Logins (no passwords here)
- Data currently in the database
- Known limitations

Ideas for next versions

1. Summary at a glance

This project started as a MERN-stack hospital website that you and a friend had built, stored in your friend's GitHub repository. Over the course of this work it was cloned, repaired, moved onto **your own accounts**, redesigned into a real hospital workflow, extended with a medicine store, doctor prescriptions, payments and receipts, live multi-PC syncing, time-slot booking, and finally deployed online on **Render** (server), **Vercel** (two websites) and **MongoDB Atlas** (database).

What the system does today

- **Patients** (no account) book appointments online by choosing a department, doctor, date and a free 30-minute time slot, buy medicines from the online store, and send messages to the hospital.
- **The hospital admin** (one shared account, usable on several PCs at once) sees each day as a queue, accepts or rejects bookings, marks patients as arrived, generates printable receipts, manages doctors, the medicine inventory and orders, and reads messages.
- **Doctors** (accounts created by the admin) see only their own patients, write consultation notes, prescribe medicines from the hospital store, and can collect the payment themselves.
- Every screen updates **live** when anything changes anywhere, without refreshing.

The journey in one table

Phase	What happened
1. Clone & first run	Cloned the repo, fixed missing files and wrong server links, ran it locally.
2. Own folder	Moved the project into Desktop\CODE\Hospital MIS System.
3. Make it yours	Removed every link to your friend's accounts; settings moved to your own .env files; Postman collection; README.
4. MongoDB Atlas	Connected your own cloud database and created your admin account.
5. Full local run	Fixed the dashboard refresh bug; connected Cloudinary for doctor photos; tested every feature.
6. Real counts	Dashboard boxes showed fake numbers (150 / 10); made them real.
7. Demo data	Added 18 doctors (2 per department) and 18 patients through the app's own forms.
8. Hospital workflow	Removed patient logins; doctor accounts & portal; arrival, consultation, ₹500 fee, receipts; remove doctor.
9. Website polish	Fixed jumping text; tested contact form; fixed 5 store bugs.
10. Big upgrade	Single admin, 8-hour sessions, live multi-PC updates, Medicine Store admin page, ₹ prices, saved orders, doctor prescriptions & billing.
11. Doctor store browsing	Doctors pick medicines from a picture store page during consultation.
12. Admin home redesign	Compact cards, whole-page scrolling, date picker, money by date.
13. Time slots & queue	30-minute slots, no double booking, queue order, full sync audit, two 28-Oct patients.

Phase	What happened
14. Navigation & compact pages	Labelled sidebar, compact Doctors (department filter) and Messages pages.
15. Doctor management	Compact Add Doctor form, optional photo, Change photo, password-protected removal.
16. Accounts review	Explained Cloudinary; audited which accounts belong to whom.
17. Deployment	Prepared the code, pushed to GitHub, deployed on Render + Vercel, fixed the Node 26 crash, verified live.
18. Final touches	Real phone number (+91 6359185847) and one common website contact; README for users.

2. Detailed history — every step, how and why

Each phase below records **what** was done, **why** it was needed and **how** it was done, including the problems that were found along the way.

Phase 1 — Cloning the repository and running it for the first time

Starting point: you asked to clone `github.com/Stranger-Siv/MERN-Stack-Hospital-MIS-with-Store-` (your friend's repository) and run it.

Problems found and how they were solved

Problem	Why it happened	Fix
Clone failed: "Filename too long"	Windows limits path length; the temporary folder path was very long.	Cloned with Git's long-path support (`core.longpaths=true`) into a short folder name.
Patient website would not compile	The last commit in the repo had deleted `Store_Cart.jsx`, `Store_Navbar.jsx` and `Store_ExploreMenu.jsx` while other files still imported them — a bug in the original repo.	Restored the three files from the previous commit in Git history.
Websites talked to your friend's server	Both front-ends had the Render address `meditrack-svcx.onrender.com` written into 16 places.	Pointed them to the local server (later made configurable).
Database belonged to your friend	The committed `.env` contained your friend's MongoDB Atlas password (publicly visible).	Used the MongoDB installed on your PC instead; did not use the friend's credentials.
Port 5173 was busy	Another program on your PC used it.	Ran on other ports and adjusted the allowed-origins (CORS) list.
No admin to log in with	A fresh database has no admin account.	Created a local test admin.

Result: backend, patient website and admin dashboard all ran locally; admin login and the store worked.

Phase 2 — Moving the project into your own folder

The project lived in a temporary session folder that would be deleted. At your request it was moved to `Desktop\CODE\Hospital MIS System`. The app copied the files but intentionally not `.git`, `.env` files or `node_modules`; these were recreated or reinstalled. Your friend's Git history was not carried over, as you asked.

Phase 3 — Making the project yours (no dependency on your friend)

Why: you want to own and deploy the project with your own accounts.

- **Settings moved into `.env` files.** Backend: database link, login security key (a new random one was generated, so it is not your friend's), allowed website addresses, Cloudinary keys. Front-ends: `VITE_API_URL` (the server address). Templates (`.env.example`) were added so the settings are documented without secrets.

- **Removed a hidden background job** that pinged your friend's Render server every 30 seconds forever.
- **Fixed `.gitignore`.** It pointed at the wrong path, so the real `.env` with secrets would have been uploaded to GitHub.
- **One-command start:** `npm run dev` at the top level starts all three parts together; `npm run install:all` installs everything; `nodemon` (auto-restart) was missing and was added.
- `create-admin` **script** to create the admin account from the command line.
- **Postman collection** (`postman/Hospital-MIS.postman_collection.json`) with every API request for testing.
- **Login cookies** made to work on plain `http://localhost` (for development) and secure on HTTPS in production.

Phase 4 — Connecting your own MongoDB Atlas database

1. You created a free M0 cluster `hospital-mis`, a database user and allowed network access `0.0.0.0/0`.
2. You put the connection string into `backend/config/.env`. It was missing the database name, so data would have gone into a database called `test`; `/hospital_mis` was added.
3. The connection was tested, a test message was written and deleted to prove the app used Atlas.
4. An old backend process was still holding port 4000 and was stopped.
5. Your admin account `siddharth@gmail.com` was created in Atlas (password kept in `LOCAL_ADMIN_CREDENTIALS.txt`).

Phase 5 — Making everything work locally

- **Dashboard refresh bug fixed:** refreshing any admin page except home sent you back, because pages decided "not logged in" before the server answered. The app now waits for the login check first.
- **Cloudinary** (doctor photos): your friend's Cloudinary keys were placed in `.env` at your request and verified.
- **End-to-end test:** added a doctor with photo, registered a patient, booked, accepted, sent messages — all worked; the test data was then deleted from Atlas and Cloudinary.

Phase 6 — Real numbers on the dashboard

The "Total Appointments 150" and "Registered Doctors 10" boxes were typed into the code. They were connected to the real counts. A React console warning in the same table was also fixed.

Phase 7 — Demo data through the app's own pages

- 18 doctors — 2 in each of the 9 departments (Pediatrics, Orthopedics, Cardiology, Neurology, Oncology, Radiology, Physical Therapy, Dermatology, ENT) — added through the Add Doctor form, each with a matching photo.
- 18 patients registered on the patient website and each booked one appointment with a different doctor (3–26 November 2026).
- Demo doctor logins use the pattern `firstname.lastname@example.com` (password in the credentials file).

Phase 8 — Turning it into a real hospital workflow

Your request: the hospital admin manages everything; doctors get their own login ID and password from the admin; doctors see their patients' in/out; the admin can add or delete doctors, accept/reject appointments, mark arrival and generate a payment receipt; ₹500 per consultation for every doctor; remove patient login completely.

What was built

- **Patient login and registration removed.** Patients book without an account. The navbar's LOGIN button became BOOK APPOINTMENT; old `/login` links go to the home page.
- **Roles:** Admin and Doctor log in on the same staff portal with an Admin/Doctor switch. The server checks the role on every request.
- **Doctor accounts:** the admin creates them (with a Generate-password button) and sees the login details once to hand over.
- **Hospital flow:** Pending → Accepted/Rejected → **Mark arrived** (check-in time) → doctor **Mark consultation done** (check-out time) → **Generate receipt** (Cash/UPI/Card) → printable receipt `MT-2026-00001`.
- **Fixed fee:** ₹500 for all doctors (setting `CONSULTATION_FEE`), shown on the booking form.
- **Doctor portal:** "My Patients" with tabs Today / Waiting / Upcoming / Completed / All, and Change Password.
- **Remove doctor:** cancels their open appointments, keeps visited/paid ones.

Hidden bugs fixed during this phase

Bug	Effect	Fix
Login token hard-coded to 1 hour	Everyone was silently logged out after an hour.	Uses the configured session length.
Password re-hashed on every save	Any later save to a user would break their login.	Hash only when the password changes.
Error handler bug	Invalid IDs and duplicate emails crashed with 500 errors.	Proper error messages.
Doctor chosen by splitting name on a space	Doctors with two-word names could not be booked.	Booking uses the doctor's ID.
"Have you visited before?" checkbox	Patients could mark themselves as arrived.	Removed.

Phase 9 — Patient website polish

- **"Moving up and down" text fixed.** Headings and the doctor image had tiny scroll boxes because a CSS rule gave every element `overflow-x: hidden`; it now applies only to the page body.
- **Contact form tested:** 3 messages sent from the website appeared on the admin Messages page.
- **Store bugs fixed:** checkout accepted an empty form and empty cart; the cart never emptied after ordering; an empty cart showed a blank box; refreshing lost the cart (now saved in the browser); a promo could make the total negative.

Phase 10 — Single admin, live sync, medicine store, prescriptions

- **Exactly one admin.** The Add Admin page was removed; the `create-admin` script refuses a second admin; `set-admin-password` changes the admin password from the command line. Admin's Change Password page removed.
- **Admin session = 8 hours** (`ADMIN_SESSION_HOURS`), and the same login works on several PCs at once. When the session ends the page says "Your session has ended" and returns to login.
- **Live updates (Server-Sent Events):** the server broadcasts a short notice whenever data changes; every open screen reloads just that data. A green ● Live badge shows the connection.
- **Dr. sid kumar's photo** replaced with a stock doctor photo.
- **Medicine Store admin page:** 96 medicines loaded into the database automatically, with stock, units sold, low/out-of-stock flags, Add stock, and an Excel-style Orders sheet with Download CSV.
- **Store switched to ₹** (old dollar prices × 10, rounded to ₹5), ₹40 delivery, DISCOUNT10 = 10% off. Online orders are now saved (`ORD-2026-00001`) and reduce stock; two buyers cannot both get the last unit.
- **Doctor consultation page:** notes, medicines from stock, bill = fee + medicines, collect now (Cash/UPI/Card) or pay at reception. Receipts list each medicine and the notes.
- **Dashboard CSS bug:** the same `overflow-x` problem existed in the dashboard and was fixed.

Phase 11 — Doctors browse the medicine store

At your request the search box on the consultation page became a **Browse medicine store** button that opens a picture store page (96 product photos copied into the dashboard, category tabs, search, stock-limited quantities). **Done — back to consultation** returns with the picks. Notes and picks survive page changes and refreshes until the consultation is completed.

Phase 12 — Admin home page redesign

- The three large boxes were replaced by a greeting line and five compact clickable cards: Today's appointments, New requests, With doctor, Awaiting payment, Amount collected.
- The whole page now scrolls with the patient list; column headings stay pinned.
- A **date picker** (‹ date ›, Today, All dates) filters the list and the cards to any day.
- **Money by date fix:** collections were counted by the day the receipt was made; they are now counted by the appointment date. With All dates, the card shows the total of every day.

Phase 13 — Time slots, queue order and the sync audit

- **Time slots:** Mon–Fri 9:00 AM–7:00 PM, Sat 9:00 AM–5:00 PM, Sunday closed, 30 minutes each. Taken slots show "not available"; the server refuses double booking. Existing appointments received times.
- **Queue order:** on each date, patients still to be handled come first by time; finished visits (paid/rejected) move down and are dimmed.
- **Time zone fix:** "today" was computed in UTC (wrong before 5:30 AM IST); the server now uses `TZ=Asia/Kolkata`.
- **Sync audit:** every admin action was checked against all cards and the list, including changes from a second PC. Two 28-Oct patients were added through the website: **Pooja Behera** (completed and paid ₹595, receipt MT-2026-00009) and **Manas Rout** (accepted, not arrived).

Phase 14 — Navigation and compact pages

- Sidebar icons now have labels and the current page is highlighted; the phone menu no longer covers headings.
- Doctors page: compact cards, department chips with counts, search — all 18 doctors on one screen.
- Messages page: one compact row per message with received time and search.

Phase 15 — Doctor management

- Remove buttons taken off the Doctors page; **Change photo** added instead.
- Add Doctor became a compact one-screen form; the **photo is optional** (placeholder until added).
- **Remove a doctor** section: search, select, confirm with the **admin password**. Tested with a trial doctor: wrong password refused, correct password removed.

Phase 16 — Cloudinary and accounts review

Explained that Cloudinary stores only doctor photos (Render's disk is wiped on restart). At your request it stays on your friend's account. Audit: MongoDB = yours, security key = yours, Cloudinary = friend's, GitHub/Render/Vercel = yours (set up during deployment).

Phase 17 — Deployment

Step	Detail
Preparation	Removed a stale Git lock file that blocked commits; confirmed no secrets would be uploaded; added `vercel.json` to both sites (page-refresh fix; dashboard passes `/api` through to Render so logins work in all browsers); added `/api/v1/health`; trusted Render's proxy.
Cleanup	At your request the `.git` and `.claude` folders were deleted so the repository has no mention of Claude; you re-created Git with `git init`.
GitHub	You pushed to `github.com/sidsahoo1203/Hospital-MIS-System`.
Render crash	Render picked Node.js 26, which removed `SlowBuffer` used by the login library. Fixed by requiring Node 24 (`engines: 24.x`).
"Cannot GET /"	Not an error: the API has no home page. Health, doctors and fee addresses were verified.
Vercel	Two projects: website (`frontend`, with `VITE_API_URL`) and staff portal (`dashboard`, no variable).
Final check	Website allowed by the server (CORS), admin login works through the portal with a secure cookie, 23 appointments visible, live stream connects.

Phase 18 — Final touches

- Placeholder contacts (9876543210, support@MediTrack.com, contact@tomato.com) replaced by **+91 6359185847** (tap-to-call) and one common website link **hospital-mis-system.vercel.app**.
- README rewritten for users: what the system is, why use it, how it works and how to use it from the live links.

3. The final system — how it is built

Architecture

```
Patients (phone / PC)              Hospital staff (several PCs)
        |                                    |
Patient website (Vercel)           Staff portal (Vercel)
hospital-mis-system.vercel.app     hospital-mis-system-p3i7.vercel.app
        |  direct API calls                  |  /api pass-through
        +-------------------+------------------+
                            |
              Backend API (Render, Node 24)
              hospital-mis-system-950b.onrender.com
                 |                          |
        MongoDB Atlas (your data)     Cloudinary (doctor photos)
```

Technology

Layer	Technology	Hosted on
Patient website	React 18, Vite, Tailwind CSS, React Router	Vercel
Staff portal	React 18, Vite, React Router, react-toastify	Vercel
Backend API	Node.js 24, Express, Mongoose, JWT cookies, Server-Sent Events	Render (free plan)
Database	MongoDB Atlas (cluster `hospital-mis`, database `hospital_mis`)	MongoDB Atlas (free M0)
Photos	Cloudinary	Friend's Cloudinary account

Database collections

Collection	What it stores
users	The single Admin and all Doctors (name, email = login ID, hashed password, phone, NIC, DOB, gender, department, photo). Old patient accounts may remain but cannot log in.
appointments	Patient details, date, time slot, department, doctor, status, arrived time, consultation-done time, consultation fee, prescription (notes, medicines, total), payment (method, amount, receipt number, paid time).
medicines	96 medicines: code, name, category, description, price (₹), stock, units sold.
orders	Every medicine sale: order number, source (Store or Prescription), buyer details, items, subtotal, delivery, discount, total, payment status, doctor.
messages	Messages from the website's Contact page.

Project folders

Folder / file	Purpose
backend/	Server: `app.js`, `server.js`, `controller/`, `models/`, `router/`, `middlewares/`, `utils/` (events, fees, slots, stock, numbering, session), `scripts/` (create-admin, set-admin-password), `data/medicines.json`.
frontend/	Patient website (pages: Home, Appointment, About, Store, Cart, Checkout, Order confirmed, Contact).
dashboard/	Staff portal (Dashboard, Doctors, Add Doctor, Medicines, Messages, Doctor home, Consultation, Prescription store, Receipt, Change password, Login, Sidebar).
postman/	API test collection for Postman.
README.md	User guide shown on GitHub.
LOCAL_ADMIN_CREDENTIALS.txt	Your logins (never uploaded to GitHub).

4. Features and how to use them

Patient website — hospital-mis-system.vercel.app

Feature	How to use
Book an appointment	Appointment → fill name, email, mobile, NIC, date of birth, gender → choose department → doctor → date → a free time → address → GET APPOINTMENT. A confirmation shows the doctor and time. Fee ₹500 is paid at the hospital.
Medicine store	Store → pick a category → add medicines (stock-limited) → cart (survives refresh) → checkout with delivery address, PIN and phone → optional promo DISCOUNT10 → Place Order → order number shown. Cash on delivery, ₹40 delivery.
Contact	✉ icon → write a message → it appears on the admin's Messages page.
Contact details	Phone +91 6359185847, website hospital-mis-system.vercel.app (footer, Contact, Appointment and Store pages).

Staff portal — hospital-mis-system-p3i7.vercel.app

Choose **Admin** or **Doctor**, enter the login ID (email) and password.

Admin: Appointments (home)

- **Cards:** Today's appointments, New requests, With doctor, Awaiting payment, Amount collected. Click a card to show those patients.
- **Date picker:** ‹ / › step a day, Today, All dates; cards and list follow the date. Amount collected = total of all days, or that day's total.
- **List:** queue per day (to-do by time first, finished dimmed below); filter tabs All, Today, Pending, Accepted, With doctor, Awaiting payment, Paid, Rejected; search by patient, phone, doctor or receipt.
- **Actions:** status dropdown → Mark arrived (undo possible before payment) → Generate receipt (choose Cash/UPI/Card; prescribed medicines included) → Print.

Admin: other pages

Page	What you can do
Doctors	All doctors with photo, department, login ID, phone, age. Department chips with counts, search. Add / Change photo.
Add Doctor	Compact form (photo optional, Generate password). Login details shown once with Copy. Below: Remove a doctor (search → Select → admin password).
Medicines	Inventory (price, stock, sold, low/out of stock, Add stock) and Orders sheet (every sale, buyer, items, payment). Download Excel (CSV). Mark paid for cash-on-delivery orders.
Messages	Website messages, newest first, tap-to-call and email links, search.

Doctor portal

1. **My Patients** lists your appointments (Today, Waiting, Upcoming, Completed, All) in queue order with check-in times.
2. When a patient has arrived, click **Mark consultation done**.

3. Write notes, click **Browse medicine store**, add medicines, then **Done — back to consultation**.
4. Check the bill (₹500 + medicines). Choose **Collect now** (Cash/UPI/Card) to get the receipt, or **Patient pays at reception**.
5. **Password** page: change your password.

Rules built into the system

Rule	Value
Consultation fee	₹500 for every doctor (setting CONSULTATION_FEE).
Hours / slots	Mon–Fri 9 AM–7 PM, Sat 9 AM–5 PM, Sunday closed; 30-minute slots; no double booking; no past times.
Status flow	Pending → Accepted / Rejected; status locks once the patient has arrived.
Receipts	MT-<year>-<number>, continuous; fee + medicines; doctor's notes printed.
Orders	ORD-<year>-<number>; store orders cash on delivery; prescriptions paid with the visit receipt.
Stock	Taken atomically; refused if not enough; Add stock on Medicines page.
Store pricing	₹40 delivery; DISCOUNT10 = 10% off; prices set by the server.
Sessions	Admin 8 hours (ADMIN_SESSION_HOURS), several PCs at once; doctors 7 days; one staff login per browser.
Removing a doctor	Needs admin password; open appointments cancelled; history kept.
Time zone	Asia/Kolkata.

5. Technical reference

API addresses

Method & address	Who	Purpose
GET /api/v1/health	Public	Server alive check (UptimeRobot)
GET /api/v1/user/doctors	Public	List doctors
POST /api/v1/user/login • GET /me • GET /logout	Staff	Login, current user, logout
PUT /api/v1/user/password	Doctor	Change own password
POST /api/v1/user/doctor/addnew	Admin	Add doctor (photo optional)
PUT /api/v1/user/doctor/:id/photo	Admin	Add/change photo
DELETE /api/v1/user/doctor/:id	Admin + password	Remove doctor
GET /api/v1/appointment/fee • /slots	Public	Fee; free time slots
POST /api/v1/appointment/post	Public	Book appointment
GET /api/v1/appointment/getall	Admin	All appointments
PUT /appointment/update/:id • /visit/:id	Admin	Status; mark arrived
POST /appointment/receipt/:id	Admin	Generate receipt
DELETE /appointment/delete/:id	Admin	Delete appointment
GET /appointment/mine • PUT /complete/:id	Doctor	Own patients; complete consultation
GET /appointment/:id	Admin or own doctor	One appointment / receipt
GET /api/v1/medicines • POST /medicines/orders	Public	Prices & stock; place store order
PUT /medicines/:code/stock • GET /orders/all • PUT /orders/:id/paid	Admin	Restock; orders; mark paid
POST /api/v1/message/send • GET /message/getall	Public / Admin	Contact messages
GET /api/v1/events	Staff	Live updates stream

Settings (environment variables)

Values are in `backend/config/.env` on your PC and in Render's Environment page. Never upload them to GitHub.

Name	Meaning
NODE_ENV	`production` on Render (secure cookies).
MONGO_URI	Your Atlas connection string.

Name	Meaning
JWT_SECRET_KEY	Secret used to sign logins.
JWT_EXPIRES / COOKIE_EXPIRES	Doctor login length (7d / 7).
ADMIN_SESSION_HOURS	Admin login length (8).
CONSULTATION_FEE	Fee in ₹ (500).
TZ	Asia/Kolkata.
CLOUDINARY_CLOUD_NAME / _API_KEY / _API_SECRET_KEY	Photo storage keys.
FRONTEND_URL / DASHBOARD_URL	The two Vercel addresses (allowed origins).
VITE_API_URL (Vercel website only)	https://hospital-mis-system-950b.onrender.com

Command-line tools (run inside the project folder)

```
npm run create-admin -- you@example.com Password123 First Last   (only if no admin exists)
npm run set-admin-password -- NewPassword123                      (change admin password)
```

6. Deployment, maintenance and troubleshooting

Where everything runs

Service	Settings
GitHub	Repository sidsahoo1203/Hospital-MIS-System, branch main.
Render	Web Service, Root `backend`, Build `npm install`, Start `npm start`, Node 24, environment variables as in section 5, region Singapore.
Vercel — website	Root `frontend`, Vite, `VITE_API_URL` = Render address. `vercel.json` handles page refresh.
Vercel — staff portal	Root `dashboard`, Vite, no variables. `vercel.json` forwards /api to Render.
MongoDB Atlas	Network Access 0.0.0.0/0.
UptimeRobot (recommended)	HTTP(s) monitor on https://hospital-mis-system-950b.onrender.com/api/v1/health every 5 minutes.

Updating the live system

Change files on your PC, then run in the project folder:

```
git add .
git commit -m "describe the change"
git push
```

Render and both Vercel projects redeploy automatically in a few minutes. In Vercel, **Instant Rollback** restores the previous version if something goes wrong.

Running it on your laptop (optional)

```
npm run dev
```

Starts the backend (4000), website (5173) and staff portal (5174). It uses the same Atlas database as the live site.

Troubleshooting

Symptom	Likely cause and fix
First page load takes ~1 minute	Render free plan was asleep — set up UptimeRobot.
“Cannot GET /” on the Render link	Normal — the API has no home page. Check /api/v1/health.
Website shows no doctors	Wrong VITE_API_URL on Vercel (no trailing /); redeploy.
Admin keeps getting logged out	Session ended (8 h) — log in again; or Render missing NODE_ENV=production.
Times off by 5½ hours	TZ=Asia/Kolkata missing on Render.

Symptom	Likely cause and fix
Render deploy fails after an update	Read Render → Logs; Node must be 24 (`engines` in backend/package.json).
Photo upload fails	Cloudinary keys missing/changed — doctors can still be added without a photo.

Accounts

Account	Owner
MongoDB Atlas	You
GitHub	You (sidsahoo1203)
Render	You
Vercel	You
Cloudinary	Your friend (kept by choice; swap the 3 keys to move to your own)

7. Logins, data and future ideas

Logins (no passwords here)

- **Admin:** siddharth@gmail.com — password in `LOCAL_ADMIN_CREDENTIALS.txt`; change it with `npm run set-admin-password`.
- **Doctors:** login IDs like `arjun.iyer@example.com`; demo password in the credentials file; each doctor can change it under Password.
- **Patients:** no accounts.

Data currently in the database

- 18 doctors across 9 departments; around 23 appointments with times and several paid receipts (MT-2026-00001 onward); 96 medicines; store and prescription orders (ORD-2026-00001 onward); contact messages.

Known limitations

- Payments are recorded, not processed online (no payment gateway).
- No SMS/email notifications yet.
- Render free plan sleeps without a monitor.
- Photos use your friend's Cloudinary account.
- npm reports old-library warnings (not blocking); updating them is a future task.

Ideas for next versions

- Patient visit history; reschedule; walk-in registration; doctor leave days.
- SMS/WhatsApp confirmations and reminders; email receipts.
- Daily/monthly reports and charts; online payments (UPI gateway).
- Edit doctor details; manage medicine catalogue; order delivery tracking.
- Custom domain; own Cloudinary account; library updates; automated tests.