MYSQL 下如何导入示例数据库

下载地址

http://dev.mysql.com/doc/index-other.html

1.下载

官网下载地址 sakila-db

2.将解压后的sakila-db放到你的mysql 🖸 中(如我的路径是D:\Program Files\mysql-5.7.25-winx64\data\sakila-db)

3.连接mysql:>mysql -u root -p

如果你已设置密码,则输入密码;如果没有,直接按回车。

- 4.>source D:\Program Files\mysql-5.7.25-winx64\data\sakila-db\sakila-schema.sql;
- 5.>source D:\Program Files\mysql-5.7.25-winx64\data\sakila-db\sakila-data.sql;

MySQL Server Doxygen Documentation

| Title | HTML Online | |
|-------------------------------|-------------|--|
| MySQL Server (latest version) | View | |

Expert Guides

| Language | Title | Version | HTML Online | PDF |
|----------|------------------------|---------|-------------|-------------|
| English | MySQL Internals | | View | |
| English | MySQL Test Framework | 2.0 | View | US Ltr A4 |
| English | MySQL Development Cycl | е | View | US Ltr A4 |

Example Databases

| Title | Download DB | HTML Setup Guide |
|--|-------------|------------------|
| employee data (large dataset, includes data and test/verification suite) | Launchpad | View |
| world database | Gzip Zip | View |
| world_x database | TGZ Zip | |
| sakila database | TGZ Zip | View |
| menagerie database | TGZ Zip | |

```
Database
| information_schema |
| jfedu
| mysql
| performance_schema |
| sakila
test
zabbix
+----+
7 rows in set (0.01 sec)
mysql> use sakila
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
Database changed
mysql> show tables;
+----+
| Tables_in_sakila
actor
| actor_info
address
| category
| city
| country
| customer
| customer_list
| film
| film_actor
| film_category
| film_list
| film_text
| inventory
```