

Modelling the zebrafish gut microbiome's resistance and sensitivity to climate change and infection

Michael J. Sieler Jr.¹, Colleen E. Al-Samarrie¹, Kristin D. Kasschau¹, Mike L. Kent^{1,2,3}, Thomas J. Sharpton^{1,3}

Supplemental Figures

Table of Contents


2) Water temperature shapes gut microbiome structure.....	3
S2A)	3
S2B)	3
S2C)	3
S2D)	4
3) Infection burden is highest in fish reared at lower water temperatures	5
S3A)	5
S3B)	6
S3B.1).....	6
S3B.2).....	6
S3C)	7
4) Gut microbiome response to parasite exposure varies across water temperature	8
S4A)	8
S4B)	8
S4C)	9
S4D)	9
5) Gut microbiome response has a non-linear relationship with infection burden	10
S5A)	10
S5B)	10
S5C)	11
S5D)	11
S5D.1)	11
S5D.2)	12
S5D.3)	12
S5D.4)	13
6) Parasite exposure exacerbates water temperature differences in gut microbiome structure	14
S6A)	14
S6B)	14
S6C)	15
S6D)	15

7) Gut microbial abundance is significantly associated with environmental conditions and stressors


..... Error! Bookmark not defined.

2) Water temperature shapes gut microbiome structure


S2A)




S2B)



S2C)




S2D)




3) Infection burden is highest in fish reared at lower water temperatures

S3A)




S3B)


S3B.1)



S3B.2)




S3C)




4) Gut microbiome response to parasite exposure varies across water temperature


S4A)




S4B)



S4C)




S4D)




5) Gut microbiome response has a non-linear relationship with infection burden


S5A)



S5B)




S5C)




S5D)


S5D.1)




S5D.2)



S5D.3)




S5D.4)




6) Parasite exposure exacerbates water temperature differences in gut microbiome structure


S6A)



S6B)



S6C)



S6D)

