

Attribute	Value	Description
accept	<code>file_extension</code> <code>audio/*</code> <code>video/*</code> <code>image/*</code> <code>media_type</code>	Specifies a filter for what file types the user can pick from the file input dialog box (only for type="file")
alt	<code>text</code>	Specifies an alternate text for images (only for type="image")
autocomplete	<code>on</code> <code>off</code>	Activa o desactiva el autocompletado en un input.
autofocus	<code>autofocus</code>	Especifica el elemento del input en el cual se encuentra el foco. Este atributo obviamente solo puede tenerlo un elemento.
checked	<code>checked</code>	Specifies that an <input> element should be pre-selected when the page loads (for type="checkbox" or type="radio")
dirname	<code>inputname.dir</code>	Specifies that the text direction will be submitted
disabled	<code>disabled</code>	Especifica que un elemento del input está deshabilitado. P ej puede servir para mostrar datos al usuario pero que no sean modificados.
form	<code>form_id</code>	Specifies the form the <input> element belongs to
formaction	<code>URL</code>	Specifies the URL of the file that will process the input control when the form is submitted (for type="submit" and type="image")
formenctype	<code>application/x-www-form-urlencoded</code> <code>multipart/form-data</code> <code>text/plain</code>	Specifies how the form-data should be encoded when submitting it to the server (for type="submit" and type="image")
formmethod	<code>get</code> <code>post</code>	Defines the HTTP method for sending data to the action URL (for type="submit" and type="image")
formnovalidate	<code>formnovalidate</code>	Defines that form elements should not be validated when submitted
formtarget	<code>_blank</code> <code>_self</code> <code>_parent</code> <code>_top</code> <code>framename</code>	Specifies where to display the response that is received after submitting the form (for type="submit" and type="image")
height	<code>pixels</code>	Specifies the height of an <input> element (only for type="image")
list	<code>datalist_id</code>	Refers to a <datalist> element that contains pre-defined options for an <input> element
max	<code>number</code> <code>date</code>	Specifies the maximum value for an <input> element
maxlength	<code>number</code>	Especifica el número máximo de caracteres que se pueden introducir en in input
min	<code>number</code> <code>date</code>	Specifies a minimum value for an <input> element
minlength	<code>number</code>	Especifica que el input requiere un número mínimo de caracteres.
multiple	<code>multiple</code>	Specifies that a user can enter more than one value in an <input> element
name	<code>text</code>	Especifica el nombre de un elemento del formulario. Todos los input deben llevarlo porque será la pareja clave valor que se envíe en el formulario.
pattern	<code>regex</code>	Sirve para establecer una expresión regular para posteriormente poder validarlo
placeholder	<code>text</code>	Nos va a mostrar un texto hasta que nosotros empecemos a escribir en el formulario
popovertarget	<code>element_id</code>	Specifies which popover element to invoke (only for type="button")
popovertarget	<code>hide</code> <code>show</code> <code>toggle</code>	Specifies what happens to the popover element when you click the button (only for type="button")
readonly	<code>readonly</code>	Establece que el input es de sólo lectura
required	<code>required</code>	Specifies that an input field must be filled out before submitting the form
size	<code>number</code>	Especifica el ancho de la caja. No suele usarse porque esto luego se controla con CSS

<code>src</code>	<i>URL</i>	Specifies the URL of the image to use as a submit button (only for type="image")
<code>step</code>	<i>number</i> <i>any</i>	Specifies the interval between legal numbers in an input field
<code>type</code>	button checkbox color date datetime-local email file hidden image month number password radio range reset search submit tel text time url week	Specifies the type <input> element to display
<code>value</code>	<i>text</i>	Especifica un valor por defecto que se enviará en el formulario. No confundir con placeholder.
<code>width</code>	<i>pixels</i>	Specifies the width of an <input> element (only for type="image")