

My Github Repo URL

## W12-P1: Do advanced hooks: T11\_32 & T12\_32

The image displays two screenshots of a React application development process. The left screenshot shows the code for T11\_32\_ErrorExample.js, which uses the useState hook to manage a title state. The right screenshot shows the rendered output of T11\_32, displaying 'Tutorial T11\_32 Random Text' and a 'Chang Title' button. The bottom screenshot shows the code for T12\_32\_UseStateBasics.js, which uses the useState hook to manage a title state. The right screenshot shows the rendered output of T12\_32, displaying 'Tutorial T12\_32 Hello World' and a 'Chang Title' button.

**T11\_32\_ErrorExample.js**

```
import React from 'react';

const T11_32_ErrorExample = () => {
  let title = 'random text';

  const handleClick = () => {
    title = 'Hello World';
    console.log('title', title);
  }

  return (
    <h2>{title}</h2>
    <button type='button' className='btn' onClick={handleClick}>
      chang title
    </button>
  );
};

export default T11_32_ErrorExample;
```

**T12\_32\_UseStateBasics.js**

```
import React, { useState } from 'react';

const T12_32_UseStateBasics = () => {
  // let title = 'random text';
  const [title, setTitle] = useState('random title');
  const handleClick = () => {
    // title = 'Hello World';
    setTitle('Hello World');
    console.log('title', title);
  }

  return (
    <h2>{title}</h2>
    <button type='button' className='btn' onClick={handleClick}>
      chang title
    </button>
  );
};

export default T12_32_UseStateBasics;
```


796619c sies890056

Wed Nov 29 19:36:52 2023 +0800

### W12-P1: Do advanced

hooks: T11\_32 & T12\_32


## W12-P2: Do T13\_32 using array



c8efd2d sies890056  
using array

Wed Nov 29 19:47:02 2023 +0800 ### W12-P2: Do T13\_32

W12-P3: Do T14\_32 using object




using object

The screenshot displays a development environment with a code editor on the left and a browser preview on the right. The code editor shows the implementation of a custom React hook, `T23_32_UseEffectFetchData`, which uses `useState` to manage a list of users and `useEffect` to fetch data from a GitHub API. The browser preview shows the rendered output, a list of user profiles with avatars and names.

## fetch Github users using useEffect

3 / 4



```
d29785a sies890056      Wed Nov 29 21:07:51 2023 +0800  ### w12-p5: All log
```

```
d29785a sies890056      Wed Nov 29 21:07:51 2023 +0800  ### w12-p5: All log
004cec9 sies890056      Wed Nov 29 21:04:36 2023 +0800  ### W12-P4: Do T23_32,
fetch Github users using useEffect
e29c860 sies890056      Wed Nov 29 20:06:41 2023 +0800  ### W12-P3: Do T14_32
using object
c8efd2d sies890056      Wed Nov 29 19:47:02 2023 +0800  ### W12-P2: Do T13_32
using array
796619c sies890056      Wed Nov 29 19:36:52 2023 +0800  ### W12-P1: Do advanced
hooks: T11_32 & T12_32
```

```
git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-09-19"
```