

Part Name : GUIDE PIN		ITEM CODE : 1011716		DRG.No : 020625/b		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 19..5(± 0.20)	Vernier 0.02	5/Lot														
02	Dim 13(± 0.20)	Vernier 0.02	5/Lot														
03	Dia 6(-0.30)	Vernier 0.02	5/Lot														
04	Dia 6.3(± 0.10)	Vernier 0.02	5/Lot														
05	Dim 5(± 0.50)	Vernier 0.02	5/Lot														
06	Dim 8.5(± 0.20)	Vernier 0.02	5/Lot														
07	Chemfer (1 X 45°)	Visual	5/Lot														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : SECURING NUT		ITEM CODE : 1040686		DRG.No : 030524/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	A F 17 (-0.20)	Vernier 0.02	5/Lot												
02	Dim 4(±0.20)	Vernier 0.02	5/Lot												
03	M 10x1	TPG	5/Lot												
04	No sharp edges no burs, Chf.30°	Visual	100%												
05	Zinc Passivation (Yellow)	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Pin for bonnet		ITEM CODE : 1151769		DRG.No : 051975/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 4 (±0.15)	Vernier 0.02	5/Lot														
02	Ø 1.7 (+0.2)	Plug Gauge	5/Lot														
03	Ø 8 (±0.20)	Vernier 0.02	5/Lot														
04	Dim. 41 (+0.50)	Vernier 0.02	5/Lot														
05	Dim. 48 (±0.30)	Vernier 0.02	5/Lot														
06	Dim. 4 (±0.10)	Vernier 0.02	5/Lot														
07	Chmf. 1.5 x 15	Visual	100%														
08	Zinc Passivation	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : ROD(ACCELERATOR) ITEM CODE : 93319301 DRG.No: BA 9303 REPORT NO. _____ DATE _____															
Lot Size		Lot No		Challan No/Dt.				MIN. No. /Dt.				VENDER CODE			
S. No.		DESCRIPTION										YES		NO	
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 510 (±4.00)	Vernier0.02	5 / Lot												
02	Ø 8 (±0.20)	Vernier0.02	5 / Lot												
03	Ø 2.5 (+0.10)	PlugGauge	5 / Lot												
04	Dim 19.50(±0.50)	Vernier0.02	5 / Lot												
05	Dim 24.5(+2.0)	Vernier0.02	5 / Lot												
06	Dim 40(+2.0)	Vernier0.02	5 / Lot												
07	Dim 18(±0.50)	Vernier0.02	5 / Lot												
08	Dim 10(±1.00)	Vernier0.02	5 / Lot												
09	No sharp edge,	Visual	100 %												
	no notches at R 10 Zinc Passivation,														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY _____								APPROVED BY _____							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : PIN		ITEM CODE : 1517223		DRG.No : 267224/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing$ 10h11 (-0.09)	MIC 0.01	5/Lot														
02	$\varnothing$ 2.8H11 (+0.06)	Plug gauge	5/Lot														
03	Dim.26($\pm$ 0.20)	Vernier 0.02	5/Lot														
04	Dim.31($\pm$ 0.30)	Vernier 0.02	5/Lot														
05	Dim.35($\pm$ 0.30)	Vernier 0.02	5/Lot														
06	Dia.16($\pm$ 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : FULCRUMPIN		ITEM CODE : 1580929		DRG.No : 230925/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.35 (± 0.30)	Vernier 0.02	5/Lot														
02	M 10X1.5	T P G	5/Lot														
03	$\varnothing$ 12h11 (-0.11)	Vernier 0.01	5/Lot														
04	Dim.17.3 (± 0.20)	Vernier 0.02	5/Lot														
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot														
06	Dia.20 (± 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : PIN(Small)		ITEM CODE : 1611847		DRG.No : 241844/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 12h11 (-0.11)	Vernier 0.01	5/Lot														
02	Ø 2.8H11 (+0.06)	Plug Gauge	5/Lot														
03	Dim.26(±0.20)	Vernier 0.02	5/Lot														
04	Dim.31(±0.30)	Vernier 0.02	5/Lot														
05	Dim.35(±0.30)	Vernier 0.02	5/Lot														
06	Dia.18(±0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : PIN (BIG)		ITEM CODE : 1611999		DRG.No : 241994/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing$ 12h11 (-0.11)	Vernier 0.01	5/Lot														
02	$\varnothing$ 2.8H11 (+0.06)	Plug Gauge	5/Lot														
03	Dim.38($\pm$ 0.30)	Vernier 0.02	5/Lot														
04	Dim.43($\pm$ 0.30)	Vernier 0.02	5/Lot														
05	Dim.47($\pm$ 0.30)	Vernier 0.02	5/Lot														
06	Dia.18($\pm$ 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Double Pin		ITEM CODE : 1619652		DRG.No : 249654/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 10 (\pm 0.20)$	Vernier 0.02	5/Lot														
02	Dim. 93 (± 1.50)	Vernier 0.02	5/Lot														
03	Dim. 44 (± 1.50)	Vernier 0.02	5/Lot														
04	$\varnothing 3.2 (\pm 0.10)$	Plug Gauge	5/Lot														
05	Dim. 42 (± 1.50)	Vernier 0.02	5/Lot														
06	Dim. 82 (± 1.50)	Vernier 0.02	5/Lot														
07	Dim. 75 (± 1.50)	Vernier 0.02	5/Lot														
08	Chemfer 8 $\times$ 18 $^{\circ}$	Visual	100%														
	No sharp edges																
	no burs Zinc Plating																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Rod Assly		ITEM CODE : 1618982		DRG.No : 248984/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2 (+0.20)	Plug Gauge	5/Lot														
02	Ø 8 (±0.20)	Vernier0.02	5/Lot														
03	Dim.230(±2.50)	Vernier0.02	5/Lot														
04	Dim. 32(±0.30)	Vernier0.02	5/Lot														
05	M20 X 1.5	TRG	5/Lot														
06	No sharp edges	Visual	100%														
	no burs, Zinc Passivation																
	V. Code as bluepaint,																
	R8 without any notch																
	proper brazing																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : PIN		ITEM CODE : 1619664		DRG.No : 249664		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 20 (\pm 0.20)$	Vernier 0.02	5/Lot														
02	$\varnothing 14 (-0.20)$	Vernier 0.02	5/Lot														
03	$\varnothing 5 (\pm 0.10)$	Plug Gauge	5/Lot														
04	Dim. 85 (± 0.30)	Vernier 0.02	5/Lot														
05	Dim. 95 (± 0.30)	Vernier 0.02	5/Lot														
06	Chemfer $2 \times 45^\circ$ No sharp edges	Visual	100%														
07	Zinc Plating V. Code as blue paint mark	Visual	100%														

Δ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100% & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : DIAMOND PIN		ITEM CODE : 1656090		DRG.No : 0511095 b		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 14m6+0.007/+0.018$	Mic 0.001	5/lot														
02	Dim 38 (± 0.10)	Vernier 0.02	5/lot														
03	Dim. 16 (± 0.20)	Vernier 0.02	5/lot														
04	Dim. 10 (± 0.20)	Vernier 0.02	5/lot														
05	Hard & Temp. 35-40 HRc	H / Tester	5/lot														
06	Angle 60°	Visual.	5/lot														
07	Chemfer 1 $\times$ 45° Chemfer 1.5 $\times$ 45°	Visual	100%														
08	No sharp edges no burs & no rust	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Connecting link Assly		ITEM CODE : 2121529		DRG.No : 721523/b		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø2.5 (+0.2) (2 nos)	Plug Gauge	5/Lot														
02	Dim. 320-366	Scale	5/Lot														
03	Dim. 9 (±1.00)	Vernier 0.02	5/Lot														
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot														
05	M 8	TRG	5/Lot														
06	M 8 (L H)	TRG	5/Lot														
07	Dim 255 (±2.50)	Vernier 0.02	5/Lot														
08	Dim 60 (±1.50)	Vernier 0.02	5/Lot														
09	Dim 75 (±0.30)	Vernier 0.02	5/Lot														
10	Zinc Plating, R8 No crack, proper brazing																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Accelerator Shaft		ITEM CODE : 2121542		DRG.No : 721544		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 328.00 (± 0.80)	Vernier 0.02	5/Lot														
02	Dim. 11 (± 0.20)	Vernier 0.02	5/Lot														
03	Dim. 306 ($+0.50$)	Vernier 0.02	5/Lot														
04	Dim. 12 (-0.20)	Vernier 0.02	5/Lot														
05	Dia. 4 ($+0.12$) (two nos)	Plug Gauge	5/Lot														
06	Chmfer 0.5X45, Zinc Passivation (Yellow)	Visual	100%														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()
 YES () NO ()

14

Part Name : Pin For Pedal		ITEM CODE : 2124592		DRG.No : 724594/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Ø 30 f8(-0.02 -0.053)	Mic 0.001	5 / lot														
02	Ø19.6 h13(-0.33)	Vernier 0.02	5 / lot														
03	Dim 113(+0.20)	Vernier 0.02	5 / lot														
04	Ø 28.6 h12(-0.21)	Vernier 0.02	5 / lot														
05	DIM. 70 (0+0.2)	Vernier 0.02	5 / lot														
06	Dim. 1.6h13(+0.14)	Vernier 0.02	5 / lot														
07	M 24x2	TRG	5 / lot														
08	DIM 36 (±0.3)	Vernier 0.02	5 / lot														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : FORK PIN		ITEM CODE : 2531252		DRG.No : 921254		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 38 e8(-0.05/-0.09)	Mic. 0.01	5 / lot														
02	I D 24.10 (+0.20)	Plug Gauge	5 / lot														
03	Dim. 44 (±0.30)	Vernier 0.02	5 / lot														
04	Dim. 28 (±0.20)	Vernier 0.02	5 / lot														
05	M10×1	T P G	5 / lot														
06	Dim. 96 (+0.30)	Vernier 0.02	5 / lot														
07	Greece gallyary Present & no cracks	Visual	100%														
08	Holes Ø 4 (2Nos.) Ø 9 through	Visual	100%														
09	No sharp edges no burs & chf 1×45°	Visual	100%														
10	Zinc Plating Vender Code as G	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : SPACER ROD		ITEM CODE : 2531628		DRG.No : 921624/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 133 (±0.50)	Vernier 0.02	5 / lot														
02	A/F 13 (±0.20)	Vernier 0.02	5 / lot														
03	M 8 x 1.25	TRG	5 / lot														
04	M 8 x 1.25	TPG	5 / lot														
05	Alignment of nut & ID 9 up to 45mm	Bolt M8	5 / lot														
06	Zinc Pasivation & Proper welding	Visual	100%														
	No sharp edge, no dents, no burs,																
	Vender Code as G																

△ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : SPACER ROD		ITEM CODE : 2533224		DRG.No : 923224		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 92 (±0.30)	Vernier	0.02	05 / lot													
02	A/F 13 (±0.20)	Vernier	0.02	05 / lot													
03	M 8 x 1.25	TRG		05 / lot													
04	M 8 x 1.25	TPG		05 / lot													
05	Alignment of nut & ID 9 up to 45mm	Bolt M8		05 / lot													
06	Zinc Pasivation & Proper welding	Visual		100%													
	No sharp edge, no dents, no burs																
	Vender Code as G																

△ = Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Connecting Link Assly		ITEM CODE : 2536389		DRG.No : 92638		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 2.5 (+0.2)$ (2 nos)	Plug Gauge	5/Lot														
02	Dim. 295-340	Scale	5/Lot														
03	Dim. 9 (± 1.00)	Vernier 0.02	5/Lot														
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot														
05	M 8	TRG	5/Lot														
06	M 8 (L H)	TRG	5/Lot														
07	Dim 230 (± 2.50)	Vernier 0.02	5/Lot														
08	Dim 60 (± 1.50)	Vernier 0.02	5/Lot														
09	Dim 75 (± 0.30)	Vernier 0.02	5/Lot														
10	Zinc Plating, R8 No crack, proper brazing.	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Guideblock		ITEM CODE : 2562868		DRG.No : 212864		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 22.00 (±0.20)	Vernier 0.02	5/Lot														
02	Dim 5 (±0.20)	Vernier 0.02	5/Lot														
03	Dim. 12 (-0.20)	Vernier 0.02	5/Lot														
04	Dim. 12h 11 (-0.11)	Mic 0.01	5/Lot														
05	Dia 6.25 (±0.20)	Vernier 0.02	5/Lot														
06	Dia. 8(-0.06)	Mic0.01	5/Lot														
07	Chemfer 0.5 x 45° Zinc Passivation	Visual	100%														
	V. Code as G																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : SCREW STUD		ITEM CODE : 2563770		DRG.No : 213774/b		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dia 16-0.02/-0.05	Mic 0.001	5/Lot														
02	Dia 10 (±0.20)	Vernier 0.02	5/Lot														
03	Dim 28(±0.30)	Vernier 0.02	5/Lot														
04	Dim 22 (±0.20)	Vernier 0.02	5/Lot														
05	Dim 10.50 (±0.20)	Vernier 0.02	5/Lot														
06	Dia 9.4 (-0.22)	Vernier 0.02	5/Lot														
07	Dim 17(±0.20)	Vernier 0.02	5/Lot														
08	Hardness (55-61Hrc)	Hard Tester	5/Lot														
09	M 12	TRG	5/Lot														
10	Case depth (1.00/2.00)	H/treat report	1/month														
11	No sharp edges no burs, Zinc Passivation	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Turn Rod		ITEM CODE : 2563794		DRG.No : 213794		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	M 10 X 1.25	T R G	5/Lot														
02	M10 X 1.25 LH	TRG	5/Lot														
03	Dim. 47 (±0.30)	Vernier 0.02	5/Lot														
04	Dim. 21 (±0.20)	Vernier 0.02	5/Lot														
05	Dim. 17 A/F (-0.27)	Vernier 0.01	5/Lot														
06	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot														
08	No crack, dent etc.& Zinc Plating	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : PINTAIL LUG		ITEM CODE : 93320078		DRG.No : BB0073		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 12.50 (-0.10)	Vernier 0.02	5/Lot														
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot														
03	Dim.35(+0.30)	Vernier 0.02	5/Lot														
04	Dim.40(+1.00)	Vernier 0.02	5/Lot														
05	Dia 18 (±0.20)	Vernier 0.02	5/Lot														
06	Chmfers, R0.5 & No dents & burs	Visual	100%														
07	Zinc Passivation (Yellow)	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : PIN small		ITEM CODE : 93320080		DRG.No : BB083		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 10 (-0.10)	Vernier 0.02	5/Lot														
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot														
03	Dim.35(+0.30)	Vernier 0.02	5/Lot														
04	Dim.40(+1.00)	Vernier 0.02	5/Lot														
05	Dia 16 (±0.20)	Vernier 0.02	5/Lot														
06	Chmfers, R0.5 & No dents & burs	Visual	100%														
07	Zinc Passivation (Yellow)	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : ADOPTER		ITEM CODE : 93346500		DRG.No : BD6504		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dia 47 (±0.20)	Vernier 0.02	5/Lot												
02	Dia 14.50 (+0.27)	Vernier 0.01	5/Lot												
03	Dim . 104 (±0.30)	Vernier 0.02	5/Lot												
04	Dim 75 (±0.50)	Vernier 0.02	5/Lot												
05	No sharp edges no burs, Zinc Passivation	Visual	100%												
	Chemfer 1 X 45														
	Vender Code as G														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Hand Acc Rod		ITEM CODE : 93410183		DRG.No : BK 0183		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim. 421 (± 3.00)	Layout	5/Lot														
02	M 12	T R G	5/Lot														
03	M16 X 1.5	TRG	5/Lot														
04	Dim.13h8(-0.027)	Mic 0.001	5/Lot														
05	Angle 65° ($\pm 1^\circ$)	Angle Prot	5/Lot														
06	Dim 40 (± 0.50)	Vernier 0.02	5/Lot														
07	Dim.137 (± 1.20)	Vernier 0.02	5/Lot														
08	Dim.62 (± 0.80)	Vernier 0.02	5/Lot														
09	Dim.56 (± 1.00)	Vernier 0.02	5/Lot														
10	Fusion 0.50 min	Vernier 0.02	1/month														
11	Chmfers & No dents & no welding spotter	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Pin For FORK		ITEM CODE : 93625102		DRG.No : CB 510 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 9.8 \text{ h11 } (-0.09)$	Mic 0.01	5/Lot														
02	$\varnothing 2.8 (\pm 0.10)$	Plug Gauge	5/Lot														
03	Dim.23.5 (± 0.20)	Vernier 0.02	5/Lot														
04	Dim.32.5 (± 0.30)	Vernier 0.02	5/Lot														
05	Dia.16 (± 0.20)	Vernier 0.02	5/Lot														
06	Chmfers .5X45°, No dents & burs	Visual	100%														
	Zinc Passivation (Yellow)																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672517		DRG.No : CG2513		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.480(± 2.00)	Vernier 0.02	5/Lot														
02	Dim. 89(± 1.00)	Vernier 0.02	5/Lot														
03	M10	TRG	5/Lot														
04	Dim 346 ($-0.5/+1.00$)	Vernier 0.02	5/Lot														
05	Dia 4 (± 0.10)	Vernier 0.02	5/Lot														
06	Dim 74 (± 0.30)	Vernier 0.02	5/Lot														
07	Dim. 20 (± 1.50)	Vernier 0.02	5/lot														
08	Dia 17 ($+1.50$)	Vernier 0.02	5/lot														
09	No dents / marks on knob, white paint	Visual	100%														
	Zinc plating																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : FORK-PTO		ITEM CODE : 93627482		DRG.No : CB 7484		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 8 (+0.2)	Vernier 0.02	5/Lot														
02	Dim 54 (±0.30)	Vernier 0.02	5/Lot														
03	M10	TPG	5/Lot														
04	Dim9 (±0.20)	Vernier 0.02	5/Lot														
05	Sq 18 (±0.20)	Vernier 0.02	5/Lot														
06	Dia 10 (±0.10)	Vernier 0.02	5/Lot														
07	Dim 33.5 (+0.30)	Vernier 0.02	5/Lot														
08	Chemfers 2 x 45°	Visual	100%														
09	Zinc Plating (Yellow)	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : PIN		ITEM CODE : 93351543		DRG.No : BE 154 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 8 (\pm 0.10)$	Vernier 0.02	5/Lot														
02	$\varnothing 2.5 (+0.10)$	Vernier 0.02	5/Lot														
03	Dim.18 (± 0.20)	Vernier 0.02	5/Lot														
04	Dim.22 (± 0.30)	Vernier 0.02	5/Lot														
05	Dia.14 (± 0.20)	Vernier 0.02	5/Lot														
06	Chmfers & No dents & burs	Visual	100%														
	Zinc Passivation (Yellow)																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Connecting link(50 hp)		ITEM CODE : 93350679		DRG.No: BE0673		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 9 (\pm 0.20)$	Vernier 0.02	5/Lot														
02	$\varnothing 2.5 (+0.20)$	Plug Gauge	5/Lot														
03	Dim.9(± 1.00)	Vernier 0.02	5/Lot														
04	Dim. 80(± 3.00)	Vernier 0.02	5/Lot														
05	Dim. 535(± 4.00)	Vernier 0.02	5/Lot														
06	Dim. 400(± 4.00)	Vernier 0.02	5/Lot														
07	Dim.105(± 1.50)	Layout	5/Lot														
08	M 10	TRG	5/Lot														
09	Dim. 120(± 2.50)	Vernier 0.02	5/Lot														
10	Zinc Passivation R25, R12 ,proper brazing	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : DOWEL PIN		ITEM CODE : 93626040		DRG.No : CB6044		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 14m6(+007/+0.18)$	Mic 0.001	5/Lot														
02	Dim 42 (± 0.30)	Vernier 0.02	5/Lot														
03	Dim 13.5 (-0.20)	Vernier 0.02	5/Lot														
04	Hard & Temp. 32-38 HRc	H/ Tester	5/Lot														
05	Chemfer $1 \times 30^\circ, 7X20^\circ$ no burs, no rust	Visual	100%														
	Blue paint mark as Vender code																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Dowel For G1 top Cover		ITEM CODE : 93628747		DRG.No : CB 874 4		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 12f 7 (-.02/- .03)	Mic 0.001	5/Lot												
02	Dim 22 (±0.20)	Vernier 0.02	5/Lot												
03	Dim 11 (±0.20)	Vernier 0.02	5/Lot												
04	Hard & Temp. 40 - 45 HRc	H / Tester	5/Lot												
05	Chemfer 1.5×15° & R12, no burs, no rust	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : DOWEL PIN		ITEM CODE : 1656089		DRG.No : 05 11085/b		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 14m6+0.007/+0.018$	Mic 0-25	5/lot														
02	Dim 38 (± 0.10)	Vernier 0.02	5/lot														
03	Hard & Temp. 40 - 45 HRC	H/ Tester	5/lot														
04	Chemfer 1.5 $\times$ 45 $^{\circ}$ & 3 $\times$ 30 $^{\circ}$	Visual	100%														
	no burs & no rust																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : PINFOR PAWL		ITEM CODE : 93311260		DRG.No : BA1264		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	M 10	Vernier0.02	5/Lot														
02	Dim. 38 (± 0.30)	Vernier0.02	5/Lot														
03	Dim. 20 (± 0.20)	Vernier0.02	5/Lot														
04	Dia. 14 (+0.018/+0.029) Mic 0-001		5/Lot														
05	Dim. 13.50 (-0.20)	Vernier0.02	5/Lot														
06	Chemfer 2X15°, 1X45°	Visual	100%														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()
YES () NO ()

37

Part Name : NUT WHEEL		ITEM CODE : 253 565 8		DRG.No : 92 565 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	M16 x 1.5	TPG	5/lot														
02	A / F 27 (-0.84)	Vernier.02	5/lot														
03	Dim 18(+1.00)	Vernier.02	5/lot														
04	Dim 36±(1.00)	Vernier.02	5/lot														
05	Hard & Temp. (14-28Hrc)	H / Tester	5/lot														
06	Zinc Plating (10micmn)	Znplating report	5/lot														
07	2.7 min, No crack	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : NUT WHEEL		ITEM CODE : 2125663		DRG.No : 725664		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	DIM. 30 A/F(-0.30)	Vernier.02	5/lot														
02	M16×1.5	TPG	5/lot														
	(After surface treatment)																
03	DIM. 5.5 (+0.20)	layout	5/lot														
04	Ø29.00(±0.2)	Vernier.02	5/lot														
05	DIM.19.5(±0.2)	Vernier.02	5/lot														
06	HARDNESS	Hardness	5/lot														
	14-28Hrc	Tester															
07	No Crack	Magnaflex	10/Lot														
		m/c															
08	Zinc Plating	Znplating	5/lot														
	(10micmn)	report															
09	Chmf 30°, No crack	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Wheel Nut		ITEM CODE : 2536936		DRG.No : 926934		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	M14 x 1.5	TPG	5/lot														
02	A / F 22 (-0.40)	Vernier.02	5/lot														
03	Dim 14(+1.00)	Vernier.02	5/lot														
04	Dim 29±(1.00)	Vernier.02	5/lot														
05	Hard & Temp. 14-28HRc	H / Tester	5/lot														
06	Convexty of face	St edge	5/lot														
07	No Crack	Magnaflex m/c	10/Lot														
08	Zinc Plating (10 mic mn)	Zn plating report	5/lot														
09	2 mm min, No crack	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimation

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : HOOK(TOPLINK)		ITEM CODE : 93425423		DRG.No : BL 5423		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dia 2.50 (+0.20)	PG	5/Lot														
02	Dia 8 (±0.20)	Vernier 0.02	5/Lot														
03	Dim 8 (±0.20)	Vernier 0.02	5/Lot														
04	Dim 13 (+1.00)	Vernier 0.02	5/Lot														
05	Dim 90 (±1.50)	Vernier 0.02	5/Lot														
06	Dia 52 (±1.50)	Vernier 0.02	5/Lot														
07	Dim 206 (+2.00)	Vernier 0.02	5/Lot														
08	Dim 37 (-1.00)	Vernier 0.02	5/Lot														
09	No sharp edges no burs, Zinc Passivation	Visual	100%														
10	Plating thickness min 10micron	DFT	5/Lot														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Tention Tie Assly		ITEM CODE : 1343002		DRG.No : 573003		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 2.5 (+0.2)$ (2 nos)	Plug Gauge	5/Lot														
02	$\varnothing 6 (\pm 1.10)$	Vernier 0.02	5/Lot														
03	Dim. 475-532 (Calculated)	Scale	5/Lot														
04	Dim. 5 (± 0.50)	Vernier 0.02	5/Lot														
05	Dim. 16 (± 1.00)	Vernier 0.02	5/Lot														
06	A/F 13 (-0.20)	Vernier 0.02	5/Lot														
07	M8	TPG	5/Lot														
08	M8 L H	TPG	5/Lot														
06	Proper brazing all over R8 (2nos.)	Visual	100 %														
	Zinc Plating (yellow) No crack, dent																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Rear Latch		ITEM CODE : 1573305		DRG.No : 073304		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 6 (±0.10)	Vernier 0.02	5/lot														
02	M 6	TRG	5/lot														
03	Dim. 182 (±2.50)	Vernier 0.02	5/lot														
04	Dim. 115 (±1.50)	Vernier 0.02	5/lot														
05	Dim. 20 (±1.00)	Vernier 0.02	5/lot														
06	Dim 25 (±1.00)	Vernier 0.02	5/lot														
07	R16, R3, R1, R6	Visual	100%														
	No sharp edges																
	no burs, Zinc Plating																
	V. C. as blue paint																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : LINKUPPER		ITEM CODE : 1680559		DRG.No : 290534		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2 (+0.2)	Plug Gauge	5/lot														
02	Ø 8 (±.20)	Vernier 0.02	5/lot														
03	Dim. 364(±1.00)	Vernier 0.02	5/lot														
04	Dim. 22(±0.50)	Vernier 0.02	5/lot														
05	Dim. 14(±0.50)	Vernier 0.02	5/lot														
06	Dim. 12(±0.50)	Vernier 0.02	5/lot														
07	Dim. 7(±0.30)	Vernier 0.02	5/lot														
08	Dim. 9(±0.30)	Vernier 0.02	5/lot														
09	Proper brazing all over R8 (2nos.) & No crack, dent Vender Code as "G"	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
12	INSPECTED BY				VE				APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Hand Acc Link		ITEM CODE : 93414322		DRG.No : BK4324		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2.5 (+0.1/-0.05)	Plug Gauge	5/lot														
02	Ø 8 (±.20)	Vernier 0.02	5/lot														
03	Dim. 16 (±1.00)	Vernier 0.02	5/lot														
04	Dim. 10 (±1.00)	Vernier 0.02	5/lot														
05	Dim. 10 (±1.00) (2nd side)	Vernier 0.02	5/lot														
06	Dim. 147 (±2.50)	Vernier 0.02	5/lot														
07	Proper brazing all over, R8	Visual	100%														
	No crack, dents etc.&																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : J-Bolt		ITEM CODE : 2125183		DRG.No : 725184		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.234(±2.500)	Vernier 0.02	5/lot														
02	Dim.35(±1.50)	Vernier 0.02	5/lot														
03	Dim.28(12+16)(±1.00)	Vernier 0.02	5/lot														
04	Dia 8 (±0.20)	Vernier.02	5/lot														
05	M 8	TRG	5/lot														
06	Washer OD 17(-0.400)	Vernier.02	5/lot														
07	Washer Th 1.6(+0.20)	Vernier.02	5/lot														
08	No dents, No line marks Visual proper Brazing & R8		100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : LINKUPPER		ITEM CODE : 93423426		DRG.No : BL 3423		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 2 (+0.2)$	Plug Gauge	5/lot														
02	$\varnothing 8 (\pm 0.20)$	Vernier 0.02	5/lot														
03	Dim. 358(+3.00)	SPG	5/lot														
04	Dim. 22 (± 0.50)	Vernier 0.02	5/lot														
05	Dim. 14 (± 0.50)	Vernier 0.02	5/lot														
06	Dim. 12 (± 0.50)	Vernier 0.02	5/lot														
07	Dim. 7 (± 0.30)	Vernier 0.02	5/lot														
08	Dim. 9 (± 0.30)	Vernier 0.02	5/lot														
09	Proper brazing R8 (2nos.) R 230 & No crack, dent etc.&	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Mounting Brkt		ITEM CODE : 2535464		DRG.No : 925464		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 5 (±0.10)	Vernier 0.0	5/lot														
02	Dim 90 ± 1.50	Vernier 0.02	5/lot														
03	Dim. 70±1.50	Vernier 0.02	5/lot														
04	Dim. 70+0.30	Vernier 0.02	5/lot														
05	Dim. 31±1.50	Vernier 0.02	5/lot														
06	Dim. 21±1.00	Vernier 0.02	5/lot														
07	Dim. 10+0.36	Vernier 0.02	5/lot														
08	Dim. 13.5 ±1.00	Vernier 0.02	5/lot														
09	R20, R8, R5, R10 Vender Code as "G"	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Foot Acc Pedal		ITEM CODE : 2535476		DRG.No : 925473		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dia. 12 (± 0.10)	Vernier 0.02	5/lot														
02	Dia 25 (± 0.20)	Vernier 0.02	5/lot														
03	Dia 4 H12(+0.12)	Plug Gauge	5/lot														
04	Dia 12 H11(+0.11)	Plug Gauge	5/lot														
05	Dim 75 (± 1.50)	Vernier 0.02	5/lot														
06	Dim. 142 (± 2.50)	Vernier 0.02	5/lot														
07	Dim. 15 (± 0.20)	Vernier 0.02	5/lot														
08	Angle 116($\pm 1^\circ$)	Angle Prot	5/lot														
09	Chemfer, No Welding, Visual spotter, R24		5/lot														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Hand Acc Rod		ITEM CODE : 93372601		DRG.No : BG 2603		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.422 (-2.00)	Vernier 0.02	5/Lot														
02	Dia 6.5+0.3	Vernier 0.02	5/lot														
03	Dim 15(± 0.20)	Vernier 0.02	5/lot														
04	Dim.13h8(-0.027)	Mic 0.001	5/lot														
05	Dim 8(± 0.20)	Vernier 0.02	5/lot														
06	Dia 16(± 0.10)	Vernier 0.02	5/Lot														
07	Dim.137 (± 1.20)	Vernier 0.02	5/lot														
08	Dim.62 (± 0.80)	Vernier 0.02	5/lot														
09	Dim.14.5 (± 0.20)	Vernier 0.02	5/Lot														
10	Dia 12(± 0.10)	Vernier 0.02	5/Lot														
11	Chmfers & No dents & no welding spotter	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Hand Acc Lever		ITEM CODE : 93340533		DRG.No : 841724		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.222(±2.50)	Vernier 0.02	5/Lot														
02	M 12	T P G	5/lot														
03	M8	T R G	5/lot														
04	Dim.17(±1.00)	Vernier 0.02	5/Lot														
05	A/F 19 (-0.20)	Vernier 0.02	5/lot														
06	Ø 12 (±0.20)	Vernier 0.02	5/Lot														
07	Ø 6 (-0.22)	Vernier 0.02	5/Lot														
08	Chmfers & No dents & no welding spotter	Visual	100%														
09	Proper Black Powder Coating	Powder coaters report	5/lot														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name Connecting link (Fuel pump)		ITEM CODE : 93347850		DRG.No : BD 7853		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim. 9 (± 1.00)	Vernier 0.02	5/lot														
02	Dim. 100 (± 1.50) (Threading length)	Vernier 0.02	5/lot														
03	Dim. 400 (± 4.00)	Scale	5/lot														
04	Dim. 150 (± 2.50)	Vernier 0.02	5/lot														
05	Dim 85 (± 1.50)	Layout	5/lot														
06	M 10	TRG	5/lot														
07	Dia 2.5 (± 0.10)	P G	5/lot														
08	Dim 14 (± 1.00)	Vernier 0.02	5/lot														
09	Dia 9 (± 0.20)	Vernier 0.02	5/lot														
10	Proper brazing No crack, dents etc.	Visual	100 %														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672529		DRG.No : CG2523		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim.400(± 4.00)	Scale	5/Lot													
02	Dim. 89(± 1.00)	Vernier 0.02	5/lot													
03	M10	TRG	5/Lot													
04	Dia12 (± 0.20)	Mic 0.01	5/Lot													
05	Dim. 36 (± 1.50)	Vernier 0.02	5/lot													
06	Dia 17 ($+1.50$)	Vernier 0.02	5/lot													
07	No dents / marks R 15, R12	Visual	100%													
	white paint Zinc plating															
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Tension Tie Assly		ITEM CODE : 93330760		DRG.No : BC0763		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2.5 (+0.2) (2 nos)	Pluge Gauge	5/lot														
02	Ø 6 (±.10)	Vernier 0.02	5/lot														
03	Dim. (372-412)	Scale	5/lot														
04	Dim. 5 (±0.50)	Vernier 0.02	5/lot														
05	Dim. 16 (±1.00)	Vernier 0.02	5/lot														
06	Proper brazing R8 (2nos.)	Visual	100%														
	Zinc Plating (Yellow)																
	No crack, dent &																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Nut f. delivery pipe		ITEM CODE : 1931866		DRG.No : 601864/ C		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 16 +0.15/+0.26	Plug Gauge	05 / lot														
02	Dim 20.50 (±0.20)	Vernier 0.02	05 / lot														
03	Dim 14.50 (±0.20)	Vernier 0.02	05 / lot														
04	Conc M24 wrt Ø 16 (0.10 Max)	Layout	05 / lot														
05	M 24 X1.5	TPG	05 / lot														
06	DIM 30 (-0.3)	Vernier 0.02	05 / lot														
07	No cracks, Chemfer 45° Visual Zinc Plating (white)		100%														
	Vender Code as "G"																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Coupling Nut		ITEM CODE : 2560331		DRG.No : 210334/ B		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 28 +0.16/+0.29	Plug Gauge	05 / lot														
02	Dim 21.00 (±0.20)	Vernier 0.02	05 / lot														
03	Dim 14.00 (±0.20)	Vernier 0.02	05 / lot														
04	Conc M36 wrt Ø 28 (0.10 Max)	Layout	05 / lot														
05	M 36 X2	TPG	05 / lot														
06	DIM 41 (-0.4)	Vernier 0.02	05 / lot														
07	No cracks, Chemfer 45° Zinc Plating (white)	Visual 100%															
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Stopper bolt		ITEM CODE : 2562080		DRG.No : 212084		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 16 (±0.20)	Vernier 0.02	05 / lot														
02	Dim 57.00 (±0.30)	Vernier 0.02	05 / lot														
03	Dim 5.00 (±0.20)	Vernier 0.02	05 / lot														
04	Dim 1.5 (+0.30)	Vernier 0.02	05 / lot														
05	M 6 X1	TRG	05 / lot														
06	DIM 25 (+2.00)	Vernier 0.02	05 / lot														
07	DIM 7.5 (+0.20)	Vernier 0.02	05 / lot														
08	No cracks, Chemfer 45° Visual ZincPlating(white)		100%														
	Vender Code as "G"																

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Spacer		ITEM CODE : 1611112		DRG.No : 241115/ E		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing 20(\pm 0.20)$	Vernier 0.02	5/Lot													
02	$\varnothing 12 H11 (+0.11)$	Plug Gauge	5/Lot													
03	Dim. 18 (+0.50)	Vernier 0.02	5/Lot													
04	No cracks, dents etc.	Visual	100%													
	V. C. as G/blue paint & Zinc Plating															
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Bush f. main shaft		ITEM CODE : 1012174		DRG.No : 020255/ a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 63.75 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 40A11 (+0.30 /+0.430)	Plug Gauge	5/Lot												
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
03	Paralism 0.03	Mic 0.01	5/Lot												
04	No cracks, dents etc. V. C. as G/ blue paint	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : U-Bolt		ITEM CODE : 93343716		DRG.No : BD3714		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim. 68(±1.50)	Vernier 0.02	5/Lot													
02	M 8	T R G	5/lot													
04	Dim. 30(±2.00)	Vernier 0.02	5/Lot													
05	Dim 51 (+0.80)	Vernier 0.02	5/lot													
06	Ø 8 (-1.00)	Vernier 0.02	5/Lot													
07	R 20.5+1	R. Gauge	5/Lot													
08	Chemfers & No dents	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimation

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Link Bottom		ITEM CODE : 93417505		DRG.No : BK7504		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2 (+0.06)	Plug Gauge	5/lot														
02	Ø 8 (±.20)	Vernier 0.02	5/lot														
03	Dim. 18 (±1.00)	Vernier 0.02	5/lot														
04	Dim. 8 (+0.20)	Vernier 0.02	5/lot														
05	Dim. 8 (+0.20) (2nd side)	Vernier 0.02	5/lot														
06	Dim. 102 (±1.00)	Vernier 0.02	5/lot														
07	Proper brazing all over, R8	Visual	100%														
	No crack, dents etc.&																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Foot acc shaft		ITEM CODE : 93417426		DRG.No : BK7423		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 215.00 (+0.80)	Vernier 0.02	5/Lot														
02	Dim. 10 (±0.20)	Vernier 0.02	5/Lot														
03	Dim. 16 (±0.20)	Vernier 0.02	5/Lot														
04	Dim. 65 (+1.00)	Vernier 0.02	5/Lot														
05	Dia. 10 (-0.10)	Vernier 0.02	5/Lot														
06	Dia. 4 (+0.12)	Step Plug Gauge	5/Lot														
07	Dia. 8.3 (±0.20)	Vernier 0.02	5/Lot														
08	Dia. 3 (±0.20)	Vernier 0.02	5/Lot														
09	Angle 5° (±1.00°)	layout	5/Lot														
10	Chmfer 1X45°, proper welding	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Hand acc rod		ITEM CODE : 93417440		DRG.No : BK7443/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot														
02	Dim. 8 (± 0.20)	Vernier 0.02	5/Lot														
03	Dim. 15 (± 0.20)	Vernier 0.02	5/Lot														
04	Dim. 218 (+0.50)	Vernier 0.02	5/Lot														
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot														
06	Dia. 6.4 (± 0.20)	Vernier 0.02	5/Lot														
07	Dia. 12 (± 0.20)	Vernier 0.02	5/Lot														
08	Dia. 18 (± 0.20)	Vernier 0.02	5/Lot														
09	Angle 10° ($\pm 1.00^\circ$)	layout	5/Lot														
10	Chmfer 1X45°, proper welding	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Hand acc rod		ITEM CODE : 93415296		DRG.No : BK5293/p		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.456(+2.00)	Vernier0.02	5/Lot														
02	Dim 137 (±1.00)	Vernier0.02	5/lot														
03	M16 X 1.5	TRG	5/lot														
04	Dim.13h8 (-0.027)	Mic 0.001	5/lot														
05	CD 15 (±0.20)	Vernier0.02	5/lot														
06	Dim 6.5 (+0.360)	Vernier 0.02	5/Lot														
07	Dim 25 (±1.00)	Vernier 0.02	5/Lot														
08	Dim.70(±1.00)	Vernier 0.02	5/Lot														
09	Dim.8 (±0.20)	Vernier 0.02	5/Lot														
10	Chmfers & No dents & proper welding	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Acc shaft		ITEM CODE : 93415260		DRG.No : BK5264/P		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 387.00 (± 0.80)	Vernier 0.02	5/Lot														
02	Dim. 11 (± 0.20)	Vernier 0.02	5/Lot														
03	Dim. 365 (-1.00)	Vernier 0.02	5/Lot														
04	Dim. 12 (-0.20)	Vernier 0.02	5/Lot														
05	Dia. 4 ($+0.12$)	Plug Gauge	5/Lot														
06	(two nos) Chmfer 0.5X45°, Zinc Passivation (Yellow) V. Code as G/ blue paint mark	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Nylon Bush		ITEM CODE : 93417463		DRG.No : BK7464		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing 24 (\pm 0.20)$	Vernier 0.02	5/Lot													
02	$\varnothing 12 (+0.20)$	Vernier 0.02	5/Lot													
03	Dim. 20 (+0.20)	Vernier 0.02	5/Lot													
04	Dim. 4 (± 0.20)	Vernier 0.02	5/Lot													
05	No cracks, dents etc.	Visual	100%													
	Chf 0.5 x 45°															
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Plat Brake Mechanism)		ITEM CODE : 93417554		DRG.No : BK7554		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 98.5 (± 0.30)	Vernier 0.0	5/lot														
02	Dim 60 (± 0.30)	Vernier 0.02	5/lot														
03	Dia 10.50 ($+0.20$)	Vernier 0.02	5/lot														
04	Dia 12.50 ($+0.20+0.40$)	Vernier 0.02	5/lot														
05	Dim. 4 ± 0.10	Vernier 0.02	5/lot														
06	R12.5	Visual	100%														
	Vender Code as "G"																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Hand acc lever		ITEM CODE : 93415272		DRG.No : BK5273/P		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.200(±2.5)	Layout	5/Lot														
02	Dim. 12.5 (±0.10)	Vernier	5/Lot														
03	M8	TRG	5/Lot														
04	Dia.20(±0.20)	Vernier0.02	5/Lot														
05	Dia 6.5 (+0.36)	-do-	5/Lot														
06	C D 15 (±0.20)	Vernier 0.02	5/Lot														
07	Dim. 9.5 (±0.20)	Vernier 0.02	5/Lot														
08	Chmfers & No dents & proper welding	Visual	100%														
	Proper Black Power Coating																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Pin dowel 8*20		ITEM CODE : 93651370		DRG.No : CE1374		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 8m6+0.006/+0.015$	Mic 0.001	5/lot														
02	Dim 20 (± 0.20)	Vernier 0.02	5/lot														
03	Dim 3.5 (± 0.20)	Vernier 0.02	5/lot														
04	Chemfer 1.5 $\times$ 45 $^{\circ}$ & 3 $\times$ 30 $^{\circ}$	Visual	100%														
	no burs & no rust																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Connecting link Assly		ITEM CODE : 93418352		DRG.No : BK83542		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 2.5 (+0.1)$	Plug Gauge	5/Lot														
02	Dim. 222-272	Scale	5/Lot														
03	Dim. 10 (± 1.00)	Vernier 0.02	5/Lot														
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot														
05	M 8	TRG	5/Lot														
06	M 8 (L H)	TRG	5/Lot														
07	Dim 116(+4.00)	Vernier 0.02	5/Lot														
08	Dim 101(+4.00)	Vernier 0.02	5/Lot														
09	Dim 75(± 0.30)	Vernier 0.02	5/Lot														
10	Zinc Plating, R8 No crack, proper brazing	Visual	100 %														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS										
Part Name : Dowel Pin		ITEM CODE : 1968889		DRG.No : BE 535 4		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 14 (+.01 /+0.02)	Mic 0.001	5/Lot													
02	Dim 38 (±0.30)	Vernier 0.02	5/Lot													
03	Dim 13..00(±0.10)	Vernier 0.02	5/Lot													
04	Hard & Temp. 32-38 HRc	H / Tester	5/Lot													
05	Chemfer 1×45°,4 X20° no burs, no rust	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention YES () NO () 3 Gauges are available & calibrated. YES () NO ()																

Part Name : Pin for Clutch		ITEM CODE : 93355354		DRG. No : BE 5354		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 36 (± 0.3)	Vernier 0.02	5/Lot														
02	Dim 31 (± 0.3)	Vernier 0.02	5/Lot														
03	Dim 22 (± 2.0)	Vernier 0.02	5/Lot														
04	Dia 12 (± 0.2)	Vernier 0.02	5/Lot														
05	M 12	T.R.G	5/Lot														
06	A / F 17 (± 0.2)	Vernier 0.02	5/Lot														
07	Zn Plating, Chemfer, no burs	Visual	100%														

$\triangle$ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100% & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Pin for Clutch		ITEM CODE : 93333528		DRG.No : BC3524		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 50 (± 0.3)	Vernier 0.02	5/Lot														
02	Dim 16 (± 0.2)	Vernier 0.02	5/Lot														
03	Dim 13 (± 2.0)	Vernier 0.02	5/Lot														
04	Dim 5 (± 0.2)	Vernier 0.02	5/Lot														
05	Dia 10 (± 0.2)	Vernier 0.02	5/Lot														
06	M 10	T.R.G	5/Lot														
07	A / F 17 (± 0.2)	Vernier 0.02	5/Lot														
08	Chemfer, no burs & no rust	Visual	100%														

$\triangle$ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Diamond Pin		ITEM CODE : 1011807		DRG.No: 02 2915		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Ø 10m6+.007/+.018	Mic 0.001	5/lot														
02	Dim 22 (±0.20)	Vernier0.02	5/lot														
03	Dim. 10 (±0.20)	Vernier0.02	5/lot														
04	Dim. 7 (±0.20)	Vernier0.02	5/lot														
05	Angle 60°	Visual.	5/lot														
06	Chemfer 1.5×30° Chemfer 1.5 x 30°	Visual	100%														
07	No sharp edges no burs & no rust	Visual	100%														
08	V. Code as bluepaintmark	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Diamond Pin		ITEM CODE :1511154			DRG.No :26 1155			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 12m6+.007/+.018	Mic 0.001	5/lot												
02	Dim 25 (±0.20)	Vernier0.02	5/lot												
03	Dim. 12 (±0.20)	Vernier0.02	5/lot												
04	Dim. 8 (±0.20)	Vernier0.02	5/lot												
05	Angle 60°	Visual.	5/lot												
06	Chemfer 1.5×30° Chemfer 1.5 x 30°	Visual	100%												
07	No sharp edges no burs & no rust	Visual	100%												

△ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Fulcrum Pin		ITEM CODE : 93333206		DRG.No: BC 320 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.55 (±0.30)	Vernier 0.02	5/Lot														
02	M 10X1.5	T R G	5/Lot														
03	Ø 12h11 (-0.11)	Mic 0.01	5/Lot														
04	Dim.37.3 (±0.20)	Vernier 0.02	5/Lot														
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot														
06	Chmfers & No dents & burs, Zinc Passivation	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters:
Identification Mark/Location:

2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()
YES () NO ()

Part Name : PinDowel		ITEM CODE : 93651666		DRG.No: C E 1664		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 14m6+0.007/+0.018	Mic 0.001	5/lot													
02	Dim 26 (±0.30)	Vernier0.02	5/lot													
03	Dim 6 (±0.20)	Vernier0.02	5/lot													
04	Chemfer 3×15° & 1x45° no burs & no rust	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : TTPlug		ITEM CODE : 93718542		DRG.No : DA8544/P		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	A/F 19 (-0.20)	Vernier 0.02	5/Lot														
02	M 14*1.5	TRG	5/Lot														
03	M 6*1	TPG	5/Lot														
04	Tap Depth 9+1.00	Bolt M 6	5/Lot														
05	Dim 11.00 (±0.20)	Vernier 0.02	5/Lot														
06	No sharp edges no burs, Zinc Passivation	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

79

Part Name : Clamping bolt		ITEM CODE : 93421417		DRG.No : BL1414		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dia 7 (+0.2)	Mic 0.01	5/Lot														
02	Dim. 50 (±1.50)	Vernier 0.02	5/lot														
03	M8	TRG	5/Lot														
04	Dim 210 (±2.50)	Vernier 0.02	5/Lot														
05	Dim 18 (±1.0)	Vernier 0.02	5/lot														
06	Chmfers, No dents	Visual	100%														
	R 6																
	Zinc Plating																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Pin With Head			ITEM CODE : 1011765			DRG.No : 020815			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION								YES		NO					
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2.		Heat treatment cut sample enclosed.															
3.		Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dia.14(±0.20)	Vernier 0.02	5/Lot														
02	Ø 8h11 (-0.09)	MIC 0.01	5/Lot														
03	Ø 2.00H14 (+0.25)	Plug gauge	5/Lot														
04	Dim.22(+0.50)	Vernier 0.02	5/Lot														
05	Dim.32(±0.30)	Vernier 0.02	5/Lot														
06	Dim.28(±0.30)	Vernier 0.02	5/Lot														
07	Chmfers 2x30, 1x45 & R0.5	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
09	V. Code as blue paint mark/G	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Connecting Limk		ITEM CODE : 93357340		DRG.No : BE 734 3		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dia. 9 (±0.20)	Vernier 0.02	5/lot														
02	Dim. 110 (±1.50) (Threading length)	Vernier 0.02	5/lot														
03	Dim. 510 (±4.00)	Scale	5/lot														
04	Dim. 140 (+10)	Vernier 0.02	5/lot														
05	Dim 82.3 (±1.50)	Layout	5/lot														
06	M 10	TRG	5/lot														
07	Dia 2.5 (±0.10)	PG	5/lot														
08	Dim 14 (±1.00)	Vernier 0.02	5/lot														
09	Dim 9 (±1.00)	Vernier 0.02	5/lot														
10	Proper brazing R 15, Zn plating	Visual	100 %														
△ = Under Deviation, O = OK, X = Segregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segregated for 'X' marked dimension 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS										
Part Name : Push Rod		ITEM CODE : 93719080		DRG.No : DA 9084		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	A/F 8 (-0.20)	Vernier 0.02	5/lot													
02	Dim. 20 (+2.00) (Threading length)	Vernier 0.02	5/lot													
03	Dim. 30 (±1.00)	Vernier 0.02	5/lot													
04	Dim. 5.5 (±0.20)	Vernier 0.02	5/lot													
05	M 6	TRG	5/lot													
06	R 15 (±1.00)	R G	5/lot													
07	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot													
08	Hardness (55-61Hrc)	Hard Tester	5/Lot													
09	Case depth (1.00/2.00)	H/treat report	1/Lot													
10	Zn plating.Vender Code as "G"	Visual	100 %													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT						GREWAL ENGINEERING WORKS							
Part Name : Connecting Pin			ITEM CODE : 93715772		DRG.No : DA 5774		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 10(±1.00)	Mic 0.01	5/lot													
02	Dia. 8 (+0.025/+0.061) P G		5/lot													
03	Dia. 8(-0.09)	Mic 0.001	5/lot													
04	Dia. 6(-0.08)	S G	5/lot													
05	Dim 0.74 (0.05)	Slip Gauge	5/Lot													
06	Dim 11(+0.30)	Vernier 0.02	5/lot													
07	Dim 8(-0.30)	Vernier 0.02	5/lot													
08	Dim 13 (±0.20)	Vernier 0.02	5/lot													
09	Dim 16(±0.20)	Vernier 0.02	5/lot													
10	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot													
11	Pep of hole to Dia 8 0.15	Layout	5/Lot													
12	Zn plating.Vender Code as "G"Chf .5x45	Visual	100 %													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

Part Name : Acc shaft		ITEM CODE : 93359128		DRG.No : BE9124		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 387.00 (± 0.80)	Vernier 0.02	5/Lot														
02	Dim. 11 (± 0.20)	Vernier 0.02	5/Lot														
03	Dim. 365 (-1.00)	Vernier 0.02	5/Lot														
04	Dim. 12 ($-0.1/-0.20$)	Mic 0.01	5/Lot														
05	Dia. 4 ($+0.12$) (two nos)	Plug Gauge	5/Lot														
06	Dim 37.00 (-0.50)	Dg Vernier 0.01	5/Lot														
07	Dim 65.00 (± 0.50)	Dg Vernier 0.01	5/Lot														
08	Dim 1.25 ($+0.06$)	Slip Gauge	5/Lot														
09	Dia 10 (-0.09)	Snap Gauge	5/Lot														
10	Chmfer 1.00X45°,	Visual	100%														
	Zinc Passivation,																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Connecting Link		ITEM CODE : 93359220		DRG. No : BE9224		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2 (+0.10) (2 Nos)	Plug Gauge	5/lot														
02	Ø 8 (±.20)	Vernier 0.02	5/lot														
03	Dim. 14 (±1.00)	Vernier 0.02	5/lot														
04	Dim. 10 (±.50)	Vernier 0.02	5/lot														
05	Dim. 9.0 (±.50)	Vernier 0.02	5/lot														
06	Dim. 267 (+1.00)	SPG	5/lot														
07	Pin dia 8 ((±0.10)	Vernier 0.02	5/lot														
08	Dim 45 (±0.80)	Vernier 0.02	5/lot														
09	Proper brazing	Visual	100%														
	all over, R8, Zn plating																

△ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : Pin Dowel 10.30			ITEM CODE : 93660485		DRG.No : CF 0484		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 10 (+.006 /+0.015)	Mic 0.001	5/Lot													
02	Dim 30 (±0.30)	Vernier 0.02	5/Lot													
03	Dim 4..00 (±0.10)	Vernier 0.02	5/Lot													
04	Hard & Temp. 35-40 HRC	H / Tester	5/Lot													
05	Chemfer 1×45°, 3 X15° no burs, no rust	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated. YES () NO () YES () NO ()																

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS										
Part Name : Spacer PTO		ITEM CODE : 93661994		DRG.No : CF 2004		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 40.0 (±0.20)	Vernier 0.02	5/Lot													
02	Ø 25.5 (±0.20)	Vernier 0.02	5/Lot													
03	Ø 33.0 (±0.20)	Vernier 0.02	5/Lot													
04	Dim.41.8 (-0.20)	Vernier 0.02	5/Lot													
05	Dim.5.00 (±0.20)	Vernier 0.02	5/Lot													
06	No cracks, dents etc. Zn plating.	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT						GREWAL ENGINEERING WORKS							
Part Name : Spacer main		ITEM CODE : 93662007		DRG.No : CF 2004		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 40.0 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 25.5 (±0.20)	Vernier 0.02	5/Lot												
03	Ø 33.0 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 24.8 (-0.20)	Vernier 0.02	5/Lot												
05	Dim .5.0 (±0.20)	Vernier 0.02	5/Lot												
06	No cracks, dents etc.	Visual	100%												
	Zn plating.														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Foot acc shaft		ITEM CODE : 93321058		DRG.No : BB 1053		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 232.5.00 (+0.80)	Vernier 0.02	5/Lot														
02	Dia. 12 (-0.10)	Mic 0.01	5/Lot														
03	Dim. 80 (± 0.30)	Vernier 0.02	5/Lot														
04	Dim. 133.5 (+1.00)	Vernier 0.02	5/Lot														
05	Dim. 8 (± 0.20)	Vernier 0.02	5/Lot														
06	Dia. 4 (+0.12)	Plug Gauge	5/Lot														
07	Dia. 8.3 (± 0.20)	Vernier 0.02	5/Lot														
08	Dia. 3 (± 0.20)	Vernier 0.02	5/Lot														
09	Angle 28.6° ($\pm 1.00^\circ$)	layout	5/Lot														
10	Chmfer 1X45°, proper welding	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Connecting link Assly		ITEM CODE : 93321071		DRG.No : BB1072		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø2.5 (+0.1)	Plug Gauge	5/Lot														
02	Dim. 339.5 (+3.00}	Scale	5/Lot														
03	Dim. 8 (±1.00)	Vernier 0.02	5/Lot														
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot														
05	M 8	TRG	5/Lot														
06	M 8 (L H)	TRG	5/Lot														
07	Dim 81 (+4.00)	Vernier0.02	5/Lot														
08	Dim 233.5 (+4.00)	Vernier0.02	5/Lot														
09	Dim 43 (±1.5) Vernier	0.02	5/Lot														
10	Zinc Plating, R8	Visual	100 %														
No crack, proper brazing																	
△ = Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Spacer		ITEM CODE : 93321083		DRG.No : BB1084		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 20(±0.20)	Vernier 0.02	5/Lot														
02	Ø 12 (+0.1/+0.2)	Plug Gauge	5/Lot														
03	Dim. 20 (-0.50)	Vernier 0.02	5/Lot														
04	Chemf. 1 X 45°	Visual	100%														
	No cracks, dents etc.																
	& Zinc Plating																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Spacer		ITEM CODE : 93321046		DRG.No : BB1044		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 22(±0.20)	Vernier 0.02	5/Lot													
02	Ø 12.5 (+0.5)	Plug Gauge	5/Lot													
03	Dim. 10 (-0.50)	Vernier 0.02	5/Lot													
04	Chemf. 1 X 45°	Visual	100%													
	No cracks, dents etc.															
	V. C. as G/ blue paint															
	& ZincPlating															
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Dowel Pin 12x38			ITEM CODE : 93633214			DRG.No: CC 3214			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION								YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø12h9(-0.043)	Mic 0.001	5/lot														
02	Dim 38 (±0.30)	Vernier 0.02	5/lot														
03	Dim. 18 (±1.00)	Vernier 0.02	5/lot														
04	Dim. 15 (±1.00)	Vernier 0.02	5/lot														
05	Angle 20°(±1)	Angle Prot.	5/lot														
06	Dim. 5 (±0.30)	Layout	5/lot														
07	Dia 12.1(+0.15)	Mic 0.001	5/Lot														
08	Chemfer 1.5×30°	Visual	100%														
09	Hard & temp 240-280 BHN	H/Tester	5/ Lot														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Hand accrod		ITEM CODE : 93321770		DRG.No : BB1773		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.400(+2.00)	Vernier0.02	5/Lot														
02	Dim 137 (±1.00)	Vernier0.02	5/lot														
03	M16 X 1.5	TRG	5/lot														
04	Dim.13h8(-0.027)	Mic 0.001	5/lot														
05	CD 15 (±0.20)	Vernier0.02	5/lot														
06	Dim 6.5 (+0.360)	Vernier0.02	5/Lot														
07	Dim 25 (±1.00)	Vernier0.02	5/Lot														
08	Dim.70(±1.00)	Vernier0.02	5/Lot														
09	Dim.8 (±0.20)	Vernier0.02	5/Lot														
10	Chmfers & No dents & proper welding	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Banjo Bolt		ITEM CODE : 93728882		DRG.No : DB8884		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 35 (+1.0)	Veriner0.02	5/lot														
02	Dim 32(±0.30)	Vernier0.02	5/lot														
03	M18X1.5	TRG	5/lot														
04	Dia 18 (-0.18)	Mic 0.001	5/lot														
05	Dia 13 (+0.18)	Vernier0.02	5/lot														
06	Dia 7(+0.36)	Vernier0.02	5/lot														
07	Per 0.1	layot/SPG	5/lot														
08	Cnmfer & no dent Zincplating	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Hand Acc Rod			ITEM CODE : 93359931 DRG.No: BE 9933					REPORT NO.		DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
2.		Heat treatment cut sample enclosed.													
3.		Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot												
02	Dim. 8 (±0.20)	Vernier 0.02	5/Lot												
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 218 (+0.50)	Vernier 0.02	5/Lot												
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot												
06	Dia. 6.4 (±0.20)	Vernier 0.02	5/Lot												
07	Dia.10 (-0.09)	SPG	5/Lot												
08	Dim. 39 (±0.50)	Vernier 0.02	5/Lot												
09	Dim 1.25 (+0.06)	Vernier 0.02	5/Lot												
10	Chmfer 1X45°, proper welding	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Pipeunion bolt		ITEM CODE : 1164466		DRG.No :		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 32 (±0.30)	Veriner0.02	5/lot												
02	Dim 42 (±0.30)	Vernier0.02	5/lot												
03	M18X1.5	TRG	5/lot												
04	Dia 18 (-0.10)	Mic 0.001	5/lot												
05	Dia 13 (+0.3)	Vernier0.02	5/lot												
06	Dia 8.5(+0.3)	Vernier0.02	5/lot												
07	Cnmfer & no dent	Visual	100%												
	Zincplating														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Stud M12x160		ITEM CODE :		DRG.No :		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	M12	TRG	5/lot													
02	Dim 160(±1.0)	Veriner0.02	5/lot													
03	Dim 2(±0.30)	Veriner0.02	5/lot													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Nut spanan arm mounting		ITEM CODE : 45817-68		DRG.No :		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 39.4(±0.35)	Vernier 0.02	5/Lot												
02	Dia 19 (±0.20)	Vernier 0.02	5/Lot												
03	Dia 15 (±0.15)	Plug Gauge	5/Lot												
04	Dia 28 (±0.20)	Vernier 0.02	5/Lot												
05	M14 X 1.5	TPG	5/Lot												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : NUT M12		ITEM CODE :		DRG.No :		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	M12	TPG	5/lot												
02	Dim 20 (±0.30)	Veriner0.02	5/lot												
03	Dia 15 (-0.30)	Veriner0.02	5/lot												
04	Dim 20 (±0.30)	Veriner0.02	5/lot												
05	A/F 27 (-0.30)	Veriner0.02	5/lot												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : LINK UPPER		ITEM CODE : 93321988		DRG.No: DB8234		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2 (+0.2)	Plug Gauge	5/lot														
02	Ø 8 (±.20)	Vernier 0.02	5/lot														
03	Dim. 358(+3.00)	SPG	5/lot														
04	Dim. 31 (-1.00)	Vernier 0.02	5/lot														
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot														
06	Dim. 12 (±0.50)	Vernier 0.02	5/lot														
07	Dim. 7.5 (±0.30)	Vernier 0.02	5/lot														
08	Dim. 9.5 (±0.30)	Vernier 0.02	5/lot														
09	Proper brazing & Zincplating	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS										
Part Name Fulcrum Pin		ITEM CODE : 93321198		DRG.No :BB 1194		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim.45 (±0.30)	Vernier 0.02	5/Lot													
02	M 10X1.5	T R G	5/Lot													
03	Ø 12h11 (-0.11)	Mic 0.01	5/Lot													
04	Dim.27.3 (+0.20)	Vernier 0.02	5/Lot													
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot													
06	Chmfers & No dents	Visual	100%													
	&burs,Zinc Passivation															
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

Part Name : Spacer Rear DSA		ITEM CODE : 93725443		DRG.No : DB5444		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 41.5(±0.10)	Vernier 0.02	5/Lot													
02	Ø 18.25 H11 (+0.13)	Plug Gauge	5/Lot													
03	Dim. 6(±0.05)	Mic 0.001	5/Lot													
04	No cracks, dents etc.	Visual	100%													
	& Zinc Plating															
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : PIN (lower link)		ITEM CODE : 93337157		DRG.No : BC 7154		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 16 (-0.20)$	Vernier 0.02	5/Lot														
02	$\varnothing 6.2 (+0.20)$	Plug Gauge	5/Lot														
03	Dim.58 (+0.30)	Vernier 0.02	5/Lot														
04	Dim.52 (± 0.20)	Vernier 0.02	5/Lot														
05	Dia 22 (± 0.20)	Vernier 0.02	5/Lot														
06	Zinc Passivation (White trivalent)	Visual	100%														

Δ = Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

109

Part Name : Clevis pin		ITEM CODE : 93337250		DRG.No : BC 7254		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 8 (-0.09)$	Mic 0.02	5/Lot														
02	$\varnothing 2 H13 (+0.14)$	Plug Gauge	5/Lot														
03	Dim.41.5 (+0.20)	Vernier 0.02	5/Lot														
04	Dim.45 (± 0.5)	Vernier 0.02	5/Lot														
05	Dia 14 (± 0.20)	Vernier 0.02	5/Lot														
06	Zinc Passivation (White trivalent)	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Cylindrical pin		ITEM CODE : 93611863		DRG. No CA 1864		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 10m6+.006/+.015	Mic 0.001	5/lot												
02	Dim 21.5 (±0.20)	Vernier 0.02	5/lot												
03	Dim 4 (±0.20)	Vernier 0.02	5/lot												
04	Chemfer 2×45° no burs & no rust	Visual	100%												
05	Hard & Temp. (25-31Hre)	H / Tester	5/Lot												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Pin Pto link		ITEM CODE : 93616678		DRG.No : CA 6674		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 10g11 (-0.063)$	MIC 0.01	5/Lot														
02	$\varnothing 3.00$	Plug gauge	5/Lot														
03	Dim.21.5(+0.50)	Vernier 0.02	5/Lot														
04	Dim.25(± 0.30)	Vernier 0.02	5/Lot														
05	Dim.3 (± 0.30)	Vernier 0.02	5/Lot														
06	Dia.16(± 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : UPPERlink			ITEM CODE : 93337376					DRG.No: BC 7373		REPORT NO.			DATE			
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO				
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
2.		Heat treatment cut sample enclosed.														
3.		Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot													
02	M6	TRG	5/lot													
03	Dim. 355(±1.00)	Vernier 0.02	5/lot													
04	Dim. 37 (±.50)	Vernier 0.02	5/lot													
05	Dim. 15 (±0.50)	Vernier 0.02	5/lot													
06	Dim. 252 (±1.00)	Vernier 0.02	5/lot													
07	Dim. 13 (±0.50)	Vernier 0.02	5/lot													
08	Dim. 8 (-1.00)	Vernier 0.02	5/lot													
09	Proper brazing & Zincplating	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : CONNECTINGLINK			ITEM CODE : 93337418		DRG.No: BC 7413		REPORT NO.			DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot													
02	M6	TRG	5/lot													
03	Dim. 303(±1.00)	Vernier 0.02	5/lot													
04	Dim. 52(±.80)	Vernier 0.02	5/lot													
05	Dim. 30(±0.50)	Vernier 0.02	5/lot													
06	Dim. 160(±1.00)	Vernier 0.02	5/lot													
07	Dim. 12(±0.50)	Vernier 0.02	5/lot													
08	Dim. 8(±0.30)	Vernier 0.02	5/lot													
09	Proper brazing & Zincplating	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : ACC ROD			ITEM CODE : 93337352			DRG.No: BC 7353			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION								YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.93.5 (± 0.80)	Vernier0.02	5/Lot														
02	Dim 11 (± 0.50)	Vernier0.02	5/lot														
03	Dim 123 (+1.00)	Vernier0.02	5/lot														
04	Dim 40 (± 0.30)	Vernier0.02	5/lot														
05	CD 15 (± 0.30)	Vernier0.02	5/lot														
06	Dim32 (± 0.30)	Vernier0.02	5/Lot														
07	Dia 6.2 (+0.36)	Vernier0.02	5/Lot														
08	M6	TPG	5/Lot														
09	Dia.5 (+0.120)	Vernier0.02	5/Lot														
10	Chmfers & No dents & proper welding	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : ACC SHAFT		ITEM CODE : 93337406		DRG.No : BC 740 3		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.348(±0.50)	Vernier0.02	5/Lot														
02	Dim 47 (±0.50)	Vernier0.02	5/lot														
03	Dim 234 (+0.50)	Vernier0.02	5/lot														
04	Dia 6.2 (+0.20)	Vernier0.02	5/lot														
05	Dia 8.2 (±0.20)	Vernier0.02	5/lot														
06	Dia 4 (+0.12)	Vernier0.02	5/Lot														
07	Chmfers & No dents	Visual	100%														
	&proper welding																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT						GREWAL ENGINEERING WORKS								
Part Name : Spacer PTO			ITEM CODE : 93661994			DRG.No :			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 40.00 (±0.20)	Vernier 0.02	5/Lot													
02	Ø 33.00 (±0.20)	Vernier 0.02	5/Lot													
03	Ø 25.50 (±0.20)	Vernier 0.02	5/Lot													
04	Dim.41.8 (-0.20)	Vernier 0.02	5/Lot													
05	Dim 5 (±0.20)	Vernier 0.02	5/Lot													
06	Radius R1	Radius Gauge	5/Lot													
07	Chamfer 1x45°	Visual	100%													
	No cracks, dents etc.															
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention YES () NO () 3 Gauges are available & calibrated. YES () NO ()																

Part Name : SPACER MAIN		ITEM CODE : 93662007		DRG.No :		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 40.00 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 33.00 (±0.20)	Vernier 0.02	5/Lot												
03	Ø 25.50 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 24.8 (-0.20)	Vernier 0.02	5/Lot												
05	Dim 5 (±0.20)	Vernier 0.02	5/Lot												
06	Radius R1	Radius Gauge	5/Lot												
07	Chamfer 1x45° No cracks, dents etc.	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Rod (Accelerator)		ITEM CODE : 93326962		DRG.No : BB 6963		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE :- 302235									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 8.00 (±0.10)	Vernier 0.02	5/Lot														
02	Dim. 100 (±0.20)	Vernier 0.02	5/Lot														
03	Dim. 220 (±2.50)	Vernier 0.02	5/Lot														
04	Dim. 27 (+0.20)	Vernier 0.02	5/Lot														
05	Dim. 10 (±1)	Vernier 0.02	5/Lot														
06	Dim. 22 (±0.20)	Vernier 0.02	5/Lot														
07	Dim. 24.5 (+2.0)	Vernier 0.02	5/Lot														
08	Dim. 19.5 (±0.50)	Vernier 0.02	5/Lot														
09	Dim. 510 (±4.0)	Vernier 0.02	5/Lot														
10	Hole Dia Ø 2.5 H 12 Chamfer 0.5x45°	Vernier 0.02 Visual	5/Lot 100%														
No cracks, dents etc. Under Deviation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()