

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS					
Part Name : GUIDE PIN			ITEM CODE : 1011716		DRG.No : 020625/b		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION								YES		NO			
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
2.		Heat treatment cut sample enclosed.													
3.		Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dim 19..5(±0.20)	Vernier 0.02	5/Lot												
02	Dim 13(±0.20)	Vernier 0.02	5/Lot												
03	Dia 6(-0.30)	Vernier 0.02	5/Lot												
04	Dia 6.3(±0.10)	Vernier 0.02	5/Lot												
05	Dim 5(±0.50)	Vernier 0.02	5/Lot												
06	Dim 8.5(±0.20)	Vernier 0.02	5/Lot												
07	Chemfer (1 X 45°)	Visual	5/Lot												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

1

Part Name : SECURING NUT		ITEM CODE : 1040686		DRG.No : 030524/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	A F 17 (-0.20)	Vernier 0.02	5/Lot												
02	Dim 4(±0.20)	Vernier 0.02	5/Lot												
03	M 10x1	TPG	5/Lot												
04	No sharp edges no burs, Chf.30°	Visual	100%												
05	Zinc Passivation (Yellow)	Visual	100%												
06	V. Code as bluepaint	Visual	100%												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Pin for bonnet			ITEM CODE : 1151769			DRG.No : 051975/a			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 4 (±0.15)	Vernier 0.02	5/Lot													
02	Ø 1.7 (+0.2)	Plug Gauge	5/Lot													
03	Ø 8 (±0.20)	Vernier 0.02	5/Lot													
04	Dim. 41 (+0.50)	Vernier 0.02	5/Lot													
05	Dim. 48 (±0.30)	Vernier 0.02	5/Lot													
06	Dim. 4 (±0.10)	Vernier 0.02	5/Lot													
07	Chmf. 1.5 x 15	Visual	100%													
08	Zinc Passivation	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

Part Name : ROD		ITEM CODE : 1264515		DRG.No : 304514		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 510 (±4.00)	Scale	5 / Lot												
02	Ø 8 (±0.20)	Vernier 0.02	5 / Lot												
03	Ø 2.5 (+0.20)	Plug Gauge	5 / Lot												
04	Dim 3.00 (±0.50)	Vernier 0.02	5 / Lot												
05	No sharp edge, no notches at R 10	Visual	100 %												
	Zinc Passivation, V. Code as blue paint														
	mark														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : PIN		ITEM CODE : 1517223		DRG.No : 267224/a		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 10h11 (-0.09)	MIC 0.01	5/Lot													
02	Ø 2.8H11 (+0.06)	Plug gauge	5/Lot													
03	Dim.26(±0.20)	Vernier 0.02	5/Lot													
04	Dim.31(±0.30)	Vernier 0.02	5/Lot													
05	Dim.35(±0.30)	Vernier 0.02	5/Lot													
06	Dia.16(±0.20)	Vernier 0.02	5/Lot													
07	Chmfers & No dents & burs	Visual	100%													
08	Zinc Passivation (Yellow)	Visual	100%													
09	V. Code as bluepaintmark	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : FULCRUMPIN		ITEM CODE : 1580929		DRG.No : 230925/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION								YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Dim.35 (± 0.30)	Vernier 0.02	5/Lot														
02	M 10X1.5	T P G	5/Lot														
03	$\varnothing$ 12h11 (-0.11)	Vernier 0.01	5/Lot														
04	Dim.17.3 (± 0.20)	Vernier 0.02	5/Lot														
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot														
06	Dia.20 (± 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
09	V. Code as blue paint mark	Visual	100%														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : PIN(Small)			ITEM CODE : 1611847			DRG.No : 241844/a			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 12h11 (-0.11)	Vernier 0.01	5/Lot													
02	Ø 2.8H11 (+0.06)	Plug Gauge	5/Lot													
03	Dim.26(±0.20)	Vernier 0.02	5/Lot													
04	Dim.31(±0.30)	Vernier 0.02	5/Lot													
05	Dim.35(±0.30) -	Vernier 0.02	5/Lot													
06	Dia.18(±0.20)	Vernier 0.02	5/Lot													
07	Chmfers & No dents & burs	Visual	100%													
08	Zinc Passivation (Yellow)	Visual	100%													
09	V. Code as bluepaintmark	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : PIN (BIG)		ITEM CODE : 1611999		DRG.No : 241994/a		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing$ 12h11 (-0.11)	Vernier 0.01	5/Lot													
02	$\varnothing$ 2.8H11 (+0.06)	Plug Gauge	5/Lot													
03	Dim.38 ($\pm$ 0.30)	Vernier 0.02	5/Lot													
04	Dim.43 ($\pm$ 0.30)	Vernier 0.02	5/Lot													
05	Dim.47 ($\pm$ 0.30)	Vernier 0.02	5/Lot													
06	Dia.18 ($\pm$ 0.20)	Vernier 0.02	5/Lot													
07	Chmfers & No dents & burs	Visual	100%													
08	Zinc Passivation (Yellow)	Visual	100%													

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS							
Part Name : Double Pin			ITEM CODE : 1619652			DRG.No : 249654/a			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Ø 10 (±0.20)	Vernier 0.02	5/Lot														
02	Dim. 93 (±1.50)	Vernier 0.02	5/Lot														
03	Dim. 44 (±1.50)	Vernier 0.02	5/Lot														
04	Ø 3.2 (±0.10)	Plug Gauge	5/Lot														
05	Dim. 42 (±1.50)	Vernier 0.02	5/Lot														
06	Dim. 82 (±1.50)	Vernier 0.02	5/Lot														
07	Dim. 75 (±1.50)	Vernier 0.02	5/Lot														
08	Chemfer 8×18°	Visual	100%														
	No sharp edges																
	no burs Zinc Plating																
	V. Code as blue paint mark																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0

FINAL / PRE-DISPATCH INSPECTION REPORT

GREWAL ENGINEERING WORKS

Part Name : Rod Assly		ITEM CODE : 1618982		DRG.No : 248984/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 2 (+0.20)	Plug Gauge	5/Lot												
02	Ø 8 (±0.20)	Vernier0.02	5/Lot												
03	Dim.230(±2.50)	Vernier0.02	5/Lot												
04	Dim. 32 (±0.30)	Vernier0.02	5/Lot												
05	M20 X 1.5	TRG	5/Lot												
06	No sharp edges	Visual	100%												
	no burs, Zinc Passivation														
	V. Code as bluepaint,														
	R8 without any notch														
	proper brazing														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : PIN		ITEM CODE : 1619664		DRG.No : 249664		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	$\varnothing 20 (\pm 0.20)$	Vernier 0.02	5/Lot												
02	$\varnothing 14 (-0.20)$	Vernier 0.02	5/Lot												
03	$\varnothing 5 (\pm 0.10)$	Plug Gauge	5/Lot												
04	Dim. 85 (± 0.30)	Vernier 0.02	5/Lot												
05	Dim. 95 (± 0.30)	Vernier 0.02	5/Lot												
06	Chemfer 2 $\times$ 45 $^{\circ}$ No sharp edges	Visual	100%												
07	Zinc Plating V. Code as	Visual	100%												
	blue paint mark														

Δ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : DIAMOND PIN		ITEM CODE : 1656090		DRG.No : 0511095 b		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 14m6+.007/+0.018	Mic 0.001	5/lot													
02	Dim 38(±0.10)	Vernier0.02	5/lot													
03	Dim. 16(±0.20)	Vernier0.02	5/lot													
04	Dim. 10(±0.20)	Vernier0.02	5/lot													
05	Hard & Temp. 35-40 HRc	H/ Tester	5/lot													
06	Angle 60°	Visual.	5/lot													
07	Chemfer 1×45° Chemfer 1.5 x 45°	Visual	100%													
08	No sharp edges no burs & no rust	Visual	100%													
09	V. Code as blue paint mark	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Connecting link Assly		ITEM CODE : 2121529		DRG.No : 721523/b		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing 2.5 (+0.2)$ (2 nos)	Plug Gauge	5/Lot													
02	Dim. 320-366	Scale	5/Lot													
03	Dim. 9 (± 1.00)	Vernier 0.02	5/Lot													
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot													
05	M 8	TRG	5/Lot													
06	M 8 (L H)	TRG	5/Lot													
07	Dim 255 (± 2.50)	Vernier 0.02	5/Lot													
08	Dim 60 (± 1.50)	Vernier 0.02	5/Lot													
09	Dim 75 (± 0.30)	Vernier 0.02	5/Lot													
10	Zinc Plating, R8 No crack, proper brazing															
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Accelerator Shaft		ITEM CODE : 2121542		DRG.No : 721544		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 328.00 (±0.80)	Vernier 0.02	5/Lot													
02	Dim. 11 (±0.20)	Vernier 0.02	5/Lot													
03	Dim. 306 (+0.50)	Vernier 0.02	5/Lot													
04	Dim. 12 (-0.20)	Vernier 0.02	5/Lot													
05	Dia. 4 (+0.12) (two nos)	Plug Gauge	5/Lot													
06	Chmfer 0.5X45, Zinc Passivation	Visual	100%													
	(Yellow)															
	V. Code as G /															
	blue paint mark															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Pin For Pedal		ITEM CODE : 2124592		DRG.No : 724594/a		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 30 f8(-0.02 -0.053)	Mic 0.001	5 / lot													
02	Ø19.6 h13(-0.33)	Vernier 0.02	5 / lot													
03	Dim 113 (+0.20)	Vernier 0.02	5 / lot													
04	Ø 28.6 h12(-0.21)	Vernier 0.02	5 / lot													
05	DIM. 70 (0+0.2)	Vernier 0.02	5 / lot													
06	Dim. 1.6h13(+0.14)	Vernier 0.02	5 / lot													
07	M 24x2	TRG	5 / lot													
08	DIM 36 (±0.3)	Vernier 0.02	5 / lot													
09	Vender Code as G	Visual	100 %													

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : FORK PIN		ITEM CODE : 2531252		DRG.No : 921254		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 38 e8(-0.05/-0.09)	Mic. 0.01	5 / lot													
02	I D 24.10 (+0.20)	Plug Gauge	5 / lot													
03	Dim. 44 (±0.30)	Vernier 0.02	5 / lot													
04	Dim. 28 (±0.20)	Vernier 0.02	5 / lot													
05	M10×1	T P G	5 / lot													
06	Dim. 96 (+0.30)	Vernier 0.02	5 / lot													
07	Greece gallery Present & no cracks	Visual	100%													
08	Holes Ø 4 (2Nos.) Ø 9 through	Visual	100%													
09	No sharp edges no burs & chf 1×45°	Visual	100%													
10	Zinc Plating Vender Code as G	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : SPACER ROD		ITEM CODE : 2531628		DRG.No : 921624/a		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 133 (± 0.50)	Vernier 0.02	5 / lot													
02	A/F 13 (± 0.20)	Vernier 0.02	5 / lot													
03	M 8 x 1.25	TRG	5 / lot													
04	M 8 x 1.25	TPG	5 / lot													
05	Alignment of nut & ID 9 up to 45mm	Bolt M8	5 / lot													
06	Zinc Pasivation & Proper welding	Visual	100%													
	No sharp edge, no dents, no burs,															
	Vender Code as G															

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : SPACER ROD		ITEM CODE : 2533224		DRG.No : 923224		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 92 (±0.30)	Vernier0.02	05 / lot													
02	A/F 13 (±0.20)	Vernier0.02	05 / lot													
03	M 8 x 1.25	TRG	05 / lot													
04	M 8 x 1.25	TPG	05 / lot													
05	Alignment of nut & ID 9 up to 45mm	Bolt M8	05 / lot													
06	Zinc Pasivation & Proper welding	Visual	100%													
	No sharp edge, no dents, no burs															
	Vender Code as G															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Connecting Link Assly		ITEM CODE : 2536389		DRG.No : 92638		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø2.5 (+0.2) (2 nos)	Plug Gauge	5/Lot													
02	Dim. 295-340	Scale	5/Lot													
03	Dim. 9 (± 1.00)	Vernier 0.02	5/Lot													
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot													
05	M 8	TRG	5/Lot													
06	M 8 (L H)	TRG	5/Lot													
07	Dim 230 (± 2.50)	Vernier 0.02	5/Lot													
08	Dim 60 (± 1.50)	Vernier 0.02	5/Lot													
09	Dim 75 (± 0.30)	Vernier 0.02	5/Lot													
10	Zinc Plating, R8 No crack, proper brazing.	Visual	100%													

Δ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Guideblock		ITEM CODE : 2562868		DRG.No : 212864		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 22.00(±0.20)	Vernier 0.02	5/Lot													
02	Dim 5 (±0.20)	Vernier 0.02	5/Lot													
03	Dim. 12 (-0.20)	Vernier 0.02	5/Lot													
04	Dim. 12h 11 (-0.11)	Mic 0.01	5/Lot													
05	Dia 6.25 (±0.20)	Vernier 0.02	5/Lot													
06	Dia. 8(-0.06)	Mic0.01	5/Lot													
07	Chemfer 0.5 x 45° Zinc Passivation	Visual	100%													
	V. Code as G															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : SCREW STUD		ITEM CODE : 2563770		DRG.No : 213774/b		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dia 16-0.02/-0.05	Mic 0.001	5/Lot													
02	Dia 10 (± 0.20)	Vernier 0.02	5/Lot													
03	Dim 28 (± 0.30)	Vernier 0.02	5/Lot													
04	Dim 22 (± 0.20)	Vernier 0.02	5/Lot													
05	Dim 10.50 (± 0.20)	Vernier 0.02	5/Lot													
06	Dia 9.4 (-0.22)	Vernier 0.02	5/Lot													
07	Dim 17 (± 0.20)	Vernier 0.02	5/Lot													
08	Hardness (55-61Hrc)	Hard Tester	5/Lot													
09	M 12	TRG	5/Lot													
10	Case depth (1.00/2.00)	H/treat report	1/month													
11	No sharp edges no burs, Zinc Passivation	Visual	100%													

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Turn Rod		ITEM CODE : 2563794		DRG.No : 213794		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	M 10 X 1.25	T R G	5/Lot													
02	M10 X 1.25 LH	TRG	5/Lot													
03	Dim. 47 (±0.30)	Vernier 0.02	5/Lot													
04	Dim. 21 (±0.20)	Vernier 0.02	5/Lot													
05	Dim. 17 A/F (-0.27)	Vernier 0.01	5/Lot													
06	Hard & Temp. (22-29Hrc)	H/ Tester	5/Lot													
07	Micro structure	H/ Treatment report	1/month													
08	No crack, dent etc. & Zinc Plating	Visual	100%													
	Vender Code as G															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS					
Part Name : PINTAIL LUG			ITEM CODE : 93320078		DRG.No : BB0073		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION										YES		NO	
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Ø 12.50 (-0.10)	Vernier 0.02	5/Lot												
02	Ø 2.8(±0.10)	Plug Gauge	5/Lot												
03	Dim.35(+0.30)	Vernier 0.02	5/Lot												
04	Dim.40(+1.00)	Vernier 0.02	5/Lot												
05	Dia 18 (±0.20)	Vernier 0.02	5/Lot												
06	Chmfers, R0.5 & No dents & burs	Visual	100%												
07	Zinc Passivation (Yellow)	Visual	100%												
08	V. Code as bluepaint/G	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : PIN small			ITEM CODE : 93320080			DRG.No : BB083		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 10 (-0.10)	Vernier 0.02	5/Lot													
02	Ø 2.8(±0.10)	Plug Gauge	5/Lot													
03	Dim.35(+0.30)	Vernier 0.02	5/Lot													
04	Dim.40(+1.00)	Vernier 0.02	5/Lot													
05	Dia 16 (±0.20)	Vernier 0.02	5/Lot													
06	Chmfers, R0.5 & No dents & burs	Visual	100%													
07	Zinc Passivation (Yellow)	Visual	100%													
08	V. Code as bluepaint/G	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

24

Part Name : ADOPTER		ITEM CODE : 93346500		DRG.No : BD6504		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dia 47 (±0.20)	Vernier 0.02	5/Lot												
02	Dia 14.50 (+0.27)	Vernier 0.01	5/Lot												
03	Dim . 104 (±0.30)	Vernier 0.02	5/Lot												
04	Dim 75 (±0.50)	Vernier 0.02	5/Lot												
05	No sharp edges no burs, Zinc Passivation	Visual	100%												
	Chemfer 1 X 45														
	Vender Code as G														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : SPACER		ITEM CODE : 93348120		DRG.No : S BD8124		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 38.20 (±0.20)	Vernier 0.02	5/Lot													
02	Ø 13 (±0.20)	Vernier 0.02	5/Lot													
03	Dim.22 (±0.20)	Vernier 0.02	5/Lot													
04	No cracks, dents etc. V. C. as G/ blue paint	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : SPACER (for blower shaft)		ITEM CODE : 93348180		DRG.No : BD8184		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 16 (±0.20)	Vernier 0.02	5/Lot													
02	Ø 7 (±0.20)	Vernier 0.02	5/Lot													
03	Dim. 10 (±0.20)	Vernier 0.02	5/Lot													
04	No cracks, dents etc.	Visual	100%													
	V. C. as G/ blue paint															
	& Zinc Plating															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Hand Acc Rod		ITEM CODE : 93410183		DRG.No : BK 0183		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim. 421 (± 3.00)	Layout	5/Lot													
02	M 12	T R G	5/Lot													
03	M16 X 1.5	TRG	5/Lot													
04	Dim.13h8(-0.027)	Mic 0.001	5/Lot													
05	Angle 65° ($\pm 1^\circ$)	Angle Prot	5/Lot													
06	Dim 40 (± 0.50)	Vernier 0.02	5/Lot													
07	Dim.137 (± 1.20)	Vernier 0.02	5/Lot													
08	Dim.62 (± 0.80)	Vernier 0.02	5/Lot													
09	Dim.56 (± 1.00)	Vernier 0.02	5/Lot													
10	Fusion 0.50 min	Vernier 0.02	1/month													
11	Chmfers & No dents & no welding spotter	Visual	100%													

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Pin For FORK		ITEM CODE : 93625102		DRG.No : CB 510 4		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 9.8 h11 (-0.09)	Mic 0.01	5/Lot													
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot													
03	Dim.23.5 (±0.20)	Vernier 0.02	5/Lot													
04	Dim.32.5 (±0.30)	Vernier 0.02	5/Lot													
05	Dia.16 (±0.20)	Vernier 0.02	5/Lot													
06	Chmfers .5X45°, No dents & burs	Visual	100%													
	Zinc Passivation (Yellow)															
	V. Code as bluepaint															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672517		DRG.No : CG2513		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim.480(±2.00)	Vernier 0.0	5/Lot													
02	Dim. 89(±1.00)	Vernier 0.02	5/Lot													
03	M10	TRG	5/Lot													
04	Dim 346 (-0.5/+1.00)	Vernier 0.02	5/Lot													
05	Dia 4 (±0.10)	Vernier 0.02	5/Lot													
06	Dim 74 (±0.30)	Vernier 0.02	5/Lot													
07	Dim. 20 (±1.50)	Vernier 0.02	5/lot													
08	Dia 17 (+1.50)	Vernier 0.02	5/lot													
09	No dents no flash & no mark on knob,	Visual	100%													
	Proper white paint & Zincplating															
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS					
Part Name : FORK-PTO			ITEM CODE : 93627482			DRG.No : CB 7484			REPORT NO.			DATE			
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION										YES		NO	
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dim 8 (+0.2)	Vernier 0.02	5/Lot												
02	Dim 54 (±0.30)	Vernier 0.02	5/Lot												
03	M10	TPG	5/Lot												
04	Dim9 (±0.20)	Vernier 0.02	5/Lot												
05	Sq 18 (±0.20)	Vernier 0.02	5/Lot												
06	Dia 10 (±0.10)	Vernier 0.02	5/Lot												
07	Dim 33.5 (+0.30)	Vernier 0.02	5/Lot												
08	Chemfers 2 x 45°	Visual	100%												
09	ZincPlating (Yellow)	Visual	100%												
	V. Code as G														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : PIN		ITEM CODE : 93351543		DRG.No : BE 154 4		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing 8 (\pm 0.10)$	Vernier 0.02	5/Lot													
02	$\varnothing 2.5 (+0.10)$	Vernier 0.02	5/Lot													
03	Dim.18(± 0.20)	Vernier 0.02	5/Lot													
04	Dim.22(± 0.30)	Vernier 0.02	5/Lot													
05	Dia.14(± 0.20)	Vernier 0.02	5/Lot													
06	Chmfers & No dents & burs	Visual	100%													
	Zinc Passivation (Yellow)															
	V. Code as bluepaint															

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Connecting link(50 hp)		ITEM CODE : 93350679		DRG.No: BE0673		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing 9 (\pm 0.20)$	Vernier 0.02	5/Lot													
02	$\varnothing 2.5 (+0.20)$	Plug Gauge	5/Lot													
03	Dim.9(± 1.00)	Vernier 0.02	5/Lot													
04	Dim. 80(± 3.00)	Vernier 0.02	5/Lot													
05	Dim. 535(± 4.00)	Vernier 0.02	5/Lot													
06	Dim. 400(± 4.00)	Vernier 0.02	5/Lot													
07	Dim.105(± 1.50)	Layout	5/Lot													
08	M 10	TRG	5/Lot													
09	Dim. 120(± 2.50)	Vernier 0.02	5/Lot													
10	Zinc Passivation R25, R12 ,proper brazing	Visual	100%													
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0

FINAL / PRE-DISPATCH INSPECTION REPORT

GREWAL ENGINEERING WORKS

Part Name : DOWEL PIN		ITEM CODE : 93626040		DRG.No : CB6044		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 14m6(+007 /+0.18)	Mic 0.001	5/Lot													
02	Dim 42 (±0.30)	Vernier 0.02	5/Lot													
03	Dim 13.5 (-0.20)	Vernier 0.02	5/Lot													
04	Hard & Temp. 32-38 HRc	H/ Tester	5/Lot													
05	Chemfer 1×30°, 7X20° no burs, no rust	Visual	100%													
	Blue paint mark as Vender code															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Dowel For G1 top Cover		ITEM CODE : 93628747		DRG.No : CB 874 4		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 12f 7 (-.02/-.03)	Mic 0.001	5/Lot													
02	Dim 22 (±0.20)	Vernier 0.02	5/Lot													
03	Dim 11 (±0.20)	Vernier 0.02	5/Lot													
04	Hard & Temp. 40 - 45 HRC	H/ Tester	5/Lot													
05	Chemfer 1.5×15° & R12, no burs, no rust	Visual	100%													
	Blue paint mark as Vender code															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : DOWEL PIN		ITEM CODE : 1656089		DRG.No : 05 11085/b		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	$\varnothing 14m6+0.007/+0.018$	Mic 0-25	5/lot												
02	Dim 38 (± 0.10)	Vernier 0.02	5/lot												
03	Hard & Temp. 40 - 45 HRC	H/ Tester	5/lot												
04	Chemfer 1.5 $\times$ 45 $^{\circ}$ & 3 $\times$ 30 $^{\circ}$	Visual	100%												
	no burs & no rust														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : PINFORPAWL		ITEM CODE : 93311260		DRG.No : BA1264		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	M 10	Vernier0.02	5/Lot												
02	Dim. 38(±0.30)	Vernier0.02	5/Lot												
03	Dim. 20(±0.20)	Vernier0.02	5/Lot												
04	Dia. 14 (+0.018/+0.029)	Mic 0-001	5/Lot												
05	Dim.13.50(-0.20)	Vernier0.02	5/Lot												
06	Chemfer 2X15°, 1X45°, Vender. Code as blue paint mark	Visual	100%												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : NUT WHEEL		ITEM CODE : 253 565 8		DRG.No : 92 565 4		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	M16 x 1.5	TPG	5/lot													
02	A / F 27 (-0.84)	Vernier.02	5/lot													
03	Dim 18(+1.00)	Vernier.02	5/lot													
04	Dim 36±(1.00)	Vernier.02	5/lot													
05	Hard & Temp. (14-28Hrc)	H/ Tester	5/lot													
06	Convexty of face	St edge	5/lot													
07	No Crack	Magnaflex m/c	10/Lot													
08	Micro structure	H/ Treatment report	1/month													
09	Zinc Plating (10micmn)	Zn plating report	5/lot													
10	2.7 min, No crack Vender Code as "G"	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : NUT WHEEL		ITEM CODE : 2125663		DRG.No : 725664		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	DIM. 30 A/F(-0.30)	Vernier.02	5/lot												
02	M16×1.5 (After surface treatment)	TPG	5/lot												
03	DIM. 5.5 (+0.20)	layout	5/lot												
04	Ø29.00(±0.2)	Vernier.02	5/lot												
05	DIM.19.5(±0.2)	Vernier.02	5/lot												
06	HARDNESS 14-28Hrc	Hardness Tester	5/lot												
07	No Crack	Magnaflex m/c	10/Lot												
08	Micro structure	H/ Treatment report	1/month												
09	Zinc Plating (10micmn)	Zn plating report	5/lot												
10	Chmf 30°, No crack Vender Code as "G"	Visual	100%												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Wheel Nut			ITEM CODE : 2536936		DRG.No : 926934		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
2.		Heat treatment cut sample enclosed.														
3.		Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	M14 x 1.5	TPG	5/lot													
02	A / F 22 (-0.40)	Vernier.02	5/lot													
03	Dim 14(+1.00)	Vernier.02	5/lot													
04	Dim 29±(1.00)	Vernier.02	5/lot													
05	Hard & Temp. 14-28HRc	H/ Tester	5/lot													
06	Convexty of face	St edge	5/lot													
07	No Crack	Magnaflex m/c	10/Lot													
08	Micro structure	H/ Treatment report	1/month													
09	Zinc Plating (10micmn)	Zn plating report	5/lot													
10	2 mm min, No crack Vender Code as "G"	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT										GREWAL ENGINEERING WORKS			
Part Name : HOOK		ITEM CODE : 9349605		DRG.No : BK 9603		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dia 3.20 (±0.10)	Vernier 0.02	5/Lot												
02	Dia 12 (±0.20)	Vernier 0.02	5/Lot												
03	Dim 8 (±0.20)	Vernier 0.02	5/Lot												
04	Dim 13 (+1.00)	Vernier 0.02	5/Lot												
05	Dim 90 (±1.50)	Vernier 0.02	5/Lot												
06	Dia 60 (±1.50)	Vernier 0.02	5/Lot												
07	Dim 214 (+2.00)	Vernier 0.02	5/Lot												
08	Dim 45 (-1.00)	Vernier 0.02	5/Lot												
09	No sharp edges no burs, Zinc Passivation	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0

FINAL / PRE-DISPATCH INSPECTION REPORT

GREWAL ENGINEERING WORKS

Part Name : Tention Tie Assly		ITEM CODE : 1343002		DRG.No : 573003		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2.5 (+0.2) (2 nos)	Plug Gauge	5/Lot													
02	Ø 6 (±.10)	Vernier 0.02	5/Lot													
03	Dim. 475-532 (Calculated)	Scale	5/Lot													
04	Dim. 5 (±0.50)	Vernier 0.02	5/Lot													
05	Dim. 16 (±1.00)	Vernier 0.02	5/Lot													
06	A/F 13 (-0.20)	Vernier 0.02	5/Lot													
07	M8	TPG	5/Lot													
08	M8 L H	TPG	5/Lot													
06	Proper brazing all over R8 (2 nos.)	Visual	100 %													
	Zinc Plating (yellow)															
	No crack, dent & V. C. as blue paint															
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Rear Latch		ITEM CODE : 1573305		DRG.No : 073304		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 6 (±0.10)	Vernier 0.02	5/lot												
02	M 6	TRG	5/lot												
03	Dim. 182 (±2.50)	Vernier 0.02	5/lot												
04	Dim. 115 (±1.50)	Vernier 0.02	5/lot												
05	Dim. 20 (±1.00)	Vernier 0.02	5/lot												
06	Dim 25 (±1.00)	Vernier 0.02	5/lot												
07	R16, R3, R1, R6 No sharp edges	Visual	100%												
	no burs, Zinc Plating														
	V. C. as blue paint														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : LINKUPPER		ITEM CODE : 1680559		DRG.No : 290534		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot													
02	Ø 8 (±.20)	Vernier 0.02	5/lot													
03	Dim. 364(±1.00)	Vernier 0.02	5/lot													
04	Dim. 22 (±0.50)	Vernier 0.02	5/lot													
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot													
06	Dim. 12 (±0.50)	Vernier 0.02	5/lot													
07	Dim. 7 (±0.30)	Vernier 0.02	5/lot													
08	Dim. 9 (±0.30)	Vernier 0.02	5/lot													
09	Proper brazing all over R8 (2nos.) &	Visual	100%													
	No crack, dent Vender Code as "G"															
△ =Under Devation, O = OK, X = Segeregated																
12	INSPECTED BY			VE						APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Hand Acc Link		ITEM CODE : 93414322		DRG.No : BK4324		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing$ 2.5 (+0.1/-0.05)	Plug Gauge	5/lot													
02	$\varnothing$ 8 ($\pm$.20)	Vernier 0.02	5/lot													
03	Dim. 16 ($\pm$ 1.00)	Vernier 0.02	5/lot													
04	Dim. 10 ($\pm$ 1.00)	Vernier 0.02	5/lot													
05	Dim. 10 ($\pm$ 1.00) (2nd side)	Vernier 0.02	5/lot													
06	Dim. 147 ($\pm$ 2.50)	Vernier 0.02	5/lot													
07	Proper brazing all over, R8	Visual	100%													
	No crack, dents etc.& V. C. as blue paint															

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS							
Part Name : J-Bolt			ITEM CODE : 2125183			DRG.No : 725184			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION										YES		NO			
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2.		Heat treatment cut sample enclosed.															
3.		Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Dim.234(±2.500)	Vernier 0.02	5/lot														
02	Dim.35(±1.50)	Vernier 0.02	5/lot														
03	Dim.28(12+16)(±1.00)	Vernier 0.02	5/lot														
04	Dia 8 (±0.20)	Vernier.02	5/lot														
05	M 8	TRG	5/lot														
06	Washer OD 17(-0.400)	Vernier.02	5/lot														
07	Washer Th 1.6(+0.20)	Vernier.02	5/lot														
08	No dents, No line marks	Visual	100%														
	proper Brazing & R8																
	Zincplating																
	Vender Code as "G"																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : LINKUPPER		ITEM CODE : 93423426		DRG.No BL 3423		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	$\varnothing 2 (+0.2)$	Plug Gauge	5/lot													
02	$\varnothing 8 (\pm .20)$	Vernier 0.02	5/lot													
03	Dim. 358(+3.00)	SPG	5/lot													
04	Dim. 22 (± 0.50)	Vernier 0.02	5/lot													
05	Dim. 14 (± 0.50)	Vernier 0.02	5/lot													
06	Dim. 12 (± 0.50)	Vernier 0.02	5/lot													
07	Dim. 7 (± 0.30)	Vernier 0.02	5/lot													
08	Dim. 9 (± 0.30)	Vernier 0.02	5/lot													
09	Proper brazing	Visual	100%													
	R8 (2nos.) R 230 &															
	No crack, dent etc.&															
	Vender Code as "G"															

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Mounting Brkt			ITEM CODE : 2535464			DRG.No : 925464			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 5 (±0.10)	Vernier 0.0	5/lot													
02	Dim 90 ± 1.50	Vernier 0.02	5/lot													
03	Dim. 70±1.50	Vernier 0.02	5/lot													
04	Dim. 70+0.30	Vernier 0.02	5/lot													
05	Dim. 31±1.50	Vernier 0.02	5/lot													
06	Dim. 21±1.00	Vernier 0.02	5/lot													
07	Dim. 10+0.36	Vernier 0.02	5/lot													
08	Dim. 13.5 ±1.00	Vernier 0.02	5/lot													
09	R20, R8, R5, R10 Vender Code as "G"	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Foot Acc Pedal			ITEM CODE : 2535476		DRG.No : 925473		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
2.		Heat treatment cut sample enclosed.														
3.		Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dia. 12 (±0.10)	Vernier 0.02	5/lot													
02	Dia 25 (±0.20)	Vernier 0.02	5/lot													
03	Dia 4 H12(+0.12)	Plug Gauge	5/lot													
04	Dia 12 H11 (+0.11)	Plug Gauge	5/lot													
05	Dim 75 (±1.50)	Vernier 0.02	5/lot													
06	Dim. 142 (±2.50)	Vernier 0.02	5/lot													
07	Dim. 15 (±0.20)	Vernier 0.02	5/lot													
08	Angle 116 (±1°)	Angle Prot	5/lot													
09	Chemfer, No Welding, spotter, R24	Visual	5/lot													
10	Fusion 0.50mm min	Vernier 0.02	1/month													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Hand Acc Rod		ITEM CODE : 93372601		DRG.No : BD 260 3		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim.415 (-3.00)	Vernier 0.02	5/Lot												
02	CD 15($\pm$ 0.2)	Vernier 0.02	5/lot												
03	Dia 6.5+0.3	Vernier 0.02	5/lot												
04	Dim.13h8(-0.027)	Mic 0.001	5/lot												
05	Dim.8($\pm$ 0.30)	Vernier 0.02	5/Lot												
06	Dia 16($\pm$ 0.10)	Vernier 0.02	5/Lot												
07	Dim.137 ($\pm$ 1.20)	Vernier 0.02	5/lot												
08	Dim.62 ($\pm$ 0.80)	Vernier 0.02	5/lot												
09	Dim.14.5($\pm$ 0.20)	Vernier 0.02	5/Lot												
10	Dia 12($\pm$ 0.20)	Vernier 0.02	5/Lot												
11	Chmfers & No dents & no weldings spotter	Visual	100%												
Δ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Hand Acc Lever		ITEM CODE : 93340533		DRG.No : 841724		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim.222(±2.50)	Vernier 0.02	5/Lot												
02	M 12	T P G	5/lot												
03	M8	TRG	5/lot												
04	Dim.17(±1.00)	Vernier 0.02	5/Lot												
05	A/F 19 (-0.20)	Vernier 0.02	5/lot												
06	Ø 12 (±0.20)	Vernier 0.02	5/Lot												
07	Ø 6 (-0.22)	Vernier 0.02	5/Lot												
08	Chmfers & No dents & no weldingspotter	Visual	100%												
09	Proper Black Powder Coating	Powder coaters report	5/lot												
10	Fusion 0.50mm min	Vernier 0.02	1/month												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name Connecting link (Fuel pump)		ITEM CODE : 93347850		DRG.No : BD 7853		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim. 9 (±1.00)	Vernier 0.02	5/lot												
02	Dim. 100 (±1.50) (Threading length)	Vernier 0.02	5/lot												
03	Dim. 400 (±4.00)	Scale	5/lot												
04	Dim. 150 (±2.50)	Vernier 0.02	5/lot												
05	Dim 85 (±1.50)	Layout	5/lot												
06	M 10	TRG	5/lot												
07	Dia 2.5 (±0.10)	P G	5/lot												
08	Dim 14 (±1.00)	Vernier 0.02	5/lot												
09	Dia 9 (±0.20)	Vernier 0.02	5/lot												
10	Proper brazing No crack, dents etc	Visual	100 %												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672529		DRG.No : CG2523		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim.400(± 4.00)	Vernier	5/Lot													
02	Dim. 89(± 1.00)	Vernier 0.02	5/lot													
03	M10	TRG	5/Lot													
04	Dia12 (± 0.20)	Mic 0.01	5/Lot													
05	Dim. 36 (± 1.50)	Vernier 0.02	5/lot													
06	Dia 17 ($+1.50$)	Vernier 0.02	5/lot													
07	No dents no flash & no mark on knob,	Visual	100%													
	Proper white paint & Zincplating															

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Tension Tie Assly		ITEM CODE : 93330760		DRG.No : BC0763		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION								YES		NO				
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2.5 (+0.2) (2 nos)	Pluge Gauge	5/lot													
02	Ø 6 (±.10)	Vernier 0.02	5/lot													
03	Dim.(372-412)	Scale	5/lot													
04	Dim. 5 (±0.50)	Vernier 0.02	5/lot													
05	Dim. 16 (±1.00)	Vernier 0.02	5/lot													
06	Proper brazing R8 (2 nos.)	Visual	100%													
	Zinc Plating (Yellow)															
	No crack, dent & V. C. as blue paint															

△ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Nut f. delivery pipe		ITEM CODE : 1931866		DRG.No : 601864/ C		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 16 +0.15/+0.26	Plug Gauge	05 / lot												
02	Dim 20.50 (±0.20)	Vernier 0.02	05 / lot												
03	Dim 14.50 (±0.20)	Vernier 0.02	05 / lot												
04	Conc M24 wrt Ø 16 (0.10 Max)	Layout	05 / lot												
05	M 24 X1.5	TPG	05 / lot												
06	DIM 30 (-0.3)	Vernier 0.02	05 / lot												
07	No cracks, Chemfer 45° Visual Zinc Plating (white)		100%												
	Vender Code as "G"														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Coupling Nut		ITEM CODE : 2560331		DRG.No : 210334/ B		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 28 +0.16/+0.29	Plug Gauge	05 / lot												
02	Dim 21.00 (±0.20)	Vernier 0.02	05 / lot												
03	Dim 14.00 (±0.20)	Vernier 0.02	05 / lot												
04	Conc M36 wrt Ø 28 (0.10 Max)	Layout	05 / lot												
05	M 36 X2	TPG	05 / lot												
06	DIM 41 (-0.4)	Vernier 0.02	05 / lot												
07	No cracks, Chemfer 45° Visual Zinc Plating (white)		100%												
	Vender Code as "G"														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Stopper bolt		ITEM CODE : 2562080		DRG.No : 212084		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 16 (±0.20)	Vernier 0.02	05 / lot													
02	Dim 57.00 (±0.30)	Vernier 0.02	05 / lot													
03	Dim 5.00 (±0.20)	Vernier 0.02	05 / lot													
04	Dim 1.5 (+0.30)	Vernier 0.02	05 / lot													
05	M 6 X1	TRG	05 / lot													
06	DIM 25 (+2.00)	Vernier 0.02	05 / lot													
07	DIM 7.5 (+0.20)	Vernier 0.02	05 / lot													
08	No cracks, Chemfer 45° Visual Zinc Plating (white)		100%													
	Vender Code as "G"															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Spacer		ITEM CODE : 2121487		DRG.No : 241115/ E		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 20(±0.20)	Vernier 0.02	5/Lot													
02	Ø 12 H11 (+0.11)	Plug Gauge	5/Lot													
03	Dim. 26 (+0.50)	Vernier 0.02	5/Lot													
04	No cracks, dents etc.	Visual	100%													
	V. C. as G/ blue paint															
	& Zinc Plating															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS					
Part Name : Spacer		ITEM CODE : 1611112		DRG.No : 241115/ E		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 20(±0.20)	Vernier 0.02	5/Lot												
02	Ø 12 H11 (+0.11)	Plug Gauge	5/Lot												
03	Dim. 18 (+0.50)	Vernier 0.02	5/Lot												
04	No cracks, dents etc.	Visual	100%												
	V. C. as G/blue paint & Zinc Plating														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Bush f. main shaft		ITEM CODE : 1012174		DRG. No : 020255/ a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	$\varnothing$ 63.75 ($\pm$ 0.20)	Vernier 0.02	5/Lot												
02	$\varnothing$ 40A11 (+0.30 /+0.430)	Plug Gauge	5/Lot												
03	Dim. 15 ($\pm$ 0.20)	Vernier 0.02	5/Lot												
03	Paralism 0.03	Mic 0.01	5/Lot												
04	No cracks, dents etc. V. C. as G/ blue paint	Visual	100%												

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : U-Bolt		ITEM CODE : 93343716		DRG.No : BD3714		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim. 68(±1.50)	Vernier 0.02	5/Lot													
02	M 8	T R G	5/lot													
04	Dim. 30(±2.00)	Vernier 0.02	5/Lot													
05	Dim 51 (+0.80)	Vernier 0.02	5/lot													
06	Ø 8 (-1.00)	Vernier 0.02	5/Lot													
07	R 20.5+1	R. Gauge	5/Lot													
08	Chemfers & No dents	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimation

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Link Bottom		ITEM CODE : 93417505		DRG.No : BK7504		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2 (+0.06)	Plug Gauge	5/lot													
02	Ø 8 (±.20)	Vernier 0.02	5/lot													
03	Dim. 18 (±1.00)	Vernier 0.02	5/lot													
04	Dim. 8 (+0.20)	Vernier 0.02	5/lot													
05	Dim. 8 (+0.20) (2nd side)	Vernier 0.02	5/lot													
06	Dim. 102 (±1.00)	Vernier 0.02	5/lot													
07	Proper brazing allover, R8	Visual	100%													
	No crack, dents etc.& V. C. as blue paint															

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimation

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : Foot acc shaft			ITEM CODE : 93417426		DRG.No : BK7423		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 215.00 (+0.80)	Vernier 0.02	5/Lot													
02	Dim. 10 (±0.20)	Vernier 0.02	5/Lot													
03	Dim. 16 (±0.20)	Vernier 0.02	5/Lot													
04	Dim. 65 (+1.00)	Vernier 0.02	5/Lot													
05	Dia. 10 (-0.10)	Vernier 0.02	5/Lot													
06	Dia. 4 (+0.12)	Plug Gauge	5/Lot													
07	Dia. 8.3 (±0.20)	Vernier 0.02	5/Lot													
08	Dia. 3 (±0.20)	Vernier 0.02	5/Lot													
09	Angle 5° (±1.00°)	layout	5/Lot													
10	Chmfer 1X45°, proper welding	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS					
Part Name : Hand acc rod			ITEM CODE : 93417440		DRG.No : BK7443/a		REPORT NO.			DATE						
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot													
02	Dim. 8 (±0.20)	Vernier 0.02	5/Lot													
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot													
04	Dim. 193 (+0.50)	Vernier 0.02	5/Lot													
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot													
06	Dia. 6.4 (±0.20)	Vernier 0.02	5/Lot													
07	Dia.12 (±0.20)	Vernier 0.02	5/Lot													
08	Dia. 18 (±0.20)	Vernier 0.02	5/Lot													
09	Angle 10° (±1.00°)	layout	5/Lot													
10	Chmfer 1X45°, proper welding	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS				
Part Name : Hand acc rod			ITEM CODE : 93415296		DRG.No : BK5293/p		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dim.456(+2.00)	Vernier0.02	5/Lot												
02	Dim 137 (±1.00)	Vernier0.02	5/lot												
03	M16 X 1.5	TRG	5/lot												
04	Dim.13h8 (-0.027)	Mic 0.001	5/lot												
05	CD 15 (±0.20)	Vernier0.02	5/lot												
06	Dim 6.5 (+0.360)	Vernier 0.02	5/Lot												
07	Dim 25 (±1.00)	Vernier 0.02	5/Lot												
08	Dim.70(±1.00)	Vernier 0.02	5/Lot												
09	Dim.8 (±0.20)	Vernier 0.02	5/Lot												
10	Chmfers & No dents & proper welding	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc shaft		ITEM CODE : 93415260		DRG.No : BK5264/P		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 387.00 (± 0.80)	Vernier 0.02	5/Lot												
02	Dim. 11 (± 0.20)	Vernier 0.02	5/Lot												
03	Dim. 365 (-1.00)	Vernier 0.02	5/Lot												
04	Dim. 12 (-0.20)	Vernier 0.02	5/Lot												
05	Dia. 4 ($+0.12$) (two nos)	Plug Gauge	5/Lot												
06	Chmfer 0.5X45°, Zinc Passivation (Yellow) V. Code as G/ blue paint mark	Visual	100%												

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT										GREWAL ENGINEERING WORKS					
Part Name : Nylon Bush		ITEM CODE : 93417463		DRG.No : BK7464		REPORT NO.				DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.				VENDER CODE							
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Ø 24 (±0.20)	Vernier 0.02	5/Lot														
02	Ø 12 (+0.20)	Vernier 0.02	5/Lot														
03	Dim. 20 (+0.20)	Vernier 0.02	5/Lot														
04	Dim. 4 (±0.20)	Vernier 0.02	5/Lot														
05	No cracks, dents etc.	Visual	100%														
	Chf 0.5 x 45°																
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																	
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated. YES () NO () YES () NO ()																	

Part Name : Plat Brake Mechanism)		ITEM CODE : 93417554		DRG.No : BK7554		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 98.5 (± 0.30)	Vernier 0.0	5/lot												
02	Dim 60 (± 0.30)	Vernier 0.02	5/lot												
03	Dia 10.50 ($+0.20$)	Vernier 0.02	5/lot												
04	Dia 12.50 ($+0.20+0.40$)	Vernier 0.02	5/lot												
05	Dim. 4 ± 0.10	Vernier 0.02	5/lot												
06	R12.5	Visual	100%												
	Vender Code as "G"														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Hand acc lever		ITEM CODE : 93415272		DRG.No : BK5273/P		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim.200(± 2.5)	Layout	5/Lot													
02	Dim. 12.5 (± 0.20)	Vernier	5/Lot													
03	M8	TRG	5/Lot													
04	Dia.20(± 0.20)	Vernier 0.02	5/Lot													
05	Dia 6.5 (+0.36)	-do-	5/Lot													
06	C D 15 (± 0.20)	Vernier 0.02	5/Lot													
07	Dim 200 (± 2.50)	Vernier 0.02	5/Lot													
08	Dim. 9.5 (± 0.20)	Vernier 0.02	5/Lot													
08	Chmfers & No dents & proper welding	Visual	100%													
	Proper Black Power Coating															

Δ = Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS							
Part Name : Pin dowel 8*20			ITEM CODE : 93651370			DRG.No : CE1374			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION										YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Ø 8m6+0.006/+0.015	Mic 0.001	5/lot														
02	Dim 20 (±0.20)	Vernier 0.02	5/lot														
03	Dim 3.5 (±0.20)	Vernier 0.02	5/lot														
04	Chemfer 1.5×45° & 3x30°	Visual	100%														
	no burs & no rust																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Connecting link Assly		ITEM CODE : 93418352		DRG.No : BK83542		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø2.5 (+0.1)	Plug Gauge	5/Lot													
02	Dim.222-272	Scale	5/Lot													
03	Dim. 10 (±1.00)	Vernier 0.02	5/Lot													
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot													
05	M 8	TRG	5/Lot													
06	M 8 (L H)	TRG	5/Lot													
07	Dim 116(+4.00)	Vernier0.02	5/Lot													
08	Dim 101(+4.00)	Vernier0.02	5/Lot													
09	Dim 75(±0.30)	Vernier0.02	5/Lot													
10	Zinc Plating, R8 No crack,proper brazing	Visual	100 %													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT						GREWAL ENGINEERING WORKS							
Part Name : Dowel Pin			ITEM CODE : 1968889			DRG.No : BE 535 4			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 14 (+.01 /+0.02)	Mic 0.001	5/Lot													
02	Dim 38 (±0.30)	Vernier 0.02	5/Lot													
03	Dim 13..00 (±0.10)	Vernier 0.02	5/Lot													
04	Hard & Temp. 32-38 HRc	H/ Tester	5/Lot													
05	Chemfer 1×45°, 4 X20° no burs, no rust	Visual	100%													
	Blue paint mark as Vender code															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES ()

NO ()

YES ()

NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Pin forClutch			ITEM CODE :93355354			DRG.No : BE 5354		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 36 (± 0.3)	Vernier 0.02	5/Lot													
02	Dim 31 (± 0.3)	Vernier 0.02	5/Lot													
03	Dim 22 (± 2.0)	Vernier 0.02	5/Lot													
04	Dia 12 (± 0.2)	Vernier 0.02	5/Lot													
05	M 12	T.R.G	5/Lot													
06	A / F 17 (± 0.2)	Vernier 0.02	5/Lot													
07	Zn Plating, Chemfer, no burs	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT						GREWAL ENGINEERING WORKS							
Part Name : Pin for Clutch			ITEM CODE : 93333528			DRG.No : BC3524			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO				
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
2.		Heat treatment cut sample enclosed.														
3.		Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 50 (± 0.3)	Vernier 0.02	5/Lot													
02	Dim 16 (± 0.2)	Vernier 0.02	5/Lot													
03	Dim 13 (± 2.0)	Vernier 0.02	5/Lot													
04	Dim 5 (± 0.2)	Vernier 0.02	5/Lot													
05	Dia 10 (± 0.2)	Vernier 0.02	5/Lot													
06	M 10	T.R.G	5/Lot													
07	A / F 17 (± 0.2)	Vernier 0.02	5/Lot													
08	Chemfer, no burs & no rust	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS							
Part Name : Diamond Pin			ITEM CODE : 1011807			DRG.No: 02 2915			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION										YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Ø 10m6+.007/+.018	Mic 0.001	5/lot														
02	Dim 22 (±0.20)	Vernier0.02	5/lot														
03	Dim. 10 (±0.20)	Vernier0.02	5/lot														
04	Dim. 7 (±0.20)	Vernier0.02	5/lot														
05	Angle 60°	Visual.	5/lot														
06	Chemfer 1.5×30° Chemfer 1.5 x 30°	Visual	100%														
07	No sharp edges no burs & no rust	Visual	100%														
08	V. Code as bluepaintmark	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

75

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS							
Part Name : Diamond Pin			ITEM CODE :1511154			DRG.No :26 1155			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Ø 12m6+.007/+.018	Mic 0.001	5/lot														
02	Dim 25 (±0.20)	Vernier0.02	5/lot														
03	Dim. 12 (±0.20)	Vernier0.02	5/lot														
04	Dim. 8 (±0.20)	Vernier0.02	5/lot														
05	Angle 60°	Visual.	5/lot														
06	Chemfer 1.5×30° Chemfer 1.5 x 30°	Visual	100%														
07	No sharp edges no burs & no rust	Visual	100%														
08	V. Code as bluepaintmark	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Fulcrum Pin			ITEM CODE : 93333206		DRG.No: BC 320 4		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION							YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim.55 (±0.30)	Vernier 0.02	5/Lot												
02	M 10X1.5	T P G	5/Lot												
03	Ø 12h11 (-0.11)	Mic 0.01	5/Lot												
04	Dim.37.3 (±0.20)	Vernier 0.02	5/Lot												
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot												
06	Chmfers & No dents & burs, Zinc Passivation	Visual	100%												
	(Yellow) V. Code as blue paint mark														
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY _____ APPROVED BY _____															
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT										GREWAL ENGINEERING WORKS					
Part Name : Pin Dowel		ITEM CODE : 93651666		DRG.No: C E 1664		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED						DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ	O X	
01	Ø 14m6+.007/+.018	Mic 0.001	5/lot														
02	Dim 26 (±0.30)	Vernier0.02	5/lot														
03	Dim 6 (±0.20)	Vernier0.02	5/lot														
04	Chemfer 3×15°	Visual	100%														
	& 1x45°																
	no burs & no rust																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT										GREWAL ENGINEERING WORKS				
Part Name : TTPlug		ITEM CODE : 93718542		DRG.No : DA8544/P		REPORT NO.				DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.				VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	A/F 19 (-0.20)	Vernier 0.02	5/Lot													
02	M 14*1.5	TRG	5/Lot													
03	M 6*1	TPG	5/Lot													
04	Tap Depth 9+1.00	Bolt M 6	5/Lot													
05	Dim 11.00 (±0.20)	Vernier 0.02	5/Lot													
06	No sharp edges no burs, Zinc Passivation	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES ()

NO ()

YES ()

NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Clamping bolt			ITEM CODE : 93421417 DRG.No : BL1414							REPORT NO.			DATE			
Lot Size		Lot No		Challan No/Dt.				MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dia 7 (+0.2)	Mic 0.01	5/Lot													
02	Dim. 50 (±1.50)	Vernier 0.02	5/lot													
03	M8	TRG	5/Lot													
04	Dim 210 (±2.50)	Vernier 0.02	5/Lot													
05	Dim 18 (±1.0)	Vernier 0.02	5/lot													
06	Chmfers, No dents R 6	Visual	100%													
	Zinc Plating															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

80

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS					
Part Name : Pin With Head			ITEM CODE : 1011765		DRG.No : 020815		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION							YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dia.14(±0.20)	Vernier 0.02	5/Lot												
02	Ø 8h11 (-0.09)	MIC 0.01	5/Lot												
03	Ø 2.00H14 (+0.25)	Plug gauge	5/Lot												
04	Dim.22(+0.50)	Vernier 0.02	5/Lot												
05	Dim.32(±0.30)	Vernier 0.02	5/Lot												
06	Dim.28(±0.30)	Vernier 0.02	5/Lot												
07	Chmfers 2x30, 1x45 & R0.5	Visual	100%												
08	Zinc Passivation (Yellow)	Visual	100%												
09	V. Code as blue paint mark /G	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark /Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : Connecting Limk			ITEM CODE : 93357340		DRG.No : BE 734 3		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dia. 9 (±0.20)	Vernier 0.02	5/lot													
02	Dim. 110 (±1.50) (Threading length)	Vernier 0.02	5/lot													
03	Dim. 510 (±4.00)	Scale	5/lot													
04	Dim. 140 (+10)	Vernier 0.02	5/lot													
05	Dim 82.3 (±1.50)	Layout	5/lot													
06	M 10	TRG	5/lot													
07	Dia 2.5 (±0.10)	PG	5/lot													
08	Dim 14 (±1.00)	Vernier 0.02	5/lot													
09	Dim 9 (±1.00)	Vernier 0.02	5/lot													
10	Proper brazing R 15, Zn plating. Vender Code as "G"	Visual	100 %													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT						GREWAL ENGINEERING WORKS						
Part Name : Push Rod			ITEM CODE : 93719080		DRG.No : DA 9084		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	A/F 8 (-0.20)	Vernier 0.02	5/lot												
02	Dim. 20 (+2.00) (Threading length)	Vernier 0.02	5/lot												
03	Dim. 30 (±1.00)	Vernier 0.02	5/lot												
04	Dim. 5.5 (±0.20)	Vernier 0.02	5/lot												
05	M 6	TRG	5/lot												
06	R 15 (±1.00)	R G	5/lot												
07	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot												
08	Hardness (55-61Hrc)	Hard Tester	5/Lot												
09	Case depth (1.00/2.00)	H/treat report	1/Lot												
10	Zn plating.Vender Code as "G"	Visual	100 %												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Connecting Pin			ITEM CODE : 93715772		DRG.No : DA 5774		REPORT NO.			DATE						
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO				
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 10(±1.00)	Mic 0.01	5/lot													
02	Dia. 8 (+0.025/+0.061) P G		5/lot													
03	Dia. 8(-0.09)	Mic 0.001	5/lot													
04	Dia. 6(-0.08)	S G	5/lot													
05	Dim 0.74 (0.05)	Slip Gauge	5/Lot													
06	Dim 11(+0.30)	Vernier 0.02	5/lot													
07	Dim 8(-0.30)	Vernier 0.02	5/lot													
08	Dim 13 (±0.20)	Vernier 0.02	5/lot													
09	Dim 16 (±0.20)	Vernier 0.02	5/lot													
10	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot													
11	Pep of hole to Dia 8 0.15	Layout	5/Lot													
12	Zn plating.Vender Code as "G"Chf .5x45	Visual	100 %													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Acc shaft			ITEM CODE : 93359128		DRG.No : BE9124		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 387.00 (± 0.80)	Vernier 0.02	5/Lot													
02	Dim. 11 (± 0.20)	Vernier 0.02	5/Lot													
03	Dim. 365 (-1.00)	Vernier 0.02	5/Lot													
04	Dim. 12 ($-0.1/-0.20$)	Mic 0.01	5/Lot													
05	Dia. 4 ($+0.12$) (two nos)	Plug Gauge	5/Lot													
06	Dim 37.00 (-0.50)	Dg Vernier 0.01	5/Lot													
07	Dim 65.00 (± 0.50)	Dg Vernier 0.01	5/Lot													
08	Dim 1.25 ($+0.06$)	Slip Gauge	5/Lot													
09	Dia 10 (-0.09)	Snap Gauge	5/Lot													
11	Chmfer 1.00X45°, Zinc Passivation, V. C. as blue paint	Visual	100%													
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS					
Part Name : Connecting Link			ITEM CODE : 93359220		DRG.No : BE9224		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION							YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 2 (+0.10) (2 Nos)	Plug Gauge	5/lot												
02	Ø 8 (±.20)	Vernier 0.02	5/lot												
03	Dim. 14 (±1.00)	Vernier 0.02	5/lot												
04	Dim. 10 (±.50)	Vernier 0.02	5/lot												
05	Dim. 9.0 (±.50)	Vernier 0.02	5/lot												
06	Dim. 267 (+ 1.00)	SPG	5/lot												
07	Pin dia 8 ((±0.10)	Vernier 0.02	5/lot												
08	Dim 45 (±0.80)	Vernier 0.02	5/lot												
09 .	Proper brazing	Visual	100%												
	all over, R8, Zn plating														
	V C as blue paint mark														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS									
Part Name : PinDowel			ITEM CODE : 93662020		DRG.No : CF 2024		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION							YES		NO						
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No		Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
						1	2	3	4	5	6	7	8	9	10	Δ O X	
01		Ø 14 (+.007 /+0.018)	Mic 0.001	5/Lot													
02		Dim 100 (±0.30)	Vernier 0.02	5/Lot													
03		Dim 6..00 (±0.10)	Vernier 0.02	5/Lot													
04		Hard & Temp. 35-40 HRC	H / Tester	5/Lot													
05		Chemfer 1×45°, 7 X 10° no burs, no rust	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS					
Part Name : Pin Dowel 10.30			ITEM CODE : 93660485		DRG.No : CF 0484		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 10 (+.006 /+0.015)	Mic 0.001	5/Lot												
02	Dim 30 (±0.30)	Vernier 0.02	5/Lot												
03	Dim 4..00(±0.10)	Vernier 0.02	5/Lot												
04	Hard & Temp. 35-40 HRC	H / Tester	5/Lot												
05	Chemfer 1×45°,3 X15° no burs, no rust	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS					
Part Name : Spacer PTO			ITEM CODE : 93661994		DRG.No : CF 2004		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Ø 40.0 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 25.5 (±0.20)	Vernier 0.02	5/Lot												
03	Ø 33.0 (±0.20)	Vernier 0.02	5/Lot												
04	Dim.41.8 (-0.20)	Vernier 0.02	5/Lot												
05	Dim.5.00 (±0.20)	Vernier 0.02	5/Lot												
06	No cracks, dents etc. Zn plating.	Visual	100%												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES ()

NO ()

YES ()

NO ()

90

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS					
Part Name : Spacer main			ITEM CODE : 93662007		DRG.No : CF 2004		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Ø 40.0 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 25.5 (±0.20)	Vernier 0.02	5/Lot												
03	Ø 33.0 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 24.8 (-0.20)	Vernier 0.02	5/Lot												
05	Dim .5.0 (±0.20)	Vernier 0.02	5/Lot												
06	No cracks, dents etc.	Visual	100%												
	Zn plating.														
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY _____ APPROVED BY _____															
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS					
Part Name : Foot acc shaft			ITEM CODE : 93321058		DRG.No : BB 1053		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION							YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dim 232.5.00 (+0.80)	Vernier 0.02	5/Lot												
02	Dia. 12 (-0.10)	Mic 0.01	5/Lot												
03	Dim. 80 (±0.30)	Vernier 0.02	5/Lot												
04	Dim. 133.5 (+1.00)	Vernier 0.02	5/Lot												
05	Dim. 8 (±0.20)	Vernier 0.02	5/Lot												
06	Dia. 4 (+0.12)	Plug Gauge	5/Lot												
07	Dia. 8.3 (±0.20)	Vernier 0.02	5/Lot												
08	Dia. 3 (±0.20)	Vernier 0.02	5/Lot												
09	Angle 28.6° (±1.00°)	layout	5/Lot												
10	Chmfer 1X45°, proper welding	Visual	100%												
Δ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Connecting link Assly		ITEM CODE : 93321071		DRG.No : BB1072		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø2.5 (+0.1)	Plug Gauge	5/Lot													
02	Dim. 339.5(+3.00}	Scale	5/Lot													
03	Dim. 8 (±1.00)	Vernier 0.02	5/Lot													
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot													
05	M 8	TRG	5/Lot													
06	M 8 (L H)	TRG	5/Lot													
07	Dim 81 (+4.00)	Vernier0.02	5/Lot													
08	Dim 233.5(+4.00)	Vernier0.02	5/Lot													
09	Dim 43 (±1.5) Vernier	0.02	5/Lot													
10	Zinc Plating, R8 No crack, proper brazing	Visual	100 %													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Spacer		ITEM CODE : 93321083		DRG.No : BB1084		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 20(±0.20)	Vernier 0.02	5/Lot													
02	Ø 12 (+0.1/+0.2)	Plug Gauge	5/Lot													
03	Dim. 20 (-0.50)	Vernier 0.02	5/Lot													
04	Chemf. 1 X 45°	Visual	100%													
	No cracks, dents etc.															
	V. C. as G/ blue paint & Zinc Plating															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT								GREWAL ENGINEERING WORKS					
Part Name : Spacer			ITEM CODE : 93321046		DRG.No : BB1044		REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 22(±0.20)	Vernier 0.02	5/Lot												
02	Ø 12.5 (+0.5)	Plug Gauge	5/Lot												
03	Dim. 10 (-0.50)	Vernier 0.02	5/Lot												
04	Chemf. 1 X 45°	Visual	100%												
	No cracks, dents etc.														
	V. C. as G/ blue paint														
	& Zinc Plating														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS					
Part Name : Dowel Pin 12x38			ITEM CODE : 93633214		DRG.No: CC 3214		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Ø12h9(-0.043)	Mic 0.001	5/lot												
02	Dim 38 (±0.30)	Vernier 0.02	5/lot												
03	Dim. 18 (±1.00)	Vernier 0.02	5/lot												
04	Dim. 15 (±1.00)	Vernier 0.02	5/lot												
05	Angle 20°(±1)	Angle Prot.	5/lot												
06	Dim. 5 (±0.30)	Layout	5/lot												
07	Dia 12.1(+0.15)	Mic 0.001	5/Lot												
08	Chemfer 1.5×30°	Visual	100%												
09	Hard & temp 240-280 BHN	H/Tester	5/ Lot												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Hand accrod			ITEM CODE : 93321770			DRG.No : BB1773			REPORT NO.			DATE			
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dim.400(+2.00)	Vernier0.02	5/Lot												
02	Dim 137 (±1.00)	Vernier0.02	5/lot												
03	M16 X 1.5	TRG	5/lot												
04	Dim.13h8(-0.027)	Mic 0.001	5/lot												
05	CD 15 (±0.20)	Vernier0.02	5/lot												
06	Dim 6.5 (+0.360)	Vernier0.02	5/Lot												
07	Dim 25 (±1.00)	Vernier0.02	5/Lot												
08	Dim.70(±1.00)	Vernier0.02	5/Lot												
09	Dim.8 (±0.20)	Vernier0.02	5/Lot												
10	Chmfers & No dents & proper welding	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Pipe Union Bolt			ITEM CODE : 1164466			DRG.No :		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim.42 (±0.3)	Vernier0.02	5/Lot													
02	Dim 32 (±0.3)	Vernier0.02	5/lot													
03	M18 X 1.5	TRG	5/lot													
04	Dia 18 (-0.11)	Mic 0.001	5/lot													
05	Dia 13 (+ 0.3)	Vernier0.02	5/lot													
06	Dia 8.5 (+0.3)	Vernier0.02	5/Lot													
07	Chmfers & No dents	Visual	100%													
	& 4Holescross,Zinc plating															
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated. YES () NO () YES () NO ()																

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : Banjo Bolt			ITEM CODE : 93728882		DRG.No : DB8884/P		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim. 35 (+ 1.0)	Vernier0.02	5/Lot													
02	Dim 32 (±0.3)	Vernier0.02	5/lot													
03	M18 X 1.5	TRG	5/lot													
04	Dia 18 (-0.18)	Mic 0.001	5/lot													
05	Dia 13 (+ 0.18)	Vernier0.02	5/lot													
06	Dia 7 (+0.36)	Vernier0.02	5/Lot													
07	Chmfers & No dents & 4Holes cross,Zinc plating	Visual	100%													

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES ()

NO ()

YES ()

NO ()

99

Part Name : Hand Acc Linkage Assy		ITEM CODE : 93424558		DRG.No : BL 4553		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dia 12 (- 0.20)	Vernier0.02	5/Lot													
02	Dim. 493 (+ 2)	Vernier0.02	5/Lot													
03	Dim. 13 MAX.	Vernier0.02	5/Lot													
04	M8 nut Hand tighten	Visual	5/Lot													
05	Fibre Washer (2nos)	Visual	5/Lot													
06	Punched washer A6 (3nos)	Visual	5/Lot													
07	U Bolt, Hex nut M8 spring washer,	Visual	5 /lot													
	Nylock nut M6 tightend proper position															
08	Check all direction and sequence of component	Visual	5/lot													
	as per drawing															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Hand Acc Linkage Assy		ITEM CODE : 93383477		DRG.No : BL 3473		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim17(+0.5)	Vernier 0.02	5/Lot												
02	Dim. 415 (-3.0)	Vernier 0.02	5/Lot												
03	Dim. 89 (±1.5)	Vernier 0.02	5/Lot												
04	Friction disc (2nos)	Visual	5/Lot												
05	Lock washer	Visual	5/Lot												
06	Special washer nut	Visual	5/Lot												
07	Check all direction and sequence of component as per drawing	Visual	5/lot												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name : FLOATING LINK			ITEM CODE : 93739491		DRG.No :		REPORT NO.			DATE						
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
2.		Heat treatment cut sample enclosed.														
3.		Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dia 14 (- 0.032/-0.059)	Mic 0.001	5/Lot													
02	Dia 10 (- 0.09)	S G	5/Lot													
03	Dim 1.25 (+0.14)	Vernier0.02	5/Lot													
04	Dim. 66(±0.15)	Vernier0.02	5/Lot													
05	Heat Treatment	H / Tester	5 /Lot													
	(HRC 55 to 60)															
06	ZnPlating	Coat Gauge	5/Lot													
07	Con.	lobbyingbush	100%													
08	circlip c-10	visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT										GREWAL ENGINEERING WORKS			
Part Name : Hand acc rod			ITEM CODE : 9335993		DRG.No : BE 993 3		REPORT NO.				DATE				
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION										YES		NO	
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
2.		Heat treatment cut sample enclosed.													
3.		Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot												
02	Dim. 8 (±0.20)	Vernier 0.02	5/Lot												
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 218 (+0.50)	Vernier 0.02	5/Lot												
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot												
06	Dia. 6.4 (±0.20)	Vernier 0.02	5/Lot												
07	Dm.39 (±0.50)	Vernier 0.02	5/Lot												
08	Dia. 10 (-0.09)	S G	5/Lot												
09	Angle 10° (±1.00°)	layout	5/Lot												
10	Chmfer 1X45°, proper welding	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426865		DRG.No : BL 6861		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 373+3	Veriner 0.02	5/lot												
02	Dim 342+3	Veriner 0.02	5/lot												
03	Hex nut M10 (2nos)	Visual	5/lot												
04	Eye Pin Visual	5/lot													
05	Connecting link Assly Visual 2121529	5/lot													
06	Clamping bracket Visual 1611100	5/lot													
07	Accelerator lever Visual 93347862	5/lot													
08	Accelerator Lever big Visual 2121580	5/lot													
09	Hand Acc link Visual 93414322	5/lot													
10	Check all direction and Visual sequence of component	5/lot													
as per drawing Under Deviation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimension 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426877		DRG.No : BL 6871		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 492+3	Veriner 0.02	5/lot												
02	Dim 342+3	Veriner 0.02	5/lot												
03	Acc Shaft 2121542	Visual	5/lot												
04	Lever 93342852	Visual	5/lot												
05	Connecting link Assly V 2121529	Visual	5/lot												
06	Clamping bracket 1611100	Visual	5/lot												
07	Accelerator lever 2121591	Visual	5/lot												
08	Accelerator Lever big 2121580	Visual	5/lot												
09	Hand Acc link 93414322	Visual	5/lot												
10	Check all direction and sequence of component as per drawing	Visual	5/lot												
Under Deviation, O = OK, X = Segregated															
INSPECTED BY										APPROVED BY					
NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segregated for 'X' marked dimension 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426828		DRG.No : BL 6821		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 358+3	Veriner 0.02	5/lot												
02	Dim 332+3	Veriner 0.02	5/lot												
03	Acc Shaft 2121542	Visual	5/lot												
04	Lever 2121670	Visual	5/lot												
05	Connecting link Assly 2121529	Visual	5/lot												
06	Clamping bracket 1611100	Visual	5/lot												
07	Accelertor lever 2121591	Visual	5/lot												
08	Accelertor Lever big 2121580	Visual	5/lot												
09	Hand acc link 93414322	Visual	5/lot												
10	Check all direction and sequence of component	Visual	5/lot												
as per drawing, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93374373		DRG.No : BG 4371		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim492+3	Veriner 0.02	5/lot													
02	Connectinglink 93359220	Visual	5/lot													
03	Acc Shaft 93359128	Visual	5/lot													
04	Lever 2121670	Visual	5/lot													
05	Clampingbracket 93415200	Visual	5/lot													
06	Accelertor lever 2121591	Visual	5/lot													
07	AccelertorLever big 2121580	Visual	5/lot													
08	LinkBottom 93417505	Visual	5/lot													
09	Linkupper 93374257	Visual	5/lot													
10	Check all direction and sequence of component	Visual	5/lot													
as per drawing Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426816		DRG.No : BL 6811		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 468+3	Veriner 0.02	5/lot												
02	Dim 342 +3	Veriner 0.02	5/lot												
03	Connecting link assly 2121529	Visual	5/lot												
04	Acc Shaft 93359128	Visual	5/lot												
05	Lever 93342852	Visual	5/lot												
06	Clamping bracket 93415200	Visual	5/lot												
07	Accelertor lever 93419289	Visual	5/lot												
08	Accelertor Lever big 2121580	Visual	5/lot												
09	Link Bottom 93417505	Visual	5/lot												
10	Link upper 93342827	Visual	5/lot												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT							GREWAL ENGINEERING WORKS						
Part Name Acc Linkage sub Assly			ITEM CODE : 93374361			DRG.No BG 4361		REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 361+3	Veriner 0.02	5/lot													
02	Connecting link 93359220	Visual	5/lot													
03	Acc Shaft 93359128	Visual	5/lot													
04	Lever 2121670	Visual	5/lot													
05	Clamping bracket 93415200	Visual	5/lot													
06	Accelertor lever LT 93419289	Visual	5/lot													
07	Accelertor Lever big 2121580	Visual	5/lot													
08	Link Bottom 93417505	Visual	5/lot													
09	Link upper 93374257	Visual	5/lot													
10	Check all direction and sequence of component	Visual	5/lot													
as per drawing Deviation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93427055		DRG.No : BL 7051		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 492+3	Veriner 0.02	5/lot													
02	Dim 342+3	Veriner 0.02	5/lot													
03	Acc Shaft 93359128	Visual	5/lot													
04	Lever 2121591	Visual	5/lot													
05	Clamping bracket 93415200	Visual	5/lot													
06	Tention tie assly 1343002	Visual	5/lot													
07	Accelertor Lever big 2121580	Visual	5/lot													
08	Link Bottom 93417505	Visual	5/lot													
09	Link upper 93342827	Visual	5/lot													
10	Check all direction and sequence of component	Visual	5/lot													
as per drawing, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426889		DRG.No : BL 6881		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 358+3	Veriner 0.02	5/lot													
02	Dim 342 +3	Veriner 0.02	5/lot													
03	Link upper 1680559	Visual	5/lot													
04	Acc Shaft 93359128	Visual	5/lot													
05	Lever 2121670`	Visual	5/lot													
06	Clamping bracket 93415200	Visual	5/lot													
07	Accelertor lever 2121591	Visual	5/lot													
08	Accelertor Lever big 2121580	Visual	5/lot													
09	Link Bottom 93417505	Visual	5/lot													
10	Check all direction and sequence of component	Visual	5/lot													
as per drawing, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : Hand Acc Linkage Assy		ITEM CODE : 93426397		DRG.No : BL 6393		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dia 13 (- 0.027)	Mic 0.001	5/Lot												
02	Dim. 422 ($\pm$ 4)	Vernier 0.02	5/Lot												
03	Dim. 17 (+0.5)	Vernier 0.02	5/Lot												
04	Dim 15 ($\pm$ 0.2)	Vernier 0.02	5/Lot												
05	Dia 6.5 (+0.3)	Vernier 0.02	5/Lot												
06	M8 nut Hand tighten	Visual	5/Lot												
07	Friction disc (2nos)	Visual	5/Lot												
08	Spring washer (2nos)	Visual	5/Lot												
09	Hand Acc Bracket, Mounting Bracket Clamp,	Visual	5 /lot												
	Thin nut M16 tightend, Spring proper position														
10	Check all direction and sequence of component	Visual	5/lot												
as per drawing Δ = Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93391700		DRG.No : BL 1702		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim468+3	Veriner 0.02	5/lot													
02	Dim 342 +3	Veriner 0.02	5/lot													
03	Connectinglink assly 2121529	Visual	5/lot													
04	Acc Shaft 93359128	Visual	5/lot													
05	Lever 93342852	Visual	5/lot													
06	Clamping bracket 93415200	Visual	5/lot													
07	Accelertor lever 93419289	Visual	5/lot													
08	Accelertor Lever RT 93391190	Visual	5/lot													
09	Check all direction and sequence of component	Visual	5/lot													
	as per drawing															

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Hand Acc Linkage Assy		ITEM CODE : 93372420		DRG.No : BG 2423		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim. 13 (+0.5)	Vernier0.02	5/Lot												
02	Dia 6.5 (+ 0.36)	Vernier0.02	5/Lot												
03	Dia. 4 (+0.12)	Vernier0.02	5/Lot												
04	Dia. 12.5 (± 0.1)	Vernier0.02	5/Lot												
05	Fibre Washer (2nos)	Visual	5/Lot												
06	Punched washer A6 (3nos)	Visual	5/Lot												
07	Hex nut M8	Visual	5/lot												
	spring washer, Nylock nut M6 tightend														
08	proper position Check all direction and	Visual	5/lot												
	sequence of component as per drawing														
Δ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Hand Acc Lever		ITEM CODE : 93371001		DRG.No: BG 1003		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 333 (± 2.5)	Vernier 0.02	5/Lot												
02	Dia. 12 ($-0.30/-0.10$)	Mic 0.01	5/Lot												
03	Dim. 8 (± 0.20)	Vernier 0.02	5/Lot												
04	Dim. 3 (± 0.20)	Vernier 0.02	5/Lot												
05	Dim. 15 (± 0.20)	Vernier 0.02	5/Lot												
06	Dim 50 (± 0.30)	Vernier 0.02	5/Lot												
07	Dim. 15 (± 0.20)	Vernier 0.02	5/Lot												
08	Dia. 8 (± 0.20)	Vernier 0.02	5/Lot												
09	Angle 101° ($\pm 1.00^\circ$)	layout	5/Lot												
10	Powder coating 60-80u	DFT	5/Lot												

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93373605		DRG.No : BG 3601		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 361+3	Veriner 0.02	5/lot												
02	Connectinglink	Visual	5/lot												
03	93373599 Acc Shaft	Visual	5/lot												
04	93359128 Lever 2121670	Visual	5/lot												
05	Clamping bracket	Visual	5/lot												
06	93415200 Accelertor lever LT	Visual	5/lot												
07	93419289 Accelertor Lever big	Visual	5/lot												
08	2121580 Link Bottom	Visual	5/lot												
09	93417505 Clamping bracket	Visual	5/lot												
10	93335720 Check all direction and	Visual	5/lot												
sequence of component Δ = Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT										GREWAL ENGINEERING WORKS				
Part Name : Acc Linkage sub Assly		ITEM CODE : 93373368		DRG. No BG 3361		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Connectinglink assly 93350679	Visual	5/lot													
02	Acc Shaft 93359128	Visual	5/lot													
03	Lever 2121670	Visual	5/lot													
04	Clamping bracket 93415200	Visual	5/lot													
05	Accelertor lever 93419289	Visual	5/lot													
06	Accelertor Lever big 2121580	Visual	5/lot													
07	Link Bottom 93417505	Visual	5/lot													
08	Link upper 93374257	Visual	5/lot													
09	Check all direction and sequence of component as per drawing	Visual	5/lot													
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated. YES () NO () YES () NO ()																

Part Name : GUIDE PIN		ITEM CODE : 1011716		DRG.No : 020625/b		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 19..5(± 0.20)	Vernier 0.02	5/Lot														
02	Dim 13(± 0.20)	Vernier 0.02	5/Lot														
03	Dia 6(-0.30)	Vernier 0.02	5/Lot														
04	Dia 6.3(± 0.10)	Vernier 0.02	5/Lot														
05	Dim 5(± 0.50)	Vernier 0.02	5/Lot														
06	Dim 8.5(± 0.20)	Vernier 0.02	5/Lot														
07	Chemfer (1 X 45°)	Visual	5/Lot														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : SECURING NUT		ITEM CODE : 1040686		DRG.No : 030524/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	A F 17 (-0.20)	Vernier 0.02	5/Lot												
02	Dim 4(±0.20)	Vernier 0.02	5/Lot												
03	M 10x1	TPG	5/Lot												
04	No sharp edges no burs, Chf.30°	Visual	100%												
05	Zinc Passivation (Yellow)	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : ROD(ACCELERATOR) ITEM CODE : 93319301 DRG.No: BA 9303 REPORT NO. DATE															
Lot Size		Lot No		Challan No/Dt.				MIN. No. /Dt.				VENDER CODE			
S. No.		DESCRIPTION										YES		NO	
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 510 (±4.00)	Vernier0.02	5 / Lot												
02	Ø 8 (±0.20)	Vernier0.02	5 / Lot												
03	Ø 2.5 (+0.10)	PlugGauge	5 / Lot												
04	Dim 19.50(±0.50)	Vernier0.02	5 / Lot												
05	Dim 24.5(+2.0)	Vernier0.02	5 / Lot												
06	Dim 40(+2.0)	Vernier0.02	5 / Lot												
07	Dim 18(±0.50)	Vernier0.02	5 / Lot												
08	Dim 10(±1.00)	Vernier0.02	5 / Lot												
09	No sharp edge,	Visual	100 %												
	no notches at R 10 Zinc Passivation,														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : PIN		ITEM CODE : 1517223		DRG.No : 267224/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing$ 10h11 (-0.09)	MIC 0.01	5/Lot														
02	$\varnothing$ 2.8H11 (+0.06)	Plug gauge	5/Lot														
03	Dim.26($\pm$ 0.20)	Vernier 0.02	5/Lot														
04	Dim.31($\pm$ 0.30)	Vernier 0.02	5/Lot														
05	Dim.35($\pm$ 0.30)	Vernier 0.02	5/Lot														
06	Dia.16($\pm$ 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : FULCRUMPIN		ITEM CODE : 1580929		DRG.No : 230925/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.35 (± 0.30)	Vernier 0.02	5/Lot														
02	M 10X1.5	T P G	5/Lot														
03	$\varnothing$ 12h11 (-0.11)	Vernier 0.01	5/Lot														
04	Dim.17.3 (± 0.20)	Vernier 0.02	5/Lot														
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot														
06	Dia.20 (± 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : PIN(Small)		ITEM CODE : 1611847		DRG.No : 241844/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 12h11 (-0.11)	Vernier 0.01	5/Lot														
02	Ø 2.8H11 (+0.06)	Plug Gauge	5/Lot														
03	Dim.26(±0.20)	Vernier 0.02	5/Lot														
04	Dim.31(±0.30)	Vernier 0.02	5/Lot														
05	Dim.35(±0.30)	Vernier 0.02	5/Lot														
06	Dia.18(±0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Double Pin		ITEM CODE : 1619652		DRG.No : 249654/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 10 (\pm 0.20)$	Vernier 0.02	5/Lot														
02	Dim. 93 (± 1.50)	Vernier 0.02	5/Lot														
03	Dim. 44 (± 1.50)	Vernier 0.02	5/Lot														
04	$\varnothing 3.2 (\pm 0.10)$	Plug Gauge	5/Lot														
05	Dim. 42 (± 1.50)	Vernier 0.02	5/Lot														
06	Dim. 82 (± 1.50)	Vernier 0.02	5/Lot														
07	Dim. 75 (± 1.50)	Vernier 0.02	5/Lot														
08	Chemfer 8 $\times$ 18 $^{\circ}$	Visual	100%														
	No sharp edges																
	no burs Zinc Plating																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : DIAMOND PIN		ITEM CODE : 1656090		DRG.No : 0511095 b		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 14m6+0.007/+0.018$	Mic 0.001	5/lot														
02	Dim 38 (± 0.10)	Vernier 0.02	5/lot														
03	Dim. 16 (± 0.20)	Vernier 0.02	5/lot														
04	Dim. 10 (± 0.20)	Vernier 0.02	5/lot														
05	Hard & Temp. 35-40 HRc	H / Tester	5/lot														
06	Angle 60°	Visual.	5/lot														
07	Chemfer 1 $\times$ 45° Chemfer 1.5 $\times$ 45°	Visual	100%														
08	No sharp edges no burs & no rust	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Accelerator Shaft		ITEM CODE : 2121542		DRG.No : 721544		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 328.00 (± 0.80)	Vernier 0.02	5/Lot														
02	Dim. 11 (± 0.20)	Vernier 0.02	5/Lot														
03	Dim. 306 ($+0.50$)	Vernier 0.02	5/Lot														
04	Dim. 12 (-0.20)	Vernier 0.02	5/Lot														
05	Dia. 4 ($+0.12$) (two nos)	Plug Gauge	5/Lot														
06	Chmfer 0.5X45, Zinc Passivation (Yellow)	Visual	100%														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()
 YES () NO ()

14

Part Name : Pin For Pedal		ITEM CODE : 2124592		DRG.No : 724594/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 30 f8(-0.02 -0.053)	Mic 0.001	5 / lot														
02	Ø19.6 h13(-0.33)	Vernier 0.02	5 / lot														
03	Dim 113(+0.20)	Vernier 0.02	5 / lot														
04	Ø 28.6 h12(-0.21)	Vernier 0.02	5 / lot														
05	DIM. 70 (0+0.2)	Vernier 0.02	5 / lot														
06	Dim. 1.6h13(+0.14)	Vernier 0.02	5 / lot														
07	M 24x2	TRG	5 / lot														
08	DIM 36 (±0.3)	Vernier 0.02	5 / lot														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Turn Rod		ITEM CODE : 2563794		DRG.No : 213794		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	M 10 X 1.25	T R G	5/Lot														
02	M10 X 1.25 LH	TRG	5/Lot														
03	Dim. 47 (±0.30)	Vernier 0.02	5/Lot														
04	Dim. 21 (±0.20)	Vernier 0.02	5/Lot														
05	Dim. 17 A/F (-0.27)	Vernier 0.01	5/Lot														
06	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot														
08	No crack, dent etc.& Zinc Plating	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : PINTAIL LUG		ITEM CODE : 93320078		DRG.No : BB0073		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 12.50 (-0.10)	Vernier 0.02	5/Lot														
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot														
03	Dim.35(+0.30)	Vernier 0.02	5/Lot														
04	Dim.40(+1.00)	Vernier 0.02	5/Lot														
05	Dia 18 (±0.20)	Vernier 0.02	5/Lot														
06	Chmfers, R0.5 & No dents & burs	Visual	100%														
07	Zinc Passivation (Yellow)	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : PIN small		ITEM CODE : 93320080		DRG.No : BB083		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 10 (-0.10)	Vernier 0.02	5/Lot														
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot														
03	Dim.35(+0.30)	Vernier 0.02	5/Lot														
04	Dim.40(+1.00)	Vernier 0.02	5/Lot														
05	Dia 16 (±0.20)	Vernier 0.02	5/Lot														
06	Chmfers, R0.5 & No dents & burs	Visual	100%														
07	Zinc Passivation (Yellow)	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Pin For FORK		ITEM CODE : 93625102		DRG.No : CB 510 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 9.8 \text{ h11 } (-0.09)$	Mic 0.01	5/Lot														
02	$\varnothing 2.8 (\pm 0.10)$	Plug Gauge	5/Lot														
03	Dim.23.5 (± 0.20)	Vernier 0.02	5/Lot														
04	Dim.32.5 (± 0.30)	Vernier 0.02	5/Lot														
05	Dia.16 (± 0.20)	Vernier 0.02	5/Lot														
06	Chmfers .5X45°, No dents & burs	Visual	100%														
	Zinc Passivation (Yellow)																

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

29

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672517		DRG.No : CG2513		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.480(± 2.00)	Vernier	0.02	5/Lot													
02	Dim. 89(± 1.00)	Vernier	0.02	5/Lot													
03	M10	TRG	5/Lot														
04	Dim 346 (-0.5/+1.00)	Vernier	0.02	5/Lot													
05	Dia 4 (± 0.10)	Vernier	0.02	5/Lot													
06	Dim 74 (± 0.30)	Vernier	0.02	5/Lot													
07	Dim. 20 (± 1.50)	Vernier	0.02	5/lot													
08	Dia 17 (+1.50)	Vernier	0.02	5/lot													
09	No dents / marks on knob, white paint	Visual	100%														
	Zinc plating																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : FORK-PTO		ITEM CODE : 93627482		DRG.No : CB 7484		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 8 (+0.2)	Vernier 0.02	5/Lot														
02	Dim 54 (± 0.30)	Vernier 0.02	5/Lot														
03	M10	TPG	5/Lot														
04	Dim9 (± 0.20)	Vernier 0.02	5/Lot														
05	Sq 18 (± 0.20)	Vernier 0.02	5/Lot														
06	Dia 10 (± 0.10)	Vernier 0.02	5/Lot														
07	Dim 33.5 (+0.30)	Vernier 0.02	5/Lot														
08	Chemfers 2 x 45°	Visual	100%														
09	Zinc Plating (Yellow)	Visual	100%														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : PIN		ITEM CODE : 93351543		DRG.No : BE 154 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 8 (\pm 0.10)$	Vernier 0.02	5/Lot														
02	$\varnothing 2.5 (+0.10)$	Vernier 0.02	5/Lot														
03	Dim.18 (± 0.20)	Vernier 0.02	5/Lot														
04	Dim.22 (± 0.30)	Vernier 0.02	5/Lot														
05	Dia.14 (± 0.20)	Vernier 0.02	5/Lot														
06	Chmfers & No dents & burs	Visual	100%														
	Zinc Passivation (Yellow)																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Dowel For G1 top Cover		ITEM CODE : 93628747		DRG.No : CB 874 4		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 12f 7 (-.02/- .03)	Mic 0.001	5/Lot													
02	Dim 22 (±0.20)	Vernier 0.02	5/Lot													
03	Dim 11 (±0.20)	Vernier 0.02	5/Lot													
04	Hard & Temp. 40 - 45 HRc	H / Tester	5/Lot													
05	Chemfer 1.5×15° & R12, no burs, no rust	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : PINFOR PAWL		ITEM CODE : 93311260		DRG.No : BA1264		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	M 10	Vernier0.02	5/Lot														
02	Dim. 38 (± 0.30)	Vernier0.02	5/Lot														
03	Dim. 20 (± 0.20)	Vernier0.02	5/Lot														
04	Dia. 14 (+0.018/+0.029) Mic 0-001		5/Lot														
05	Dim. 13.50 (-0.20)	Vernier0.02	5/Lot														
06	Chemfer 2X15°, 1X45°	Visual	100%														

Δ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()
YES () NO ()

Part Name : NUT WHEEL		ITEM CODE : 253 565 8		DRG.No : 92 565 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	M16 x 1.5	TPG	5/lot														
02	A / F 27 (-0.84)	Vernier.02	5/lot														
03	Dim 18(+1.00)	Vernier.02	5/lot														
04	Dim 36±(1.00)	Vernier.02	5/lot														
05	Hard & Temp. (14-28Hrc)	H / Tester	5/lot														
06	Zinc Plating (10micmn)	Znplating report	5/lot														
07	2.7 min, No crack	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : NUT WHEEL		ITEM CODE : 2125663		DRG.No : 725664		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	DIM. 30 A/F(-0.30)	Vernier.02	5/lot														
02	M16×1.5	TPG	5/lot														
	(After surface treatment)																
03	DIM. 5.5 (+0.20)	layout	5/lot														
04	Ø29.00(±0.2)	Vernier.02	5/lot														
05	DIM.19.5(±0.2)	Vernier.02	5/lot														
06	HARDNESS	Hardness	5/lot														
	14-28Hrc	Tester															
07	No Crack	Magnaflex	10/Lot														
		m/c															
08	Zinc Plating	Znplating	5/lot														
	(10micmn)	report															
09	Chmf 30°, No crack	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimation

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Wheel Nut		ITEM CODE : 2536936		DRG.No : 926934		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	M14 x 1.5	TPG	5/lot														
02	A / F 22 (-0.40)	Vernier.02	5/lot														
03	Dim 14(+1.00)	Vernier.02	5/lot														
04	Dim 29±(1.00)	Vernier.02	5/lot														
05	Hard & Temp. 14-28HRc	H / Tester	5/lot														
06	Convexty of face	St edge	5/lot														
07	No Crack	Magnaflex m/c	10/Lot														
08	Zinc Plating (10 mic mn)	Zn plating report	5/lot														
09	2 mm min, No crack	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : HOOK(TOPLINK)		ITEM CODE : 93425423		DRG.No : BL 5423		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dia 2.50 (+0.20)	PG	5/Lot														
02	Dia 8 (±0.20)	Vernier 0.02	5/Lot														
03	Dim 8 (±0.20)	Vernier 0.02	5/Lot														
04	Dim 13 (+1.00)	Vernier 0.02	5/Lot														
05	Dim 90 (±1.50)	Vernier 0.02	5/Lot														
06	Dia 52 (±1.50)	Vernier 0.02	5/Lot														
07	Dim 206 (+2.00)	Vernier 0.02	5/Lot														
08	Dim 37 (-1.00)	Vernier 0.02	5/Lot														
09	No sharp edges no burs, Zinc Passivation	Visual	100%														
10	Plating thickness min 10micron	DFT	5/Lot														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Tention Tie Assly		ITEM CODE : 1343002		DRG.No : 573003		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 2.5 (+0.2)$ (2 nos)	Plug Gauge	5/Lot														
02	$\varnothing 6 (\pm 1.10)$	Vernier 0.02	5/Lot														
03	Dim. 475-532 (Calculated)	Scale	5/Lot														
04	Dim. 5 (± 0.50)	Vernier 0.02	5/Lot														
05	Dim. 16 (± 1.00)	Vernier 0.02	5/Lot														
06	A/F 13 (-0.20)	Vernier 0.02	5/Lot														
07	M8	TPG	5/Lot														
08	M8 L H	TPG	5/Lot														
06	Proper brazing all over R8 (2nos.)	Visual	100 %														
	Zinc Plating (yellow) No crack, dent																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Hand Acc Link		ITEM CODE : 93414322		DRG.No : BK4324		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 2.5 (+0.1/-0.05)$	Plug Gauge	5/lot														
02	$\varnothing 8 (\pm 0.20)$	Vernier 0.02	5/lot														
03	Dim. 16 (± 1.00)	Vernier 0.02	5/lot														
04	Dim. 10 (± 1.00)	Vernier 0.02	5/lot														
05	Dim. 10 (± 1.00) (2nd side)	Vernier 0.02	5/lot														
06	Dim. 147 (± 2.50)	Vernier 0.02	5/lot														
07	Proper brazing all over, R8	Visual	100%														
	No crack, dents etc.&																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : J-Bolt		ITEM CODE : 2125183		DRG.No : 725184		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.234(±2.500)	Vernier 0.02	5/lot														
02	Dim.35(±1.50)	Vernier 0.02	5/lot														
03	Dim.28(12+16)(±1.00)	Vernier 0.02	5/lot														
04	Dia 8 (±0.20)	Vernier.02	5/lot														
05	M 8	TRG	5/lot														
06	Washer OD 17(-0.40)	Vernier.02	5/lot														
07	Washer Th 1.6(+0.20)	Vernier.02	5/lot														
08	No dents, No line marks Visual proper Brazing & R8		100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : LINKUPPER		ITEM CODE : 93423426		DRG.No : BL 3423		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2 (+0.2)	Plug Gauge	5/lot														
02	Ø 8 (±.20)	Vernier 0.02	5/lot														
03	Dim. 358(+3.00)	SPG	5/lot														
04	Dim. 22 (±0.50)	Vernier 0.02	5/lot														
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot														
06	Dim. 12 (±0.50)	Vernier 0.02	5/lot														
07	Dim. 7 (±0.30)	Vernier 0.02	5/lot														
08	Dim. 9 (±0.30)	Vernier 0.02	5/lot														
09	Proper brazing R8 (2nos.) R 230 & No crack, dent etc.&	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																	
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Foot Acc Pedal		ITEM CODE : 2535476		DRG.No : 925473		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dia. 12 (±0.10)	Vernier 0.02	5/lot														
02	Dia 25 (±0.20)	Vernier 0.02	5/lot														
03	Dia 4 H12(+0.12)	Plug Gauge	5/lot														
04	Dia 12 H11(+0.11)	Plug Gauge	5/lot														
05	Dim 75 (±1.50)	Vernier 0.02	5/lot														
06	Dim. 142 (±2.50)	Vernier 0.02	5/lot														
07	Dim. 15 (±0.20)	Vernier 0.02	5/lot														
08	Angle 116(±1°)	Angle Prot	5/lot														
09	Chemfer, No Welding, Visual spotter, R24		5/lot														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Hand Acc Rod		ITEM CODE : 93372601		DRG.No : BG 2603		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.422 (-2.00)	Vernier 0.02	5/Lot														
02	Dia 6.5+0.3	Vernier 0.02	5/lot														
03	Dim 15(± 0.20)	Vernier 0.02	5/lot														
04	Dim.13h8(-0.027)	Mic 0.001	5/lot														
05	Dim 8(± 0.20)	Vernier 0.02	5/lot														
06	Dia 16(± 0.10)	Vernier 0.02	5/Lot														
07	Dim.137 (± 1.20)	Vernier 0.02	5/lot														
08	Dim.62 (± 0.80)	Vernier 0.02	5/lot														
09	Dim.14.5 (± 0.20)	Vernier 0.02	5/Lot														
10	Dia 12(± 0.10)	Vernier 0.02	5/Lot														
11	Chmfers & No dents & no welding spotter	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Hand Acc Lever		ITEM CODE : 93340533		DRG.No : 841724		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.222(±2.50)	Vernier 0.02	5/Lot														
02	M 12	T P G	5/lot														
03	M8	T R G	5/lot														
04	Dim.17(±1.00)	Vernier 0.02	5/Lot														
05	A/F 19 (-0.20)	Vernier 0.02	5/lot														
06	Ø 12 (±0.20)	Vernier 0.02	5/Lot														
07	Ø 6 (-0.22)	Vernier 0.02	5/Lot														
08	Chmfers & No dents & no welding spotter	Visual	100%														
09	Proper Black Powder Coating	Powder coaters report	5/lot														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name Connecting link (Fuel pump)		ITEM CODE : 93347850		DRG.No: BD 7853		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim. 9 (± 1.00)	Vernier 0.02	5/lot														
02	Dim. 100 (± 1.50) (Threading length)	Vernier 0.02	5/lot														
03	Dim. 400 (± 4.00)	Scale	5/lot														
04	Dim. 150 (± 2.50)	Vernier 0.02	5/lot														
05	Dim 85 (± 1.50)	Layout	5/lot														
06	M 10	TRG	5/lot														
07	Dia 2.5 (± 0.10)	P G	5/lot														
08	Dim 14 (± 1.00)	Vernier 0.02	5/lot														
09	Dia 9 (± 0.20)	Vernier 0.02	5/lot														
10	Proper brazing No crack, dents etc.	Visual	100 %														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672529		DRG.No : CG2523		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.400(± 4.00)	Scale	5/Lot														
02	Dim. 89(± 1.00)	Vernier 0.02	5/lot														
03	M10	TRG	5/Lot														
04	Dia12 (± 0.20)	Mic 0.01	5/Lot														
05	Dim. 36 (± 1.50)	Vernier 0.02	5/lot														
06	Dia 17 ($+1.50$)	Vernier 0.02	5/lot														
07	No dents / marks R 15, R12	Visual	100%														
	white paint Zinc plating																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Tension Tie Assly		ITEM CODE : 93330760		DRG.No : BC0763		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2.5 (+0.2) (2 nos)	Pluge Gauge	5/lot														
02	Ø 6 (±.10)	Vernier 0.02	5/lot														
03	Dim. (372-412)	Scale	5/lot														
04	Dim. 5 (±0.50)	Vernier 0.02	5/lot														
05	Dim. 16 (±1.00)	Vernier 0.02	5/lot														
06	Proper brazing R8 (2nos.)	Visual	100%														
	Zinc Plating (Yellow)																
	No crack, dent &																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Coupling Nut		ITEM CODE : 2560331		DRG.No : 210334/ B		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 28 +0.16/+0.29	Plug Gauge	05 / lot														
02	Dim 21.00 (±0.20)	Vernier 0.02	05 / lot														
03	Dim 14.00 (±0.20)	Vernier 0.02	05 / lot														
04	Conc M36 wrt Ø 28 (0.10 Max)	Layout	05 / lot														
05	M 36 X2	TPG	05 / lot														
06	DIM 41 (-0.4)	Vernier 0.02	05 / lot														
07	No cracks, Chemfer 45° Zinc Plating (white)	Visual 100%															
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Link Bottom		ITEM CODE : 93417505		DRG.No : BK7504		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 2 (+0.06)	Plug Gauge	5/lot														
02	Ø 8 (±.20)	Vernier 0.02	5/lot														
03	Dim. 18 (±1.00)	Vernier 0.02	5/lot														
04	Dim. 8 (+0.20)	Vernier 0.02	5/lot														
05	Dim. 8 (+0.20) (2nd side)	Vernier 0.02	5/lot														
06	Dim. 102 (±1.00)	Vernier 0.02	5/lot														
07	Proper brazing all over, R8	Visual	100%														
	No crack, dents etc.&																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Foot acc shaft		ITEM CODE : 93417426		DRG.No : BK7423		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 215.00 (+0.80)	Vernier 0.02	5/Lot														
02	Dim. 10 (± 0.20)	Vernier 0.02	5/Lot														
03	Dim. 16 (± 0.20)	Vernier 0.02	5/Lot														
04	Dim. 65 (+1.00)	Vernier 0.02	5/Lot														
05	Dia. 10 (-0.10)	Vernier 0.02	5/Lot														
06	Dia. 4 (+0.12)	Step Plug Gauge	5/Lot														
07	Dia. 8.3 (± 0.20)	Vernier 0.02	5/Lot														
08	Dia. 3 (± 0.20)	Vernier 0.02	5/Lot														
09	Angle 5° ($\pm 1.00^\circ$)	layout	5/Lot														
10	Chmfer 1X45°, proper welding	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Hand acc rod		ITEM CODE : 93417440		DRG.No : BK7443/a		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot														
02	Dim. 8 (± 0.20)	Vernier 0.02	5/Lot														
03	Dim. 15 (± 0.20)	Vernier 0.02	5/Lot														
04	Dim. 218 (+0.50)	Vernier 0.02	5/Lot														
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot														
06	Dia. 6.4 (± 0.20)	Vernier 0.02	5/Lot														
07	Dia. 12 (± 0.20)	Vernier 0.02	5/Lot														
08	Dia. 18 (± 0.20)	Vernier 0.02	5/Lot														
09	Angle 10° ($\pm 1.00^\circ$)	layout	5/Lot														
10	Chmfer 1X45°, proper welding	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Hand acc lever		ITEM CODE : 93415272		DRG.No : BK5273/P		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.200(±2.5)	Layout	5/Lot														
02	Dim. 12.5 (±0.10)	Vernier	5/Lot														
03	M8	TRG	5/Lot														
04	Dia.20(±0.20)	Vernier0.02	5/Lot														
05	Dia 6.5 (+0.36)	-do-	5/Lot														
06	C D 15 (±0.20)	Vernier 0.02	5/Lot														
07	Dim. 9.5 (±0.20)	Vernier 0.02	5/Lot														
08	Chmfers & No dents & proper welding	Visual	100%														
	Proper Black Power Coating																

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimation

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS										
Part Name : Dowel Pin		ITEM CODE : 1968889		DRG.No : BE 535 4		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 14 (+.01 /+0.02)	Mic 0.001	5/Lot													
02	Dim 38 (±0.30)	Vernier 0.02	5/Lot													
03	Dim 13..00(±0.10)	Vernier 0.02	5/Lot													
04	Hard & Temp. 32-38 HRc	H / Tester	5/Lot													
05	Chemfer 1×45°,4 X20° no burs, no rust	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

72

Part Name : Diamond Pin		ITEM CODE :1511154			DRG.No :26 1155			REPORT NO.			DATE				
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 12m6+.007/+.018	Mic 0.001	5/lot												
02	Dim 25 (±0.20)	Vernier0.02	5/lot												
03	Dim. 12 (±0.20)	Vernier0.02	5/lot												
04	Dim. 8 (±0.20)	Vernier0.02	5/lot												
05	Angle 60°	Visual.	5/lot												
06	Chemfer 1.5×30° Chemfer 1.5 x 30°	Visual	100%												
07	No sharp edges no burs & no rust	Visual	100%												

△ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Fulcrum Pin		ITEM CODE : 93333206		DRG.No: BC 320 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim.55 (±0.30)	Vernier 0.02	5/Lot														
02	M 10X1.5	T R G	5/Lot														
03	Ø 12h11 (-0.11)	Mic 0.01	5/Lot														
04	Dim.37.3 (±0.20)	Vernier 0.02	5/Lot														
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot														
06	Chmfers & No dents & burs, Zinc Passivation	Visual	100%														

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters:
Identification Mark/Location:

2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()
YES () NO ()

Part Name : Connecting Limk		ITEM CODE : 93357340		DRG.No : BE 734 3		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dia. 9 (±0.20)	Vernier 0.02	5/lot														
02	Dim. 110 (±1.50) (Threading length)	Vernier 0.02	5/lot														
03	Dim. 510 (±4.00)	Scale	5/lot														
04	Dim. 140 (+10)	Vernier 0.02	5/lot														
05	Dim 82.3 (±1.50)	Layout	5/lot														
06	M 10	TRG	5/lot														
07	Dia 2.5 (±0.10)	PG	5/lot														
08	Dim 14 (±1.00)	Vernier 0.02	5/lot														
09	Dim 9 (±1.00)	Vernier 0.02	5/lot														
10	Proper brazing R 15, Zn plating	Visual	100 %														
△ = Under Deviation, O = OK, X = Segregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segregated for 'X' marked dimension 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Acc shaft		ITEM CODE : 93359128		DRG.No : BE9124		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 387.00 (±0.80)	Vernier 0.02	5/Lot														
02	Dim. 11 (±0.20)	Vernier 0.02	5/Lot														
03	Dim. 365 (-1.00)	Vernier 0.02	5/Lot														
04	Dim. 12 (-0.1/-0.20)	Mic 0.01	5/Lot														
05	Dia. 4 (+0.12) (two nos)	Plug Gauge	5/Lot														
06	Dim 37.00 (-0.50)	Dg Vernier 0.01	5/Lot														
07	Dim 65.00 (±0.50)	Dg Vernier 0.01	5/Lot														
08	Dim 1.25 (+0.06)	Slip Gauge	5/Lot														
09	Dia 10 (-0.09)	Snap Gauge	5/Lot														
10	Chmfer 1.00X45°,	Visual	100%														
	Zinc Passivation,																
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Connecting Link		ITEM CODE : 93359220		DRG. No : BE9224		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2 (+0.10) (2 Nos)	Plug Gauge	5/lot													
02	Ø 8 (±.20)	Vernier 0.02	5/lot													
03	Dim. 14 (±1.00)	Vernier 0.02	5/lot													
04	Dim. 10 (±.50)	Vernier 0.02	5/lot													
05	Dim. 9.0 (±.50)	Vernier 0.02	5/lot													
06	Dim. 267 (+1.00)	SPG	5/lot													
07	Pin dia 8 ((±0.10)	Vernier 0.02	5/lot													
08	Dim 45 (±0.80)	Vernier 0.02	5/lot													
09	Proper brazing	Visual	100%													
	all over, R8, Zn plating															

△ = Under Deviation, O = OK, X = Segregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segregated for 'X' marked dimension

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Spacer		ITEM CODE : 93321083		DRG.No : BB1084		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 20(\pm 0.20)$	Vernier 0.02	5/Lot														
02	$\varnothing 12 (+0.1/+0.2)$	Plug Gauge	5/Lot														
03	Dim. 20 (-0.50)	Vernier 0.02	5/Lot														
04	Chemf. 1 X 45°	Visual	100%														
	No cracks, dents etc.																
	& Zinc Plating																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Banjo Bolt		ITEM CODE : 93728882		DRG.No : DB8884		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Dim 35 (+1.0)	Veriner0.02	5/lot														
02	Dim 32(±0.30)	Vernier0.02	5/lot														
03	M18X1.5	TRG	5/lot														
04	Dia 18 (-0.18)	Mic 0.001	5/lot														
05	Dia 13 (+0.18)	Vernier0.02	5/lot														
06	Dia 7(+0.36)	Vernier0.02	5/lot														
07	Per 0.1	layot/SPG	5/lot														
08	Cnmfer & no dent Zincplating	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : Hand Acc Rod			ITEM CODE : 93359931 DRG.No: BE 9933					REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE						
S. No.		DESCRIPTION								YES		NO				
1.		Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
2.		Heat treatment cut sample enclosed.														
3.		Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot													
02	Dim. 8 (±0.20)	Vernier 0.02	5/Lot													
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot													
04	Dim. 218 (+0.50)	Vernier 0.02	5/Lot													
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot													
06	Dia. 6.4 (±0.20)	Vernier 0.02	5/Lot													
07	Dia.10 (-0.09)	SPG	5/Lot													
08	Dim. 39 (±0.50)	Vernier 0.02	5/Lot													
09	Dim 1.25 (+0.06)	Vernier 0.02	5/Lot													
10	Chmfer 1X45°, proper welding	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Pipeunion bolt		ITEM CODE : 1164466		DRG.No :		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Dim 32 (±0.30)	Veriner0.02	5/lot												
02	Dim 42 (±0.30)	Vernier0.02	5/lot												
03	M18X1.5	TRG	5/lot												
04	Dia 18 (-0.10)	Mic 0.001	5/lot												
05	Dia 13 (+0.3)	Vernier0.02	5/lot												
06	Dia 8.5(+0.3)	Vernier0.02	5/lot												
07	Cnmfer & no dent	Visual	100%												
	Zincplating														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Nut spanan arm mounting		ITEM CODE : 45817-68		DRG.No :		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim 39.4(± 0.35)	Vernier 0.02	5/Lot														
02	Dia 19 (± 0.20)	Vernier 0.02	5/Lot														
03	Dia 15 (± 0.15)	Plug Gauge	5/Lot														
04	Dia 28 (± 0.20)	Vernier 0.02	5/Lot														
05	M14 X 1.5	TPG	5/Lot														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : NUT M12		ITEM CODE :		DRG.No :		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	M12	TPG	5/lot													
02	Dim 20 (±0.30)	Veriner0.02	5/lot													
03	Dia 15 (-0.30)	Veriner0.02	5/lot													
04	Dim 20 (±0.30)	Veriner0.02	5/lot													
05	A/F 27 (-0.30)	Veriner0.02	5/lot													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY										APPROVED BY						
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

Part Name : LINK UPPER		ITEM CODE : 93321988		DRG.No: DB8234		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot													
02	Ø 8 (±.20)	Vernier 0.02	5/lot													
03	Dim. 358(+3.00)	SPG	5/lot													
04	Dim. 31 (-1.00)	Vernier 0.02	5/lot													
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot													
06	Dim. 12 (±0.50)	Vernier 0.02	5/lot													
07	Dim. 7.5 (±0.30)	Vernier 0.02	5/lot													
08	Dim. 9.5 (±0.30)	Vernier 0.02	5/lot													
09	Proper brazing & Zincplating	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters: Identification Mark/Location: 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS										
Part Name Fulcrum Pin		ITEM CODE : 93321198		DRG.No :BB 1194		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Dim.45 (±0.30)	Vernier 0.02	5/Lot													
02	M 10X1.5	T R G	5/Lot													
03	Ø 12h11 (-0.11)	Mic 0.01	5/Lot													
04	Dim.27.3 (+0.20)	Vernier 0.02	5/Lot													
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot													
06	Chmfers & No dents	Visual	100%													
	&burs,Zinc Passivation															
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

Part Name : Spacer Rear DSA		ITEM CODE : 93725443		DRG.No : DB5444		REPORT NO.		DATE								
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 41.5(±0.10)	Vernier 0.02	5/Lot													
02	Ø 18.25 H11 (+0.13)	Plug Gauge	5/Lot													
03	Dim. 6(±0.05)	Mic 0.001	5/Lot													
04	No cracks, dents etc.	Visual	100%													
	& Zinc Plating															
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : PIN (lower link)		ITEM CODE : 93337157		DRG.No : BC 7154		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 16 (-0.20)$	Vernier 0.02	5/Lot														
02	$\varnothing 6.2 (+0.20)$	Plug Gauge	5/Lot														
03	Dim.58 (+0.30)	Vernier 0.02	5/Lot														
04	Dim.52 (± 0.20)	Vernier 0.02	5/Lot														
05	Dia 22 (± 0.20)	Vernier 0.02	5/Lot														
06	Zinc Passivation (White trivalent)	Visual	100%														

Δ = Under Devation, O = OK, X = Segeregated

INSPECTED BY	APPROVED BY
--------------	-------------

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.
Parameters :
Identification Mark/Location :
2 Lot segeregated for 'X' marked dimention
3 Gauges are available & calibrated.

YES () NO ()
YES () NO ()

Part Name : Clevis pin		ITEM CODE : 93337250		DRG.No: BC 7254		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 8 (-0.09)$	Mic 0.02	5/Lot														
02	$\varnothing 2 H13 (+0.14)$	Plug Gauge	5/Lot														
03	Dim.41.5 (+0.20)	Vernier 0.02	5/Lot														
04	Dim.45 (± 0.5)	Vernier 0.02	5/Lot														
05	Dia 14 (± 0.20)	Vernier 0.02	5/Lot														
06	Zinc Passivation (White trivalent)	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Cylindrical pin		ITEM CODE : 93611863		DRG. No CA 1864		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.	DESCRIPTION							YES	NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 10m6+.006/+.015	Mic 0.001	5/lot												
02	Dim 21.5 (±0.20)	Vernier 0.02	5/lot												
03	Dim 4 (±0.20)	Vernier 0.02	5/lot												
04	Chemfer 2×45° no burs & no rust	Visual	100%												
05	Hard & Temp. (25-31Hre)	H / Tester	5/Lot												

△ =Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces.

Parameters :

Identification Mark/Location :

2 Lot segeregated for 'X' marked dimention

3 Gauges are available & calibrated.

YES () NO ()

YES () NO ()

Part Name : Pin Pto link		ITEM CODE : 93616678		DRG.No : CA 6674		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
		2. Heat treatment cut sample enclosed.															
		3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	$\varnothing 10g11 (-0.063)$	MIC 0.01	5/Lot														
02	$\varnothing 3.00$	Plug gauge	5/Lot														
03	Dim.21.5(+0.50)	Vernier 0.02	5/Lot														
04	Dim.25(± 0.30)	Vernier 0.02	5/Lot														
05	Dim.3 (± 0.30)	Vernier 0.02	5/Lot														
06	Dia.16(± 0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : UPPERlink			ITEM CODE : 93337376 DRG.No: BC 7373					REPORT NO.		DATE						
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE								
S. No.		DESCRIPTION							YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ	O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot													
02	M6	TRG	5/lot													
03	Dim. 355(±1.00)	Vernier 0.02	5/lot													
04	Dim. 37 (±.50)	Vernier 0.02	5/lot													
05	Dim. 15 (±0.50)	Vernier 0.02	5/lot													
06	Dim. 252 (±1.00)	Vernier 0.02	5/lot													
07	Dim. 13 (±0.50)	Vernier 0.02	5/lot													
08	Dim. 8 (-1.00)	Vernier 0.02	5/lot													
09	Proper brazing & Zincplating	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS									
Part Name : CONNECTINGLINK		ITEM CODE : 93337418		DRG.No: BC 7413		REPORT NO.		DATE							
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE							
S. No.		DESCRIPTION						YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot												
02	M6	TRG	5/lot												
03	Dim. 303(±1.00)	Vernier 0.02	5/lot												
04	Dim. 52(±.80)	Vernier 0.02	5/lot												
05	Dim. 30(±0.50)	Vernier 0.02	5/lot												
06	Dim. 160(±1.00)	Vernier 0.02	5/lot												
07	Dim. 12(±0.50)	Vernier 0.02	5/lot												
08	Dim. 8(±0.30)	Vernier 0.02	5/lot												
09	Proper brazing & Zincplating	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY															
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters: Identification Mark/Location: 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : ACC ROD			ITEM CODE : 93337352			DRG.No: BC 7353			REPORT NO.			DATE					
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE							
S. No.		DESCRIPTION								YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.93.5 (± 0.80)	Vernier0.02	5/Lot														
02	Dim 11 (± 0.50)	Vernier0.02	5/lot														
03	Dim 123 (+1.00)	Vernier0.02	5/lot														
04	Dim 40 (± 0.30)	Vernier0.02	5/lot														
05	CD 15 (± 0.30)	Vernier0.02	5/lot														
06	Dim32 (± 0.30)	Vernier0.02	5/Lot														
07	Dia 6.2 (+0.36)	Vernier0.02	5/Lot														
08	M6	TPG	5/Lot														
09	Dia.5 (+0.120)	Vernier0.02	5/Lot														
10	Chmfers & No dents & proper welding	Visual	100%														
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : ACC SHAFT		ITEM CODE : 93337406		DRG.No : BC 740 3		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10		Δ	O X
01	Dim.348(± 0.50)	Vernier0.02	5/Lot														
02	Dim 47 (± 0.50)	Vernier0.02	5/lot														
03	Dim 234 ($+0.50$)	Vernier0.02	5/lot														
04	Dia 6.2 ($+0.20$)	Vernier0.02	5/lot														
05	Dia 8.2 (± 0.20)	Vernier0.02	5/lot														
06	Dia 4 ($+0.12$)	Vernier0.02	5/Lot														
07	Chmfers & No dents	Visual	100%														
	& proper welding																
Δ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT						GREWAL ENGINEERING WORKS							
Part Name : Spacer PTO			ITEM CODE : 93661994			DRG.No :			REPORT NO.			DATE			
Lot Size		Lot No		Challan No/Dt.			MIN. No. /Dt.			VENDER CODE					
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION						OBSERVED				DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ
01	Ø 40.00 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 33.00 (±0.20)	Vernier 0.02	5/Lot												
03	Ø 25.50 (±0.20)	Vernier 0.02	5/Lot												
04	Dim.41.8 (-0.20)	Vernier 0.02	5/Lot												
05	Dim 5 (±0.20)	Vernier 0.02	5/Lot												
06	Radius R1	Radius Gauge	5/Lot												
07	Chamfer 1x45°	Visual	100%												
	No cracks, dents etc.														
△ =Under Devation, O = OK, X = Segeregated INSPECTED BY APPROVED BY															
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated. YES () NO () YES () NO ()															

Part Name : SPACER MAIN		ITEM CODE : 93662007		DRG.No :		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 40.00 (±0.20)	Vernier 0.02	5/Lot														
02	Ø 33.00 (±0.20)	Vernier 0.02	5/Lot														
03	Ø 25.50 (±0.20)	Vernier 0.02	5/Lot														
04	Dim. 24.8 (-0.20)	Vernier 0.02	5/Lot														
05	Dim 5 (±0.20)	Vernier 0.02	5/Lot														
06	Radius R1	Radius Gauge	5/Lot														
07	Chamfer 1x45° No cracks, dents etc.	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Rod (Accelerator)		ITEM CODE : 93326962		DRG.No : BB 6963		REPORT NO.		DATE									
Lot Size		Lot No		Challan No/Dt.		MIN. No. /Dt.		VENDER CODE :- 302235									
S. No.		DESCRIPTION						YES		NO							
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10			
01	Ø 8.00 (±0.10)	Vernier 0.02	5/Lot														
02	Dim. 100 (±0.20)	Vernier 0.02	5/Lot														
03	Dim. 220 (±2.50)	Vernier 0.02	5/Lot														
04	Dim. 27 (+0.20)	Vernier 0.02	5/Lot														
05	Dim. 10 (±1)	Vernier 0.02	5/Lot														
06	Dim. 22 (±0.20)	Vernier 0.02	5/Lot														
07	Dim. 24.5 (+2.0)	Vernier 0.02	5/Lot														
08	Dim. 19.5 (±0.50)	Vernier 0.02	5/Lot														
09	Dim. 510 (±4.0)	Vernier 0.02	5/Lot														
10	Hole Dia Ø 2.5 H 12 Chamfer 0.5x45°	Vernier 0.02 Visual	5/Lot 100%														
No cracks, dents etc. Under Deviation, O = OK, X = Segeregated																	
INSPECTED BY										APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark/Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : GUIDE PIN				ITEM CODE : 1011716				DRG. No : 020625/b				REPORT NO.				DATE			
Lot Size				Lot No				Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235			
S. No.				DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION					
					1	2	3	4	5	6	7	8	9	10	Δ O X				
01	Dim 19..5(±0.20)	Vernier 0.02	5/Lot																
02	Dim 13(±0.20)	Vernier 0.02	5/Lot																
03	Dia 6(-0.30)	Vernier 0.02	5/Lot																
04	Dia 6.3(±0.10)	Vernier 0.02	5/Lot																
05	Dim 5(±0.50)	Vernier 0.02	5/Lot																
06	Dim 8.5(±0.20)	Vernier 0.02	5/Lot																
07	Chemfer (1 X 45°)	Visual	5/Lot																
Δ =Under Devation, O = OK, X = Segeregated																			
INSPECTED BY								APPROVED BY											
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : SECURING NUT		ITEM CODE : 1040686		DRG. No : 030524/a		REPORT NO.		DATE								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235								
S. No.		DESCRIPTION								YES			NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ O X	
01	A F 17 (-0.20)	Vernier 0.02	5/Lot													
02	Dim 4(±0.20)	Vernier 0.02	5/Lot													
03	M 10x1	TPG	5/Lot													
04	No sharp edges no burs, Chf.30°	Visual	100%													
05	Zinc Passivation (Yellow)	Visual	100%													
06	V. Code as bluepaint	Visual	100%													
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()				2

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : Pin for bonnet				ITEM CODE : 1151769		DRG. No : 051975/a		REPORT NO.			DATE				
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	Δ O X
01	Ø 4 (±0.15)	Vernier 0.02	5/Lot												
02	Ø 1.7 (+0.2)	Plug Gauge	5/Lot												
03	Ø 8 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 41 (+0.50)	Vernier 0.02	5/Lot												
05	Dim. 48 (±0.30)	Vernier 0.02	5/Lot												
06	Dim. 4 (±0.10)	Vernier 0.02	5/Lot												
07	Chmf. 1.5 x 15	Visual	100%												
08	Zinc Passivation	Visual	100%												
Δ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : ROD				ITEM CODE : 1264515		DRG. No : 304514		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION									YES			NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	Δ O X	
01	Dim 510 (±4.00)	Scale	5 / Lot													
02	Ø 8 (±0.20)	Vernier 0.02	5 / Lot													
03	Ø 2.5 (+0.20)	Plug Gauge	5 / Lot													
04	Dim 3.00 (±0.50)	Vernier 0.02	5 / Lot													
05	No sharp edge, no notches at R 10	Visual	100 %													
	Zinc Passivation ,															
	V. Code as blue paint															
	mark															
Δ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()				4

QP/8.2.4/F03/R-0

FINAL / PRE-DISPATCH INSPECTION REPORT

GREWAL ENGINEERING WORKS

Part Name : PIN		ITEM CODE : 1517223		DRG. No : 267224/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 10h11 (-0.09)	MIC 0.01	5/Lot												
02	Ø 2.8H11 (+0.06)	Plug gauge	5/Lot												
03	Dim.26 (±0.20)	Vernier 0.02	5/Lot												
04	Dim.31 (±0.30)	Vernier 0.02	5/Lot												
05	Dim.35 (±0.30)	Vernier 0.02	5/Lot												
06	Dia.16 (±0.20)	Vernier 0.02	5/Lot												
07	Chmfers & No dents & burs	Visual	100%												
08	Zinc Passivation (Yellow)	Visual	100%												
09	V. Code as bluepaint mark	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

5

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : FULCRUM PIN				ITEM CODE : 1580929		DRG. No : 230925/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235							
S. No.				DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION			
					1	2	3	4	5	6	7	8	9	10	O X		
01	Dim.35 (±0.30)	Vernier 0.02	5/Lot														
02	M 10X1.5	T P G	5/Lot														
03	Ø 12h11 (-0.11)	Vernier 0.01	5/Lot														
04	Dim.17.3 (±0.20)	Vernier 0.02	5/Lot														
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot														
06	Dia.20 (±0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
09	V. Code as blue paint mark	Visual	100%														
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY								APPROVED BY									
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	
										YES ()		NO ()					
										YES ()		NO ()		6			

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS																		
Part Name : PIN (Small)				ITEM CODE : 1611847				DRG. No : 241844/a				REPORT NO.				DATE										
Lot Size				Lot No				Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235										
S. No.				DESCRIPTION										YES		NO										
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																										
S.N	o Specified Dimension		Inspection Method	Freq.	DIMENSION										OBSERVED										DECISION	
						1	2	3	4	5	6	7	8	9	10	O X										
01	Ø 12h11 (-0.11)		Vernier 0.01	5/Lot																						
02	Ø 2.8H11 (+0.06)		Plug Gauge	5/Lot																						
03	Dim.26 (±0.20)		Vernier 0.02	5/Lot																						
04	Dim.31 (±0.30)		Vernier 0.02	5/Lot																						
05	Dim.35 (±0.30) -		Vernier 0.02	5/Lot																						
06	Dia.18 (±0.20)		Vernier 0.02	5/Lot																						
07	Chmfers & No dents & burs		Visual	100%																						
08	Zinc Passivation (Yellow)		Visual	100%																						
09	V. Code as bluepaint mark		Visual	100%																						
△=Under Devation, O = OK, X = Segeregated																										
INSPECTED BY										APPROVED BY																
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																										
										YES () NO () YES () NO ()								7								

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : PIN (BIG)				ITEM CODE : 1611999		DRG. No : 241994/a		REPORT NO.			DATE						
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235							
S. No.				DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION			
					1	2	3	4	5	6	7	8	9	10	O X		
01	Ø 12h11 (-0.11)	Vernier 0.01	5/Lot														
02	Ø 2.8H11 (+0.06)	Plug Gauge	5/Lot														
03	Dim.38 (±0.30)	Vernier 0.02	5/Lot														
04	Dim.43 (±0.30)	Vernier 0.02	5/Lot														
05	Dim.47 (±0.30)	Vernier 0.02	5/Lot														
06	Dia.18 (±0.20)	Vernier 0.02	5/Lot														
07	Chmfers & No dents & burs	Visual	100%														
08	Zinc Passivation (Yellow)	Visual	100%														
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY								APPROVED BY									
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : Double Pin				ITEM CODE :1619652		DRG. No : 249654/a		REPORT NO.			DATE				
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	△ O X
01	Ø 10 (±0.20)	Vernier 0.02	5/Lot												
02	Dim. 93 (±1.50)	Vernier 0.02	5/Lot												
03	Dim. 44 (±1.50)	Vernier 0.02	5/Lot												
04	Ø 3.2 (±0.10)	Plug Gauge	5/Lot												
05	Dim. 42 (±1.50)	Vernier0.02	5/Lot												
06	Dim. 82 (±1.50)	Vernier0.02	5/Lot												
07	Dim. 75 (±1.50)	Vernier0.02	5/Lot												
08	Chemfer 8×18° No sharp edges	Visual	100%												
	no burs Zinc Plating														
	V. Code as blue paint mark														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		9	

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Rod Assly		ITEM CODE : 1618982		DRG. No : 248984/a		REPORT NO.			DATE							
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.				DESCRIPTION								YES			NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Ø 2 (+0.20)	PlugGauge	5/Lot													
02	Ø 8 (±0.20)	Vernier0.02	5/Lot													
03	Dim.230(±2.50)	Vernier0.02	5/Lot													
04	Dim. 32 (±0.30)	Vernier0.02	5/Lot													
05	M20 X 1.5	TRG	5/Lot													
06	No sharp edges no burs, Zinc Passivatio	n	100%													
	V. Code as bluepaint, R8 without any notch															
	properbrazing															
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()		10		

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : PIN				ITEM CODE : 1619664			DRG. No : 249664		REPORT NO.			DATE				
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Ø 20 (±0.20)	Vernier 0.02	5/Lot													
02	Ø 14 (-0.20)	Vernier 0.02	5/Lot													
03	Ø 5 (±0.10)	Plug Gauge	5/Lot													
04	Dim. 85 (±0.30)	Vernier0.02	5/Lot													
05	Dim. 95 (±0.30)	Vernier0.02	5/Lot													
06	Chemfer 2×45° No sharp edges	Visual	100%													
07	ZincPlating V. Code as bluepaint mark	Visual	100%													
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()		11		

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : DIAMOND PIN				ITEM CODE : 1656090		DRG. No : 0511095 b		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.				DESCRIPTION								YES			NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Ø 14m6+.007/+0.018	Mic 0.001	5/lot													
02	Dim 38 (±0.10)	Vernier0.02	5/lot													
03	Dim. 16 (±0.20)	Vernier0.02	5/lot													
04	Dim. 10 (±0.20)	Vernier0.02	5/lot													
05	Hard & Temp. 35-40 HRc	H / Tester	5/lot													
06	Angle 60°	Visual.	5/lot													
07	Chemfer 1×45° Chemfer 1.5 x 45°	Visual	100%													
08	No sharp edges no burs & no rust	Visual	100%													
09	V. Code as bluepaint mark	Visual	100%													
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : Connecting link Assly				ITEM CODE : 2121529		DRG. No : 721523/b		REPORT NO.		DATE					
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.				DESCRIPTION								YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø2.5 (+0.2) (2 nos)	PlugGauge	5/Lot												
02	Dim. 320-366	Scale	5/Lot												
03	Dim. 9 (±1.00)	Vernier 0.02	5/Lot												
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot												
05	M 8	TRG	5/Lot												
06	M 8 (L H)	TRG	5/Lot												
07	Dim 255 (±2.50)	Vernier0.02	5/Lot												
08	Dim 60 (±1.50)	Vernier0.02	5/Lot												
09	Dim 75 (±0.30)	Vernier0.02	5/Lot												
10	Zinc Plating, R8 No crack,proper brazi	ng													
⚠=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS							
Part Name : Accelerator Shaft				ITEM CODE : 2121542		DRG. No : 721544		REPORT NO.		DATE					
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 328.00 (±0.80)	Vernier 0.02	5/Lot												
02	Dim. 11 (±0.20)	Vernier 0.02	5/Lot												
03	Dim. 306 (+0.50)	Vernier 0.02	5/Lot												
04	Dim. 12 (-0.20)	Vernier 0.02	5/Lot												
05	Dia. 4 (+0.12) (two nos)	Plug Gauge	5/Lot												
06	Chmfer 0.5X45, Zinc Passivation	Visual	100%												
07	(Yellow) V. Code as G / bluepaint mark														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : Pin For Pedal				ITEM CODE : 2124592		DRG. No : 724594/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235							
S. No.				DESCRIPTION							YES			NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION			
					1	2	3	4	5	6	7	8	9	10	O X		
01	Ø 30 f8(-0.02 -0.053)	Mic 0.001	5 / lot														
02	Ø19.6 h13(-0.33)	Vernier0.02	5 / lot														
03	Dim 113 (+0.20)	Vernier 0.02	5 / lot														
04	Ø 28.6 h12(-0.21)	Vernier 0.02	5 / lot														
05	DIM. 70 (0+0.2)	Vernier 0.02	5 / lot														
06	Dim. 1.6h13 (+0.14)	Vernier 0.02	5 / lot														
07	M 24x2	TRG	5 / lot														
08	DIM 36 (±0.3)	Vernier 0.02	5 / lot														
09	Vender Code as G	Visual	100%														
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY								APPROVED BY									
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	
										YES ()		NO ()					
										YES ()		NO ()		15			

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name :FORK PIN				ITEM CODE : 2531252		DRG. No : 921254		REPORT NO.		DATE					
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 38 e8(-0.05/-0.09)	Mic. 0.01	5 / lot												
02	I D 24.10 (+0.20)	Plug Gauge	5 / lot												
03	Dim. 44 (±0.30)	Vernier 0.02	5 / lot												
04	Dim. 28 (±0.20)	Vernier 0.02	5 / lot												
05	M10×1	T P G	5 / lot												
06	Dim. 96 (+0.30)	Vernier 0.02	5 / lot												
07	Greece gallery Present & no cracks	Visual	100%												
08	Holes Ø 4 (2Nos.) Ø 9 through	Visual	100%												
09	No sharp edges no burs & chf 1×45°	Visual	100%												
10	ZincPlating Vender Code as G	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		16	

Part Name : SPACER ROD		ITEM CODE : 2531628		DRG. No : 921624/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 133 (±0.50)	Vernier 0.02	5 / lot												
02	A/F 13 (±0.20)	Vernier 0.02	5 / lot												
03	M 8 x 1.25	TRG	5 / lot												
04	M 8 x 1.25	TPG	5 / lot												
05	Alignment of nut & I D 9 up to 45mm	Bolt M8	5 / lot												
06	Zinc Pasivation & Proper welding	Visual	100%												
07	No sharp edge, no dents, no burs, Vender Code as G														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimension YES () NO () 3 Gauges are available & calibrated. YES () NO ()															

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : SPACER ROD		ITEM CODE : 2533224		DRG. No : 923224		REPORT NO.			DATE							
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Dim 92 (±0.30)	Vernier0.02	05 / lot													
02	A/F 13 (±0.20)	Vernier0.02	05 / lot													
03	M 8 x 1.25	TRG	05 / lot													
04	M 8 x 1.25	TPG	05 / lot													
05	Alignmmentofnut & ID 9 up to 45mm	Bolt M8	05 / lot													
06	Zinc Pasivation & Proper welding	Visual	100%													
07	No sharp edge, no dents, no burs, Vender Code as															
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()				18

Part Name : Connecting Link Assly		ITEM CODE : 2536389		DRG. No : 92638		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Ø2.5 (+0.2) (2 nos)	Plug Gauge	5/Lot														
02	Dim. 295-340	Scale	5/Lot														
03	Dim. 9 (±1.00)	Vernier 0.02	5/Lot														
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot														
05	M 8	TRG	5/Lot														
06	M 8 (L H)	TRG	5/Lot														
07	Dim 230 (±2.50)	Vernier0.02	5/Lot														
08	Dim 60 (±1.50)	Vernier0.02	5/Lot														
09	Dim 75 (±0.30)	Vernier0.02	5/Lot														
10	Zinc Plating, R8 No crack,proper brazi	Visual	100%														
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Guide block		ITEM CODE : 2562868		DRG. No : 212864		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 22.00 (±0.20)	Vernier 0.02	5/Lot												
02	Dim 5 (±0.20)	Vernier 0.02	5/Lot												
03	Dim. 12 (-0.20)	Vernier 0.02	5/Lot												
04	Dim. 12h 11 (-0.11)	Mic 0.01	5/Lot												
05	Dia 6.25 (±0.20)	Vernier 0.02	5/Lot												
06	Dia. 8(-0.06)	Mic0.01	5/Lot												
07	Chemfer 0.5 x 45° Zinc Passivation	Visual	100%												
	V. Code as G														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : SCREW STUD		ITEM CODE : 2563770		DRG. No : 213774/b		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dia 16-0.02/-0.05	Mic 0.001	5/Lot												
02	Dia 10 (±0.20)	Vernier 0.02	5/Lot												
03	Dim 28(±0.30)	Vernier 0.02	5/Lot												
04	Dim 22 (±0.20)	Vernier 0.02	5/Lot												
05	Dim 10.50 (±0.20)	Vernier 0.02	5/Lot												
06	Dia 9.4 (-0.22)	Vernier 0.02	5/Lot												
07	Dim 17(±0.20)	Vernier 0.02	5/Lot												
08	Hardness (55-61Hrc)	Hard Tester	5/Lot												
09	M 12	TRG	5/Lot												
10	Case depth (1.00/2.00)	H/treat report	1/month												
11	No sharp edges no burs, Zinc Passivat	Visual ion	100%												
⚠ Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Turn Rod		ITEM CODE : 2563794		DRG. No : 213794		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	M 10 X 1.25	T R G	5/Lot												
02	M10 X 1.25 LH	TRG	5/Lot												
03	Dim. 47 (±0.30)	Vernier 0.02	5/Lot												
04	Dim. 21 (±0.20)	Vernier 0.02	5/Lot												
05	Dim. 17 A/F (-0.27)	Vernier 0.01	5/Lot												
06	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot												
07	Micro structure	H/ Treatment report	1/month												
08	No crack, dent etc.& ZincPlating	Visual	100%												
	Vender Code as G														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : PIN TAIL LUG		ITEM CODE : 93320078		DRG. No : BB0073		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 12.50 (-0.10)	Vernier 0.02	5/Lot												
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot												
03	Dim.35 (+0.30)	Vernier 0.02	5/Lot												
04	Dim.40 (+1.00)	Vernier 0.02	5/Lot												
05	Dia 18 (±0.20)	Vernier 0.02	5/Lot												
06	Chmfers, R0.5 & No dents & burs	Visual	100%												
07	Zinc Passivation (Yellow)	Visual	100%												
08	V. Code as blueprint /G	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation YES () NO () 3 Gauges are available & calibrated. YES () NO ()															

Part Name : PIN small		ITEM CODE : 93320080		DRG. No : BB083		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 10 (-0.10)	Vernier 0.02	5/Lot												
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot												
03	Dim.35 (+0.30)	Vernier 0.02	5/Lot												
04	Dim.40 (+1.00)	Vernier 0.02	5/Lot												
05	Dia 16 (±0.20)	Vernier 0.02	5/Lot												
06	Chmfers, R0.5 & No dents & burs	Visual	100%												
07	Zinc Passivation (Yellow)	Visual	100%												
08	V. Code as bluepaint /G	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : ADOPTER		ITEM CODE : 93346500		DRG. No : BD6504		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dia 47 (±0.20)	Vernier 0.02	5/Lot												
02	Dia 14.50 (+0.27)	Vernier 0.01	5/Lot												
03	Dim . 104 (±0.30)	Vernier 0.02	5/Lot												
04	Dim 75 (±0.50)	Vernier 0.02	5/Lot												
05	No sharp edges no burs, Zinc Passivati	Visual on	100%												
	Chemfer 1 X 45 Vender Code as G														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : SPACER		ITEM CODE : 93348120		DRG. No : S BD8124		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 38.0 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 13 (±0.20)	Vernier 0.02	5/Lot												
03	Dim.22 (±0.20)	Vernier 0.02	5/Lot												
04	No cracks, dents etc. V. C. as G/ blue paint	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name :SPACER (for blower shaft)		ITEM CODE : 93348180		DRG. No : BD8184		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Ø 16 (±0.20)	Vernier 0.02	5/Lot														
02	Ø 7 (±0.20)	Vernier 0.02	5/Lot														
03	Dim. 10 (±0.20)	Vernier 0.02	5/Lot														
04	No cracks, dents etc. V. C. as G/ blue paint	Visual	100%														
	& Zinc Plating																
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Hand Acc Rod		ITEM CODE : 93410183		DRG. No : BK 0183		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim. 421 (±3.00)	Layout	5/Lot												
02	M 12	T R G	5/Lot												
03	M16 X 1.5	TRG	5/Lot												
04	Dim.13h8(-0.027)	Mic 0.001	5/Lot												
05	Angle 65° (±1°)	Angle Prot	5/Lot												
06	Dim 40(±0.50)	Vernier0.02	5/Lot												
07	Dim.137 (±1.20)	Vernier0.02	5/Lot												
08	Dim.62 (±0.80)	Vernier0.02	5/Lot												
09	Dim.56 (±1.00)	Vernier0.02	5/Lot												
10	Fusion 0.50 min	Vernier 0.02	1/month												
11	Chmfers & No dents & no welding spotter	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		28	

Part Name : Pin For FORK		ITEM CODE : 93625102		DRG. No : CB 510 4		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 9.8 h11 (-0.09)	Mic 0.01	5/Lot												
02	Ø 2.8 (±0.10)	Plug Gauge	5/Lot												
03	Dim.23.5 (±0.20)	Vernier 0.02	5/Lot												
04	Dim.32.5 (±0.30)	Vernier 0.02	5/Lot												
05	Dia.16 (±0.20)	Vernier 0.02	5/Lot												
06	Chmfers .5X45°, No dents & burs	Visual	100%												
	Zinc Passivation (Yellow)														
	V. Code as blueprint														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672517		DRG. No : CG2513		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Dim.480 (±2.00)	Vernier 0.0	5/Lot														
02	Dim. 89(±1.00)	Vernier 0.02	5/Lot														
03	M10	TRG	5/Lot														
04	Dim 346 (-0.5/+1.00	) Vernier 0.02	5/Lot														
05	Dia 4 (±0.10)	Vernier0.02	5/Lot														
06	Dim 74 (±0.30)	Vernier0.02	5/Lot														
07	Dim. 20 (±1.50)	Vernier 0.02	5/lot														
08	Dia 17 (+1.50)	Vernier 0.02	5/lot														
09	No dents no flash & no mark on knob,	Visual	100%														
	Proper white paint &Zincplating																
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : FORK--PTO		ITEM CODE : 93627482		DRG. No : CB 7484		REPORT NO.			DATE							
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Dim 8 (+0.2)	Vernier 0.02	5/Lot													
02	Dim 54 (±0.30)	Vernier 0.02	5/Lot													
03	M10	TPG	5/Lot													
04	Dim 9 (±0.20)	Vernier 0.02	5/Lot													
05	Sq 18 (±0.20)	Vernier 0.02	5/Lot													
06	Dia 10 (±0.10)	Vernier 0.02	5/Lot													
07	Dim 33.5 (+0.30)	Vernier 0.02	5/Lot													
08	Chemfers 2 x 45°	Visual	100%													
09	ZincPlating (Yellow)	Visual	100%													
	V. Code as G															
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()		31		

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : PIN		ITEM CODE : 93351543		DRG. No : BE 154 4		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 8 (±0.10)	Vernier 0.02	5/Lot												
02	Ø 2.5 (+0.10)	Vernier 0.02	5/Lot												
03	Dim.18 (±0.20)	Vernier 0.02	5/Lot												
04	Dim.22 (±0.30)	Vernier 0.02	5/Lot												
05	Dia.14 (±0.20)	Vernier 0.02	5/Lot												
06	Chmfers & No dents & burs	Visual	100%												
	Zinc Passivation (Yellow)														
	V. Code as blueprint														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : Connecting link (50 hp)		ITEM CODE : 93350679		DRG. No : BE0673		REPORT NO.		DATE								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235								
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION
					1	2	3	4	5	6	7	8	9	10	O X	
01	Ø 9 (±0.20)	Vernier 0.02	5/Lot													
02	Ø 2.5 (+0.20)	Plug Gauge	5/Lot													
03	Dim.9 (±1.00)	Vernier 0.02	5/Lot													
04	Dim. 80 (±3.00)	Vernier 0.02	5/Lot													
05	Dim. 535 (±4.00)	Vernier 0.02	5/Lot													
06	Dim. 400 (±4.00)	Vernier 0.02	5/Lot													
07	Dim.105 (±1.50)	Layout	5/Lot													
08	M 10	TRG	5/Lot													
09	Dim. 120 (±2.50)	Vernier 0.02	5/Lot													
10	Zinc Passivation R25, R12 ,proper braz	Visual ing	100%													
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

Part Name : DOWEL PIN		ITEM CODE : 93626040		DRG. No : CB6044		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 14m6(+007 /+0.18)	Mic 0.001	5/Lot												
02	Dim 42 (±0.30)	Vernier 0.02	5/Lot												
03	Dim 13.5 (-0.20)	Vernier 0.02	5/Lot												
04	Hard & Temp. 32-38 HRc	H / Tester	5/Lot												
05	Chemfer 1×30°,7X20 no burs, no rust	◦ Visual	100%												
	Blue paint mark as Vender code														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Dowel For G1 top Cover		ITEM CODE : 93628747		DRG. No : CB 874 4		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 12f 7 (-.02/-.03)	Mic 0.01	5/Lot												
02	Dim 22 (±0.20)	Vernier0.02	5/Lot												
03	Dim 11 (±0.20)	Vernier0.02	5/Lot												
04	Hard & Temp. 40 - 45 HRc	H / Tester	5/Lot												
05	Chemfer 1.5×15° & R12, no burs, no ru	Visual st	100%												
	Blue paint mark as Vender code														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :															
Identification Mark / Location :															
2 Lot segeregated for 'X' marked dimention										YES ()			NO ()		
3 Gauges are available & calibrated.										YES ()			NO ()		

Part Name : DOWEL PIN		ITEM CODE : 1656089		DRG. No : 05 11085/b		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 14m6+.007/+.018	Mic 0-25	5/lot												
02	Dim 38 (±0.10)	Vernier0.02	5/lot												
03	Hard & Temp. 40 - 45 HRc	H / Tester	5/lot												
04	Chemfer 1.5×45° & 3x30°	Visual	100%												
	no burs & no rust														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : PIN FOR PAWL		ITEM CODE : 93311260		DRG. No : BA1264		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	M 10	Vernier0.02	5/Lot														
02	Dim. 38 (±0.30)	Vernier0.02	5/Lot														
03	Dim. 20 (±0.20)	Vernier0.02	5/Lot														
04	Dia. 14 (+0.018/+0.0	29) Mic 0-001	5/Lot														
05	Dim.13.50 (-0.20)	Vernier0.02	5/Lot														
06	Chemfer 2X15°, 1X45°, Vender. Code as blue paint mark	Visual	100%														
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention YES () NO () 3 Gauges are available & calibrated. YES () NO ()																	

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : NUT WHEEL		ITEM CODE : 253 565 8		DRG. No : 92 565 4		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	M16 x 1.5	TPG	5/lot														
02	A / F 27 (-0.84)	Vernier.02	5/lot														
03	Dim 18(+1.00)	Vernier.02	5/lot														
04	Dim 36 ±(1.00)	Vernier.02	5/lot														
05	Hard & Temp. (14-28Hrc)	H / Tester	5/lot														
06	Convextyof face	St edge	5/lot														
07	No Crack	Magnaflex m/c	10/Lot														
08	Micro structure	H/ Treatment report	1/month														
09	Zinc Plating (10 mic mn)	Zn plating report	5/lot														
10	2.7 min, No crack Vender Code as "G"	Visual	100%														
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY								APPROVED BY									
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	
YES () NO () YES () NO ()																	

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : NUT WHEEL		ITEM CODE : 2125663		DRG. No : 725664		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	DIM. 30 A/F(-0.30)	Vernier.02	5/lot												
02	M16×1.5 (After surface treatment)	TPG	5/lot												
03	DIM. 5.5 (+0.20)	layout	5/lot												
04	Ø29.00(±0.2)	Vernier.02	5/lot												
05	DIM.19.5(±0.2)	Vernier.02	5/lot												
06	HARDNESS 14-28Hrc	Hardness Tester	5/lot												
07	No Crack	Magnaflex m/c	10/Lot												
08	Micro structure	H/ Treatment report	1/month												
09	Zinc Plating (10 mic mn)	Zn plating report	5/lot												
10	Chmf 30°, No crack Vender Code as "G"	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		39	

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS											
Part Name : Wheel Nut		ITEM CODE : 2536936		DRG. No : 926934		REPORT NO.			DATE										
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.			VENDER CODE-302235										
S. No.		DESCRIPTION										YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED				DECISION	
					1	2	3	4	5	6	7	8	9	10	O X				
01	M14 x 1.5	TPG	5/lot																
02	A / F 22 (-0.40)	Vernier.02	5/lot																
03	Dim 14(+1.00)	Vernier.02	5/lot																
04	Dim 29 ±(1.00)	Vernier.02	5/lot																
05	Hard & Temp. 14-28HRc	H / Tester	5/lot																
06	Convextyof face	St edge	5/lot																
07	No Crack	Magnaflex m/c	10/Lot																
08	Micro structure	H/ Treatment report	1/month																
09	Zinc Plating (10 mic mn)	Zn plating report	5/lot																
10	2 mm min, No crack Vender Code as "G"	Visual	100%																
△=Under Devation, O = OK, X = Segeregated																			
INSPECTED BY																			
APPROVED BY																			
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			
YES () NO () YES () NO ()																			
40																			

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : HOOK		ITEM CODE : 9349605		DRG. No : BK 9603		REPORT NO.			DATE							
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Dia 3.20 (±0.10)	Vernier 0.02	5/Lot													
02	Dia 12 (±0.20)	Vernier 0.02	5/Lot													
03	Dim 8 (±0.20)	Vernier 0.02	5/Lot													
04	Dim 13 (+1.00)	Vernier 0.02	5/Lot													
05	Dim 90 (±1.50)	Vernier 0.02	5/Lot													
06	Dia 60 (±1.50)	Vernier 0.02	5/Lot													
07	Dim 214 (+2.00)	Vernier 0.02	5/Lot													
08	Dim 45 (-1.00)	Vernier 0.02	5/Lot													
09	No sharp edges no burs, Zinc Passivati	Visual on	100%													
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()		41		

Part Name : Tention Tie Assly		ITEM CODE : 1343002		DRG. No : 573003		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 2.5 (+0.2) (2 nos)	Plug Gauge	5/Lot												
02	Ø 6 (±.10)	Vernier 0.02	5/Lot												
03	Dim. 475-532 (Calculated)	Scale	5/Lot												
04	Dim. 5 (±0.50)	Vernier 0.02	5/Lot												
05	Dim. 16 (±1.00)	Vernier 0.02	5/Lot												
06	A/F 13 (-0.20)	Vernier 0.02	5/Lot												
07	M8	TPG	5/Lot												
08	M8 L H	TPG	5/Lot												
06	Proper brazing all over R8 (2nos.)	Visual	100%												
	ZincPlating (yellow) No crack, dent & V. C	. as blue paint													
 =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()			

Part Name : Rear Latch		ITEM CODE : 1573305		DRG. No : 073304		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 6 (±0.10)	Vernier 0.02	5/lot												
02	M 6	TRG	5/lot												
03	Dim. 182 (±2.50)	Vernier 0.02	5/lot												
04	Dim. 115 (±1.50)	Vernier 0.02	5/lot												
05	Dim. 20 (±1.00)	Vernier 0.02	5/lot												
06	Dim 25 (±1.00)	Vernier 0.02	5/lot												
07	R16, R3, R1, R6 No sharp edges	Visual	01												
	no burs, Zinc Plating V. C. as blue paint														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : LINK UPPER		ITEM CODE : 1680559		DRG. No : 290534		REPORT NO.			DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	△ O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot												
02	Ø 8 (±.20)	Vernier 0.02	5/lot												
03	Dim. 364(±1.00)	Vernier 0.02	5/lot												
04	Dim. 22 (±0.50)	Vernier 0.02	5/lot												
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot												
06	Dim. 12 (±0.50)	Vernier 0.02	5/lot												
07	. Dim. 7 (±0.30)	Vernier 0.02	5/lot												
08	Dim. 9 (±0.30)	Vernier 0.02	5/lot												
09	Proper brazing all over R8 (2nos.) &	Visual	100%												
	No crack, dent Vender Code as "G"														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
												YES () NO ()			
												YES () NO ()		44	

Part Name : Hand Acc Link		ITEM CODE : 93414322		DRG. No : BK4324		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 2.5 (+0.1/-0.05)	Plug Gauge	5/lot												
02	Ø 8 (±.20)	Vernier 0.02	5/lot												
03	Dim. 16 (±1.00)	Vernier 0.02	5/lot												
04	Dim. 10 (±1.00)	Vernier 0.02	5/lot												
05	Dim. 10 (±1.00) (2nd side)	Vernier 0.02	5/lot												
06	Dim. 147 (±2.50)	Vernier 0.02	5/lot												
07	Proper brazing all over, R8	Visual	100%												
	No crack, dents etc. V. C. as blue paint	&													
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : J-Bolt		ITEM CODE : 2125183		DRG. No : 725184		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim.234 (±2.500)	Vernier 0.02	5/lot												
02	Dim.35 (±1.50)	Vernier 0.02	5/lot												
03	Dim.28(12+16) (±1.0	0) Vernier 0.0	2 5/lot												
04	Dia 8 (±0.20)	Vernier.02	5/lot												
05	M 8	TRG	5/lot												
06	Washer OD 17(-0.400	Vernier.02	5/lot												
07	Washer Th 1.6(+0.20)	Vernier.02	5/lot												
08	No dents,No line mar proper Brazing & R8	ks Visual	100%												
	Zincplating Vender Code as "G"														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :															
Identification Mark / Location :															
2 Lot segeregated for 'X' marked dimention										YES () NO ()					
3 Gauges are available & calibrated.										YES () NO ()					

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS								
Part Name :		LINK UPPER	ITEM CODE :		93423426		DRG. No :BL 3423		REPORT NO.		DATE					
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION									YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Ø 2 (+0.2)	Plug Gauge	5/lot													
02	Ø 8 (±.20)	Vernier 0.02	5/lot													
03	Dim. 358(+3.00)	SPG	5/lot													
04	Dim. 22 (±0.50)	Vernier 0.02	5/lot													
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot													
06	Dim. 12 (±0.50)	Vernier 0.02	5/lot													
07	Dim. 7 (±0.30)	Vernier 0.02	5/lot													
08	Dim. 9 (±0.30)	Vernier 0.02	5/lot													
09	Proper brazing R8 (2nos.) R 230 &	Visual	100%													
	No crack, dent etc.& Vender Code as "G"															
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()		47		

Part Name : Mounting Brkt		ITEM CODE : 2535464		DRG. No : 925464		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 5 (±0.10)	Vernier 0.0	5/lot												
02	Dim 90 ± 1.50	Vernier 0.02	5/lot												
03	Dim. 70 ±1.50	Vernier 0.02	5/lot												
04	Dim. 70 +0.30	Vernier 0.02	5/lot												
05	Dim. 31 ±1.50	Vernier 0.02	5/lot												
06	Dim. 21 ±1.00	Vernier 0.02	5/lot												
07	Dim. 10 +0.36	Vernier 0.02	5/lot												
08	Dim. 13.5 ±1.00	Vernier 0.02	5/lot												
09	R20, R8, R5, R10 Vender Code as "G"	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Foot Acc Pedal		ITEM CODE : 2535476		DRG. No : 925473		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dia. 12 (±0.10)	Vernier 0.02	5/lot												
02	Dia 25 (±0.20)	Vernier 0.02	5/lot												
03	Dia 4 H12(+0.12)	Plug Gauge	5/lot												
04	Dia 12 H11 (+0.11)	Plug Gauge	5/lot												
05	Dim 75 (±1.50)	Vernier 0.02	5/lot												
06	Dim. 142 (±2.50)	Vernier 0.02	5/lot												
07	. Dim. 15 (±0.20)	Vernier 0.02	5/lot												
08	Angle 116 (±1°)	Angle Prot	5/lot												
09	Chemfer, No Welding spotter. R24	, Visual 5/lot													
10	Fusion 0.50mmmin	Vernier 0.02	1/month												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Hand Acc Rod		ITEM CODE : 93372601		DRG. No : BD 260 3		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim.415 (-3.00)	Vernier 0.02	5/Lot												
02	CD 15(±0.2)	Vernier 0.02	5/lot												
03	Dia 6.5+0.3	Vernier 0.02	5/lot												
04	Dim.13h8(-0.027)	Mic 0.001	5/lot												
05	Dim.8 (±0.30)	Vernier 0.02	5/Lot												
06	Dia 16(±0.10)	Vernier 0.02	5/Lot												
07	Dim.137 (±1.20)	Vernier 0.02	5/lot												
08	Dim.62 (±0.80)	Vernier 0.02	5/lot												
09	Dim.14.5 (±0.20)	Vernier 0.02	5/Lot												
10	Dia 12(±0.20)	Vernier 0.02	5/Lot												
11	Chmfers & No dents & no welding spotter	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :															
Identification Mark / Location :															
2 Lot segeregated for 'X' marked dimation										YES () NO ()					
3 Gauges are available & calibrated.										YES () NO ()					

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : Hand Acc Lever		ITEM CODE : 93340533		DRG. No : 841724		REPORT NO.			DATE						
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim.222 (±2.50)	Vernier 0.02	5/Lot												
02	M 12	T P G	5/lot												
03	M8	T RG	5/lot												
04	Dim.17(±1.00)	Vernier 0.02	5/Lot												
05	A/F 19 (-0.20)	Vernier 0.02	5/lot												
06	Ø 12 (±0.20)	Vernier 0.02	5/Lot												
07	Ø 6 (-0.22)	Vernier 0.02	5/Lot												
08	Chmfers & No dents & no welding spotter	Visual	100%												
09	Proper Black Powder Coating	Powder coater report	s 5/lot												
10	Fusion 0.50mmmin	Vernier 0.02	1/month												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		51	

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS									
Part Name Connecting link (Fuel pump) ITEM CODE : 93347850 DRG. No : BD 7853 REPORT NO. DATE																
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235								
S. No.		DESCRIPTION											YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	△ O X	
01	Dim. 9 (±1.00)	Vernier	5/Lot													
02	Dim. 100 (±1.50)	Vernier 0.02	5/lot													
03	Dim. 400(±4.00)	Vernier 0.02	5/lot													
04	Dim. 150 (±2.50)	Vernier 0.02	5/lot													
05	Dim 85 (±1.50)	Vernier 0.02	5/lot													
06	M10	TPG	5/lot													
07	Dia 2.5 (±0.10)	PG	5/lot													
08	Dim 14 (±1.00)	Vernier 0.02	5/lot													
09	Dia 9 (±0.20)	Vernier 0.02	5/lot													
10	Proper brazing, No dents no flash & no	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :																
Identification Mark / Location :																
2 Lot segeregated for 'X' marked dimention										YES ()		NO ()				
3 Gauges are available & calibrated.										YES ()		NO ()		52		

Part Name : PTO lever (Push & pull)		ITEM CODE : 93672529		DRG. No : CG2523		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim.400 (±4.00)	Vernier	5/Lot												
02	Dim. 89 (±1.00)	Vernier 0.02	5/lot												
03	M10	TRG	5/Lot												
04	Dia12 (±0.20)	Mic 0.01	5/Lot												
05	Dim. 36 (±1.50)	Vernier 0.02	5/lot												
06	Dia 17 (+1.50)	Vernier 0.02	5/lot												
07	No dents no flash & no mark on knob,	Visual	100%												
	Proper white paint &Zincplating														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Tension Tie Assly		ITEM CODE : 93330760		DRG. No : BC0763		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Ø 2.5 (+0.2) (2 nos)	Pluge Gaug	e 5/lot														
02	Ø 6 (±.10)	Vernier 0.02	5/lot														
03	Dim. (372-412)	Scale	5/lot														
04	Dim. 5 (±0.50)	Vernier 0.02	5/lot														
05	Dim. 16 (±1.00)	Vernier 0.02	5/lot														
06	Properbrazing R8 (2nos.)	Visual	100%														
	ZincPlating(Yellow) No crack, dent &																
	V. C. as blue paint																
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Nut f. delivery pipe		ITEM CODE :1931866		DRG. No : 601864/ C		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 16 +0.15/+0.26	Plug Gauge	05 / lot												
02	Dim 20.50 (±0.20)	Vernier 0.02	05 / lot												
03	Dim 14.50 (±0.20)	Vernier 0.02	05 / lot												
04	Conc M24 wrt Ø 16 (0.10 Max)	Layout	05 / lot												
05	M 24 X1.5	TPG	05 / lot												
06	DIM 30 (-0.3)	Vernier 0.02	05 / lot												
07	No cracks, Chemfer 4 Zinc Plating (white)	5°Visual	100%												
	Vender Code as "G"														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Coupling Nut		ITEM CODE : 2560331		DRG. No : 210334/ B		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 28 +0.16/+0.29	Plug Gauge	05 / lot												
02	Dim 21.00 (±0.20)	Vernier 0.02	05 / lot												
03	Dim 14.00 (±0.20)	Vernier 0.02	05 / lot												
04	Conc M36 wrt Ø 28 (0.10 Max)	Layout	05 / lot												
05	M 36 X2	TPG	05 / lot												
06	DIM 41 (-0.4)	Vernier 0.02	05 / lot												
07	No cracks, Chemfer 4 ZincPlating(white)	5° Visual	100%												
	Vender Code as "G"														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Stopper bolt		ITEM CODE : 2562080		DRG. No : 212084		REPORT NO.		DATE								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235								
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION
					1	2	3	4	5	6	7	8	9	10	O X	
01	Ø 16 (±0.20)	Vernier 0.02	05 / lot													
02	Dim 57.00 (±0.30)	Vernier 0.02	05 / lot													
03	Dim 5.00 (±0.20)	Vernier 0.02	05 / lot													
04	Dim 1.5 (+0.30)	Vernier 0.02	05 / lot													
05	M 6 X1	TRG	05 / lot													
06	DIM 25 (+2.00)	Vernier 0.02	05 / lot													
07	DIM 7.5 (+0.20)	Vernier 0.02	05 / lot													
08	No cracks, Chemfer 4 ZincPlating(white)	5° Visual	100%													
	Vender Code as "G"															
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Spacer		ITEM CODE : 2121487		DRG. No : 241115/E		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Ø 20(±0.20)	Vernier 0.02	5/Lot														
02	Ø 12 H11 (+0.11)	Plug Gauge	5/Lot														
03	Dim. 26 (+0.50)	Vernier 0.02	5/Lot														
04	No cracks, dents etc. V. C. as G/ blue paint	Visual	100%														
	& Zinc Plating																
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Spacer		ITEM CODE : 1611112		DRG. No : 241115/ E		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Ø 20(±0.20)	Vernier 0.02	5/Lot														
02	Ø 12 H11 (+0.11)	Plug Gauge	5/Lot														
03	Dim. 18 (+0.50)	Vernier 0.02	5/Lot														
04	No cracks, dents etc.	Visual	100%														
	V. C. as G/ blue paint & Zinc Plating																
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :																	
Identification Mark / Location :																	
2 Lot segeregated for 'X' marked dimention									YES () NO ()								
3 Gauges are available & calibrated.									YES () NO ()								

Part Name : Bush f. main shaft		ITEM CODE : 1012174		DRG. No : 020255/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 63.75 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 40A11 (+0.30 /+0.430)	Plug Gauge	5/Lot												
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
03	Paralism 0.03	Mic 0.01	5/Lot												
04	No cracks, dents etc. V. C. as G/ blue paint	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :															
Identification Mark / Location :															
2 Lot segeregated for 'X' marked dimention										YES ()			NO ()		
3 Gauges are available & calibrated.										YES ()			NO ()		

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : U-Bolt		ITEM CODE : 93343716		DRG. No : BD3714		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim. 68 (±1.50)	Vernier 0.02	5/Lot												
02	M 8	T R G	5/lot												
04	Dim. 30 (±2.00)	Vernier 0.02	5/Lot												
05	Dim 51 (+0.80)	Vernier 0.02	5/lot												
06	Ø 8 (-1.00)	Vernier 0.02	5/Lot												
07	R 20.5+1	R. Gauge	5/Lot												
08	Chemfers & No dents	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES () NO ()					
										YES () NO ()				61	

Part Name : Link Bottom		ITEM CODE : 93417505		DRG. No : BK7504		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 2 (+0.06)	PlugGauge	5/lot												
02	Ø 8 (±.20)	Vernier 0.02	5/lot												
03	Dim. 18 (±1.00)	Vernier 0.02	5/lot												
04	Dim. 8 (+0.20)	Vernier 0.02	5/lot												
05	Dim. 8 (+0.20) (2nd side)	Vernier 0.02	5/lot												
06	Dim. 102 (±1.00)	Vernier 0.02	5/lot												
07	. Proper brazing all over, R8	Visual	100%												
	No crack, dents etc.& V. C. as blue paint														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Foot acc shaft		ITEM CODE : 93417426		DRG. No : BK7423		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 215.00 (+0.80)	Vernier 0.02	5/Lot												
02	Dim. 10 (±0.20)	Vernier 0.02	5/Lot												
03	Dim. 16 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 65 (+1.00)	Vernier 0.02	5/Lot												
05	Dia. 10 (-0.10)	Vernier 0.02	5/Lot												
06	Dia. 4 (+0.12)	Plug Gauge	5/Lot												
07	Dia. 8.3 (±0.20)	Vernier 0.02	5/Lot												
08	Dia. 3 (±0.20)	Vernier 0.02	5/Lot												
09	Angle 5° (±1.00°)	layout	5/Lot												
10	Chmfer 1X45°, proper welding	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation YES () NO () 3 Gauges are available & calibrated. YES () NO ()															

Part Name : Hand acc rod		ITEM CODE : 93417440		DRG. No : BK7443/a		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot												
02	Dim. 8 (±0.20)	Vernier 0.02	5/Lot												
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 193 (+0.50)	Vernier 0.02	5/Lot												
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot												
06	Dia. 6.4 (±0.20)	Vernier 0.02	5/Lot												
07	Dia.12 (±0.20)	Vernier 0.02	5/Lot												
08	Dia. 18 (±0.20)	Vernier 0.02	5/Lot												
09	Angle 10° (±1.00°)	layout	5/Lot												
10	Chmfcr 1X45°, proper welding	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : Hand acc rod		ITEM CODE : 93415296		DRG. No : BK5293/p		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Dim.456 (+2.00)	Vernier0.02	5/Lot														
02	Dim 137 (±1.00)	Vernier0.02	5/lot														
03	M16 X 1.5	TRG	5/lot														
04	Dim.13h8 (-0.027)	Mic 0.001	5/lot														
05	CD 15 (±0.20)	Vernier0.02	5/lot														
06	Dim 6.5 (+0.360)	Vernier 0.02	5/Lot														
07	Dim 25 (±1.00)	Vernier 0.02	5/Lot														
08	Dim.70 (±1.00)	Vernier 0.02	5/Lot														
09	Dim.8 (±0.20)	Vernier 0.02	5/Lot														
10	Chmfers & No dents & proper welding	Visual	100%														
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY								APPROVED BY									
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
YES () NO ()

Part Name : Acc shaft		ITEM CODE : 93415260		DRG. No : BK5264/P		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Dim 387.00 (±0.80)	Vernier 0.02	5/Lot														
02	Dim. 11 (±0.20)	Vernier 0.02	5/Lot														
03	Dim. 365 (-1.00)	Vernier 0.02	5/Lot														
04	Dim. 12 (-0.20)	Vernier 0.02	5/Lot														
05	Dia. 4 (+0.12) (two nos)	Plug Gauge	5/Lot														
06	Chmfer 0.5X45°,	Visual	100%														
	Zinc Passivation (Yellow)																
	V. Code as G / bluepaint mark																
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()

YES () NO ()

Part Name : Nylon Bush		ITEM CODE : 93417463		DRG. No : BK7464		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 24 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 12 (+0.20)	Vernier 0.02	5/Lot												
03	Dim. 20 (+0.20)	Vernier 0.02	5/Lot												
04	Dim. 4 (±0.20)	Vernier 0.02	5/Lot												
05	No cracks, dents etc.	Visual	100%												
	Chf 0.5 x 45°														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Plat Brake Mechanism		ITEM CODE : 93417554		DRG. No : BK7554		REPORT NO.		DATE									
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235									
S. No.		DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																	
2. Heat treatment cut sample enclosed.																	
3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION	
					1	2	3	4	5	6	7	8	9	10	O X		
01	Dim 98.5 (±0.30)	Vernier 0.0	5/lot														
02	Dim 60 (±0.30)	Vernier 0.02	5/lot														
03	Dia 10.50 (+0.20)	Vernier 0.02	5/lot														
04	Dia 12.50 (+0.20+0.4	0) Vernier 0.02	5/lot														
05	Dim. 4 ±0.10	Vernier 0.02	5/lot														
06	R12.5	Visual	100%														
	Vender Code as "G"																
△=Under Devation, O = OK, X = Segeregated																	
INSPECTED BY									APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : Hand acc lever				ITEM CODE : 93415272				DRG. No : BK5273				REPORT NO.				DATE			
Lot Size				Lot No				Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235			
S. No.				DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.N0	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION					
					1	2									O X				
01	Dim.200 (±2.5)	H.G	2/Lot																
02	Dim. 12.5 (±0.10)	Vernier	2/Lot																
03	M8	TRG	2/Lot																
04	Dia.20(±0.20)	Vernier0.02	2/Lot																
05	Dia 6.5 (+0.36)	Vernier0.02	2/Lot																
06	C D 15 (±0.30)	Vernier 0.02	2/Lot																
07	Dim 32 (±0.30)	Vernier 0.02	2/Lot																
08	Dim. 9.5 (±0.20)	Vernier 0.02	2/Lot																
08	Chmfers & No dents & proper welding Proper Black Power Coating	Visual	100%																
⚡Under Devation, O = OK, X = Segeregated																			
INSPECTED BY								APPROVED BY											
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																			
										YES ()		NO ()							
										YES ()		NO ()							

Part Name : Pin dowel 8*20		ITEM CODE : 93651370		DRG. No : CE1374		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 8m6+.006/+.015	Mic 0.001	5/lot												
02	Dim 20 (±0.20)	Vernier0.02	5/lot												
03	Dim 3.5 (±0.20)	Vernier0.02	5/lot												
04	Chemfer 1.5×45° & 3x30°	Visual	100%												
	no burs & no rust														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : Connecting link Assly				ITEM CODE : 93418352		DRG. No :BK83542		REPORT NO.			DATE				
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø2.5 (+0.1)	Plug Gauge	5/Lot												
02	Dim. 222-272	Scale	5/Lot												
03	Dim. 10 (±1.00)	Vernier 0.02	5/Lot												
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot												
05	M 8	TRG	5/Lot												
06	M 8 (L H)	TRG	5/Lot												
07	Dim 116 (+4.00)	Vernier0.02	5/Lot												
08	Dim 101 (+4.00)	Vernier0.02	5/Lot												
09	Dim 75 (±0.30)	Vernier0.02	5/Lot												
10	Zinc Plating, R8 No crack,proper bra	Visual zing	100 %												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()			

Part Name : Dowel Pin		ITEM CODE : 1968889		DRG. No : BE 535 4		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 14 (+.01 /+0.02)	Mic 0.001	5/Lot												
02	Dim 38 (±0.30)	Vernier 0.02	5/Lot												
03	Dim 13..00 (±0.10)	Vernier 0.02	5/Lot												
04	Hard & Temp. 32-38 HRc	H / Tester	5/Lot												
05	Chemfer 1×45°,4 X20 no burs, no rust	° Visual	100%												
	Blue paint mark as Vender code														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Pin for Clutch		ITEM CODE :93355354		DRG. No : BE 5354		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 36 (± 0.3)	Vernier 0.02	5/Lot												
02	Dim 31 (± 0.3)	Vernier 0.02	5/Lot												
03	Dim 22 (± 2.0)	Vernier 0.02	5/Lot												
04	Dia 12 (± 0.2)	Vernier 0.02	5/Lot												
05	M 12	T.R.G	5/Lot												
06	A / F 17 (± 0.2)	Vernier 0.02	5/Lot												
07	Zn Plating, Chemfer, no burs	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Pin for Clutch		ITEM CODE : 93333528		DRG. No : BC3524		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 50 (± 0.3)	Vernier 0.02	5/Lot												
02	Dim 16 (± 0.2)	Vernier 0.02	5/Lot												
03	Dim 13 (± 2.0)	Vernier 0.02	5/Lot												
04	Dim 5 (± 0.2)	Vernier 0.02	5/Lot												
05	Dia 10 (± 0.2)	Vernier 0.02	5/Lot												
06	M 10	T.R.G	5/Lot												
07	A / F 17 (± 0.2)	Vernier 0.02	5/Lot												
08	Chemfer, no burs & no rust	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Diamond Pin		ITEM CODE : 1011807		DRG. No : 02 2915		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 10m6+.007/+0.018	Mic 0.001	5/lot												
02	Dim 22 (±0.20)	Vernier0.02	5/lot												
03	Dim. 10 (±0.20)	Vernier0.02	5/lot												
04	Dim. 7 (±0.20)	Vernier0.02	5/lot												
05	Angle 60°	Visual.	5/lot												
06	Chemfer 1.5×30°	Visual	100%												
07	Chemfer 1.5 x 30°														
07	No sharp edges no burs & no rust	Visual	100%												
08	V. Code as bluepaint mark	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : Diamond Pin		ITEM CODE :1511154		DRG. No : 26 1155		REPORT NO.			DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 12m6+.007/+0.018	Mic 0.001	5/lot												
02	Dim 25 (±0.20)	Vernier0.02	5/lot												
03	Dim. 12 (±0.20)	Vernier0.02	5/lot												
04	Dim. 8 (±0.20)	Vernier0.02	5/lot												
05	Angle 60°	Visual.	5/lot												
06	Chemfer 1.5×30°	Visual	100%												
	Chemfer 1.5 x 30°														
07	No sharp edges no burs & no rust	Visual	100%												
08	V. Code as bluepaint mark	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		76	

Part Name : Fulcrum Pin		ITEM CODE : 93333206		DRG. No : BC 320 4		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim.55 (±0.30)	Vernier 0.02	5/Lot												
02	M 10X1.5	T P G	5/Lot												
03	Ø 12h11 (-0.11)	Mic 0.01 5	/Lot												
04	Dim.37.3 (±0.20)	Vernier 0.02	5/Lot												
05	A/F 17 (-0.27)	Vernier 0.01	5/Lot												
06	Chmfers & No dents & burs,Zinc Passivatio	n	100%												
	(Yellow) V. Code as blue paint mark														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :															
Identification Mark / Location :															
2 Lot segeregated for 'X' marked dimation										YES () NO ()					
3 Gauges are available & calibrated.										YES () NO ()					

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : Pin Dowel		ITEM CODE : 93651666		DRG. No : C E 1664		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION					OBSERVED					DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 14m6+.007/+0.018	Mic 0.001	5/lot												
02	Dim 26 (±0.30)	Vernier0.02	5/lot												
03	Dim 6 (±0.20)	Vernier0.02	5/lot												
04	Chemfer 3×15°	Visual	100%												
	& 1x45° no burs & no rust														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		78	

Part Name : T T Plug

ITEM CODE : 93718542 DRG. No : DA8544/P REPORT NO.

DATE

Lot Size Lot No Challan No /Dt. MIN. No. /Dt. VENDER CODE-302235

S. No. DESCRIPTION

YES

NO

1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.

2. Heat treatment cut sample enclosed.

3. Part produced with regular production process.

S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	A/F 19 (-0.20)	Vernier 0.02	5/Lot												
02	M 14*1.5	TRG	5/Lot												
03	M 6*1	TPG	5/Lot												
04	Tap Depth 9+1.00	Bolt M 6	5/Lot												
05	Dim 11.00 (±0.20)	Vernier 0.02	5/Lot												
06	No sharp edges no burs, Zinc Passiv	Visual ation	100%												

△=Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :

Identification Mark / Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Clampingbolt		ITEM CODE : 93421417		DRG. No : BL1414		REPORT NO.		DATE								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235								
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION
					1	2	3	4	5	6	7	8	9	10	O X	
01	Dia 7 (+0.2)	Mic 0.01	5/Lot													
02	Dim. 50 (±1.50)	Vernier 0.02	5/lot													
03	M8	TRG	5/Lot													
04	Dim 210(±2.50)	Vernier 0.02	5/Lot													
05	Dim 18 (±1.0)	Vernier 0.02	5/lot													
06	Chmfers, No dents R 6	Visual	100%													
	ZincPlating															

△=Under Devation, O = OK, X = Segeregated

INSPECTED BY		APPROVED BY	
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.			

YES () NO ()
 YES () NO ()

80

Part Name : Pin With Head		ITEM CODE : 1011765		DRG. No : 020815		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dia.14 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 8h11 (-0.09)	MIC 0.01	5/Lot												
03	Ø 2.00H14 (+0.25)	Plug gauge	5/Lot												
04	Dim.22 (+0.50)	Vernier 0.02	5/Lot												
05	Dim.32 (±0.30)	Vernier 0.02	5/Lot												
06	Dim.28 (±0.30)	Vernier 0.02	5/Lot												
07	Chmfers 2x30, 1x45 & R0.5	Visual	100%												
08	Zinc Passivation (Yellow)	Visual	100%												
09	V. Code as blue paint mark /G	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Connecting Limk		ITEM CODE : 93357340		DRG. No : BE 734 3		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED DECISION											
					1	2	3	4	5	6	7	8	9	10	O X
01	Dia. 9 (±0.20)	Vernier 0.02	5/lot												
02	Dim. 110 (±1.50) (Threadinglenght)	Vernier 0.02	5/lot												
03	Dim. 510(±4.00)	Scale	5/lot												
04	Dim. 140 (+10)	Vernier 0.02	5/lot												
05	Dim 82.3 (±1.50)	Layout	5/lot												
06	M 10	TRG	5/lot												
07 .	Dia 2.5 (±0.10)	PG	5/lot												
08	Dim 14 (±1.00)	Vernier 0.02	5/lot												
09	Dim 9 (±1.00)	Vernier 0.02	5/lot												
10	Proper brazing R 15, Zn plating.Vend	Visual er Code as "G"	100 %												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Push Rod		ITEM CODE : 93719080		DRG. No : DA 9084		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	A/F 8 (-0.20)	Vernier 0.02	5/lot												
02	Dim. 20 (+2.00) (Threadinglenght)	Vernier 0.02	5/lot												
03	Dim. 30(±1.00)	Vernier 0.02	5/lot												
04	Dim. 5.5 (±0.20)	Vernier 0.02	5/lot												
05	M 6	TRG	5/lot												
06	R 15 (±1.00)	R G	5/lot												
07	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot												
08	Hardness (55-61Hrc)	Hard Tester	5/Lot												
09	Case depth (1.00/2.00	) H/treat report	1/Lot												
10	Zn plating.Vender Code as "G"	Visual	100 %												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :															
Identification Mark / Location :															
2 Lot segeregated for 'X' marked dimention										YES () NO ()					
3 Gauges are available & calibrated.										YES () NO ()					

Part Name : Connecting Pi n		ITEM CODE : 93715772		DRG. No : DA 5774		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION		YES		NO									
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 10 (±1.00)	Mic 0.01	5/lot												
02	Dia. 8 (+0.025/+0.061)	P G	5/lot												
03	Dia. 8(-0.09)	Mic 0.001	5/lot												
04	Dia. 6(-0.08)	S G	5/lot												
05	Dim 0.74 (0.05)	Slip Gauge	5/Lot												
06	Dim 11(+0.30)	Vernier 0.02	5/lot												
07	Dim 8(-0.30)	Vernier 0.02	5/Lot												
08	Dim 13 (±0.20)	Vernier 0.02	5/lot												
09	Dim 16 (±0.20)	Vernier 0.02	5/lot												
10	Hard & Temp. (22-29Hrc)	H / Tester	5/Lot												
11	Pep of hole to Dia 8 0.15	Layout	5/Lot												
12	Zn plating.Vender Code as "G"Chf .5x45	Visual	100 %												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : Acc shaft				ITEM CODE : 93359128				DRG. No : BE9124				REPORT NO.				DATE			
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235											
S. No.		DESCRIPTION										YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION					
					1	2	3	4	5	6	7	8	9	10	O X				
01	Dim 387.00 (±0.80)	Vernier 0.02	5/Lot																
02	Dim. 11 (±0.20)	Vernier 0.02	5/Lot																
03	Dim. 365 (-1.00)	Vernier 0.02	5/Lot																
04	Dim. 12 (-0.1/-0.20)	Mic 0.01	5/Lot																
05	Dia. 4 (+0.12) (two nos)	Plug Gauge	5/Lot																
06	Dim 37.00 (-0.50) D	g Vernier 0.01	5/Lot																
07	Dim 65.00 (±0.50) D	g Vernier 0.01	5/Lot																
08	Dim 1.25 (+0.06)	Slip Gauge	5/Lot																
09	Dia 10 (-0.09)	SnapGauge	5/Lot																
11	Chmfer 1.00X45°,	Visual	100%																
	Zinc Passivation, V. C. as blue paint																		
△=Under Devation, O = OK, X = Segeregated																			
INSPECTED BY								APPROVED BY											
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			
										YES ()		NO ()							
										YES ()		NO ()							

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Connecting Link			ITEM CODE : 93359220		DRG. No : BE9224		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 2 (+0.10) (2 Nos)	Plug Gauge	5/lot												
02	Ø 8 (±.20)	Vernier 0.02	5/lot												
03	Dim. 14 (±1.00)	Vernier 0.02	5/lot												
04	Dim. 10 (±.50)	Vernier 0.02	5/lot												
05	Dim. 9.0 (±.50)	Vernier 0.02	5/lot												
06	Dim. 267(+ 1.00)	SPG	5/lot												
07	Pin dia 8 (±0.10)	Vernier 0.02	5/lot												
08	Dim 45 (±0.80)	Vernier 0.02	5/lot												
09 .	Proper brazing	Visual	100%												
	all over, R8, Zn plating V C as blue paint mark														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Pin Dowel			ITEM CODE : 93662020		DRG. No : CF 2024		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 14 (+.007 /+0.018)	Mic 0.001	5/Lot												
02	Dim 100 (±0.30)	Vernier 0.02	5/Lot												
03	Dim 6..00 (±0.10)	Vernier 0.02	5/Lot												
04	Hard & Temp.	H / Tester	5/Lot												
05	35-40 HRc Chemfer 1×45°,7 X10° no	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		87	

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : Pin Dowel				ITEM CODE : 93651241				DRG. No : CE 1244				REPORT NO.				DATE			
Lot Size				Lot No				Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235			
S. No.				DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION					
					1	2	3	4	5	6	7	8	9	10	O X				
01	Ø 14 (+.007 /+0.018)	Mic 0.001	5/Lot																
02	Dim 30 (±0.30)	Vernier 0.02	5/Lot																
03	Dim 6..00 (±0.10)	Vernier 0.02	5/Lot																
04	Chemfer 1×45°,7 X10°	Visual	100%																
	no burs, no rust																		
△=Under Devation, O = OK, X = Segeregated																			
INSPECTED BY								APPROVED BY											
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			
										YES ()		NO ()							
										YES ()		NO ()		88					

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Pin Dowel 10.30			ITEM CODE : 93660485		DRG. No : CF 0484		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED 1 2 3 4 5 6 7 8 9 10										DECISION O X	
01	Ø 10 (+.006 /+0.015)	Mic 0.001	5/Lot												
02	Dim 30 (±0.30)	Vernier 0.02	5/Lot												
03	Dim 4..00 (±0.10)	Vernier 0.02	5/Lot												
04	Hard & Temp. 35-40 HRc	H / Tester	5/Lot												
05	Chemfer 1×45°,3 X15° no burs, no rust	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Spacer PTO		ITEM CODE : 93661994		DRG. No : CF 2004		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 40.0 (±0.20)	Vernier 0.02	5/Lot												
02	Ø 25.5 (±0.20)	Vernier 0.02	5/Lot												
03	Ø 33.0 (±0.20)	Vernier 0.02	5/Lot												
04	Dim.41.8 (-0.20)	Vernier 0.02	5/Lot												
05	Dim.5.00 (±0.20)	Vernier 0.02	5/Lot												
06	No cracks, dents etc. Zn plating.	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : Spacer main				ITEM CODE : 93662007				DRG. No : CF 2004				REPORT NO.				DATE			
Lot Size				Lot No				Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235			
S. No.				DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION					
					1	2	3	4	5	6	7	8	9	10	O X				
01	Ø 40.0 (±0.20)	Vernier 0.02	5/Lot																
02	Ø 25.5 (±0.20)	Vernier 0.02	5/Lot																
03	Ø 33.0 (±0.20)	Vernier 0.02	5/Lot																
04	Dim. 24.8 (-0.20)	Vernier 0.02	5/Lot																
05	Dim .5.0 (±0.20)	Vernier 0.02	5/Lot																
06	No cracks, dents etc.	Visual	100%																
	Zn plating.																		
△=Under Devation, O = OK, X = Segeregated																			
INSPECTED BY								APPROVED BY											
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			
										YES ()		NO ()							
										YES ()		NO ()							

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Foot acc shaft			ITEM CODE : 93321058		DRG. No : BB 1053		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 232.5.00 (+0.80)	Vernier 0.02	5/Lot												
02	Dia. 12 (-0.10)	Mic 0.01	5/Lot												
03	Dim. 80 (±0.30)	Vernier 0.02	5/Lot												
04	Dim. 133.5 (+1.00)	Vernier 0.02	5/Lot												
05	Dim. 8 (±0.20)	Vernier 0.02	5/Lot												
06	Dia. 4 (+0.12)	Plug Gauge	5/Lot												
07	Dia. 8.3 (±0.20)	Vernier 0.02	5/Lot												
08	Dia. 3 (±0.20)	Vernier 0.02	5/Lot												
09	Angle 28.6° (±1.00°)	layout	5/Lot												
10	Chmfer 1X45°, proper welding	Visual	100%												
=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES ()

NO ()

YES ()

NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Connecting link Assly			ITEM CODE : 93321071		DRG. No :BB1072		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED 1 2 3 4 5 6 7 8 9 10 O X										DECISION	
01	Ø2.5 (+0.1)	Plug Gauge	5/Lot												
02	Dim. 339.5 (+3.00}	Scale	5/Lot												
03	Dim. 8 (±1.00)	Vernier 0.02	5/Lot												
04	Dim. 14 (± 1.00)	Vernier 0.02	5/Lot												
05	M 8	TRG	5/Lot												
06	M 8 (L H)	TRG 5	/Lot												
07	Dim 81 (+4.00)	Vernier0.02	5/Lot												
08	Dim 233.5 (+4.00)	Vernier0.02	5/Lot												
09	Dim 43 (±1.5) Vernier	0.02 5/Lot													
10	Zinc Plating, R8 No crack,proper brazin	Visual g 1	00 %												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Spacer			ITEM CODE : 93321083		DRG. No : BB1084		REPORT NO.			DATE					
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 20(±0.20)	Vernier 0.02	5/Lot												
02	Ø 12 (+0.1/+0.2)	Plug Gauge	5/Lot												
03	Dim. 20 (-0.50)	Vernier 0.02	5/Lot												
04	Chemf. 1 X 45° No cracks, dents etc.	Visual	100%												
	V. C. as G/ blue paint & Zinc Plating														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

94

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : Spacer				ITEM CODE : 93321046				DRG. No : BB1044				REPORT NO.				DATE			
Lot Size				Lot No				Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235			
S. No.				DESCRIPTION										YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED				DECISION	
					1	2	3	4	5	6	7	8	9	10	O X				
01	Ø 22(±0.20)	Vernier 0.02	5/Lot																
02	Ø 12.5 (+0.5)	Plug Gauge	5/Lot																
03	Dim. 10 (-0.50)	Vernier 0.02	5/Lot																
04	Chemf. 1 X 45°	Visual	100%																
	No cracks, dents etc.																		
	& Zinc Plating																		
△=Under Devation, O = OK, X = Segeregated																			
INSPECTED BY										APPROVED BY									
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			
										YES () NO () YES () NO ()									

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Dowel Pin 12x38			ITEM CODE : 93633214		DRG. No : CC 3214		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED 1 2 3 4 5 6 7 8 9 10										DECISION O X	
01	Ø12h9(-0.043)	Mic 0.001	5/lot												
02	Dim 38 (±0.30)	Vernier0.02	5/lot												
03	Dim. 18 (±1.00)	Vernier0.02	5/lot												
04	Dim. 15 (±1.00)	Vernier0.02	5/lot												
05	Angle 20°(±1)	Angle Prot.	5/lot												
06	Dim. 5 (±0.30)	Layout	5/lot												
07	Dia 12.1(+0.15)	Mic 0.001	5/Lot												
08	Chemfer 1.5×30°	Visual	100%												
09	Hard & temp 240-280	H/Tester	5/ Lot												
	BHN														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

96

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Hand acc rod			ITEM CODE : 93321770		DRG. No : BB1773		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim.400 (+2.00)	Vernier0.02	5/Lot												
02	Dim 137 (±1.00)	Vernier0.02	5/lot												
03	M16 X 1.5	TRG	5/lot												
04	Dim.13h8 (-0.027)	Mic 0.001	5/lot												
05	CD 15 (±0.20)	Vernier0.02	5/lot												
06	Dim 6.5 (+0.360)	Vernier 0.02	5/Lot												
07	Dim 25 (±1.00)	Vernier 0.02	5/Lot												
08	Dim.70 (±1.00)	Vernier 0.02	5/Lot												
09	Dim.8 (±0.20)	Vernier 0.02	5/Lot												
10	Chmfers & No dents & proper welding	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

97

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Banjo Bolt			ITEM CODE : 93728882		DRG. No : DB8884/P		REPORT NO.			DATE					
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim. 35 (+ 1.0)	Vernier0.02	5/Lot												
02	Dim 32 (±0.3)	Vernier0.02	5/lot												
03	M18 X 1.5	TRG	5/lot												
04	Dia 18 (-0.18)	Mic 0.001	5/lot												
05	Dia 13 (+ 0.18)	Vernier0.02	5/lot												
06	Dia 7 (+0.36)	Vernier 0.02	5/Lot												
07	Chmfers & No dents & 4Holescross,Zinc pla	Visual ting	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : Hand Acc Linkage Assy				ITEM CODE : 93424558				DRG. No : BL 4553				REPORT NO.				DATE			
Lot Size		Lot No		Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235							
S. No.		DESCRIPTION										YES			NO				
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION					
					1	2									O X				
01	Dia 12 (- 0.20)	Vernier0.02	2/Lot																
02	Dim. 493 (+ 2)	Vernier0.02	2/Lot																
03	Dim 218+0.5	H.G	2/Lot																
04	Dim. 13+0.5	Vernier0.02	2/Lot																
05	Dim. 8±(0.30)	Vernier0.02	2/Lot																
06	C.D. 15±0.2	Vernier0.02	2/Lot																
07	Hole dia 2(nos)6.2+0.2	Vernier0.02	2/Lot																
08	Check all direction and sequence of component as per drawing	Visual	100%																
⚠Under Devation, O = OK, X = Segeregated																			
INSPECTED BY								APPROVED BY											
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			
										YES ()			NO ()						
										YES ()			NO ()			100			

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Hand Acc Linkage Assy			ITEM CODE : 93383477		DRG. No : BL 3473		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim17 (+0.5)	Vernier 0.02	5/Lot												
02	Dim. 415 (-3.0)	Vernier0.02	5/Lot												
03	Dim. 89 (±1.5)	Vernier0.02	5/Lot												
04	Friction disc (2nos)	Visual	5/Lot												
05	Lock washer	Visual	5/Lot												
06	Special washer nut	Visual	5/Lot												
07	Check all direction and sequence of component	Visual	5/lot												
	as per drawing														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()			

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS								
Part Name : FLOATING LINK			ITEM CODE : 93739491			DRG. No :			REPORT NO.			DATE				
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Dia 14 (- 0.032/-0.059)	) Mic 0.001	5/Lot													
02	Dia 10 (- 0.09)	S G	5/Lot													
03	Dim 1.25 (+0.14)	Vernier0.02	5/Lot													
04	Dim. 66 (±0.15)	Vernier0.02	5/Lot													
05	Heat Treatment (HRC 55 to 60)	H / Tester	5 /Lot													
06	ZnPlating	Coat Gauge	5/Lot													
07	Con.	lobbyingbush	100%													
08	circlip c-10	visual	100%													
△=Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()				

Part Name : Hand acc rod		ITEM CODE : 9335993		DRG. No : BE 993 3		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot												
02	Dim. 8 (±0.20)	Vernier 0.02	5/Lot												
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 218 (+0.50)	Vernier 0.02	5/Lot												
05	Dia. 6.5 (+0.30)	Vernier 0.02	5/Lot												
06	Dia. 6.4 (±0.20)	Vernier 0.02	5/Lot												
07	Dm.39 (±0.50)	Vernier 0.02	5/Lot												
08	Dia. 10 (-0.09)	S G	5/Lot												
09	Angle 10° (±1.00°)	layout	5/Lot												
10	Chmfer 1X45°, proper welding	Visual	100%												
 =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
								YES () NO () YES () NO ()							

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426865		DRG. No : BL 6861		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 373+3	Veriner 0.02	5/lot												
02	Dim 342+3	Veriner 0.02	5/lot												
03	Hex nut M10 (2nos)	Visual	5/lot												
04	Eye Pin Visual	5/lot													
05	Connectinglink Assly 2121529	Visual	5/lot												
06	Clampingbracket 1611100	Visual	5/lot												
07	Accelertor lever 93347862	Visual	5/lot												
08	Accelertor Lever big 2121580	Visual	5/lot												
09	Hand Acc link 93414322	Visual	5/lot												
10	Check all direction an sequence of compone	d Visual nt	5/lot												
as per drawing and in g Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426828	DRG. No : BL 6821	REPORT NO.	DATE	
Lot Size	Lot No	Challan No /Dt.	MIN. No. /Dt.	VENDER CODE-302235		
S. No.	DESCRIPTION				YES	NO
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.						

S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 358+3	Veriner 0.02	5/lot												
02	Dim 332+3	Veriner 0.02	5/lot												
03	Acc Shaft 2121542	Visual	5/lot												
04	Lever 2121670	Visual	5/lot												
05	Connectinglink Assl 2121529	y Visual	5/lot												
06	Clampingbracket 1611100	Visual	5/lot												
07	Accelertor lever 2121591	Visual	5/lot												
08	Accelertor Lever big 2121580	Visual	5/lot												
09	Hand acc link 93414322	Visual	5/lot												
10	Check all direction a sequence of compon	nd Visual ent	5/lot												

as per drawing Deviation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :

Identification Mark / Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93374373		DRG. No : BG 4371		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 492+3	Veriner 0.02	5/lot												
02	Connectinglink 93359220	Visual	5/lot												
03	Acc Shaft 93359128	Visual	5/lot												
04	Lever 2121670	Visual	5/lot												
05	Clampingbracket 93415200	Visual	5/lot												
06	Accelertor lever 2121591	Visual	5/lot												
07	Accelertor Lever big 2121580	Visual	5/lot												
08	Link Bottom 93417505	Visual	5/lot												
09	Link upper 93374257	Visual	5/lot												
10	Check all direction an sequence of compone	d Visual nt	5/lot												
as per d _{raw} and in _g Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426816		DRG. No : BL 6811		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 468+3	Veriner 0.02	5/lot												
02	Dim 342 +3	Veriner 0.02	5/lot												
03	Connectinglink assly 2121529	Visual	5/lot												
04	Acc Shaft 93359128	Visual	5/lot												
05	Lever 93342852	Visual	5/lot												
06	Clampingbracket 93415200	Visual	5/lot												
07	Accelertor lever 93419289	Visual	5/lot												
08	Accelertor Lever big 2121580	Visual	5/lot												
09	Link Bottom 93417505	Visual	5/lot												
10	Link upper 93342827	Visual	5/lot												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : **Acc Linkage sub Assly**ITEM CODE : **93374361**DRG. No : **BG 4361**

REPORT NO.

DATE

Lot Size Lot No Challan No /Dt. MIN. No. /Dt. VENDER CODE-302235

S. No. DESCRIPTION YES NO

1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.

2. Heat treatment cut sample enclosed.

3. Part produced with regular production process.

S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 361+3	Veriner 0.02	5/lot												
02	Connectinglink 93359220	Visual	5/lot												
03	Acc Shaft 93359128	Visual	5/lot												
04	Lever 2121670	Visual	5/lot												
05	Clampingbracket 93415200	Visual	5/lot												
06	Accelertor lever LT 93419289	Visual	5/lot												
07	Accelertor Lever big 2121580	Visual	5/lot												
08	Link Bottom 93417505	Visual	5/lot												
09	Link upper 93374257	Visual	5/lot												
10	Check all direction and sequence of component	Visual	5/lot												

as per dr=awUindger Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :

Identification Mark / Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93427055		DRG. No : BL 7051		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 492+3	Veriner 0.02	5/lot												
02	Dim 342+3	Veriner 0.02	5/lot												
03	Acc Shaft 93359128	Visual	5/lot												
04	Lever 2121591	Visual	5/lot												
05	Clamping bracket 93415200	Visual	5/lot												
06	Tention tie assly 1343002	Visual	5/lot												
07	Accelertor Lever big 2121580	Visual	5/lot												
08	Link Bottom 93417505	Visual	5/lot												
09	Link upper 93342827	Visual	5/lot												
10	Check all direction a sequence of compon	nd Visual ent	5/lot												
as per d _U n _d e _r g Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93426889		DRG. No : BL 6881		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 358+3	Veriner 0.02	5/lot												
02	Dim 342 +3	Veriner 0.02	5/lot												
03	Link upper 1680559	Visual	5/lot												
04	Acc Shaft 93359128	Visual	5/lot												
05	Lever 2121670`	Visual	5/lot												
06	Clampingbracket 93415200	Visual	5/lot												
07	Accelertor lever 2121591	Visual	5/lot												
08	Accelertor Lever big 2121580	Visual	5/lot												
09	Link Bottom 93417505	Visual	5/lot												
10	Check all direction a sequence of compon	nd Visual ent	5/lot												
as per d _U r _a w _i n _g Deviation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Hand Acc Linkage Assy		ITEM CODE : 93426397		DRG. No : BL 6393		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dia 13 (- 0.027)	Mic 0.001	5/Lot												
02	Dim. 422 (± 4)	Vernier0.02	5/Lot												
03	Dim. 17 (+0.5)	Vernier0.02	5/Lot												
04	Dim 15 (± 0.2)	Vernier0.02	5/Lot												
05	Dia 6.5 (+0.3)	Vernier0.02	5/Lot												
06	M 8 nut Hand tighten	Visual	5/Lot												
07	Friction disc (2nos)	Visual	5/Lot												
08	Spring washer (2nos)	Visual	5/Lot												
09	Hand Acc Bracket, Mounting Bracket Clamp,	Visual	5 /lot												
	Thin nut M16 tightend, Spring proper position														
10	Check all direction and sequence of component	Visual	5/lot												
as per drawing =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : **Acc Linkage sub Assly**ITEM CODE : **93391700**DRG. No : **BL 1702**

REPORT NO.

DATE

Lot Size Lot No Challan No /Dt. MIN. No. /Dt. VENDER CODE-302235

S. No. DESCRIPTION YES NO

1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.

2. Heat treatment cut sample enclosed.

3. Part produced with regular production process.

S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 468+3	Veriner 0.02	5/lot												
02	Dim 342 +3	Veriner 0.02	5/lot												
03	Connectinglink assly 2121529	Visual	5/lot												
04	Acc Shaft 93359128	Visual	5/lot												
05	Lever 93342852	Visual	5/lot												
06	Clampingbracket 93415200	Visual	5/lot												
07	Accelertor lever 93419289	Visual	5/lot												
08	Accelertor Lever RT 93391190	Visual	5/lot												
09	Check all direction an sequence of compone	d Visual nt	5/lot												
	as per drawing														

△=Under Devation, O = OK, X = Segeregated

INSPECTED BY

APPROVED BY

NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :

Identification Mark / Location :

2 Lot segeregated for 'X' marked dimention

YES () NO ()

3 Gauges are available & calibrated.

YES () NO ()

Part Name : Hand Acc Linkage Assy		ITEM CODE : 93372420		DRG. No : BG 2423		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim. 13 (+0.5)	Vernier0.02	5/Lot												
02	Dia 6.5 (+ 0.36)	Vernier0.02	5/Lot												
03	Dia. 4 (+0.12)	Vernier0.02	5/Lot												
04	Dia. 12.5 (±0.1)	Vernier0.02	5/Lot												
05	Fibre Washer (2nos)	Visual	5/Lot												
06	Punched washerA6 (3n	os) Visual	5/Lot												
07	Hex nut M8	Visual	5 /lot												
	springwasher, Nylock nut M6 tighten	Visual													
08	proper position Check all direction and	Visual	5/lot												
	sequence of component as per drawing														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters :															
Identification Mark / Location :															
2 Lot segeregated for 'X' marked dimention										YES () NO ()					
3 Gauges are available & calibrated.										YES () NO ()					

Part Name : Hand Acc Lever		ITEM CODE : 93371001		DRG. No : BG 1003		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 333 (± 2.5)	Vernier 0.02	5/Lot												
02	Dia. 12 (-0.30/-0.10)	M.M0.01	5/Lot												
03	Dim. 8 (±0.50)	Vernier 0.02	5/Lot												
04	C.D. 15 (±0.20)	Vernier 0.02	5/Lot												
05	Dim 50 (±0.30)	Vernier 0.02	5/Lot												
06	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
07	Dia. 18 (+1.0)	Vernier 0.02	5/Lot												
08	Angle 101° (±1.00°)	layout	5/Lot												
09	Powder coating 60-80μ	DFT	5/Lot												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
 YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93373605		DRG. No : BG 3601		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 361+3	Veriner 0.02	5/lot												
02	Connectinglink	Visual	5/lot												
03	93373599 Acc Shaft	Visual	5/lot												
04	93359128 Lever 2121670	Visual	5/lot												
05	Clampingbracket	Visual	5/lot												
06	93415200 Accelertor lever LT	Visual	5/lot												
07	93419289 Accelertor Lever big	Visual	5/lot												
08	2121580 Link Bottom	Visual	5/lot												
09	93417505 Clampingbracket	Visual	5/lot												
10	93335720 Check all direction and	Visual	5/lot												
sequence of component =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0

FINAL / PRE-DISPATCH INSPECTION REPORT

GREWAL ENGINEERING WORKS

Part Name:- Acc Linkage Sub Assly		ITEM CODE:- 93373368		DRG No. BG 3361		Report No.		Date:-							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S. N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISI	
					1	2	3	4	5	6	7	8	9	10	△
01	Connectinglink assly 93350679	Visual	5/lot												
02	Acc Shaft 93359128	Visual	5/lot												
03	Lever 2121670	Visual	5/lot												
04	Clampingbracket 93415200	Visual	5/lot												
05	Accelerator lever 93419289	Visual	5/lot												
06	Accelerator Lever big 2121580	Visual	5/lot												
07	Link Bottom 93417505	Visual	5/lot												
08	Link upper 93374257	Visual	5/lot												
09	Check all direction and	Visual	5/lot												
	sequence of component as per drawing														
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY															
APPROVED BY															
NOTE : 1. Following parameters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															
YES () NO () YES () NO ()															
118															

Part Name: Acc Linkage Sub Assly		Item Code:- 93408103		DNG No. BJ 8103		Report No.		Date:-							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	△ O X
01	Dim 440+3	Veriner 0.02	5/lot												
02	Dim 342+3	Veriner 0.02	5/lot												
03	93400256 Acc Shaft	Visual	5/lot												
04	Acc LeverLeft 93419289	Visual	5/lot												
05	Clamping bracket 93415200	Visual	5/lot												
06	Lever 93342852	Visual	5/lot												
07	Clamping bracket 93362759	Visual	5/lot												
08	Connecting Link Assy 2121529	Visual	5/lot												
09	Connecting Link (Fuel Pump) 93408115	Visual	5/lot												
10	Check all direction and	Visual	5/lot												
sequence of component =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93400244		DRG. No : BJ 024 1		REPORT NO.		DATE -							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	△ O X
01	Dim 357+3	Veriner 0.02	5/lot												
02	93400256 Acc Shaft	Visual	5/lot												
03	Acc Lever RT 93391190	Visual	5/lot												
04	Clamping bracket 93335720	Visual	5/lot												
05	Lever 2121670	Visual	5/lot												
06	Connecting Link 93359220	Visual	5/lot												
07	Link Upper 93374257	Visual	5/lot												
08	Connecting Link (Fuel Pump) 93400268	Visual	5/lot												
09	Check all direction and	Visual	5/lot												
sequence of component =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93404626		DRG. No : BJ 462 1		REPORT NO.		DATE -						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235						
S. No.		DESCRIPTION						YES		NO				
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.														
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED 1 2 3 4 5 6 7 8 9 10 △ O X										
01	Dim 440+3	Veriner 0.02	5/lot											
02	93400256 Acc Shaft	Visual	5/lot											
03	Acc Lever RT 93391190	Visual	5/lot											
04	Clamping bracket 93373370	Visual	5/lot											
05	Clamping bracket 93415200	Visual	5/lot											
06	Lever 2121670	Visual	5/lot											
07	Connecting Link 93359220	Visual	5/lot											
08	Link Upper 93374257	Visual	5/lot											
09	Connecting Link (Fuel Pump) 93408115	Visual	5/lot											
	Check all direction and	Visual	5/lot											
sequence of component =Under Devation, O = OK, X = Segeregated														
INSPECTED BY							APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.														

YES () NO ()

YES () NO ()

Part Name : Hand Acc Linkage Assly(MS)-NS		ITEM CODE : 93400220		DRG. No : BJ 022 3		REPORT NO.		DATE -							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	△ O X
01	Dim 13 Max	Veriner 0.02	5/lot												
02	Dim 162±1	Veriner 0.02	5/lot												
03	Dim 152.5±1	Veriner 0.02	5/lot												
04	Dim 70.5±0.8	Veriner 0.02	5/lot												
05	Dim 17.5±0.5	Veriner 0.02	5/lot												
06	Dia Ø 12-0.2/-0.1	Veriner 0.02	5/lot												
07	Mounting bkt,hand acc rod	Visual	5/lot												
08	Fiber Washer 2 Nos	Visual	5/lot												
09	Hex Bolt M6x45 M6 Nut	Visual	5/lot												
10	Punch washer, Hex Nylock Nut, Punched Washer, Spring	Visual	5/lot												
11	Check all direction and	Visual	5/lot												
sequence of component =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Hand Acc Linkage Assly(MS)-NS		ITEM CODE : 93400220		DRG. No : BJ 022 3		REPORT NO.		DATE -								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235								
S. No.		DESCRIPTION						YES		NO						
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	△	O X
01	Dim 13 Max	Veriner 0.02	5/lot													
02	Dim 162±1	Veriner 0.02	5/lot													
03	Dim 152.5±1	Veriner 0.02	5/lot													
04	Dim 70.5±0.8	Veriner 0.02	5/lot													
05	Dim 17.5±0.5	Veriner 0.02	5/lot													
06	Dia Ø 12-0.2/-0.1	Veriner 0.02	5/lot													
07	C.D 15.0±0.3	C.D GAUGE	100%													
08	Mounting bkt,hand acc rod	Visual	5/lot													
09	Fiber Washer 2 Nos	Visual	5/lot													
10	Hex Bolt M6x45 M6 Nut	Visual	5/lot													
11	Punch washer, Hex Nylock Nut, Punched Washer, Spring	Visual	5/lot													
12	Check all direction and	Visual	5/lot													
sequence of component =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Hand Acc Linkage Assly(PS)-NS		ITEM CODE : 93402277		DRG. No : BJ 227 3		REPORT NO.		DATE -								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE--:302235								
S. No.		DESCRIPTION						YES		NO						
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																
2. Heat treatment cut sample enclosed.																
3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	$\triangle$	O X
01	Dim 13 Max	Veriner 0.02	5/lot													
02	Dim 162±1	Veriner 0.02	5/lot													
03	Dim 152.5±1	Veriner 0.02	5/lot													
04	Dim 70.5±0.8	Veriner 0.02	5/lot													
05	Dim 17.5±0.5	Veriner 0.02	5/lot													
06	Dia $\varnothing$ 12-0.2/-0.1	Veriner 0.02	5/lot													
07	Fiber Washer 2 Nos	Visual	5/lot													
08	Hex Bolt M6x45 M6 Nut	Visual	5/lot													
09	Punch washer, Hex Nylock Nut, Punched Washer, Spring	Visual	5/lot													
10	Check all direction and	Visual	5/lot													
sequence of component =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name : Hand Acc Linkage Assly(PS)-NS		ITEM CODE : 93402277		DRG. No : BJ 227 3		REPORT NO.		DATE -								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE--:302235								
S. No.		DESCRIPTION						YES		NO						
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	△	O X
01	Dim 13 Max	Veriner 0.02	5/lot													
02	Dim 162±1	Veriner 0.02	5/lot													
03	Dim 152.5±1	Veriner 0.02	5/lot													
04	Dim 70.5±0.8	Veriner 0.02	5/lot													
05	Dim 17.5±0.5	Veriner 0.02	5/lot													
06	Dia Ø 12-0.2/-0.1	Veriner 0.02	5/lot													
07	C.D 15.0±0.3	C.D GAUGE	100%													
08	Mounting bkt ,Hand Acc rod	Visual	5/lot													
09	Fiber Washer 2 Nos	Visual	5/lot													
10	Hex Bolt M6x45 M6 Nut	Visual	5/lot													
11	Punch washer, Hex Nylock Nut, Punched Washer, Spring	Visual	5/lot													
12	Check all direction and	Visual	5/lot													
sequence of component =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

Part Name: BUSH		ITEM CODE: 2562900		DRG. No: 212904		REPORT NO.		DATE -								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE--:302235								
S. No.		DESCRIPTION								YES		NO				
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	△	O X
01	O.D 16 (-0.01/-0.06)	Snap Gauge	5/lot													
02	ID 12.2+0.02	Plug Gauge	5/lot													
03	T/L 10±0.2	Snap Gauge	5/lot													
04	Conc. 0.10mm Max of Ø12.2 w.r.t Ø16	Layout	5/lot													
05	Hardness 22 - 28Hrc	Hardness Tester	5/lot													
06	Lobbing	Lobbing Bush	5/lot													
07	Champ 1x45°	Visual	5/lot													
08	Zinc Plating	Visual	5/lot													
sequence of component =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS							
Part Name : Locking Screw				ITEM CODE : 93752022				DRG. No : DE2024		REPORT NO.		DATE			
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim.42 (±0.3)	Vernier0.02	5/Lot												
02	Dim 32 (±0.3)	Vernier0.02	5/lot												
03	M8	TRG	5/lot												
04	Dia 16±0.2	Vernier0.02	5/lot												
05	A/F 8D12 (+ 0.19/0.04)	Vernier0.02	5/lot												
06	A/F 13.0±0.2	Vernier 0.02	5/Lot												
07	Dia 6.0±0.2	Vernier 0.02	5/Lot												
08	Dim 2+1.0	Vernier 0.02	5/Lot												
09	Chmfers & No dents& , Zinc plating	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		98	

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS									
Part Name : ACC SHAFT		ITEM CODE : 93483290		DRG. No : BS3293		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION							YES		NO				
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
1	Rod Dia 10(-0.2/-0.10)	MM(0.01)	5/lot												
2	Thickness 4.0(±0.2)	MM(0.01)	5/lot												
3	Dim.320.0 (±0.5)	Vernier0.02	5/Lot												
4	Dim 19.0 (±0.5)	Vernier0.02	5/lot												
5	Dim 234.0(+0.5)	Vernier0.02	5/lot												
6	Hole Dia Ø 6.2(+0.2)	Vernier0.01	5/lot												
7	Hole Dia Ø8.2(+0.2)	Vernier0.01	5/lot												
8	Hole Dia Ø 4.0(+0.12)	P.G	5/Lot												
9	Chmfers & No dents& , Zinc plating.Proper Welding	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()			

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS									
Part Name : FOOT ACC SHAFT		ITEM CODE : 93470453 DRG. No : BR 0453 b				REPORT NO.				DATE					
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Hole Dia Ø6.0(+0.3/+0.1)	Vernier0.02	5/Lot												
02	Dim 7.0(-1.0)	Vernier0.02	5/lot												
03	Dia Ø10.0(±0.1)	MM (0.01)	5/lot												
04	Dim 258(±1.0)	Vernier0.02	5/lot												
05	Dim 140.2(+0.5)	Vernier0.02	5/lot												
06	Groove Dia 8.0h11(_ 0.09)	Snap Guage	5/lot												
07	Groove width 1.05+0.06	Slip Guage	5/lot												
08	Thickness 5.0(±0.2)	MM (0.01)	5/lot												
09	Hole Dia 9.0(±0.2)	Vernier 0.02	5/Lot												
10	Chmfers & No dents& , Zinc plating.Proper	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		98	

QP/8.2.4/F03/R-0															FINAL / PRE-DISPATCH INSPECTION REPORT															GREWAL ENGINEERING WORKS																																												
Part Name : LINK ROD FOOT ACC SHAFT															ITEM CODE : 93470611															DRG. No : BR 0613															REPORT NO.															DATE														
Lot Size					Lot No					Challan No /Dt.					MIN. No. /Dt.					VENDER CODE-302235																																																						
S. No.			DESCRIPTION												YES					NO																																																						
			1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.																																																																							
			2. Heat treatment cut sample enclosed.																																																																							
			3. Part produced with regular production process.																																																																							
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED					DECISION																																																							
					1	2	3	4	5	6	7	8	9	10	O X																																																											
01	Rod Dia Ø6.0(-0.1)	MM (0.01)	5/Lot																																																																							
02	Hole Dia Ø2.0(+0.2)	Plug Guage	5/lot																																																																							
03	Thread M6	TRG	5/lot																																																																							
04	Dim 288(±2.5)	H.G (0.01)	5/lot																																																																							
05	Dim 56(±1.5)	Vernier0.01	5/lot																																																																							
06	Dim 24.0(±1.0)	Vernier0.01	5/lot																																																																							
07	Dim 10.0(±1.0)	H.G (0.01)	5/lot																																																																							
08	Dim 13(±1.0)	Vernier0.01	5/lot																																																																							
09	Dim 8.0(-1.0)	Vernier 0.01	5/Lot																																																																							
10	Chmfers & No dents& , Zinc plating.Proper Brazing	Visual	100%																																																																							
△ =Under Devation, O = OK, X = Segeregated																																																																										
INSPECTED BY															APPROVED BY																																																											
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																																																																										

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS									
Part Name : CONNECTING LINK FIP		ITEM CODE : 93391991 DRG. No : BI 1993				REPORT NO.				DATE					
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Rod Dia $\varnothing 6.0(-0.1)$	MM (0.01)	5/Lot												
02	Hole Dia $\varnothing 2.0(+0.2)$	Plug Guage	5/lot												
03	Thread M6	TRG	5/lot												
04	Dim 360(± 2.0)	H.G (0.01)	5/lot												
05	Dim 25.0(± 1.0)	Vernier0.01	5/lot												
06	Thread Length 80.0(± 1.5)	Vernier0.01	5/lot												
07	Dim 12(± 1.0)	Vernier0.01	5/lot												
08	Dim 8.0(-1.0)	Vernier 0.01	5/Lot												
09	Chmfers & No dents& , Zinc plating.Proper Brazing	Visual	100%												
$\triangle$ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
								YES () NO () YES () NO ()							

Part Name : Acc Linkage sub Assly		ITEM CODE : 93327711		DRG. No : BB 7711		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 361+3	Veriner 0.02	5/lot												
02	Connecting link Assy 93487490	Visual	5/lot												
03	Acc Shaft 93359128	Visual	5/lot												
04	Lever 2121670	Visual	5/lot												
05	Clamping bracket 93415200	Visual	5/lot												
06	Accelertor lever LT 93419289	Visual	5/lot												
07	Accelertor Lever big 2121580	Visual	5/lot												
08	Link Bottom 93417505	Visual	5/lot												
09	Link upper 93374257	Visual	5/lot												
10	Check all direction an sequence of compone	d Visual nt	5/lot												
as per d _{raw} and e _r Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93489528		DRG. No : BS9521		REPORT NO.		DATE -							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	△ O X
01	Dim 440+3	Veriner 0.02	5/lot												
02	93400256 Acc Shaft	Visual	5/lot												
03	Acc Lever RT 93391190	Visual	5/lot												
04	Clamping bracket 93373370	Visual	5/lot												
05	Clamping bracket 93415200	Visual	5/lot												
06	Lever 2121670	Visual	5/lot												
07	Connecting Link 93359220	Visual	5/lot												
08	Link Upper 93489504	Visual	5/lot												
09	Connecting Link (Fuel Pump) 93489516	Visual	5/lot												
	Check all direction and	Visual	5/lot												
sequence of component =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name : Acc Linkage sub Assly		ITEM CODE : 93489802		DRG. No : BS 9801		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 492+3	Veriner 0.02	5/lot												
02	Connectinglink 93359220	Visual	5/lot												
03	Acc Shaft 93359128	Visual	5/lot												
04	Lever 2121670	Visual	5/lot												
05	Clamping bracket 93335720	Visual	5/lot												
06	Clamping bracket 93415200	Visual	5/lot												
07	Accelertor lever 2121591	Visual	5/lot												
08	Accelertor Lever big 2121580	Visual	5/lot												
09	Link Bottom 93417505	Visual	5/lot												
10	Link upper 93374257	Visual	5/lot												
11	Check all direction an sequence of compone	d Visual nt	5/lot												
as per d _{raw} and e _{gr} Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0			FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name : Hand acc rod			ITEM CODE : 93359931		DRG. No : BE9933/b		REPORT NO.		DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION							YES		NO				
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 493.00 (+2.00)	Vernier 0.02	5/Lot												
02	Dim. 8 (±0.50)	Vernier 0.02	5/Lot												
03	Dim. 15 (±0.20)	Vernier 0.02	5/Lot												
04	Dim. 218 (+0.50)	Vernier 0.02	5/Lot												
05	Hole Dia. 6.2 (+0.30)	Vernier 0.02	5/Lot												
06	Hole Dia. 6.4 (±0.20)	Vernier 0.02	5/Lot												
07	Dia.12 (±0.20)	Vernier 0.02	5/Lot												
08	Dia. 18 (±0.20)	Vernier 0.02	5/Lot												
09	Angle 10° (±1.00°)	layout	5/Lot												
10	Chmfer 1X45°, proper welding	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		64	

Part Name : Acc Linkage sub Assly		ITEM CODE : 93501206		DRG. No : BU 1202		REPORT NO.		DATE -								
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235								
S. No.		DESCRIPTION						YES		NO						
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	△	O X
01	Dim 490+3	Veriner 0.02	5/lot													
02	Dim 390.5+3	Veriner 0.02	5/lot													
03	Acc Lever RT 93391190	Visual	5/lot													
04	93400256 Acc Shaft	Visual	5/lot													
05	Acc Lever LT 93419289	Visual	5/lot													
06	Clamping bracket 93415200	Visual	5/lot													
07	Lever 93342852	Visual	5/lot													
08	Connecting Link Assy 93399047	Visual	5/lot													
09	Link Upper 93342827	Visual	5/lot													
10	Connecting Link (Fuel Pump) 93501218	Visual	5/lot													
11	Check all direction and	Visual	5/lot													
12	brazing should be all over joints	Visual	100%													
sequence of component =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name : LINK ROD-75hp				ITEM CODE : ⁹³⁵⁰¹²³¹		DRG. No : BU 1233 REPORT NO.					DATE				
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 210 (±2.5)	DHG (0.01)	5/Lot												
02	Dia. 5.0(±0.20)	M.M (0.01)	5/Lot												
03	Dim. 34.3 (±1.5)	DHG(0.01)(WITH PARTS ORENTATION ANGLE 81.87°)/RECEIVING GAUGE	5/Lot												
04	Dim. 10 (±1.0)	DVC(0.01)	5/Lot												
05	Hole Dia. 2.0 (±0.2)	P.G	5/Lot												
06	Dim. 5.5 (±0.5)	DVC(0.01)	5/Lot												
07	Dim. 7.5 (±0.5)	DVC(0.01)	5/Lot												
08	Hole Dia 3.5	STANDARD PIN 3.5 QUALIFIY	5/Lot												
09	brazing should be all over joints	Visual	100%												
10	Trivalent Yellow plating	Visual	5/Lot												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		64	

Part Name : Acc Linkage sub Assly(90hp)		ITEM CODE : 93503252		DRG. No : BU 3252		REPORT NO.		DATE -							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE:-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	△
01	Dim 490+3	Veriner 0.02	5/lot												
02	Dim 379+3	Veriner 0.02	5/lot												
03	Acc Lever RT 93391190	Visual	5/lot												
04	93400256 Acc Shaft	Visual	5/lot												
05	Acc Lever LT 93419289	Visual	5/lot												
06	Clamping bracket 93415200	Visual	5/lot												
07	Lever 93342852	Visual	5/lot												
08	Connecting Link Assy 93399047	Visual	5/lot												
09	Link Upper 93342827	Visual	5/lot												
10	Connecting Link (Fuel Pump) -90hp 93503264	Visual	5/lot												
11	Check all direction and	Visual	5/lot												
sequence of component =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

Part Name : SHUTTLE BOTTOM ROD		ITEM CODE : 93501516		DRG. No : BU 1513		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.													
		2. Heat treatment cut sample enclosed.													
		3. Part produced with regular production process.													
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dia 12.0(-0.2)	MM (0.01)	5/Lot												
02	Dim 195.5 (±1.0)	V.C (0.01)	5/Lot												
03	Dim.120 (±1.0)	V.C (0.01)	5/Lot												
04	Dia.20.0 (±0.20)	MM (0.01)	5/Lot												
05	Dim.9.0 (±0.50)	V.C (0.01)	5/Lot												
06	Dim.60.0(±0.50)	V.C(0.01)	5/Lot												
07	C.D.15.0(±0.30)	V.C(0.01)	5/Lot												
08	Dim.50.0(±1.0)	V.C(0.01)	5/Lot												
09	Hole Dia 4H11(+0.075)	V.C(0.01)	5/Lot												
10	NUT 2-M6	TPG	5/Lot												
11	Hole Dia 6.2H14(+0.36)	V.C(0.01)	5/Lot												
12	Chmfers & No dents & burs,Zinc Passivation Yellow	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS							
Part Name : LINK UPPER		ITEM CODE : 93342827		DRG. No :BD 2823		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES			NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot												
02	Ø 8 (±.20)	Vernier 0.02	5/lot												
03	Dim. 120(±2.5)	H.G(0.01)	5/lot												
04	Dim. 18 (±0.50)	Vernier 0.02	5/lot												
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot												
06	Dim.9.0 (±0.50)	Vernier 0.02	5/lot												
07	Dim. 14 (±0.50)	Vernier 0.02	5/lot												
08	Proper brazing R8 (2nos.) R 150 &	Visual	100%												
	No crack, dent etc."														
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()
YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name :		LINK UPPER	ITEM CODE :		93374257		DRG. No :BG 4253		REPORT NO.		DATE				
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION									YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Ø 2 (+0.2)	Plug Gauge	5/lot												
02	Ø 8 (±.20)	Vernier 0.02	5/lot												
03	Dim. 358 (+3.0)	SPG	5/lot												
04	Dim. 22.0 (±0.50)	Vernier 0.02	5/lot												
05	Dim. 14 (±0.50)	Vernier 0.02	5/lot												
06	Dim. 12 (±0.50)	Vernier 0.02	5/lot												
07	Dim.9.0 (±0.50)	Vernier 0.02	5/lot												
08	Dim. 7.0 (±0.50)	Vernier 0.02	5/lot												
09	Proper brazing R8 (2nos.) R 250 &	Visual	100%												
10	No crack, dent etc."	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES () NO ()					
										YES () NO ()		47			

QP/8.2.4/F03/R-0

FINAL / PRE-DISPATCH INSPECTION REPORT

GREWAL ENGINEERING WORKS

Part Name : Accelerator Lever LT		ITEM CODE : 93419289		DRG. No : BK 9284		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Bush Dia Ø 22.0 (±0.30)	Vernier 0.02	5/Lot												
02	Dim. 16 (±0.50)	Vernier 0.02	5/Lot												
03	Bush Dia Ø12.0H11 (+0.11)	P.G	5/Lot												
04	Hole dia 4.0H12(+0.12)	P.G	5/Lot												
05	C.D 50 (+0.5)	Vernier 0.02	5/Lot												
06	Hole dia Ø9.5(±0.20)	Vernier 0.02	5/Lot												
07	Chmfer 1.0X45, Zinc plating green Passivation	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

14

Part Name :SPACER FOR COUPLING SHAFT MAIN ITEM CODE : 93708512 DRG. No : CJ 8514/P REPORT NO. DATE															
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	O.D 40 (±0.20)	Vernier 0.01	5/Lot												
02	I.D 25.5 (± 0.2)	Vernier 0.01	5/Lot												
03	I.D 33.0(± 0.2)	Vernier 0.01	5/Lot												
04	Total Length (50-0.2)	Vernier 0.01	5/Lot												
05	no sharp edges no burs, Zinc Passivation,Chemfer 1 X 45	Visual on	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation YES () NO () 3 Gauges are available & calibrated. YES () NO ()															

Part Name :SPACER FOR COUPLING SHAFT PTO ITEM CODE : 93708731 DRG. No : CJ 8514/P REPORT NO. DATE															
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	O.D 40 (±0.20)	Vernier 0.01	5/Lot												
02	I.D 25.5 (± 0.2)	Vernier 0.01	5/Lot												
03	I.D 33.0(± 0.2)	Vernier 0.01	5/Lot												
04	Total Length (41.8-0.2)	Vernier 0.01	5/Lot												
05	no sharp edges no burs, Zinc Passivation,Chemfer 1 X 45	Visual on	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name :LINK-1				ITEM CODE : 93699880				DRG. No : CI 9883/P			REPORT NO.			DATE		
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	Rod dia Ø 10(±0.20)	M.M 0.01	5/Lot													
02	U -BKT Thick5.0 (± 0.2)	M.M 0.01	5/Lot													
03	C.D 376.6(- 0.5/+2.0)	V.C 0.02	5/Lot													
04	Dim 33.5 (+1.0)	DVC 0.01	5/Lot													
05	Hole Dia Ø10.2+0.2	DVC 0.01	5/Lot													
06	Dim 13.0 (+0.5)	DHG 0.01	5/Lot													
07	Dim 8.0 (± 1.0)	DVC 0.01	5/Lot													
08	No sharp edges no burs, Zinc Passivation,Chemfer 0.5 X 45°	Visual on	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()

YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS						
Part Name:4WD PULL PUSH LEVER ASSY ITEM CODE : 93663243 DRG. No : CF 3423 REPORT NO. DATE															
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235					
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Rod dia Ø 12(±0.20)	M.M 0.01	5/Lot												
02	Fork Thick5.0 (± 0.2)	M.M 0.01	5/Lot												
03	Dim 500 (±2.0)	H.G 0.01	5/Lot												
04	Dim 534 (±2.0)	H.G 0.01	5/Lot												
05	Dim 90(±2.0)	H.G 0.01	5/Lot												
06	Hole Dia Ø10.2+0.2	V.C 0.01	5/Lot												
07	Dim 13.0 (+0.5)	V.C 0.01	5/Lot												
08	Dim 10.0 (- 1.0)	V.C 0.01	5/Lot												
09	Thread M8	TRG	5/Lot												
10	No sharp edges ,Pure Polyester Greyish Black Coated	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES () NO ()					
										YES () NO ()		25			

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS							
Part Name: PUSH PULL LEVER				ITEM CODE : 93699855/P1		DRG. No : CI 9853 P1		REPORT NO.		DATE					
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION								YES		NO			
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Rod dia Ø 12(±0.20)	M.M 0.01	5/Lot												
02	Fork Thick5.0 (± 0.2)	M.M 0.01	5/Lot												
03	Dim 520 (±2.0)	H.G 0.01	5/Lot												
04	Dim 553(±2.5)	H.G 0.01	5/Lot												
05	Dim 54(±2.0)	H.G 0.01	5/Lot												
06	Hole Dia Ø10.2+0.2	V.C 0.01	5/Lot												
07	Dim 13.0 (+0.5)	V.C 0.01	5/Lot												
08	Dim 10.0 (±1.0)	V.C 0.01	5/Lot												
09	Thread M8	TRG	5/Lot												
10	No sharp edges no burs, Zinc Passivation,Chemfer 0.5 X 45°	Visual	100%												
△ =Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															
										YES ()		NO ()			
										YES ()		NO ()		25	

Part Name :SPACER 210 ITEM CODE : 93661880 DRG. No : CF 1884 b REPORT NO. DATE															
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	O.D 59.5 (±0.20)	DVC(0.01)	5/Lot												
02	I.D 49.8 (+ 0.2)	DVC(0.01)	5/Lot												
03	Thicknes19.0(± 0.05)	MM(0.01)	5/Lot												
04	Parallelsim (0.03A)	DVC(0.01)	5/Lot												
05	No sharp edges no burs, dent, rusty Chemfer 1 X 45	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name :SPACER -COUPLING SHAFT ITEM CODE : 93660540 DRG. No : CF 0544 b REPORT NO. DATE															
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	O.D 25.0 (-0.20)	DVC(0.01)	5/Lot												
02	I.D 11.0 (+ 0.2)	DVC(0.01)	5/Lot												
03	Thicknes5.0(-0.03)	MM(0.01)	5/Lot												
04	No sharp edges no burs, dent, rusty Chemfer 0.5 X 45 °	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()

Part Name :SPACER REV IDLER REAR ITEM CODE : 93661349 DRG. No : CF 1344 b REPORT NO. DATE															
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	O.D 42.0 (±0.20)	DVC(0.01)	5/Lot												
02	I.D 25.0 (+ 0.1/+0.3))	DVC(0.01)	5/Lot												
03	Thicknes3.0(± 0.05)	MM(0.01)	5/Lot												
04	Parallelsim (0.03A)	DVC(0.01)	5/Lot												
05	Hardness(29-35) HRC	Rockwell Hradness Tester													
06	No sharp edges no burs, dent, rusty Chemfer 1 X 45	Visual	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention YES () NO () 3 Gauges are available & calibrated. YES () NO ()															

QP/8.2.4/F03/R-0		FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS										
Part Name : FOOT ACC SHAFT		ITEM CODE : 93470453 DRG. No : BR 0453 b				REPORT NO.				DATE						
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235								
S. No.		DESCRIPTION										YES		NO		
		1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.														
		2. Heat treatment cut sample enclosed.														
		3. Part produced with regular production process.														
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O	X
01	Hole Dia Ø6.0(+0.3/+0.1)	Vernier0.02	5/Lot													
02	Dim 7.0(-1.0)	Vernier0.02	5/lot													
03	Dia Ø10.0(±0.1)	MM (0.01)	5/lot													
04	Dim 258(±1.0)	Vernier0.02	5/lot													
05	Dim 140.2(+0.5)	Vernier0.02	5/lot													
06	Groove Dia 8.0h11(_ 0.09)	Snap Guage	5/lot													
07	Groove width 1.05+0.06	Slip Guage	5/lot													
08	Thickness 5.0(±0.2)	MM (0.01)	5/lot													
09	Hole Dia 9.0(±0.2)	Vernier 0.02	5/Lot													
10	Chmfers & No dents& , Zinc plating.Proper Welding	Visual	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																

YES () NO ()
 YES () NO ()

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS									
Part Name : CLAMPING BOLT BATTERY				ITEM CODE : 44A0000101 DRG. No : 44A0000101 3				REPORT NO.				DATE					
Lot Size		Lot No		Challan No /Dt.				MIN. No. /Dt.				VENDER CODE-302235					
S. No.				DESCRIPTION										YES		NO	
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																	
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION			
					1	2	3	4	5	6	7	8	9	10	O X		
01	Dia Ø8.0(±0.2)	MM (0.01)	5/Lot														
02	Thickness 4.0(±0.2)	MM (0.01)	5/lot														
03	Hole Dia Ø10.5(±0.2)	DVC(0.01)	5/lot														
04	Dim 54(±1.0)	DHG (0.01)	5/lot														
05	Dim 24(±1.0)	DHG (0.01)	5/lot														
06	Dim 14(±1.0)	DHG (0.01)	5/lot														
07	Dim 219(±2.0)	DHG (0.01)	5/lot														
08	Dim 189-1.5	DHG (0.01)	5/lot														
09	Thread Length 50.0(±1.5)	DVC(0.01)	5/lot														
10	Thread M8X1.25	TRG	100%														
11	Chmfers 1X45° & No dents& , Zinc plating.Proper Welding	Visual	100%														
△ =Under Devation, O = OK, X = Segeregated																	
INSPECTED BY								APPROVED BY									
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																	
										YES ()		NO ()					
										YES ()		NO ()				98	

Part Name : Acc Linkage sub Assly		ITEM CODE : 93504013		DRG. No : BU 4011		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Dim 361+3	Veriner 0.02	5/lot												
02	Connecting link Assy 93487490	Visual	5/lot												
03	Acc Shaft 93359128	Visual	5/lot												
04	Lever 2121670	Visual	5/lot												
05	Clamping bracket 93415200	Visual	5/lot												
06	Accelertor lever LT 93419289	Visual	5/lot												
07	Accelertor Lever big 2121580	Visual	5/lot												
08	Link upper 93374257	Visual	5/lot												
09	Check all direction an sequence of compone	d Visual nt	5/lot												
as per d _r U ^{aw} nd in _g r Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimation YES () NO () 3 Gauges are available & calibrated. YES () NO ()															

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT				GREWAL ENGINEERING WORKS											
Part Name : Hand Acc Linkage Assy				ITEM CODE : 93504037				DRG. No : BU 4033				REPORT NO.				DATE			
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235											
S. No.		DESCRIPTION										YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																			
S.No	Specified Dimension	Inspection Method	Freq.	DIMENSION										OBSERVED		DECISION			
					1	2										O X			
01	Dia 12 (- 0.20)	Vernier0.02	2/Lot																
02	Dim. 433 (+ 2)	Vernier0.02	2/Lot																
03	Dim 195±0.5	H.G	2/Lot																
04	Dim. 13+0.5	Vernier0.02	2/Lot																
05	Dim. 8±(0.50)	Vernier0.02	2/Lot																
06	C.D. 15±0.2	Vernier0.02	2/Lot																
07	Hole dia 2(nos)6.2+0.2	Vernier0.02	2/Lot																
08	Check all direction and sequence of component as per drawing	Visual	100%																
⚠ Under Devation, O = OK, X = Segeregated																			
INSPECTED BY									APPROVED BY										
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																			
										YES ()				NO ()					
										YES ()				NO ()					

QP/8.2.4/F03/R-0				FINAL / PRE-DISPATCH INSPECTION REPORT					GREWAL ENGINEERING WORKS							
Part Name :EYE PIN				ITEM CODE : 93347849			DRG. No : BD 7844			REPORT NO.			DATE			
Lot Size		Lot No		Challan No /Dt.			MIN. No. /Dt.			VENDER CODE-302235						
S. No.		DESCRIPTION										YES		NO		
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects. 2. Heat treatment cut sample enclosed. 3. Part produced with regular production process.																
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION		
					1	2	3	4	5	6	7	8	9	10	O X	
01	SQ 16(±0.20)	M.M 0.01	5/Lot													
02	Hole DiaØ 10.5(± 0.2)	V.C 0.01	5/Lot													
03	Dia Ø(6.0±0.2)	M.M 0.01	5/Lot													
04	Hole Dia Ø2H11(+0.06)	P.G	5/Lot													
05	Dim 13.0 (±0.5)	V.C 0.01	5/Lot													
06	Dim 9.0 (±0.5)	V.C 0.01	5/Lot													
07	No sharp edges no burs, Zinc Passivation,Chemfer 1.0 X 45°	Visual on	100%													
△ =Under Devation, O = OK, X = Segeregated																
INSPECTED BY								APPROVED BY								
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.																
										YES ()		NO ()				
										YES ()		NO ()				25

Part Name : FRICTION DISC		ITEM CODE : 1463779		DRG. No :		REPORT NO.		DATE							
Lot Size		Lot No		Challan No /Dt.		MIN. No. /Dt.		VENDER CODE-302235							
S. No.		DESCRIPTION						YES		NO					
1. Lot visually checked for crack, damage, Tool marks. Burs, Rust, Blow holes, weld defects.															
2. Heat treatment cut sample enclosed.															
3. Part produced with regular production process.															
S.N	o Specified Dimension	Inspection Method	Freq.	DIMENSION OBSERVED										DECISION	
					1	2	3	4	5	6	7	8	9	10	O X
01	Thickness 3(±0.20)	M.M 0.01	5/Lot												
02	DiaØ 50.0(-1.0)	V.C 0.01	5/Lot												
03	ID Ø(16.2+0.2)	M.M 0.01	5/Lot												
04	No sharp edges no burs,	Visual on	100%												
△=Under Devation, O = OK, X = Segeregated															
INSPECTED BY								APPROVED BY							
NOTE : 1. Following paremeters have been checked 100 % & identification mark put on all pieces. Parameters : Identification Mark / Location : 2 Lot segeregated for 'X' marked dimention 3 Gauges are available & calibrated.															

YES () NO ()

YES () NO ()