

[24/09/2026 11:02 AM] Imaanaa Harmee: Practice

[24/09/2026 11:02 AM] Imaanaa Harmee: 1. What is the literal Greek meaning of the word "Anatomy"? 🗒️

- A. Building up
- B. Cutting up
- C. Living organism
- D. Inner workings

💡 Explanation:

The word anatomy comes from the Greek anatome, meaning “cutting up” or “dissection.”

🧠 Anatomy → ana (up) + tome (cutting)

[24/09/2026 11:02 AM] Imaanaa Harmee: 2. Who is regarded as the "Father of Medicine" and an important early figure in the history of anatomy? 🧑

- A. Aristotle
- B. Hippocrates
- C. Galen
- D. Vesalius

💡 Explanation:

Answer B.

Hippocrates

(c. 460–370 BC) is traditionally known as the Father of Medicine. He emphasized observation and systematic clinical practice.

[24/09/2026 11:02 AM] Imaanaa Harmee: 3. The term "**anatome**" is associated historically with which Greek philosopher? 🗒️

- A. Hippocrates
- B. Aristotle
- C. Galen
- D. Plato

💡 Explanation:

Answer B

▽ Aristotle made major contributions to biological and anatomical studies and is historically associated with the use of the Greek term anatome.

The Greek word itself means dissection/cutting up.

[24/09/2026 11:02 AM] Imaanaa Harmee: 4. Where was human anatomy first formally studied around 500 B.C.? 🏛️

- A. Greece
- B. Rome
- C. Egypt
- D. Mesopotamia

💡 Explanation:

Answer. C

Ancient Egypt had substantial knowledge of human anatomy, partly because of mummification and medical practices.

[24/09/2026 11:02 AM] Imaanaa Harmee: 5. What is the **Latin equivalent of the Greek word "anatomy"**? 📖

- A. Secare
- B. Dissecare
- C. Tomy
- D. Corpus

💡 Explanation:

Answer.B

The Latin term dissecare means to cut apart/dissect and is related to the modern term dissection.

[24/09/2026 11:02 AM] Imaanaa Harmee: 6. Which subdivision of anatomy involves the study of structures visible to the naked eye? 🕶️

- A. Histology
- B. Embryology
- C. Gross Anatomy
- D. Molecular Anatomy

💡 Explanation:

Answer. C. Gross Anatomy

Gross anatomy studies structures that can be seen without a microscope.

🔍 Microscopic structures → microscopic anatomy

🕶️ Visible structures → gross anatomy

[24/09/2026 11:02 AM] Imaanaa Harmee: 7. Histology is another name for which branch of anatomy? 

- A. Gross Anatomy
- B. Developmental Anatomy
- C. Microscopic Anatomy
- D. Surface Anatomy

 Explanation:

Answer C. Microscopic Anatomy

Histology is the study of tissues at the microscopic level and is a major component of microscopic anatomy

[24/09/2026 11:02 AM] Imaanaa Harmee: #8

[24/09/2026 11:02 AM] Imaanaa Harmee: 9. Which approach to studying anatomy considers the body organized into segments such as the head, neck, and trunk? 

- A. Systemic approach
- B. Regional approach
- C. Clinical approach
- D. Surgical approach

 Explanation:

Answer The regional approach studies all structures within a particular body region, such as the head, neck, thorax, or abdomen.

[24/09/2026 11:02 AM] Imaanaa Harmee: 10. The sequential study of organ systems, such as the skeletal or muscular systems, throughout the body is called:  

- A. Topographical anatomy
- B. Surface anatomy
- C. Systemic anatomy
- D. Applied anatomy

 Explanation:

Answer Systemic anatomy studies the body system by system, such as the skeletal, muscular, nervous, cardiovascular, and digestive systems.

[24/09/2026 11:02 AM] Imaanaa Harmee: 11. What is the simplest level of structural organization in the human body? 

- A. Cellular level
- B. Tissue level

- C. Chemical/molecular level
- D. Organ level

Answer C

💡 Explanation:

The levels of organization progress from:

🔗 Chemical → Cellular → Tissue → Organ → Organ system → Organism

The chemical level is therefore the simplest.

[24/09/2026 11:02 AM] Imaanaa Harmee: 12. A group of similar cells and the materials surrounding them is defined as a: 📄

- A. Organ
- B. System
- C. Tissue
- D. Molecule

Answer C. Tissue

💡 Explanation:

A tissue consists of cells plus the extracellular material surrounding them that work together to perform specific functions.

[24/09/2026 11:02 AM] Imaanaa Harmee: 13. Which of the following is considered the basic structural and functional unit of life? 📄

- A. Atom
- B. Cell
- C. Organ
- D. Organism

Answer B. Cell ☒

💡 Explanation:

The cell is the basic structural and functional unit of life.

🔗 Cell → basic unit of life

[24/09/2026 11:02 AM] Imaanaa Harmee: 14. In the standard anatomical position, the palms are directed: 📄

- A. Posteriorly

- B. Medially
- C. Anteriorly
- D. Laterally

Answer C. Anteriorly

💡 Explanation:

In anatomical position, the person stands upright with the palms facing anteriorly (forward) and the thumbs pointing laterally

[24/09/2026 11:02 AM] Imaanaa Harmee: Which term describes a body lying face up? 📖

- A. Prone
- B. Supine
- C. Lateral recumbent
- D. Erect

Answer B. Supine ☒

💡 Explanation:

Supine = lying face up, with the anterior surface directed upward.

👉 Supine → see the ceiling

👈 Prone → face down

[24/09/2026 11:02 AM] Imaanaa Harmee: 18. In anatomical position, the feet should be: 📖

- A. Crossed
- B. Directed anteriorly and flat on the floor
- C. Pointed outward
- D. Slightly elevated

Answer B. Directed anteriorly and flat on the floor ☒

💡 Explanation:

The feet are flat on the floor, directed forward, and generally parallel or slightly apart.

[24/09/2026 11:02 AM] Imaanaa Harmee: A plane that divides the body into equal right and left halves is the: ✂️

- A. Coronal plane
- B. Parasagittal plane
- C. Median (midsagittal) plane
- D. Transverse plane

Answer C. Median (midsagittal) plane ☒

💡 Explanation:

The median/midsagittal plane passes through the midline and divides the body into equal right and left halves.

[24/09/2026 11:02 AM] Imaanaa Harmee: Which plane divides the body into anterior (front) and posterior (back) portions? 🧑

- A. Sagittal
- B. Coronal (frontal)
- C. Transverse
- D. Horizontal

Answer B. Coronal (frontal) ☒

💡 Explanation:

The coronal/frontal plane divides the body into anterior and posterior portions.

[24/09/2026 11:02 AM] Imaanaa Harmee: A transverse plane is also known as a: ✂

- A. Frontal plane
- B. Sagittal plane
- C. Horizontal (axial) plane
- D. Median plane

Answer C. Horizontal (axial) plane ☒

💡 Explanation:

A transverse plane runs horizontally and divides the body into superior and inferior portions.

🧠 Transverse = horizontal = axial

[24/09/2026 11:02 AM] Imaanaa Harmee: A plane dividing the body into unequal right and left sides is called: ↔

- A. Midsagittal
- B. Parasagittal
- C. Coronal
- D. Transverse

💡 Explanation:

A parasagittal plane is parallel to the median plane but divides the body into unequal right and left portions.

[24/09/2026 11:02 AM] Imaanaa Harmee: Which section is cut diagonally between the horizontal and vertical planes? 📐

- A. Longitudinal section
- B. Transverse section

- C. Oblique section
- D. Median section

☒ Answer C. Oblique section

💡 Explanation:

An oblique section passes through a structure at an angle that is neither purely horizontal nor purely vertical.

[24/09/2026 11:02 AM] Imaanaa Harmee: The term "superior" means: ☐

- A. Toward the back
- B. Toward the head or higher point
- C. Away from the midline
- D. Nearer to the trunk

☒ Answer B. Toward the head or higher point

💡 Explanation:

Superior means toward the head or upper part of the body.

🧠 Superior = above ☐

Inferior = below ☐

[24/09/2026 11:02 AM] Imaanaa Harmee: In the upper limb, the term "lateral" may be replaced by: ☐

- A. Ulnar
- B. Radial
- C. Tibial
- D. Fibular

☒ Answer B. Radial

💡 Explanation:

In anatomical position, the **radius is on the lateral side of the forearm.**

Therefore:

- ☐ Radial = lateral side
- ☐ Ulnar = medial side

[24/09/2026 11:02 AM] Imaanaa Harmee: Which term indicates a position farther from the

point of attachment of a limb? 

- A. Proximal
- B. Distal
- C. Medial
- D. Superficial

Answer B. Distal ☒

 Explanation:

Distal means farther from the point of attachment/origin of a limb.

-  Proximal → closer
-  Distal → farther

[24/09/2026 11:02 AM] Imaanaa Harmee: The esophagus is located ___ to the trachea.

- A. Anterior
- B. Posterior
- C. Lateral
- D. Superior

Answer B. Posterior ☒

 Explanation:

The esophagus lies posterior to the trachea in the neck and superior mediastinum.

-  Trachea → anterior
-  Esophagus → posterior

[24/09/2026 11:02 AM] Imaanaa Harmee: Ipsilateral refers to structures that are: ↔

- A. On opposite sides of the body
- B. In the center of the body
- C. On the same side of the body
- D. Inside a body cavity

Answer C. On the same side of the body ☒

 Explanation:

Ipsilateral means structures located on the same side of the body.

-  Ipsi = same
-  Contra = opposite

[24/09/2026 11:02 AM] Imaanaa Harmee:

Skeletal System Practice Questions

Dr. Doc

[24/09/2026 11:02 AM] Imaanaa Harmee: **1. A patient arrives at the emergency room with a traumatic head injury. The physician explains that the primary role of the 8 cranial bones is to form a cavity for protection. Which of the following is true regarding this specific category of bones?**

- A) They form the framework of the face.**
- B) They enclose and protect the brain.**
- C) They consist of the maxillae and zygomatics.**
- D) They are the only bones that do not articulate with others.**

Answer: B

Explanation: The cranial bones (8 in total) are specifically designed to form the cranial cavity, which functions to enclose and protect the brain. In contrast, the facial bones form the framework of the face, and the hyoid is the only bone that does not articulate with others.

2. During a physical examination, a doctor notes that a patient has difficulty supporting their tongue and keeping their voice box open. Which bone is most likely affected in this scenario?

- A) Mandible**
- B) Hyoid bone**
- C) Sternum**
- D) Vomer**

Answer: B

Explanation: The hyoid bone is the best answer because it supports the tongue and provides attachment sites for muscles of the neck and pharynx. Furthermore, it is the only bone that does not articulate with another bone and is essential for keeping the larynx (voice box) open at all times.

3. An elderly patient is diagnosed with a compression fracture in the lower back region where the vertebrae are specifically designed for weight-bearing. Which division of the vertebral column is incorrectly identified if the doctor calls them "thoracic"?

- A) Cervical**
- B) Sacral**
- C) Lumbar**
- D) Coccygeal**

Answer: C

Explanation: The lumbar vertebrae (5) are the specific division characterized by having shorter and thicker pedicles and laminae designed for weight-bearing. If a doctor refers to weight-bearing vertebrae in the lower back as "thoracic," they have identified them incorrectly, as thoracic vertebrae are primarily for rib attachment.

4. A baseball pitcher feels a sharp pain in their shoulder. The trainer explains that the humerus articulates with a specific depression in the shoulder blade. This depression is correctly identified as the:

- A) Acetabulum**
- B) Glenoid cavity**
- C) Trochlear notch**
- D) Obturator foramen**

Answer: B

Explanation: The scapula (shoulder blade) features a glenoid cavity that articulates with the humerus (the arm bone). The acetabulum is located in the hip bone, and the trochlear notch is part of the ulna.

5. A construction worker accidentally strikes the "point" of their elbow against a steel beam. Which part of the ulna has most likely been impacted?

- A) Coronoid process**
- B) Olecranon process**
- C) Styloid process**
- D) Capitulum**

Answer: B

Explanation: The olecranon process is located at the superior end of the ulna and is specifically known as the point of the elbow. It forms the superior lip of the trochlear notch and articulates with the humerus to form the elbow joint.

6. A hiker trips and suffers a "boxer's fracture," which is a break in the bones forming the palm of the hand. Which group of bones is involved?

- A) Carpals**
- B) Metacarpals**
- C) Phalanges**
- D) Tarsals**

Answer: B

Explanation: It is true that the metacarpals (5) are the bones that form the palm of the hand. The carpals form the wrist, while the phalanges form the fingers.

7. During a prenatal yoga class, the instructor mentions that a specific heart-shaped bone formed by 5 fused vertebrae helps stabilize the pelvis. This bone is:

- A) The Coccyx
- B) The Sacrum
- C) The Ilium
- D) The Pubis

Answer: B

Explanation: The sacrum is formed by 5 fused vertebrae and is roughly heart-shaped. Its primary functions are to strengthen and stabilize the pelvis and protect reproductive and urinary organs.

8. A paramedic performing CPR must be careful not to apply pressure to the inferior-most, small portion of the breastbone to avoid internal injury. This component is the:

- A) Manubrium
- B) Body
- C) Xiphoid process
- D) Sternal angle

[24/09/2026 11:02 AM] Imaanaa Harmee: **Answer: C**

Explanation: The sternum (breastbone) consists of three parts: the manubrium (superior), the body (middle), and the xiphoid process (inferior). The xiphoid process is the small, pointed tip at the bottom of the thoracic wall.

9. A person steps on a sharp object, piercing the heel of their foot. Which tarsal bone is the largest and provides skeletal support for the heel?

- A) Talus
- B) Navicular
- C) Calcaneus
- D) Cuboid

Answer: C

Explanation: The calcaneus is correctly identified as the largest and strongest of the tarsal bones and is responsible for providing skeletal support for the heel of the foot. The talus is the bone that articulates with the leg to form the ankle joint.

10. A patient is born with a rare condition where their "floating ribs" are missing. Which of the following rib pairs would be absent?

- A) Pairs 1–7
- B) Pairs 8–10
- C) Pairs 11–12
- D) All of the above

Answer: C

Explanation: Ribs are categorized into three types: True (1–7), False (8–10), and Floating (11–12). Floating ribs are unique because they do not connect even indirectly with the sternum, making pair 11 and 12 the best answer for this scenario.

[24/09/2026 11:02 AM] Imaanaa Harmee: **1. A gymnast performing a bicep curl is in the state of full flexion of the elbow. Which feature of the humerus is correctly identified as receiving the coronoid process of the ulna during this specific movement?**

- A) Olecranon fossa**
- B) Coronoid fossa**
- C) Trochlea**
- D) Capitulum**

Answer: B

Explanation: The distal end of the humerus has two major depressions. It is true that the coronoid fossa, located anteriorly, receives the coronoid process of the ulna during full flexion. In contrast, the olecranon fossa (posterior) accommodates the olecranon during full extension.

2. A victim of a facial injury is examined for damage to the cavities that house special sense organs. All of the following senses are correctly identified by the sources as having cavities within the facial bones except:

- A) Sight**
- B) Smell**
- C) Touch**
- D) Hearing**

Answer: C

Explanation: The sources state that the facial bones contain cavities for special sense organs, specifically listing smell, sight, taste, and hearing. Touch is not mentioned as having a specialized skeletal cavity within these bones.

3. A radiologist is reviewing a spinal X-ray and notes that two specific thoracic vertebrae lack facets on their transverse processes for rib articulation. Which pair is the radiologist most likely observing?

- A) T1 and T2**
- B) T5 and T6**
- C) T9 and T10**
- D) T11 and T12**

Answer: D

Explanation: While most thoracic vertebrae have facets for rib attachment, the sources specify that except for T11 and T12, the transverse processes have facets that articulate with the tubercles of the ribs. Therefore, T11 and T12 are the best answer for vertebrae lacking these specific facets.

4. A patient suffers a crushing injury to the medial side of the proximal row of their wrist. Which of the following carpals is most likely impacted based on its position in the proximal row?

- A) Scaphoid**
- B) Pisiform**
- C) Trapezium**
- D) Hamate**

Answer: B

Explanation: The 8 carpals are arranged in two rows. In the proximal row, the sequence from lateral to medial is: scaphoid, lunate, triquetrum, and pisiform. Being the most medial bone in the proximal row, the pisiform is the correctly identified bone for this scenario.

5. A podiatrist is treating a patient with a "midfoot" injury affecting the distal series of tarsal bones that articulate with the metatarsals. This distal series includes all of the following bones except:

- A) Medial cuneiform**
- B) Intermediate cuneiform**
- C) Cuboid**
- D) Talus**

Answer: D

Explanation: The distal series of the tarsus, which articulates with the metatarsal bones, includes the medial, intermediate, and lateral cuneiforms, as well as the cuboid bone. The talus is part of the proximal tarsus and articulates with the tibia and fibula.

6. A forensic team identifies a forearm bone that is notably thin at its proximal end but becomes significantly wider at its distal end. Which bone have they discovered?

- A) Ulna**
- B) Radius**
- C) Humerus**
- D) Fibula**

Answer: B

Explanation: It is true that the radius is the lateral bone of the forearm characterized by being thin at its proximal end and wider at its distal end. The ulna, conversely, has larger projections (like the olecranon) at its proximal end.

7. A surgeon is performing a procedure along the border of the scapula that is described as the "shortest and sharpest." Which border is the surgeon navigating?

- A) Superior border**
- B) Medial border**
- C) Lateral border**
- D) Axillary border**

Answer: A

Explanation: The scapula has three borders. The superior border is correctly defined as the shortest and sharpest of the three. The medial border parallels the vertebral column, and the lateral border is also known as the axillary border.

[24/09/2026 11:02 AM] Imaanaa Harmee: **8. A patient is experiencing dysfunction in a specific constricting muscle of the anus. Based on skeletal attachments, which bone is most likely related to this condition?**

- A) Sacrum**
- B) Coccyx**
- C) Ischium**
- D) Pubis**

Answer: B

Explanation: The coccyx (tailbone), which consists of 4 fused vertebrae, serves as an attachment point for ligaments and a constricting muscle of the anus. This makes the coccyx the best answer for a bone involved in the support of this specific muscle.

9. During a lecture on lower limb anatomy, a professor explains that the femur's distal end articulates with a specific part of the leg to form the knee joint. This articulation occurs between the femur's condyles and the:

- A) Head of the fibula**
- B) Tibial condyles**
- C) Patellar surface**
- D) Talus**

Answer: B

Explanation: The distal end of the femur has medial and lateral condyles that articulate with the tibial condyles to form the knee joint. The fibula does not articulate with the femur at the knee.

10. An athlete is diagnosed with a fracture to their heel bone. When classifying this bone (the calcaneus) by its shape, which category is correctly applied?

- A) Short bone**
- B) Flat bone**

- C) Irregular bone**
- D) Long bone**

Answer: C

Explanation: While many foot bones are categorized as short bones (like other tarsals), the sources specifically list the calcaneus as an example of an irregular bone due to its complex shape. This distinguishes it from bones like the carpals, which are typically classified as short bones.