HTML Table

10 April 2026 20:10

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Table</title>
</head>
<body>
    <table>
        <tr>
            <th>Company</th>
            <th>Contact</th>
            <th>Country</th>
        </tr>
        <tr>
            <td>IBM</td>
            <td>ibm.com/contact</td>
            <td>USA</td>
        </tr>
        <tr>
            <td>Microdoft</td>
            <td>microsoft.com/contact</td>
            <td>India</td>
        </tr>
        <tr>
            <td>Amazon</td>
            <td>amazon.com/contact</td>
            <td>Brazil</td>
        </tr>
        <tr>
            <td>Meta</td>
            <td>meta.com/contact</td>
            <td>Isreal</td>
        </tr>
        <tr>
            <td>Armeco</td>
            <td>armeco.com/contact</td>
            <td>UAE</td>
        </tr>
    </table>
</body>
</html>
```

A table in HTML consists of tables cells inside rows and columns.

table row

table header element.

Every thing between <td> and <\td> is the content of a table cell.




```
<p>
    <h2>Books Table</h2>
</p>
<table>
    <colgroup>
        <col span="2" style="background-color: coral;">
        <col style="background-color: yellowgreen;">
    </colgroup>
    <tr>
        <th>ISBN</th>
        <th>Title</th>
        <th>Price</th>
    </tr>
    <tr>
        <td>3476896</td>
        <td>HTML 5</td>
        <td>&#x20b9 200</td>
    </tr>
    <tr>
        <td>1376896</td>
        <td>Python 3.x</td>
        <td>&#x20b9 600</td>
    </tr>
    <tr>
        <td>3476222</td>
        <td>C++</td>
        <td>&#x20b9 1000</td>
    </tr>
    <tr>
        <td>3436696</td>
        <td>Java</td>
        <td>&#x20b9 1200</td>
    </tr>
    <tr>
        <td>3874316</td>
        <td>Operating System</td>
        <td>&#x20b9 990</td>
    </tr>
</table>
```

Specifies the number of columns a column group should span.

Specifies column properties for each column within a <colgroup> element.

The <colgroup> tag specifies a group of one or more columns in a table for formatting.
The <colgroup> tag is useful for applying styles to entire columns, instead of repeating the styles of each cell, for each row.

Note: The <colgroup> tag must be a child of <table> element, after any <caption> elements and before any<thead>, <tbody>, <tfoot> and <tr> elements.

Tip: To define different properties to a column within a <callgroup> use the <col> tag within the <callgroup> tag.

HTML <thead>, <tbody>, <tfoot> tags

```
<p>
        <h3>An HTML table with thead, tbody and tfoot element</h3>
    </p>
    <table>
        <thead>
            <tr>
                <th>Month</th>
                <th>Savings</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <td>January</td>
                <td>&#x20b9 1000</td>
            </tr>
            <tr>
                <td>February</td>
                <td>&#x20b9 2000</td>
            </tr>
            <tr>
                <td>March</td>
                <td>&#x20b9 3000</td>
            </tr>
        </tbody>
        <tfoot>
            <tr>
                <td>Sum</td>
                <td>&#x20b9 6000</td>
            </tr>
        </tfoot>
    </table>
```

The <thead> tag is used to group the header content

The <thead> element is used in conjunction with <tbody> and <tfoot> Elements to specify each part of the table (header, body, and footer).

Browser can use these elements to enable scrolling of the table body independently of the header and footer. Also, when printing a large table that spans multiple pages, these elements can enable the table header and footer to be printed at the top and the bottom of each page.

Useful CSS for tables:

```
caption{
    caption-side: bottom;
    font-style: italic;
}
thead{
    color: green;
    display: table-header-group;
    vertical-align: middle;
    background-color: aquamarine;
}
tbody{
    color: blue;
}
tfoot{
    color: blueviolet;
    background-color: burlywood;
}
table, th, td{
    border: 1px solid darkgreen;
    /* border-collapse: collapse; */
    border-radius: 10px;
}
```



1. padding-top
2. padding-bottom
3. padding-left.
4. padding-right.

HTML Table Padding and Spacing

HTML Table - Cell Padding

Cell padding is the space between the cell edges and the cell content.

By default the padding is set to 0.

To add padding on table cells use the CSS padding property.