Discussion on UT

05 July 2025 09:47

ACTUAL → 15/20

LA MARTINIERE FOR BOYS
COMPUTER APPLICATIONS
CLASS IX
UNIT TEST 1

MARKS : 20 TIME : 45 mins

(Attempt all Questions)

Q1. [5x2=10] (2)

(1) a) Find the output of the following :

i) System.out.print((a>b) & & (b>c)) [a=2 , b=4 , c=7] False 1

ii) System.out.print("Answer = "+2+3); Answer = 23 1

(1) b) Evaluate the following if the value of a=3

a += a++ * ++a %2 6

a = a + (a++ * ++a %2)
= 3 + (3 * 5 %2)
= 3 + 1 = 4

(2) c) Write the java expression for the following :-

$c = \sqrt{a^2 + b^2}$ c = Math.sqrt(a*a + b*b) 2

(2) d) Give one point of difference between unary and binary operators. 2

Unary operator acts on one operand, Binary operator acts on two operands

(2) e) Name the methods of Scanner class that:

i) Is used to input an integer data from the standard input stream sc.nextInt(); 1

ii) Is used to input a double data from the standard input stream. sc.nextDouble(); 1

(4) Q2. Write a program in java to accept (using Scanner class) the values of initial velocity (u), time (t) and acceleration (a) and calculate and print the displacement (s) as per the formula below : int → double

$s = ut + \frac{1}{2}at^2$ s = (u*t) + a*t*t*1/2 [5] (4)


1.0/2.0 or 0.5

(3) Q3. Write a program in java to accept two integers and one character using Scanner class. If the character is +, print the sum of the two integers , else if the character is * , print the product of the two integers. [5] (3)

```
if (c == '+')
SOPln
else if (c == '*')
SOPln
```

initialization of c

From <https://teams.live.com/v2/>




```
import java.util.*;
class character
{
public static void main (String args[])
{
Scanner sc = new Scanner(System.in);
System.out.println("If Enter '+' or '*' :");
char c = sc.next().charAt(0);
System.out.println("Enter 1st no : ");
int a = sc.nextInt();
System.out.println("Enter 2nd no : ");
int b = sc.nextInt();
int x;
if (c == '+')
{
```

char c = sc.next().charAt(0)

String word = sc.next();

String sent = sc.nextLine();



```
import java.util.*;
class character
{
  public static void main (String args[])
  {
    Scanner sc = new Scanner(System.in);
    System.out.println("If Enter '+' or '*' : ");
    char c = sc.next().charAt(0);
    System.out.println("Enter 1st no : ");
    int a = sc.nextInt();
    System.out.println("Enter 2nd no : ");
    int b = sc.nextInt();
    int x;
    if (c=='+')
    {
      x = a+b;
      System.out.println("Sum = "+x);
    }
    else if (c=='*')
    {
      x = a*b;
      System.out.println("Prod.it = "+x)
    }
    else
      System.out.println("ERROR!")
  }
}
```

```
char c = sc.next().charAt(0)
String word = sc.next();
String sent = sc.nextLine();
```

From <https://teams.live.com/v2/>