Variable Information:

Variable: RECTYPE

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Numeric

Length: 2

Question Text:

Description: Record type

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

RECTYPE Record type

Code	Description	Frequency	Percent
10	Sample Adult	0	0.00
20	Sample Child	6049	100.00
30	Sample Adult Income	0	0.00
40	Sample Child Income	0	0.00
50	Paradata	0	0.00

Frequency Missing:

Variable Information:

Variable: SRVY_YR

Module: General

Section: IDN : Identifier

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 4

Question Text:

Description: Year of the National Health Interview Survey

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

SRVY_YR Year of the National Health Interview Survey

Code	Description	Frequency	Percent
1963-current year	Survey year	6049	100.00

Frequency Missing:

Variable Information:

Variable: HHX

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Character

Length: 7

Question Text:

Description: Randomly assigned household number unique to a household

Recode:

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

HHX Randomly assigned household number unique to a household

Code	Description	Frequency	Percent
	Range of values	6049	100.00

Frequency Missing:

Variable Information:

Variable: WTFA_C

Module: General

Section: IDN : Identifier

File(s): Child

Data Type: Numeric

Length: 10

Question Text:

Description: Weight - Final Annual

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

WTFA_C Weight - Final Annual

Code	Description	Frequency	Percent
	Range of values	6049	100.00

Frequency Missing:

Variable Information:

Variable: URBRRL23

Module: General

Section: UCF : Unit Control File

File(s): Child, Adult

Data Type: Numeric

Length: 1

Question Text:

Description: 2023 NCHS Urban-Rural Classification Scheme for Counties, public

Recode: Yes

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords: urbanization level

Notes: Information about the 2023 NCHS Urban–Rural classification scheme for counties is available at https://www.cdc.gov/nchs/data-analysis-tools/urban-rural.html. Large central metro are counties (or county equivalents) in metropolitan statistical areas (MSA) of 1 million or more population that contain the entire population of the largest principal city of the MSA or are completely contained in the largest principal city of the MSA or contain at least 250,000 residents of any principal city of the MSA. Large fringe metro are counties (or county equivalents) in MSAs of 1 million or more population that do not qualify as large central. Medium and small metro are counties (or county equivalents) in MSAs of 250,000 to 999,999 population and MSAs of less than 250,000 population. Nonmetropolitan are counties (or county equivalents) in micropolitan statistical areas and non-core counties.

Evaluation Report:

Unweighted frequencies:

URBRRL23 2023 NCHS Urban-Rural Classification Scheme for Counties, public

Code	Description	Frequency	Percent
1	Large central metro	1850	30.58
2	Large fringe metro	1583	26.17
3	Medium and small metro	1804	29.82
4	Nonmetropolitan	812	13.42

Frequency Missing:

Variable Information:

Variable: REGION

Module: General

Section: UCF : Unit Control File

File(s): Child, Adult, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Household region

Recode:

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

REGION Household region

Code	Description	Frequency	Percent
1	Northeast	1047	17.31
2	Midwest	1234	20.40
3	South	2261	37.38
4	West	1507	24.91

Frequency Missing:

Variable Information:

Variable: PSTRAT

Module: General

Section: UCF : Unit Control File

File(s): Child, Adult, Paradata

Data Type: Numeric

Length: 3

Question Text:

Description: Annual Public Variance Stratum

Recode:

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords:

Notes: This identifies the stratum for annual public variances

Evaluation Report:

Unweighted frequencies:

PSTRAT Annual Public Variance Stratum

Code	Description	Frequency	Percent
	Range of values	6049	100.00

Frequency Missing:

Variable Information:

Variable: PPSU

Module: General

Section: UCF : Unit Control File

File(s): Child, Adult, Paradata

Data Type: Numeric

Length: 6

Question Text:

Description: Annual Public Variance PSU

Recode:

Universe: All

Universe Description: All cases

Sources:

Question ID:

Keywords:

Notes: This identifies the PSU for annual public variances

Evaluation Report:

Unweighted frequencies:

PPSU Annual Public Variance PSU

Code	Description	Frequency	Percent
	Range of values	6049	100.00

Frequency Missing:

Variable Information:

Variable: HHRESPSC_FLG

Module: General

Section: FLG : Flag

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ** Instrument Flag **

Description: Sample Child respondent is the household respondent

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: GEN.0660.00.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

HHRESPSC_FLG Sample Child respondent is the household respondent

Code	Description	Frequency	Percent
1	Yes	5226	100.00

Frequency Missing: 823

Variable Information:

Variable: INTV_MON2

Module: General

Section: GEN : Miscellaneous

File(s): Child, Adult, Paradata

Data Type: Numeric

Length: 2

Question Text:

Description: Month of interview in 2025

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes: Due to a lapse in federal funding, the October sample was fielded in the latter half of November through early December, the November sample was fielded in December through early January, with some overlap. The variable for interview month has been renamed in 2025, with months corresponding to quarter 4 coded as 99 to differentiate from previous years. The December sample is not part of the 2025 annual file.

Evaluation Report:

Unweighted frequencies:

INTV_MON2 Month of interview in 2025

Code	Description	Frequency	Percent
01	January	613	10.13
02	February	556	9.19
03	March	570	9.42
04	April	567	9.37
05	May	562	9.29
06	June	584	9.65
07	July	559	9.24
08	August	621	10.27
09	September	617	10.20
99	November-December	800	13.23

Frequency Missing:

Variable Information:

Variable: INTV_QRT2

Module: General

Section: GEN : Miscellaneous

File(s): Child, Adult, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Interview quarter

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:

Question ID:

Keywords:

Notes: The variable for interview quarter has been renamed in 2025 with cases corresponding to quarter 4 coded as 9 to differentiate from previous years. Due to a lapse in federal funding, the October sample was fielded in the latter half of November through early December, the November sample was fielded in December through early January, with some overlap. The December sample is not part of the 2025 annual file.

Evaluation Report:

Unweighted frequencies:

INTV_QRT2 Interview quarter

Code	Description	Frequency	Percent
1	Quarter 1	1739	28.75
2	Quarter 2	1713	28.32
3	Quarter 3	1797	29.71
9	Modified Quarter 4	800	13.23

Frequency Missing:

Variable Information:

Variable: HHSTAT_C

Module: General

Section: GEN : Miscellaneous

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ** Instrument Variable **

Description: Indicates the person is the Sample Child

Recode:

Universe: All

Universe Description: All

Sources:

Question ID: GEN.0550.00.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

HHSTAT_C Indicates the person is the Sample Child

Code	Description	Frequency	Percent
1	Person is sample child	6049	100.00

Frequency Missing:

Variable Information:

Variable: CSTATNEW

Module: General

Section: GEN : Miscellaneous

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Recoded CSTAT

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

CSTATNEW Recoded CSTAT

Code	Description	Frequency	Percent
0	Not applicable/None eligible	0	0.00
1	Completed	5964	98.59
2	HH member selected	0	0.00
3	Reached Sample Adult	0	0.00
4	Started HIS section	0	0.00
5	Sufficient Partial	85	1.41
6	HH member selected and no longer eligible	0	0.00
7	Refused	0	0.00

Frequency Missing:

Variable Information:

Variable: RELTIVP_C

Module: General

Section: GEN : Miscellaneous

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Respondent's relationship to Sample Child

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: RELTIV_C

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

RELTIVP_C Respondent's relationship to Sample Child

Code	Description	Frequency	Percent
1	Parent (biological, adoptive, or step)	5713	94.45
2	Grandparent	216	3.57
3	Aunt/Uncle	18	0.30
4	Brother/Sister	39	0.64
5	Other relative or other non-relative	47	0.78
7	Refused	0	0.00
8	Not Ascertained	16	0.26
9	Don't Know	0	0.00

Frequency Missing:

Variable Information:

Variable: AFNOW

Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text: ^AreyouIsALIASIsanyone now on full-time active duty with the Armed Forces?

*__Read if necessary:__ *Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for service in the U.S. or in a foreign country, in support of military or humanitarian operations.*

Fills: *^AreyouIsALIASIsanyone.. Are you/Is ^ALIASNAME/Is anyone in the household*

^ALIASNAME..... {Value of ALIAS}

Description: Full-time active duty screener

Recode:

Universe: PCNT18PLUS gt 0 and PCNT gt PCNTAGEGUESS and PCNTAGEAF gt 0

Universe Description: At least one person in the household is greater than 18 and at least one person's age is not guessed and at least one non-deleted person age 17-64 years old or who is greater than or equal to 18 or whose age was guessed to be greater than or equal to 18

Sources:

Question ID: HHC.0330.00.1

Keywords: military; survey administration

Notes:

Evaluation Report:

Unweighted frequencies:

AFNOW Full-time active duty screener

Code	Description	Frequency	Percent
1	Yes	94	1.56
2	No	5919	98.44
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 36

Variable Information:

Variable: PCNT18UPTC

Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text:

Description: Top-coded count of persons 18 or older in the household

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources: PCNT

Question ID:

Keywords: household

Notes:

Evaluation Report:

Unweighted frequencies:

PCNT18UPTC Top-coded count of persons 18 or older in the household

Code	Description	Frequency	Percent
0	0 adults	0	0.00
1	1 adult	828	13.69
2	2 adults	3824	63.22
3	3+ adults	1397	23.09
8	Not Ascertained	0	0.00

Frequency Missing:

Variable Information:

Variable: PCNTLT18TC

Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text:

Description: Top-coded count of persons under 18 in the household

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources: PCNT

Question ID:

Keywords: household

Notes:

Evaluation Report:

Unweighted frequencies:

PCNTLT18TC Top-coded count of persons under 18 in the household

Code	Description	Frequency	Percent
0	0 children	0	0.00
1	1 child	2692	44.50
2	2 children	2133	35.26
3	3+ children	1224	20.23
8	Not Ascertained	0	0.00

Frequency Missing:

Variable Information:

Variable: SEX_C

Module: Roster

Section: HHC : Household Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sex of Sample Child

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID:

Keywords: demographics

Notes:

Evaluation Report:

Unweighted frequencies:

SEX_C Sex of Sample Child

Code	Description	Frequency	Percent
1	Male	3114	51.48
2	Female	2929	48.42
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing:

Variable Information:

Variable: AGEP_C

Module: Roster

Section: HHC : Household Composition

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Age of SC

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID:

Keywords: demographics

Notes:

Evaluation Report:

Unweighted frequencies:

AGEP_C Age of SC

Code	Description	Frequency	Percent
00	Under 1 year	290	4.79
01-17	1-17 years	5759	95.21
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Frequency Missing:

Variable Information:

Variable: HISP_C

Module: Roster

Section: HHC : Household Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Recode: Hispanic ethnicity of SC

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HISP_FINAL

Question ID:

Keywords: Hispanic origin

Notes: This variable includes imputed Hispanic origin when unknown.

Evaluation Report:

Unweighted frequencies:

HISP_C Recode: Hispanic ethnicity of SC

Code	Description	Frequency	Percent
1	Yes	1467	24.25
2	No	4582	75.75
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing:

Variable Information:

Variable: HISDETP_C

Module: Roster

Section: HHC : Household Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Hispanic origin detail

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HISP_FINAL; HISPDET_C

Question ID:

Keywords: ethnicity; national origin

Notes: This variable provides Hispanic origin group detail for sample children

Evaluation Report:

Unweighted frequencies:

HISDETP_C Hispanic origin detail

Code	Description	Frequency	Percent
1	Hispanic (Mexican/Mexican American)	793	13.11
2	Hispanic (all other groups)	663	10.96
3	Not Hispanic	4582	75.75
7	Refused	0	0.00
8	Not Ascertained	8	0.13
9	Don't Know	3	0.05

Frequency Missing:

Variable Information:

Variable: RACEALLP_C

Module: Roster

Section: HHC : Household Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Single and multiple race groups

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: RACEFULL

Question ID:

Keywords: race

Notes: This variable includes imputed data when race is unknown. Race was not imputed for Hispanic persons who did not identify with one of the race categories available, and is coded as "not ascertained" in this variable.

Evaluation Report:

Unweighted frequencies:

RACEALLP_C Single and multiple race groups

Code	Description	Frequency	Percent
1	White only	3916	64.74
2	Black/African American only	743	12.28
3	Asian only	417	6.89
4	AIAN only	53	0.88
5	AIAN and any other group	77	1.27
6	Other single and multiple races	380	6.28
7	Refused	8	0.13
8	Not Ascertained	449	7.42
9	Don't know	6	0.10

Frequency Missing:

Variable Information:

Variable: HISPALLP_C

Module: Roster

Section: HHC : Household Composition

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Single and multiple race groups with Hispanic origin

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: NATORG; RACE; RACE_SP; RACE_VRBAT: RACEFULL: HISP_FINAL

Question ID:

Keywords: race; Hispanic origin

Notes: This variable is a public use recode of the full detail variable RACEFULL combined with Hispanic origin for sample child. It also includes imputed data when race and Hispanic origin are unknown.

Evaluation Report:

Unweighted frequencies:

HISPALLP_C Single and multiple race groups with Hispanic origin

Code	Description	Frequency	Percent
01	Hispanic	1467	24.25
02	Non-Hispanic White only	3077	50.87
03	Non-Hispanic Black/African American only	679	11.22
04	Non-Hispanic Asian only	404	6.68
05	Non-Hispanic AIAN only	40	0.66
06	Non-Hispanic AIAN and any other group	52	0.86
07	Other single and multiple races	330	5.46
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Frequency Missing:

Variable Information:

Variable: PCNTADLT_C

Module: Roster

Section: FAM : Family Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in Sample Child family, top-coded 3+

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: PCNTADLTI_C

Question ID:

Keywords: family structure; related adults; adult family members

Notes:

Evaluation Report:

Unweighted frequencies:

PCNTADLT_C Number of adults in Sample Child family, top-coded 3+

Code	Description	Frequency	Percent
0	0 adults	0	0.00
1	1 adult	850	14.05
2	2 adults	3829	63.30
3	3+ adults	1370	22.65
8	Not Ascertained	0	0.00

Frequency Missing:

Variable Information:

Variable: PCNTKIDS_C

Module: Roster

Section: FAM : Family Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Number of children in Sample Child family, top-coded 3+

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: PCNTKIDSI_C

Question ID:

Keywords: family structure; related children; family members; minors

Notes:

Evaluation Report:

Unweighted frequencies:

PCNTKIDS_C Number of children in Sample Child family, top-coded 3+

Code	Description	Frequency	Percent
1	1 child	2694	44.54
2	2 children	2131	35.23
3	3+ children	1224	20.23
8	Not Ascertained	0	0.00

Frequency Missing:

Variable Information:

Variable: OVER65FLG_C

Module: Roster

Section: FAM : Family Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Indicator for at least 1 person aged 65+ in SC family

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: AGE_FINAL; AGEGUESS; AGE18; FAMILYC_FLG

Question ID:

Keywords: elderly; older adults; family structure; multigenerational

Notes:

Evaluation Report:

Unweighted frequencies:

OVER65FLG_C Indicator for at least 1 person aged 65+ in SC family

Code	Description	Frequency	Percent
0	None	5586	92.35
1	1 or more	463	7.65

Frequency Missing:

Variable Information:

Variable: MLTFAMFLG_C

Module: Roster

Section: FAM : Family Composition

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Indicator for multifamily household

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: ONEFAM_FLG; TOTPERS

Question ID:

Keywords: household structure; living arrangements; household composition

Notes:

Evaluation Report:

Unweighted frequencies:

MLTFAMFLG_C Indicator for multifamily household

Code	Description	Frequency	Percent
1	Multiple families in household	48	0.79
2	Only one family in household	6001	99.21
9	Unknown	0	0.00

Frequency Missing:

Variable Information:

Variable: MAXEDUCP_C

Module: Roster

Section: FAM : Family Composition

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Highest level of education of the adults in the SC's family

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: EDUC; AGE18PLUS; FAMILYC_FLG; HHSTAT_C

Question ID:

Keywords: schooling; educational attainment

Notes: Grades 0-11 include those who never attended school, completed kindergarten only, or grades 1-11. In 2019-2024, the category 0 for “Never attended/kindergarten only” was listed as a separate category even though the data for this level was combined with those in “grades 1-11.”

Evaluation Report:

Unweighted frequencies:

MAXEDUCP_C Highest level of education of the adults in the SC's family

Code	Description	Frequency	Percent
01	Grade 0-11	164	2.71
02	12th grade, no diploma	61	1.01
03	GED or equivalent	71	1.17
04	High School Graduate	943	15.59
05	Some college, no degree	704	11.64
06	Associate degree: occupational, technical, or vocational program	233	3.85
07	Associate degree: academic program	581	9.60
08	Bachelor's degree (Example: BA, AB, BS, BBA)	1654	27.34
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	1147	18.96
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	485	8.02
97	Refused	4	0.07
98	Not Ascertained	0	0.00
99	Don't Know	2	0.03

Frequency Missing:

Variable Information:

Variable: PHSTAT_C

Module: Child

Section: HIS : Health Status

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Would you say ^SCNAME's health in general is excellent, very good, good, fair, or poor?

Fills: *^SCNAME..... Sample child's name*

Description: General health status

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: HIS.0010.00.1

Keywords: well-being; fitness; physical condition

Notes:

Evaluation Report:

Unweighted frequencies:

PHSTAT_C General health status

Code	Description	Frequency	Percent
1	Excellent	3924	64.87
2	Very Good	1344	22.22
3	Good	653	10.80
4	Fair	114	1.88
5	Poor	12	0.20
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: ASEV_C

Module: Child

Section: AST : Asthma

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you that ^SCNAME had asthma?

Fills: *^SCNAME..... Sample child's name*

Description: Ever had asthma

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: AST.0020.00.1

Keywords: respiratory condition; trouble breathing; breathing problem; lungs

Notes:

Evaluation Report:

Unweighted frequencies:

ASEV_C Ever had asthma

Code	Description	Frequency	Percent
1	Yes	590	9.75
2	No	5455	90.18
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing:

Variable Information:

Variable: ASTILL_C

Module: Child

Section: AST : Asthma

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME still have asthma?

Fills: *^SCNAME..... Sample child's name*

Description: Still have asthma

Recode:

Universe: HHSTAT_C=1 and ASEV_C=1

Universe Description: Sample children 0-17 who were ever told they had asthma

Sources:

Question ID: AST.0030.00.1

Keywords: respiratory condition; trouble breathing; breathing problem; lungs

Notes:

Evaluation Report:

Unweighted frequencies:

ASTILL_C Still have asthma

Code	Description	Frequency	Percent
1	Yes	401	67.97
2	No	184	31.19
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	0.85

Frequency Missing: 5459

Variable Information:

Variable: ASAT12M_C

Module: Child

Section: AST : Asthma

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, has ^SCNAME had an episode of asthma or an asthma attack?

Fills: *^SCNAME..... Sample child's name*

Description: Asthma episode past 12 months

Recode:

Universe: HHSTAT_C=1 and ASEV_C=1

Universe Description: Sample children 0-17 who were ever told they had asthma

Sources:

Question ID: AST.0040.00.1

Keywords: respiratory condition; trouble breathing; breathing problem; lungs

Notes:

Evaluation Report:

Unweighted frequencies:

ASAT12M_C Asthma episode past 12 months

Code	Description	Frequency	Percent
1	Yes	221	37.46
2	No	367	62.20
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.34

Frequency Missing: 5459

Variable Information:

Variable: ASER12M_C

Module: Child

Section: AST : Asthma

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME have to visit an emergency room or urgent care center because of ^hisher_C asthma?

Fills: *^SCNAME..... Sample child's name*

^hisher_C..... his/her/their

Description: Asthma ER visit, past 12 months

Recode:

Universe: HHSTAT_C=1 and ASEV_C=1

Universe Description: Sample children 0-17 who were ever told they had asthma

Sources:

Question ID: AST.0050.00.1

Keywords: respiratory condition; trouble breathing; breathing problem; lungs

Notes:

Evaluation Report:

Unweighted frequencies:

ASER12M_C Asthma ER visit, past 12 months

Code	Description	Frequency	Percent
1	Yes	97	16.44
2	No	493	83.56
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5459

Variable Information:

Variable: PREDIB_C

Module: Child

Section: DIB : Diabetes

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you that ^SCNAME had prediabetes or borderline diabetes?

Fills: *^SCNAME..... Sample child's name*

Description: Ever had prediabetes

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: DIB.0010.00.1

Keywords: impaired fasting glucose; impaired glucose tolerance; high blood sugar; insulin resistance

Notes:

Evaluation Report:

Unweighted frequencies:

PREDIB_C Ever had prediabetes

Code	Description	Frequency	Percent
1	Yes	51	0.84
2	No	5995	99.11
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	2	0.03

Frequency Missing:

Variable Information:

Variable: DIBEV_C

Module: Child

Section: DIB : Diabetes

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^NOTPRED a doctor or other health professional EVER told you that ^SCNAME had diabetes?

Fills: *^NOTPRED..... Not including prediabetes, has/Has*

^SCNAME..... Sample child's name

Description: Ever had diabetes

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: DIB.0020.00.1

Keywords: high blood sugar; endocrine; insulin resistance

Notes:

Evaluation Report:

Unweighted frequencies:

DIBEV_C Ever had diabetes

Code	Description	Frequency	Percent
1	Yes	27	0.45
2	No	6021	99.54
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: ADHDEV_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional ever told you that ^SCNAME had Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD?

* **Read if necessary:** *Health professionals can include school psychologists and school nurses.*

Fills: *^SCNAME..... Sample child's name*

Description: Ever had ADD/ADHD

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: DLD.0010.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes:

Evaluation Report:

Unweighted frequencies:

ADHDEV_C Ever had ADD/ADHD

Code	Description	Frequency	Percent
1	Yes	671	12.32
2	No	4764	87.49
7	Refused	3	0.06
8	Not Ascertained	0	0.00
9	Don't Know	7	0.13

Frequency Missing: 604

Variable Information:

Variable: ADHDNW_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME currently have Attention-Deficit/Hyperactivity Disorder or ADHD or Attention-Deficit Disorder or ADD?

Fills: *^SCNAME..... Sample child's name*

Description: Currently has ADD/ADHD

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17) and ADHDEV_C=1

Universe Description: Sample children 2-17 who had an ADHD diagnosis

Sources:

Question ID: DLD.0020.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes:

Evaluation Report:

Unweighted frequencies:

ADHDNW_C Currently has ADD/ADHD

Code	Description	Frequency	Percent
1	Yes	615	91.65
2	No	51	7.60
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	0.75

Frequency Missing: 5378

Variable Information:

Variable: IDEV1_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional ever told you that ^SCNAME had an intellectual disability, previously known as mental retardation?

* **Read if necessary:** *Health professionals can include school psychologists and school nurses.*

Fills: *^SCNAME..... Sample child's name*

Description: Ever had intellectual disability

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: DLD.0030.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes: Question text had a minor revision beginning in 2022. This variable is comparable to IDEV_C.

Evaluation Report:

Unweighted frequencies:

IDEV1_C Ever had intellectual disability

Code	Description	Frequency	Percent
1	Yes	114	1.88
2	No	5930	98.03
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing:

Variable Information:

Variable: IDNW1_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME currently have an intellectual disability, previously known as mental retardation?

Fills: *^SCNAME..... Sample child's name*

Description: Currently has intellectual disability

Recode:

Universe: HHSTAT_C=1 and IDEV1_C=1

Universe Description: Sample children 0-17 who had an intellectual disability diagnosis

Sources:

Question ID: DLD.0040.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes: Question text had a minor revision beginning in 2022. This variable is comparable to IDNW_C.

Evaluation Report:

Unweighted frequencies:

IDNW1_C Currently has intellectual disability

Code	Description	Frequency	Percent
1	Yes	89	78.07
2	No	23	20.18
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	1.75

Frequency Missing: 5935

Variable Information:

Variable: ASDEV_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional ever told you that ^SCNAME had Autism, Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder?

* **Read if necessary:** *Health professionals can include school psychologists and school nurses.*

Fills: *^SCNAME..... Sample child's name*

Description: Ever had autism

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: DLD.0050.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes:

Evaluation Report:

Unweighted frequencies:

ASDEV_C Ever had autism

Code	Description	Frequency	Percent
1	Yes	270	4.96
2	No	5170	94.95
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing: 604

Variable Information:

Variable: ASDNW_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME currently have Autism, Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder?

Fills: *^SCNAME..... Sample child's name*

Description: Currently has autism

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17) and ASDEV_C=1

Universe Description: Sample children 2-17 who had an autism spectrum disorder diagnosis

Sources:

Question ID: DLD.0060.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes:

Evaluation Report:

Unweighted frequencies:

ASDNW_C Currently has autism

Code	Description	Frequency	Percent
1	Yes	260	96.30
2	No	9	3.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.37

Frequency Missing: 5779

Variable Information:

Variable: DDEV_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^NOTEVER a doctor or other health professional ever told you that ^SCNAME had any other developmental delay?

* **Read if necessary:** *Health professionals can include school psychologists and school nurses.*

* **Read if necessary:** *Developmental delays are significant delays in a child's development. Examples include cognitive, motor, speech, social, emotional and behavioral delays.*

Fills:

^NOTEVER.....	*Has/Not including (ADHD, intellectual disability, autism spectrum disorder), has*
^SCNAME.....	*Sample child's name*

Description: Ever had developmental delay

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: DLD.0070.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes:

Evaluation Report:

Unweighted frequencies:

DDEV_C Ever had developmental delay

Code	Description	Frequency	Percent
1	Yes	366	6.05
2	No	5682	93.93
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: DDNW_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME still have this other developmental delay?

Fills: *^SCNAME..... Sample child's name*

Description: Currently has developmental delay

Recode:

Universe: HHSTAT_C=1 and DDEV_C=1

Universe Description: Sample children 0-17 who had any other developmental delay diagnosis

Sources:

Question ID: DLD.0080.00.1

Keywords: neurodevelopmental disorder; developmental disorder

Notes:

Evaluation Report:

Unweighted frequencies:

DDNW_C Currently has developmental delay

Code	Description	Frequency	Percent
1	Yes	267	72.95
2	No	99	27.05
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5683

Variable Information:

Variable: LDEV_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has a representative from a school or a health professional ever told you that ^SCNAME had a learning disability?

Fills: *^SCNAME..... Sample child's name*

Description: Ever had learning disability

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: DLD.0090.00.1

Keywords: learning disability

Notes:

Evaluation Report:

Unweighted frequencies:

LDEV_C Ever had learning disability

Code	Description	Frequency	Percent
1	Yes	458	8.41
2	No	4978	91.42
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	8	0.15

Frequency Missing: 604

Variable Information:

Variable: LDNW_C

Module: Child

Section: DLD : Developmental and Learning Disabilities

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME currently have a learning disability?

Fills: *^SCNAME..... Sample child's name*

Description: Currently has learning disability

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17) and LDEV_C=1

Universe Description: Sample children 2-17 who had a learning disability diagnosis

Sources:

Question ID: DLD.0100.00.1

Keywords: learning disability

Notes:

Evaluation Report:

Unweighted frequencies:

LDNW_C Currently has learning disability

Code	Description	Frequency	Percent
1	Yes	399	87.12
2	No	56	12.23
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.66

Frequency Missing: 5591

Variable Information:

Variable: WEARGLSS_C

Module: Child

Section: VIS : Vision

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME wear glasses ^CONTACTS?

* **Read if necessary:** *Persons who wear glasses to read or to do other occasional tasks should answer yes to this question.*

Fills: *^SCNAME.....* *Sample child's name*

^CONTACTS..... *or contact lenses*

Description: Wear glasses/contact lenses

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: VIS.0020.00.1

Keywords: vision problem; corrective lenses; eyesight; visual acuity; functional limitation; Washington Group

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.

Evaluation Report:

Unweighted frequencies:

WEARGLSS_C Wear glasses/contact lenses

Code	Description	Frequency	Percent
1	Yes	1354	24.87
2	No	4090	75.11
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 604

Variable Information:

Variable: VISIONDF_C

Module: Child

Section: VIS : Vision

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^GLASSCONTACT ^SCNAME have difficulty seeing? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?

Fills:

^GLASSCONTACT.....	*When wearing glasses ^CONTACTS does/Does*
^CONTACTS.....	*or contact lenses*
^SCNAME.....	*Sample child's name*
^heshe_C.....	*He/She/They*

Description: Difficulty seeing

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: VIS.0030.00.1

Keywords: vision problem; trouble seeing; eyesight; visual acuity; functional limitation; Washington Group

Notes: This question is part of the Washington Group Composite Disability Indicator for children aged 2-4 years old and 5-17 years old.

Evaluation Report:

Unweighted frequencies:

VISIONDF_C Difficulty seeing

Code	Description	Frequency	Percent
1	No difficulty	5184	95.21
2	Some difficulty	237	4.35
3	A lot of difficulty	17	0.31
4	Cannot do at all	2	0.04
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing: 604

Variable Information:

Variable: HEARAID_C

Module: Child

Section: HEA : Hearing

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME use a hearing aid?

Fills: *^SCNAME..... Sample child's name*

Description: Use hearing aid

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: HEA.0010.00.1

Keywords: assistive device; functional limitation; Washington Group; auditory difficulty

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.

Evaluation Report:

Unweighted frequencies:

HEARAID_C Use hearing aid

Code	Description	Frequency	Percent
1	Yes	34	0.62
2	No	5411	99.38
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 604

Variable Information:

Variable: HEARINGDF_C

Module: Child

Section: HEA : Hearing

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^USEHRAID_C ^SCNAME have difficulty hearing sounds like people's voices or music? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?

Fills:

^USEHRAID_C.....	*When using ^hisher_C hearing aid(s) does/Does*
^hisher_C.....	*his/her/their*
^SCNAME.....	*Sample child's name*
^heshe_C.....	*He/She/They*

Description: Difficulty hearing sounds

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: HEA.0020.00.1

Keywords: auditory difficulty; functional limitation; Washington Group

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.

Evaluation Report:

Unweighted frequencies:

HEARINGDF_C Difficulty hearing sounds

Code	Description	Frequency	Percent
1	No difficulty	5338	98.03
2	Some difficulty	100	1.84
3	A lot of difficulty	6	0.11
4	Cannot do at all	1	0.02
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 604

Variable Information:

Variable: EQUIP_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME use any equipment or receive assistance for walking?

Fills: *^SCNAME..... Sample child's name*

Description: Use of equipment for mobility

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: MOB.0010.00.1

Keywords: mobility aids; functional limitation; Washington Group; ambulatory problem

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.

Evaluation Report:

Unweighted frequencies:

EQUIP_C Use of equipment for mobility

Code	Description	Frequency	Percent
1	Yes	38	0.70
2	No	5407	99.30
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 604

Variable Information:

Variable: NOEQWLKDF_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Without using ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?

Fills:

^hisher_C..... *his/her/their*

^SCNAME..... *Sample child's name*

^heshe_C..... *He/She/They*

Description: Difficulty walking without using equipment

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4) and EQUIP_C=1

Universe Description: Sample children 2-4 who use equipment or assistance for walking

Sources:

Question ID: MOB.0020.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

NOEQWLKDF_C Difficulty walking without using equipment

Code	Description	Frequency	Percent
1	No difficulty	4	44.44
2	Some difficulty	2	22.22
3	A lot of difficulty	2	22.22
4	Cannot do at all	1	11.11
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6040

Variable Information:

Variable: EQWLKDF_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: When using ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^hisher_C..... his/her/their

^SCNAME..... Sample child's name

^heshe_C..... He/She/They

Description: Difficulty walking when using equipment

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4) and EQUIP_C=1

Universe Description: Sample children 2-4 who use equipment or assistance for walking

Sources:

Question ID: MOB.0030.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

EQWLKDF_C Difficulty walking when using equipment

Code	Description	Frequency	Percent
1	No difficulty	6	66.67
2	Some difficulty	2	22.22
3	A lot of difficulty	1	11.11
4	Cannot do at all	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6040

Variable Information:

Variable: WLKDF_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty walking? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?

Fills: *^SCNAME.....* *Sample child's name*

^heshe_C..... *He/She/They*

Description: Difficulty walking for those who do not use equipment

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4) and EQUIP_C IN (2,7,9)

Universe Description: Sample children 2-4 who do not use equipment or assistance for walking or refused or don't know

Sources:

Question ID: MOB.0040.00.1

Keywords: ambulatory problem; functional limitation; Washington Group

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

WLKDF_C Difficulty walking for those who do not use equipment

Code	Description	Frequency	Percent
1	No difficulty	886	99.22
2	Some difficulty	5	0.56
3	A lot of difficulty	0	0.00
4	Cannot do at all	2	0.22
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5156

Variable Information:

Variable: NOEQWLK100_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: WITHOUT USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block. Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?

Fills:

^hisher_C..... *his/her/their*

^SCNAME..... *Sample child's name*

^heshe_C..... *He/She/They*

Description: Difficulty walking 100 yards without using equipment

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C=1

Universe Description: Sample children 5-17 who use equipment or assistance for walking

Sources:

Question ID: MOB.0050.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

NOEQWLK100_C Difficulty walking 100 yards without using equipment

Code	Description	Frequency	Percent
1	No difficulty	13	44.83
2	Some difficulty	4	13.79
3	A lot of difficulty	3	10.34
4	Cannot do at all	9	31.03
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6020

Variable Information:

Variable: NOEQWLK13M_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: WITHOUT USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks.

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^hisher_C.....	*his/her/their*
^SCNAME.....	*Sample child's name*
^heshe_C.....	*He/She/They*

Description: Difficulty walking 1/3 mile without using equipment

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C=1 and NOEQWLK100_C IN (1,2,3,7,9)

Universe Description: Sample children 5-17 who use equipment or assistance for walking and have no difficulty, some difficulty or a lot of difficulty walking 100 yards when not using their equipment or assistance or refused or don't know

Sources:

Question ID: MOB.0060.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

NOEQWLK13M_C Difficulty walking 1/3 mile without using equipment

Code	Description	Frequency	Percent
1	No difficulty	12	60.00
2	Some difficulty	4	20.00
3	A lot of difficulty	3	15.00
4	Cannot do at all	1	5.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6029

Variable Information:

Variable: EQWLK100_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: WHEN USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block.

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^hisher_C.....	*his/her/their*
^SCNAME.....	*Sample child's name*
^heshe_C.....	*He/She/They*

Description: Difficulty walking 100 yards when using equipment

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C=1

Universe Description: Sample children 5-17 who use equipment or assistance for walking

Sources:

Question ID: MOB.0070.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

EQWLK100_C Difficulty walking 100 yards when using equipment

Code	Description	Frequency	Percent
1	No difficulty	16	55.17
2	Some difficulty	2	6.90
3	A lot of difficulty	3	10.34
4	Cannot do at all	8	27.59
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6020

Variable Information:

Variable: EQWLK13M_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: WHEN USING ^hisher_C equipment or assistance, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks.

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^hisher_C..... *his/her/their*

^SCNAME..... *Sample child's name*

^heshe_C..... *He/She/They*

Description: Difficulty walking 1/3 mile when using equipment

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C=1 and EQWLK100_C IN (1,2,3,7,9)

Universe Description: Sample children 5-17 who use equipment or assistance for walking and have no difficulty, some difficulty or a lot of difficulty walking 100 yards when using their equipment or assistance or refused or don't know

Sources:

Question ID: MOB.0080.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

EQWLK13M_C Difficulty walking 1/3 mile when using equipment

Code	Description	Frequency	Percent
1	No difficulty	15	71.43
2	Some difficulty	2	9.52
3	A lot of difficulty	2	9.52
4	Cannot do at all	2	9.52
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6028

Variable Information:

Variable: WLK100_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty walking 100 yards on level ground? That would be about the length of 1 football field or 1 city block. Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?

Fills: *^SCNAME..... Sample child's name*

^heshe_C..... He/She/They

Description: Difficulty walking 100 yards, for those who do not use equipment

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C IN (2,7,9)

Universe Description: Sample children 5-17 who do not use equipment or assistance for walking or refused or don't know

Sources:

Question ID: MOB.0090.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

WLK100_C Difficulty walking 100 yards, for those who do not use equipment

Code	Description	Frequency	Percent
1	No difficulty	4411	97.72
2	Some difficulty	88	1.95
3	A lot of difficulty	14	0.31
4	Cannot do at all	1	0.02
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 1535

Variable Information:

Variable: WLK13M_C

Module: Child

Section: MOB : Mobility

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty walking a third of a mile on level ground? That would be about the length of 5 football fields or 5 city blocks.

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills: *^SCNAME..... Sample child's name*

^heshe_C..... He/She/They

Description: Difficulty walking 1/3 mile, for those who do not use equipment

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17) and EQUIP_C IN (2,7,9) and WLK100_C IN (1,2,3,7,9)

Universe Description: Sample children 5-17 who do not use equipment or assistance for walking and have no difficulty, some difficulty, or a lot of difficulty walking 100 yards or refused or don't know

Sources:

Question ID: MOB.0100.00.1

Keywords: ambulatory problem; functional limitation; Washington Group; mobility aids

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

WLK13M_C Difficulty walking 1/3 mile, for those who do not use equipment

Code	Description	Frequency	Percent
1	No difficulty	4357	96.54
2	Some difficulty	118	2.61
3	A lot of difficulty	22	0.49
4	Cannot do at all	12	0.27
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.09

Frequency Missing: 1536

Variable Information:

Variable: PICKUPDF_C

Module: Child

Section: UPP : Upper Body, Motor skills and self care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty picking up small objects with ^hisher_C hands?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^heshe_C.....	*He/She/They*

Description: Motor skills difficulty

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4)

Universe Description: Sample children 2-4

Sources:

Question ID: UPP.0010.00.1

Keywords: motor skills; grasping; disability; Washington Group; dexterity

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

PICKUPDF_C Motor skills difficulty

Code	Description	Frequency	Percent
1	No difficulty	891	98.78
2	Some difficulty	9	1.00
3	A lot of difficulty	2	0.22
4	Cannot do at all	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5147

Variable Information:

Variable: SELFCAREDF_C

Module: Child

Section: UPP : Upper Body, Motor skills and self care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have difficulty with self care, such as eating or dressing?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills: *^SCNAME..... Sample child's name*

^heshe_C..... He/She/They

Description: Motor skills difficulty

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: UPP.0020.00.1

Keywords: motor skills; washing; Washington Group; disability; self maintenance

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

SELFCAREDF_C Motor skills difficulty

Code	Description	Frequency	Percent
1	No difficulty	4395	96.74
2	Some difficulty	114	2.51
3	A lot of difficulty	19	0.42
4	Cannot do at all	15	0.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 1506

Variable Information:

Variable: UNDRSTYOU_C

Module: Child

Section: COM : Communication

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have difficulty understanding you?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills: *^SCNAME.....* *Sample child's name*

^heshe_C..... *He/She/They*

Description: Child's difficulty understanding respondent

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4)

Universe Description: Sample children 2-4

Sources:

Question ID: COM.0010.00.1

Keywords: communication; speech; speaking; Washington Group; disability

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

UNDRSTYOU_C Child's difficulty understanding respondent

Code	Description	Frequency	Percent
1	No difficulty	868	96.23
2	Some difficulty	24	2.66
3	A lot of difficulty	9	1.00
4	Cannot do at all	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.11

Frequency Missing: 5147

Variable Information:

Variable: UNDRSTCHD_C

Module: Child

Section: COM : Communication

File(s): Child

Data Type: Numeric

Length: 1

Question Text: When ^SCNAME speaks, do you have difficulty understanding ^himherthem_C?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^SCNAME.....	*Sample child's name*
^himherthem_C.....	*him/her/them*
^heshe_C.....	*He/She/They*

Description: Respondent's difficulty understanding child

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4)

Universe Description: Sample children 2-4

Sources:

Question ID: COM.0020.00.1

Keywords: communication; speech; speaking; Washington Group; disability

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

UNDRSTCHD_C Respondent's difficulty understanding child

Code	Description	Frequency	Percent
1	No difficulty	734	81.37
2	Some difficulty	139	15.41
3	A lot of difficulty	16	1.77
4	Cannot do at all	12	1.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.11

Frequency Missing: 5147

Variable Information:

Variable: UNDRSTIHH_C

Module: Child

Section: COM : Communication

File(s): Child

Data Type: Numeric

Length: 1

Question Text: When ^SCNAME speaks, ^doesheshedothey_C have difficulty being understood by people inside of this household?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^SCNAME..... Sample child's name

^doesheshedothey_C..... does he/does she/do they

^heshe_C..... He/She/They

Description: Difficulty being understood by people inside household

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: COM.0030.00.1

Keywords: communication; speech; speaking; Washington Group; disability

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

UNDRSTIHH_C Difficulty being understood by people inside household

Code	Description	Frequency	Percent
1	No difficulty	4349	95.73
2	Some difficulty	151	3.32
3	A lot of difficulty	24	0.53
4	Cannot do at all	19	0.42
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 1506

Variable Information:

Variable: UNDRSTOHH_C

Module: Child

Section: COM : Communication

File(s): Child

Data Type: Numeric

Length: 1

Question Text: When ^SCNAME speaks, ^doesheshedothey_C have difficulty being understood by people outside of this household?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^SCNAME.....	*Sample child's name*
^doesheshedothey_C.....	*does he/does she/do they*
^heshe_C.....	*He/She/They*

Description: Difficulty being understood by people outside household

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: COM.0040.00.1

Keywords: communication; speech; speaking; Washington Group; disability

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

UNDRSTOHH_C Difficulty being understood by people outside household

Code	Description	Frequency	Percent
1	No difficulty	4234	93.20
2	Some difficulty	239	5.26
3	A lot of difficulty	46	1.01
4	Cannot do at all	23	0.51
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

Frequency Missing: 1506

Variable Information:

Variable: LEARNDF_C

Module: Child

Section: COG : Cognition

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty learning things?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills: *^SCNAME..... Sample child's name*

^heshe_C..... He/She/They

Description: Difficulty learning things

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: COG.0010.00.1

Keywords: cognition; understand; comprehend; memory; Washington Group; disability

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old and 5-17 years old.

Evaluation Report:

Unweighted frequencies:

LEARNDF_C Difficulty learning things

Code	Description	Frequency	Percent
1	No difficulty	4914	90.25
2	Some difficulty	417	7.66
3	A lot of difficulty	105	1.93
4	Cannot do at all	6	0.11
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.06

Frequency Missing: 604

Variable Information:

Variable: REMEMBERDF_C

Module: Child

Section: COG : Cognition

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty remembering things?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills: *^SCNAME..... Sample child's name*

^heshe_C..... He/She/They

Description: Difficulty remembering things

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: COG.0020.00.1

Keywords: cognition; understand; comprehend; memory; Washington Group; disability

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

REMEMBERDF_C Difficulty remembering things

Code	Description	Frequency	Percent
1	No difficulty	4143	91.20
2	Some difficulty	325	7.15
3	A lot of difficulty	67	1.47
4	Cannot do at all	5	0.11
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.07

Frequency Missing: 1506

Variable Information:

Variable: ANXFREQ_C

Module: Child

Section: ANX : Anxiety

File(s): Child

Data Type: Numeric

Length: 1

Question Text: How often does ^SCNAME seem very anxious, nervous, or worried? Would you say: daily, weekly, monthly, a few times a year, or never?

Fills: *^SCNAME..... Sample child's name*

Description: How often seems anxious, nervous, or worried

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: ANX.0010.00.1

Keywords: anxiety; worry; uneasiness; Washington Group

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

ANXFREQ_C How often seems anxious, nervous, or worried

Code	Description	Frequency	Percent
1	Daily	238	5.24
2	Weekly	491	10.81
3	Monthly	441	9.71
4	A few times a year	1294	28.48
5	Never	2069	45.54
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	8	0.18

Frequency Missing: 1506

Variable Information:

Variable: DEPFREQ_C

Module: Child

Section: DEP : Depression

File(s): Child

Data Type: Numeric

Length: 1

Question Text: How often does ^SCNAME seem very sad or depressed? Would you say: daily, weekly, monthly, a few times a year, or never?

Fills: *^SCNAME..... Sample child's name*

Description: How often seems sad or depressed

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: DEP.0010.00.1

Keywords: feelings of sadness; emotional difficulty; Washington Group

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

DEPFREQ_C How often seems sad or depressed

Code	Description	Frequency	Percent
1	Daily	58	1.28
2	Weekly	153	3.37
3	Monthly	264	5.81
4	A few times a year	993	21.86
5	Never	3071	67.60
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	2	0.04

Frequency Missing: 1506

Variable Information:

Variable: BEHDFPLYG_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty playing? Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?

Fills: *^SCNAME.....* *Sample child's name*

^heshe_C..... *He/She/They*

Description: Difficulty playing

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4)

Universe Description: Sample children 2-4

Sources:

Question ID: BEH.0010.00.1

Keywords: behavior; Washington Group

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

BEHDFPLYG_C Difficulty playing

Code	Description	Frequency	Percent
1	No difficulty	870	96.45
2	Some difficulty	23	2.55
3	A lot of difficulty	8	0.89
4	Cannot do at all	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.11

Frequency Missing: 5147

Variable Information:

Variable: BEHKBHYG_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, how much does ^SCNAME kick, bite, or hit other children or adults? Would you say: not at all, the same or less, more, or a lot more?

Fills: *^SCNAME..... Sample child's name*

Description: Kick, bite or hit

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4)

Universe Description: Sample children 2-4

Sources:

Question ID: BEH.0020.00.1

Keywords: behavior; Washington Group; aggression

Notes: This question is part of the disability status composite indicator for children aged 2-4 years old.

Evaluation Report:

Unweighted frequencies:

BEHKBHYG_C Kick, bite or hit

Code	Description	Frequency	Percent
1	Not at all	619	68.63
2	The same or less	256	28.38
3	More	14	1.55
4	A lot more	8	0.89
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	0.55

Frequency Missing: 5147

Variable Information:

Variable: BEHDFCNTR_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Compared with children of the same age, does ^SCNAME have difficulty controlling ^hisher_C behavior?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^heshe_C.....	*He/She/They*

Description: Difficulty controlling behavior

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: BEH.0030.00.1

Keywords: behavior; Washington Group; dysregulation; impulse control

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

BEHDFCNTR_C Difficulty controlling behavior

Code	Description	Frequency	Percent
1	No difficulty	3800	83.65
2	Some difficulty	591	13.01
3	A lot of difficulty	129	2.84
4	Cannot do at all	19	0.42
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	2	0.04

Frequency Missing: 1506

Variable Information:

Variable: BEHDFFCS_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have difficulty concentrating on an activity that ^heshe_C enjoy^s doing?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^SCNAME.....	*Sample child's name*
^heshe_C.....	*He/She/They*
^s.....	*s*

Description: Difficulty concentrating

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: BEH.0040.00.1

Keywords: behavior; Washington Group; attention-deficit; unable to focus

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

BEHDFFCS_C Difficulty concentrating

Code	Description	Frequency	Percent
1	No difficulty	4162	91.61
2	Some difficulty	312	6.87
3	A lot of difficulty	59	1.30
4	Cannot do at all	7	0.15
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

Frequency Missing: 1506

Variable Information:

Variable: BEHDFCHG_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have difficulty accepting changes in ^hisher_C routine?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills:

^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^heshe_C.....	*He/She/They*

Description: Difficulty with changes in routine

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: BEH.0050.00.1

Keywords: behavior; Washington Group; fear of change; fear of new situations

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

BEHDFCHG_C Difficulty with changes in routine

Code	Description	Frequency	Percent
1	No difficulty	3411	75.08
2	Some difficulty	890	19.59
3	A lot of difficulty	221	4.86
4	Cannot do at all	16	0.35
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	3	0.07

Frequency Missing: 1506

Variable Information:

Variable: BEHDFMKFR_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have difficulty making friends?

*__Read if necessary:__ *Would you say ^SCNAME has: no difficulty, some difficulty, a lot of difficulty, or ^heshe_C cannot do this at all?*

Fills: *^SCNAME.....* *Sample child's name*

^heshe_C..... *He/She/They*

Description: Difficulty making friends

Recode:

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources:

Question ID: BEH.0060.00.1

Keywords: behavior; Washington Group

Notes: This question is part of the disability status composite indicator for children aged 5-17 years old.

Evaluation Report:

Unweighted frequencies:

BEHDFMKFR_C Difficulty making friends

Code	Description	Frequency	Percent
1	No difficulty	4023	88.55
2	Some difficulty	377	8.30
3	A lot of difficulty	118	2.60
4	Cannot do at all	18	0.40
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	6	0.13

Frequency Missing: 1506

Variable Information:

Variable: DISAB2_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: The Washington Group Short Set Composite Disability Indicator, children 2-4

Recode: Yes

Universe: HHSTAT_C=1 and AGEP_C IN (2,3,4)

Universe Description: Sample children 2-4

Sources: VISIONDF_C; HEARINGDF_C; NOEQWLKDF_C; WLKDF_C; PICKUPDF_C; UNDRSTYOU_C; UNDRSTCHD_C; LEARNDF_C; BEHDFPLYG_C; BEHKBHYG_C

Question ID:

Keywords: disability indicator; functional limitation; Washington Group

Notes: Functional Limitation Indicator for children aged 2-4 years based on the Washington Group Short Set. Please see the Survey Description document for more information.

Evaluation Report:

Unweighted frequencies:

DISAB2_C The Washington Group Short Set Composite Disability Indicator, children 2-4

Code	Description	Frequency	Percent
1	Yes	45	4.99
2	No	857	95.01
9	Don't Know	0	0.00

Frequency Missing: 5147

Variable Information:

Variable: DISAB5_C

Module: Child

Section: BEH : Behavior

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: The Washington Group Short Set Composite Disability Indicator, children 5-17

Recode: Yes

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources: VISIONDF_C; HEARINGDF_C; NOEQWLK100_C; NOEQWLK13M_C; WLK100_C; WLK13M_C; SELFCAREDF_C; UNDRSTIHH_C; UNDRSTOHH_C; LEARNDF_C; REMEMBERDF_C; BEHDFFCS_C; BEHDFCHG_C; BEHDFCNTR_C; BEHDFMKFR_C; DEPFREQ_C; ANXFREQ_C

Question ID:

Keywords: disability indicator; functional limitation; Washington Group

Notes: Functional Limitation Indicator for children aged 5-17 years based on the Washington Group Short Set. Please see the Survey Description document for more information.

Evaluation Report:

Unweighted frequencies:

DISAB5_C The Washington Group Short Set Composite Disability Indicator, children 5-17

Code	Description	Frequency	Percent
1	Yes	580	12.77
2	No	3963	87.23
9	Don't Know	0	0.00

Frequency Missing: 1506

Variable Information:

Variable: BSCNWPPL_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: These next questions are about ^SCNAME's behavior. Think about what you would expect of other children the same age, and tell me how much each statement applies to ^SCNAME.

Does ^SCNAME have a hard time being with new people? Would you say not at all, somewhat, or very much?

Fills: *^SCNAME..... Sample child's name*

Description: Hard time with new people

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0020.00.1

Keywords: inflexibility; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well-being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCNWPPL_C Hard time with new people

Code	Description	Frequency	Percent
1	Not at all	481	79.64
2	Somewhat	101	16.72
3	Very much	20	3.31
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.33

Frequency Missing: 5445

Variable Information:

Variable: BSCNWPLCS_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have a hard time in new places? Would you say not at all, somewhat, or very much?

Fills: *^SCNAME..... Sample child's name*

Description: Hard time in new places

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0030.00.1

Keywords: inflexibility; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCNWPLCS_C Hard time in new places

Code	Description	Frequency	Percent
1	Not at all	519	85.93
2	Somewhat	76	12.58
3	Very much	6	0.99
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	2	0.33

Frequency Missing: 5445

Variable Information:

Variable: BSCCHG_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have a hard time with change?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Hard time with change

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0040.00.1

Keywords: inflexibility; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCCHG_C Hard time with change

Code	Description	Frequency	Percent
1	Not at all	494	81.79
2	Somewhat	93	15.40
3	Very much	13	2.15
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	3	0.50

Frequency Missing: 5445

Variable Information:

Variable: BSCHLOPPL_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME mind being held by other people?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Held by other people

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0050.00.1

Keywords: inflexibility; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCHLOPPL_C Held by other people

Code	Description	Frequency	Percent
1	Not at all	399	66.06
2	Somewhat	168	27.81
3	Very much	35	5.79
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	1	0.17

Frequency Missing: 5445

Variable Information:

Variable: BSCCRYALT_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME cry a lot?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Cries a lot

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0060.00.1

Keywords: irritability; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCCRYALT_C Cries a lot

Code	Description	Frequency	Percent
1	Not at all	456	75.50
2	Somewhat	132	21.85
3	Very much	15	2.48
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5445

Variable Information:

Variable: BSCCLMDWN_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have a hard time calming down?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Hard time calming down

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0070.00.1

Keywords: irritability; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCCLMDWN_C Hard time calming down

Code	Description	Frequency	Percent
1	Not at all	540	89.40
2	Somewhat	59	9.77
3	Very much	4	0.66
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5445

Variable Information:

Variable: BSCFUSSY_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is ^SCNAME fussy or irritable?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Fussy or irritable

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0080.00.1

Keywords: irritability; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCFUSSY_C Fussy or irritable

Code	Description	Frequency	Percent
1	Not at all	425	70.36
2	Somewhat	172	28.48
3	Very much	6	0.99
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5445

Variable Information:

Variable: BSCSTHE_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is it hard to comfort ^SCNAME?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Hard to comfort

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0090.00.1

Keywords: irritability; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCSTHE_C Hard to comfort

Code	Description	Frequency	Percent
1	Not at all	571	94.54
2	Somewhat	32	5.30
3	Very much	0	0.00
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5445

Variable Information:

Variable: BSCSCHD_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is it hard to keep ^SCNAME on a schedule or routine?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Hard to keep on schedule

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0100.00.1

Keywords: difficulty with routine; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCSCHD_C Hard to keep on schedule

Code	Description	Frequency	Percent
1	Not at all	539	89.24
2	Somewhat	51	8.44
3	Very much	12	1.99
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	1	0.17

Frequency Missing: 5445

Variable Information:

Variable: BSCPTSLP_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is it hard to put ^SCNAME to sleep?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Hard to put to sleep

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0110.00.1

Keywords: difficulty with routine; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCPTSLP_C Hard to put to sleep

Code	Description	Frequency	Percent
1	Not at all	494	81.79
2	Somewhat	99	16.39
3	Very much	9	1.49
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	1	0.17

Frequency Missing: 5445

Variable Information:

Variable: BSCSTYSLP_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have trouble staying asleep?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^SCNAME..... Sample child's name*

Description: Trouble staying asleep

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0120.00.1

Keywords: difficulty with routine; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well□being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCSTYSLP_C Trouble staying asleep

Code	Description	Frequency	Percent
1	Not at all	502	83.11
2	Somewhat	86	14.24
3	Very much	14	2.32
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	1	0.17

Frequency Missing: 5445

Variable Information:

Variable: BSCPRLKSL_C

Module: Child

Section: BSC : Baby Pediatric Symptom Checklist

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is it hard for ^youmembersoffamily to get enough sleep because of ^SCNAME?

* **Read if necessary:** *Would you say not at all, somewhat, or very much?*

Fills: *^youmembersoffamily..... you/members of your family*

^SCNAME..... Sample child's name

Description: Hard to get sleep due to SC

Recode:

Universe: HHSTAT_C=1 and AGEP_C IN (0,1)

Universe Description: Sample children under 2 years

Sources:

Question ID: BSC.0130.00.1

Keywords: difficulty with routine; social; emotional; behavioral; screening; pediatric

Notes: The Baby Pediatric Symptom Checklist is part of the larger Survey of Well-being of Young Children, copyrighted by Tufts Medical Center. For more information go to https://www.teamupforchildren.org/parts-of-the-swyc/swyc-bpsc/

Evaluation Report:

Unweighted frequencies:

BSCPRLKSL_C Hard to get sleep due to SC

Code	Description	Frequency	Percent
1	Not at all	461	76.32
2	Somewhat	116	19.21
3	Very much	26	4.30
7	Refused	1	0.17
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5445

Variable Information:

Variable: SCHDYMSSTC_C

Module: Child

Section: SCH : Schooling

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Days of school missed due to illness or injury past 12 months, top-coded

Recode: Yes

Universe: HHSTAT_C=1 and (5<=AGEP_C<=17)

Universe Description: Sample children 5-17

Sources: SCHDYMSS_C

Question ID:

Keywords: school attendance; unplanned absences

Notes:

Evaluation Report:

Unweighted frequencies:

SCHDYMSSTC_C Days of school missed due to illness or injury past 12 months, top-coded

Code	Description	Frequency	Percent
00	None	1282	28.22
01-39	1-39 days	3173	69.84
40	40+ days	46	1.01
96	Did not go to school	10	0.22
97	Refused	3	0.07
98	Not Ascertained	0	0.00
99	Don't Know	29	0.64

Frequency Missing: 1506

Variable Information:

Variable: SCHSPEDEV_C

Module: Child

Section: SCH : Schooling

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has ^SCNAME ever had a special education or early intervention plan, such as an Individualized Education Plan, an IEP, or an Individualized Family Service Plan, an IFSP?

Fills: *^SCNAME..... Sample child's name*

Description: Ever had a special education or early intervention plan

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: SCH.0020.00.1

Keywords: special needs; specially designed instruction

Notes:

Evaluation Report:

Unweighted frequencies:

SCHSPEDEV_C Ever had a special education or early intervention plan

Code	Description	Frequency	Percent
1	Yes	963	15.92
2	No	5075	83.90
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	10	0.17

Frequency Missing:

Variable Information:

Variable: SCHSPED_C

Module: Child

Section: SCH : Schooling

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME currently have a special education or early intervention plan?

*__Read if necessary:__ *Consider special education or early intervention plans received during the past school year.*

Fills: *^SCNAME..... Sample child's name*

Description: Currently have a special education or early intervention plan

Recode:

Universe: HHSTAT_C=1 and SCHSPEDEV_C=1

Universe Description: Sample children 0-17 who ever received special education services

Sources:

Question ID: SCH.0030.00.1

Keywords: special needs; specially designed instruction

Notes:

Evaluation Report:

Unweighted frequencies:

SCHSPED_C Currently have a special education or early intervention plan

Code	Description	Frequency	Percent
1	Yes	664	68.95
2	No	294	30.53
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	0.52

Frequency Missing: 5086

Variable Information:

Variable: SCHSPEDEM_C

Module: Child

Section: SCH : Schooling

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME receive these services to help with ^hisher_C emotions, concentration, behavior, or mental health?

Fills: *^SCNAME..... Sample child's name*

^hisher_C..... his/her/their

Description: Currently receives services for mental health

Recode:

Universe: HHSTAT_C=1 and SCHSPED_C=1

Universe Description: Sample children 0-17 who currently receive special education services

Sources:

Question ID: SCH.0040.00.1

Keywords: special needs; specially designed instruction

Notes:

Evaluation Report:

Unweighted frequencies:

SCHSPEDEM_C Currently receives services for mental health

Code	Description	Frequency	Percent
1	Yes	415	62.50
2	No	248	37.35
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.15

Frequency Missing: 5385

Variable Information:

Variable: NOTCOV_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Coverage status as used in Health United States

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: MEDICARE_C; MEDICAID_C; PRIVATE_C; CHIP_C; OTHPUB_C; OTHGOV_C; MILITARY_C; IHS_C

Question ID:

Keywords: Uninsured; insured

Notes: Children are considered uninsured if they did not have private health insurance, Medicare, Medicaid, Children's Health Insurance Program (CHIP), a State-sponsored health plan, other government programs, or military health plan (includes TRICARE, VA, and CHAMP-VA) at the time of interview. This definition of uninsured matches that used in Health United States.

Evaluation Report:

Unweighted frequencies:

NOTCOV_C Coverage status as used in Health United States

Code	Description	Frequency	Percent
1	Not covered	294	4.86
2	Covered	5734	94.79
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	21	0.35

Frequency Missing:

Variable Information:

Variable: COVER_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Health insurance hierarchy

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: MEDICARE_C; MEDICAID_C; PRIVATE_C; CHIP_C; OTHPUB_C; OTHGOV_C; MILITARY_C

Question ID:

Keywords: Hierarchy Private; Medicaid; Other Coverage; Uninsured

Notes: This is a hierarchical variable. Children are assigned the first type of insurance in the list that they have. See the Survey Description Document insurance section for more detail.

Evaluation Report:

Unweighted frequencies:

COVER_C Health insurance hierarchy

Code	Description	Frequency	Percent
1	Private	3691	61.02
2	Medicaid and other public	1863	30.80
3	Other coverage	180	2.98
4	Uninsured	294	4.86
5	Don't Know	21	0.35

Frequency Missing:

Variable Information:

Variable: SINCOVDE_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

^INADDITIONIS ^SCNAME covered by a SEPARATE plan that only pays for dental services?

Fills:

^INADDITIONIS.....	*In addition to ^HITYPECNOSS, is/Is*
^HITYPECNOSS.....	*Type of health care plans without single service plans*
^SCNAME.....	*Sample child's name*

Description: Single service plan - dental

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: INS.0040.00.1

Keywords: Single service

Notes:

Evaluation Report:

Unweighted frequencies:

SINCOVDE_C Single service plan - dental

Code	Description	Frequency	Percent
1	Yes	2412	39.87
2	No	3581	59.20
7	Refused	11	0.18
8	Not Ascertained	0	0.00
9	Don't Know	45	0.74

Frequency Missing:

Variable Information:

Variable: SINCOVVS_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is ^SCNAME covered by a SEPARATE plan that only pays for vision services?

Fills: *^SCNAME..... Sample child's name*

Description: Single service plan - vision

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: INS.0050.00.1

Keywords: Single service

Notes:

Evaluation Report:

Unweighted frequencies:

SINCOVVS_C Single service plan - vision

Code	Description	Frequency	Percent
1	Yes	1837	30.37
2	No	4149	68.59
7	Refused	11	0.18
8	Not Ascertained	0	0.00
9	Don't Know	52	0.86

Frequency Missing:

Variable Information:

Variable: SINCOVRX_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is ^SCNAME covered by a SEPARATE plan that only pays for prescriptions?

Fills: *^SCNAME..... Sample child's name*

Description: Single service plan - prescription

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: INS.0060.00.1

Keywords: Single service

Notes:

Evaluation Report:

Unweighted frequencies:

SINCOVRX_C Single service plan - prescription

Code	Description	Frequency	Percent
1	Yes	612	10.12
2	No	5385	89.02
7	Refused	10	0.17
8	Not Ascertained	0	0.00
9	Don't Know	42	0.69

Frequency Missing:

Variable Information:

Variable: MEDICAID_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Medicaid recode

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: MCAIDPRB_C; HIKIND04_C

Question ID:

Keywords: Medicaid; Title 19; Title XIX

Notes:

Evaluation Report:

Unweighted frequencies:

MEDICAID_C Medicaid recode

Code	Description	Frequency	Percent
1	Yes, information	1749	28.91
2	Yes, but no information	5	0.08
3	No	4279	70.74
7	Refused	7	0.12
8	Not Ascertained	0	0.00
9	Don't Know	9	0.15

Frequency Missing:

Variable Information:

Variable: MAXCHNG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Was ^SCNAME's Medicaid obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: *^SCNAME..... Sample child's name*

^MARKETPLACE..... Health Insurance marketplace names

Description: Medicaid through Marketplace

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C in (1,2)

Universe Description: Sample children 0-17 with Medicaid

Sources:

Question ID: INS.0140.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

Evaluation Report:

Unweighted frequencies:

MAXCHNG_C Medicaid through Marketplace

Code	Description	Frequency	Percent
1	Yes	648	36.94
2	No	982	55.99
7	Refused	5	0.29
8	Not Ascertained	5	0.29
9	Don't Know	114	6.50

Frequency Missing: 4295

Variable Information:

Variable: MAPREM_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this Medicaid plan?

Fills: *^SCNAME..... Sample child's name*

Description: Medicaid premium

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C in (1,2)

Universe Description: Sample children 0-17 with Medicaid

Sources:

Question ID: INS.0150.00.1

Keywords: Premium

Notes:

Evaluation Report:

Unweighted frequencies:

MAPREM_C Medicaid premium

Code	Description	Frequency	Percent
1	Yes	32	1.82
2	No	1690	96.35
7	Refused	1	0.06
8	Not Ascertained	5	0.29
9	Don't Know	26	1.48

Frequency Missing: 4295

Variable Information:

Variable: MADEDUC_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's Medicaid plan have an annual deductible?

* **Read if necessary:** *A deductible is different from a copay (copayment).*

Fills: *^SCNAME..... Sample child's name*

Description: Medicaid deductible

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C in (1,2)

Universe Description: Sample children 0-17 with Medicaid

Sources:

Question ID: INS.0160.00.1

Keywords: Deductible

Notes:

Evaluation Report:

Unweighted frequencies:

MADEDUC_C Medicaid deductible

Code	Description	Frequency	Percent
1	Yes	18	1.03
2	No	1681	95.84
7	Refused	2	0.11
8	Not Ascertained	5	0.29
9	Don't Know	48	2.74

Frequency Missing: 4295

Variable Information:

Variable: MAHDHP_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.

Fills: *^HDHPDED..... Deductible threshold (may change in future year)*

Description: Medicaid HDHP

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C in (1,2) and MADEDUC_C = 1

Universe Description: Sample children 0-17 with Medicaid that has a deductible

Sources:

Question ID: INS.0170.00.1

Keywords: High deductible

Notes:

Evaluation Report:

Unweighted frequencies:

MAHDHP_C Medicaid HDHP

Code	Description	Frequency	Percent
1	Deductible is less than $1,650	11	61.11
2	Deductible is $1,650 or more	3	16.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	22.22

Frequency Missing: 6031

Variable Information:

Variable: MAFLG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Medicaid reassignment flag

Recode: Yes

Universe: HHSTAT_C=1 and MEDICAID_C in (1,2)

Universe Description: Sample children 0-17 with Medicaid

Sources: HIPNAM1_C; HIPNAM2_C

Question ID:

Keywords:

Notes: Flag indicating Sample Child was reassigned from private health insurance to Medicaid

Evaluation Report:

Unweighted frequencies:

MAFLG_C Medicaid reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to Medicaid from private	11	100.00

Frequency Missing: 6038

Variable Information:

Variable: PRIVATE_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Private health insurance recode

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND01_C; HIKIND03_C

Question ID:

Keywords: Private health insurance

Notes:

Evaluation Report:

Unweighted frequencies:

PRIVATE_C Private health insurance recode

Code	Description	Frequency	Percent
1	Yes, information	3691	61.02
2	Yes, but no information	0	0.00
3	No	2334	38.58
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	16	0.26

Frequency Missing:

Variable Information:

Variable: EXCHANGE_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Plan through Health Insurance Exchange, NCHS algorithm

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C =1

Universe Description: Sample children 0-17 with private health insurance with information

Sources: HIPNAM1_C; HIPNAM2_C; MACHMN_C; CHNAME_C; OPNAME_C; OGNAME_C; MCANAME_C

Question ID:

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Indicates Sample Child is on an exchange plan based on NCHS algorithm

Evaluation Report:

Unweighted frequencies:

EXCHANGE_C Plan through Health Insurance Exchange, NCHS algorithm

Code	Description	Frequency	Percent
1	Exchange plan	263	7.13
2	Not exchange plan	3428	92.87
8	Not Ascertained	0	0.00

Frequency Missing: 2358

Variable Information:

Variable: POLHLD1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

I am going to ask you some questions about ^FIRSTPLANC. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Is ^SCNAME the policyholder for ^THISPLANC?

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*
^THISPLANC.....	*this plan/^HIPNAM1_C/^HIPNAM2_C*

Description: Policyholder for private plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: POLHLD_C

Question ID: INS.0340.01.1

Keywords: Policyholder

Notes:

Evaluation Report:

Unweighted frequencies:

POLHLD1_C Policyholder for private plan 1

Code	Description	Frequency	Percent
1	Yes	96	2.60
2	No	3445	93.34
7	Refused	0	0.00
8	Not Ascertained	147	3.98
9	Don't Know	3	0.08

Frequency Missing: 2358

Variable Information:

Variable: PRPLCOV1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than ^SCNAME?

Fills: *^SCNAME..... Sample child's name*

Description: Plan coverage for others - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and POLHLD1_C in (1,7,9)

Universe Description: Sample children 0-17 with private health insurance who are the policyholder or do not know or refused if they are the policyholder for plan 1

Sources: PRPLCOV_C

Question ID: INS.0350.01.1

Keywords: Policyholder

Notes:

Evaluation Report:

Unweighted frequencies:

PRPLCOV1_C Plan coverage for others - plan 1

Code	Description	Frequency	Percent
1	Yes	79	79.80
2	No	19	19.19
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	1.01

Frequency Missing: 5950

Variable Information:

Variable: PRPLCOV1_A_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than yourself?

Description: Response to PRPLCOV1_A or PRPLCOV2_A from adult - plan 1

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and (FRMAP1_1_C=1 or FRMAP2_1_C=1)

Universe Description: Sample children 0-17 with private health insurance (plan 1) who share the sample adult's plan 1 or plan 2, response to PRPLCOV1_A or PRPLCOV2_A from sample adult

Sources: PRPLCOV1_A; PRPLCOV2_A

Question ID:

Keywords: Policyholder

Notes: Sample adult's plan is shared with sample child. Response to PRPLCOV1_A or PRPLCOV2_A (unedited). Universe variables FRMCMP1_1_C and FRMCP2_1_C are available through the Research Data Center.

Evaluation Report:

Unweighted frequencies:

PRPLCOV1_A_C Response to PRPLCOV1_A or PRPLCOV2_A from adult - plan 1

Code	Description	Frequency	Percent
1	Yes	1191	100.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 4858

Variable Information:

Variable: PLNWRKR1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 2

Question Text: Which one of these categories best describes how this plan was obtained? Was it obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some other way?

Description: How plan was originally obtained - plan 1

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PLNWRK1_C; PLNWKSP1_C

Question ID:

Keywords: Employer-based; directly purchased

Notes: Includes both responses to PLNWRK1_C and additional answer categories based on editing of verbatim responses in PLNWKSP1_C

Evaluation Report:

Unweighted frequencies:

PLNWRKR1_C How plan was originally obtained - plan 1

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	3291	89.16
02	Purchased directly	146	3.96
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	95	2.57
04	Through a state or local government or community program	11	0.30
05	Other	2	0.05
06	Through school	2	0.05
07	Through parents	12	0.33
08	Through other relative	0	0.00
97	Refused	2	0.05
98	Not Ascertained	126	3.41
99	Don't Know	4	0.11

Frequency Missing: 2358

Variable Information:

Variable: PLNEXCHG1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: *^MARKETPLACE..... Health Insurance marketplace names*

Description: Health plan obtained through Marketplace - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and PLNWRKR1_C in (2,4,5,6,7,8,97,99)

Universe Description: Sample children 0-17 with private health insurance who indicated that their plan was directly purchased, obtained through a state, local, government or community program, obtained in some other way, or refused/don't know how it was obtained – plan 1

Sources: PLNEXCHG_C

Question ID: INS.0380.01.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Do not use this variable alone to determine whether a private plan was obtained through an exchange.

Evaluation Report:

Unweighted frequencies:

PLNEXCHG1_C Health plan obtained through Marketplace - plan 1

Code	Description	Frequency	Percent
1	Yes	61	34.08
2	No	106	59.22
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	12	6.70

Frequency Missing: 5870

Variable Information:

Variable: PLN1PAY1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by self or family - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PLNPAY_C

Question ID: INS.0390.11.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN1PAY1_C Paid for by self or family - plan 1

Code	Description	Frequency	Percent
1	Mentioned	3006	81.44
2	Not mentioned	507	13.74
7	Refused	4	0.11
8	Not Ascertained	147	3.98
9	Don't Know	27	0.73

Frequency Missing: 2358

Variable Information:

Variable: PLN1PAY2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by employer or union - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PLNPAY_C

Question ID: INS.0390.12.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN1PAY2_C Paid for by employer or union - plan 1

Code	Description	Frequency	Percent
1	Mentioned	2346	63.56
2	Not mentioned	1167	31.62
7	Refused	4	0.11
8	Not Ascertained	147	3.98
9	Don't Know	27	0.73

Frequency Missing: 2358

Variable Information:

Variable: PLN1PAY3_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by someone outside the household - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PLNPAY_C

Question ID: INS.0390.13.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN1PAY3_C Paid for by someone outside the household - plan 1

Code	Description	Frequency	Percent
1	Mentioned	111	3.01
2	Not mentioned	3402	92.17
7	Refused	4	0.11
8	Not Ascertained	147	3.98
9	Don't Know	27	0.73

Frequency Missing: 2358

Variable Information:

Variable: PLN1PAY5_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by Medicaid - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PLNPAY_C

Question ID: INS.0390.15.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN1PAY5_C Paid for by Medicaid - plan 1

Code	Description	Frequency	Percent
1	Mentioned	6	0.16
2	Not mentioned	3507	95.01
7	Refused	4	0.11
8	Not Ascertained	147	3.98
9	Don't Know	27	0.73

Frequency Missing: 2358

Variable Information:

Variable: PLN1PAY6R_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by other government program - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PLN1PAY4_C; PLN1PAY6_C

Question ID:

Keywords:

Notes: Includes children for whom Medicare pays the premium

Evaluation Report:

Unweighted frequencies:

PLN1PAY6R_C Paid for by other government program - plan 1

Code	Description	Frequency	Percent
1	Mentioned	16	0.43
2	Not mentioned	3497	94.74
7	Refused	4	0.11
8	Not Ascertained	147	3.98
9	Don't Know	27	0.73

Frequency Missing: 2358

Variable Information:

Variable: HICOSTR1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 5

Question Text: **?[F1]**

How much does ^SCNAME's family currently spend for health insurance premiums for ^FIRSTPLANC? Please include payroll deductions for premiums.

Fills:

^SCNAME.....	*Sample child's name*
^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*

Description: Out-of-pocket premium cost - plan 1

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and PLN1PAY1_C =1

Universe Description: Sample children 0-17 with private health insurance with plan paid by self or family – plan 1

Sources: HICOSTN1_C; HICOSTT1_C

Question ID:

Keywords: Premiums

Notes: This recode annualizes the amount spent on the sample child's health insurance premiums - plan 1.

Evaluation Report:

Unweighted frequencies:

HICOSTR1_C Out-of-pocket premium cost - plan 1

Code	Description	Frequency	Percent
00001-39999	$1 - $39,999	2130	70.86
40000	$40,000 or more	15	0.50
99997	Refused	53	1.76
99998	Not Ascertained	0	0.00
99999	Don't Know	808	26.88

Frequency Missing: 3043

Variable Information:

Variable: PRDEDUC1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does this health plan have an annual deductible?

* **Read if necessary:** *A deductible is different from a copay (copayment).*

Description: Deductible - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PRDEDUC_C

Question ID: INS.0410.01.1

Keywords: Deductible

Notes:

Evaluation Report:

Unweighted frequencies:

PRDEDUC1_C Deductible - plan 1

Code	Description	Frequency	Percent
1	Yes	2937	79.57
2	No	523	14.17
7	Refused	8	0.22
8	Not Ascertained	0	0.00
9	Don't Know	223	6.04

Frequency Missing: 2358

Variable Information:

Variable: PRHDHP1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is the ^FAM_C annual deductible for medical care for this plan less than ^HDHPAMT_C, or ^HDHPAMT_C or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.

Fills:

^FAM_C.....	*family*
^HDHPAMT_C.....	*^HDHPDED_family/^HDHPDED*
^HDHPDED_family.....	*Family deductible threshold (may change in future year)*
^HDHPDED.....	*Deductible threshold (may change in future year)*

Description: High deductible health plan - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and PRDEDUC1_C=1

Universe Description: Sample children 0-17 with private health insurance who have a deductible for plan 1

Sources: PRHDHP_C

Question ID: INS.0420.01.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes: For a plan that covers only one person the deductible threshold is $1,650. For a plan that covers two or more persons the deductible threshold is $3,300.

Evaluation Report:

Unweighted frequencies:

PRHDHP1_C High deductible health plan - plan 1

Code	Description	Frequency	Percent
1	Less than ^HDHPAMT_C	1357	46.20
2	^HDHPAMT_C or more	1317	44.84
7	Refused	18	0.61
8	Not Ascertained	0	0.00
9	Don't Know	245	8.34

Frequency Missing: 3112

Variable Information:

Variable: HSAHRA1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: There are special accounts or funds that can be used to pay for medical expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or FSAs. Is there one of these accounts or funds with this plan?

Description: Health Savings Accounts / Health Reimbursement Accounts - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and PRDEDUC1_C=1 and PRHDHP1_C in (2,7,8,9)

Universe Description: Sample children 0-17 with private health insurance who have or do not know if they have a high deductible for plan 1

Sources: HSAHRA_C

Question ID: INS.0430.01.1

Keywords: Consumer directed; CDHP; HSA; HRA

Notes:

Evaluation Report:

Unweighted frequencies:

HSAHRA1_C Health Savings Accounts / Health Reimbursement Accounts - plan 1

Code	Description	Frequency	Percent
1	Yes	731	46.27
2	No	756	47.85
7	Refused	5	0.32
8	Not Ascertained	35	2.22
9	Don't Know	53	3.35

Frequency Missing: 4469

Variable Information:

Variable: PRRXCOV1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANC pay for any of the costs for medications prescribed by a doctor?

* **Read if necessary:** *Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME were prescribed medications.*

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*

Description: Plan pays for prescription drug - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PRRXCOV_C

Question ID: INS.0440.01.1

Keywords: Medications; Prescriptions

Notes:

Evaluation Report:

Unweighted frequencies:

PRRXCOV1_C Plan pays for prescription drug - plan 1

Code	Description	Frequency	Percent
1	Yes	3249	88.02
2	No	229	6.20
7	Refused	2	0.05
8	Not Ascertained	147	3.98
9	Don't Know	64	1.73

Frequency Missing: 2358

Variable Information:

Variable: PRDNCOV1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANC pay for any of the costs for dental care?

* **Read if necessary:** *Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have dental care.*

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*

Description: Plan pays for dental care - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PRDNCOV_C

Question ID: INS.0450.01.1

Keywords: Dental care

Notes:

Evaluation Report:

Unweighted frequencies:

PRDNCOV1_C Plan pays for dental care - plan 1

Code	Description	Frequency	Percent
1	Yes	1519	41.15
2	No	1945	52.70
7	Refused	2	0.05
8	Not Ascertained	147	3.98
9	Don't Know	78	2.11

Frequency Missing: 2358

Variable Information:

Variable: PRVSCOV1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANC pay for any of the costs for routine vision care, such as glasses and contact lenses?

* **Read if necessary**: *Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have vision care.*

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*

Description: Plan pays for vision care - plan 1

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources: PRVSCOV_C

Question ID: INS.0460.01.1

Keywords: Vision care

Notes:

Evaluation Report:

Unweighted frequencies:

PRVSCOV1_C Plan pays for vision care - plan 1

Code	Description	Frequency	Percent
1	Yes	1637	44.35
2	No	1798	48.71
7	Refused	1	0.03
8	Not Ascertained	147	3.98
9	Don't Know	108	2.93

Frequency Missing: 2358

Variable Information:

Variable: EXCHPR1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Exchange company coding, NCHS - plan 1

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C=1 and HIKIND01R_C=1

Universe Description: Sample children 0-17 with private health insurance who initially indicated private health insurance - plan 1

Sources: HIPNAM1_C

Question ID:

Keywords: Private health insurance; Exchange

Notes: Internal coding of insurance plan names from private plan verbatim fields into four categories - plan 1

Evaluation Report:

Unweighted frequencies:

EXCHPR1_C Exchange company coding, NCHS - plan 1

Code	Description	Frequency	Percent
1	Company provides exchange plans	2519	71.08
2	Not an exchange company	840	23.70
3	Exchange Portal or exact exchange plan name	24	0.68
8	Not Ascertained	161	4.54

Frequency Missing: 2505

Variable Information:

Variable: PRFLG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Private reassignment flag

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2)

Universe Description: Sample children 0-17 with private health insurance - plan 1

Sources:

Question ID:

Keywords: Private health insurance

Notes: Flag indicating Sample Child was reassigned from public health coverage (Medicaid, CHIP, state-sponsored plan, other government) to private

Evaluation Report:

Unweighted frequencies:

PRFLG_C Private reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to private from public	147	100.00

Frequency Missing: 5902

Variable Information:

Variable: PXCHNG1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Marketplace or state exchange, reassigned from public to private

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and PRFLG_C=1

Universe Description: Sample children 0-17 with private health insurance whose information was originally collected in Medicaid, CHIP, state-sponsored plan, or other government program

Sources: MAXCHNG_C; CHXCHNG_C; OPXCHNG_C; OGXCHNG_C

Question ID:

Keywords: Private health insurance; Exchange

Notes: Indicates that plan was obtained on Healthcare.gov, Health Insurance Marketplace or state-based exchange for a plan that has been reassigned from public to private

Evaluation Report:

Unweighted frequencies:

PXCHNG1_C Marketplace or state exchange, reassigned from public to private

Code	Description	Frequency	Percent
1	Yes	106	72.11
2	No	35	23.81
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	4.08

Frequency Missing: 5902

Variable Information:

Variable: PRPREM1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Premium on plan reassigned from public to private

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and PRFLG_C=1

Universe Description: Sample children 0-17 with private health insurance whose information was originally collected in Medicaid, CHIP, state-sponsored plan, or other government program

Sources: MAPREM_C; CHPREM_C; OPPREM_C; OGPREM_C

Question ID:

Keywords: Private health insurance; Premium; Enrollment fee

Notes: Indicates that there is an enrollment fee or premium for a plan that has been reassigned from public to private

Evaluation Report:

Unweighted frequencies:

PRPREM1_C Premium on plan reassigned from public to private

Code	Description	Frequency	Percent
1	Yes	72	48.98
2	No	71	48.30
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	2.72

Frequency Missing: 5902

Variable Information:

Variable: PLEXCHPR1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Exchange company coding, NCHS, reassigned from public to private

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and PRFLG_C=1

Universe Description: Sample children 0-17 with private health insurance whose information was originally collected in Medicaid, CHIP, state-sponsored plan, or other government program

Sources: MACHMN_C; CHNAME_C; OPNAME_C; OGNAME_C

Question ID:

Keywords: Private health insurance; Exchange

Notes: Plan has been reassigned from public to private and this is the internal coding from verbatim fields into four categories

Evaluation Report:

Unweighted frequencies:

PLEXCHPR1_C Exchange company coding, NCHS, reassigned from public to private

Code	Description	Frequency	Percent
1	Company provides exchange plans	98	66.67
2	Not an exchange company	15	10.20
3	Exchange Portal or exact exchange plan name	26	17.69
8	Not Ascertained	8	5.44

Frequency Missing: 5902

Variable Information:

Variable: POLHLD2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

I am going to ask you some questions about ^FIRSTPLANC. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Is ^SCNAME the policyholder for ^THISPLANC?

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*
^THISPLANC.....	*this plan/^HIPNAM1_C/^HIPNAM2_C*

Description: Policyholder for private plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: POLHLD_C

Question ID: INS.0340.02.1

Keywords: Policyholder

Notes:

Evaluation Report:

Unweighted frequencies:

POLHLD2_C Policyholder for private plan 2

Code	Description	Frequency	Percent
1	Yes	4	3.67
2	No	105	96.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5940

Variable Information:

Variable: PRPLCOV2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than ^SCNAME?

Fills: *^SCNAME..... Sample child's name*

Description: Plan coverage for others - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and POLHLD2_C in (1,7,9)

Universe Description: Sample children 0-17 with private health insurance who are the policyholder or do not know or refused if they are the policyholder for plan 2

Sources: PRPLCOV_C

Question ID: INS.0350.02.1

Keywords: Policyholder

Notes:

Evaluation Report:

Unweighted frequencies:

PRPLCOV2_C Plan coverage for others - plan 2

Code	Description	Frequency	Percent
1	Yes	3	75.00
2	No	1	25.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6045

Variable Information:

Variable: PRPLCOV2_A_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than yourself?

Description: Response to PRPLCOV1_A or PRPLCOV2_A from adult - plan 2

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and (FRMAP1_2_C=1 or FRMAP2_2_C=1)

Universe Description: Sample children 0-17 with private health insurance (plan 2) who share the sample adult's plan 1 or plan 2, response to PRPLCOV1_A or PRPLCOV2_A from sample adult

Sources: PRPLCOV1_A; PRPLCOV2_A

Question ID:

Keywords: Policyholder

Notes: Sample adult's plan is shared with sample child. Response to PRPLCOV1_A or PRPLCOV2_A (unedited). Universe variables FRMCMP1_2_C and FRMCP2_2_C are available through the Research Data Center.

Evaluation Report:

Unweighted frequencies:

PRPLCOV2_A_C Response to PRPLCOV1_A or PRPLCOV2_A from adult - plan 2

Code	Description	Frequency	Percent
1	Yes	10	100.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6039

Variable Information:

Variable: PLNWRKR2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 2

Question Text: Which one of these categories best describes how this plan was obtained? Was it obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some other way?

Description: How plan was originally obtained - plan 2

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PLNWRK2_C; PLNWKSP2_C

Question ID:

Keywords: Employer-based; directly purchased

Notes: Includes both responses to PLNWRK2_C and additional answer categories based on editing of verbatim responses in PLNWKSP2_C

Evaluation Report:

Unweighted frequencies:

PLNWRKR2_C How plan was originally obtained - plan 2

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	98	89.91
02	Purchased directly	4	3.67
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	1	0.92
04	Through a state or local government or community program	3	2.75
05	Other	0	0.00
06	Through school	0	0.00
07	Through parents	3	2.75
08	Through other relative	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Frequency Missing: 5940

Variable Information:

Variable: PLNEXCHG2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: *^MARKETPLACE..... Health Insurance marketplace names*

Description: Health plan obtained through Marketplace - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and PLNWRKR2_C in (2,4,5,6,7,8,97,99)

Universe Description: Sample children 0-17 with private health insurance who indicated that their plan was directly purchased, obtained through a state, local, government or community program, obtained in some other way, or refused/don't know how it was obtained - plan 2

Sources: PLNEXCHG_C

Question ID: INS.0380.02.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Do not use this variable alone to determine whether a private plan was obtained through an exchange.

Evaluation Report:

Unweighted frequencies:

PLNEXCHG2_C Health plan obtained through Marketplace - plan 2

Code	Description	Frequency	Percent
1	Yes	2	20.00
2	No	7	70.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	10.00

Frequency Missing: 6039

Variable Information:

Variable: PLN2PAY1_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by self or family - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PLNPAY_C

Question ID: INS.0390.21.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN2PAY1_C Paid for by self or family - plan 2

Code	Description	Frequency	Percent
1	Mentioned	75	68.81
2	Not mentioned	29	26.61
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	4.59

Frequency Missing: 5940

Variable Information:

Variable: PLN2PAY2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by employer or union - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PLNPAY_C

Question ID: INS.0390.22.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN2PAY2_C Paid for by employer or union - plan 2

Code	Description	Frequency	Percent
1	Mentioned	49	44.95
2	Not mentioned	55	50.46
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	4.59

Frequency Missing: 5940

Variable Information:

Variable: PLN2PAY3_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by someone outside the household - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PLNPAY_C

Question ID: INS.0390.23.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN2PAY3_C Paid for by someone outside the household - plan 2

Code	Description	Frequency	Percent
1	Mentioned	11	10.09
2	Not mentioned	93	85.32
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	4.59

Frequency Missing: 5940

Variable Information:

Variable: PLN2PAY5_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by Medicaid - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PLNPAY_C

Question ID: INS.0390.25.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

PLN2PAY5_C Paid for by Medicaid - plan 2

Code	Description	Frequency	Percent
1	Mentioned	0	0.00
2	Not mentioned	104	95.41
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	4.59

Frequency Missing: 5940

Variable Information:

Variable: PLN2PAY6R_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

* **Enter all that apply, separate with commas.**

Description: Paid for by other government program - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PLN2PAY4_C; PLN2PAY6_C

Question ID:

Keywords:

Notes: Includes chidren for whom Medicare pays the premium

Evaluation Report:

Unweighted frequencies:

PLN2PAY6R_C Paid for by other government program - plan 2

Code	Description	Frequency	Percent
1	Mentioned	4	3.67
2	Not mentioned	100	91.74
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	4.59

Frequency Missing: 5940

Variable Information:

Variable: HICOSTR2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 5

Question Text: **?[F1]**

How much does ^SCNAME's family currently spend for health insurance premiums for ^FIRSTPLANC? Please include payroll deductions for premiums.

Fills:

^SCNAME.....	*Sample child's name*
^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*

Description: Out-of-pocket premium cost - plan 2

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and PLN2PAY1_C =1

Universe Description: Sample children 0-17 with private health insurance with plan paid by self or family – plan 2

Sources: HICOSTN2_C; HICOSTT2_C

Question ID:

Keywords: Premiums

Notes: This recode annualizes the amount spent on the sample child's health insurance premium - plan 2.

Evaluation Report:

Unweighted frequencies:

HICOSTR2_C Out-of-pocket premium cost - plan 2

Code	Description	Frequency	Percent
00001-39999	$1 - $39,999	52	69.33
40000	$40,000 or more	1	1.33
99997	Refused	2	2.67
99998	Not Ascertained	0	0.00
99999	Don't Know	20	26.67

Frequency Missing: 5974

Variable Information:

Variable: PRDEDUC2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does this health plan have an annual deductible?

* **Read if necessary:** *A deductible is different from a copay (copayment).*

Description: Deductible - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PRDEDUC_C

Question ID: INS.0410.02.1

Keywords: Deductible

Notes:

Evaluation Report:

Unweighted frequencies:

PRDEDUC2_C Deductible - plan 2

Code	Description	Frequency	Percent
1	Yes	64	58.72
2	No	27	24.77
7	Refused	1	0.92
8	Not Ascertained	0	0.00
9	Don't Know	17	15.60

Frequency Missing: 5940

Variable Information:

Variable: PRHDHP2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is the ^FAM_C annual deductible for medical care for this plan less than ^HDHPAMT_C, or ^HDHPAMT_C or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.

Fills:

^FAM_C.....	*family*
^HDHPAMT_C.....	*^HDHPDED_family/^HDHPDED*
^HDHPDED_family.....	*Family deductible threshold (may change in future year)*
^HDHPDED.....	*Deductible threshold (may change in future year)*

Description: High deductible health plan - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and PRDEDUC2_C=1

Universe Description: Sample children 0-17 with private health insurance who have a deductible for plan 2

Sources: PRHDHP_C

Question ID: INS.0420.02.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes: For a plan that covers only one person the deductible threshold is $1,650. For a plan that covers two or more persons the deductible threshold is $3,300.

Evaluation Report:

Unweighted frequencies:

PRHDHP2_C High deductible health plan - plan 2

Code	Description	Frequency	Percent
1	Less than ^HDHPAMT_C	40	62.50
2	^HDHPAMT_C or more	17	26.56
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	10.94

Frequency Missing: 5985

Variable Information:

Variable: HSAHRA2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: There are special accounts or funds that can be used to pay for medical expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or FSAs. Is there one of these accounts or funds with this plan?

Description: Health Savings Accounts / Health Reimbursement Accounts - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl' and PRDEDUC2_C=1 and PRHDHP2_C in (2,7,8,9)

Universe Description: Sample children 0-17 with private health insurance who have or do not know if they have a high deductible for plan 2

Sources: HSAHRA_C

Question ID: INS.0430.02.1

Keywords: Consumer directed; CDHP; HSA; HRA

Notes:

Evaluation Report:

Unweighted frequencies:

HSAHRA2_C Health Savings Accounts / Health Reimbursement Accounts - plan 2

Code	Description	Frequency	Percent
1	Yes	5	20.83
2	No	18	75.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	4.17

Frequency Missing: 6025

Variable Information:

Variable: PRRXCOV2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANC pay for any of the costs for medications prescribed by a doctor?

* **Read if necessary:** *Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME were prescribed medications.*

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*

Description: Plan pays for prescription drug - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PRRXCOV_C

Question ID: INS.0440.02.1

Keywords: Medications; Prescriptions

Notes:

Evaluation Report:

Unweighted frequencies:

PRRXCOV2_C Plan pays for prescription drug - plan 2

Code	Description	Frequency	Percent
1	Yes	83	76.15
2	No	22	20.18
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	3.67

Frequency Missing: 5940

Variable Information:

Variable: PRDNCOV2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANC pay for any of the costs for dental care?

* **Read if necessary:** *Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have dental care.*

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*

Description: Plan pays for dental care - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PRDNCOV_C

Question ID: INS.0450.02.1

Keywords: Dental care

Notes:

Evaluation Report:

Unweighted frequencies:

PRDNCOV2_C Plan pays for dental care - plan 2

Code	Description	Frequency	Percent
1	Yes	69	63.30
2	No	37	33.94
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	2.75

Frequency Missing: 5940

Variable Information:

Variable: PRVSCOV2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANC pay for any of the costs for routine vision care, such as glasses and contact lenses?

* **Read if necessary**: *Even if ^SCNAME has not used this benefit, please answer if this plan would cover at least some of the costs if ^SCNAME did have vision care.*

Fills:

^FIRSTPLANC.....	*this plan/this first plan/this ^HIPNAM1_C plan/this second plan/this ^HIPNAM2_C plan*
^HIPNAM1_C.....	*{Value of HIPNAM1_C}*
^HIPNAM2_C.....	*{Value of HIPNAM2_C}*
^SCNAME.....	*Sample child's name*

Description: Plan pays for vision care - plan 2

Recode:

Universe: HHSTAT_C=1 and PRIVATE_C in (1,2) and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: PRVSCOV_C

Question ID: INS.0460.02.1

Keywords: Vision care

Notes:

Evaluation Report:

Unweighted frequencies:

PRVSCOV2_C Plan pays for vision care - plan 2

Code	Description	Frequency	Percent
1	Yes	62	56.88
2	No	42	38.53
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	4.59

Frequency Missing: 5940

Variable Information:

Variable: EXCHPR2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Exchange company coding, NCHS - plan 2

Recode: Yes

Universe: HHSTAT_C=1 and PRIVATE_C=1 and HIKIND01R_C=1 and HIPNAM2_C ne 'bl'

Universe Description: Sample children 0-17 with private health insurance - plan 2

Sources: HIPNAM2_C

Question ID:

Keywords: Private health insurance; Exchange

Notes: Internal coding of insurance plan names from private plan verbatim fields into four categories - plan 2

Evaluation Report:

Unweighted frequencies:

EXCHPR2_C Exchange company coding, NCHS - plan 2

Code	Description	Frequency	Percent
1	Company provides exchange plans	57	52.29
2	Not an exchange company	32	29.36
3	Exchange Portal or exact exchange plan name	2	1.83
8	Not Ascertained	18	16.51

Frequency Missing: 5940

Variable Information:

Variable: CHIP_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Children's Health Insurance Program (CHIP) recode

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND05_C

Question ID:

Keywords: CHIP

Notes:

Evaluation Report:

Unweighted frequencies:

CHIP_C Children's Health Insurance Program (CHIP) recode

Code	Description	Frequency	Percent
1	Yes, information	196	3.24
2	Yes, but no information	0	0.00
3	No	5828	96.35
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: CHXCHNG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Was ^SCNAME's CHIP plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: *^SCNAME..... Sample child's name*

^MARKETPLACE..... Health Insurance marketplace names

Description: CHIP through Marketplace

Recode:

Universe: HHSTAT_C=1 and CHIP_C in (1,2)

Universe Description: Sample children 0-17 with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0480.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

Evaluation Report:

Unweighted frequencies:

CHXCHNG_C CHIP through Marketplace

Code	Description	Frequency	Percent
1	Yes	94	47.96
2	No	89	45.41
7	Refused	0	0.00
8	Not Ascertained	1	0.51
9	Don't Know	12	6.12

Frequency Missing: 5853

Variable Information:

Variable: CHPREM_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this CHIP plan?

Fills: *^SCNAME..... Sample child's name*

Description: Pay CHIP premium

Recode:

Universe: HHSTAT_C=1 and CHIP_C in (1,2)

Universe Description: Sample children 0-17 with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0490.00.1

Keywords: Premium

Notes:

Evaluation Report:

Unweighted frequencies:

CHPREM_C Pay CHIP premium

Code	Description	Frequency	Percent
1	Yes	59	30.10
2	No	135	68.88
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	1.02

Frequency Missing: 5853

Variable Information:

Variable: CHDEDUC_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's CHIP plan have an annual deductible?

* **Read if necessary:** *A deductible is different from a copay (copayment).*

Fills: *^SCNAME..... Sample child's name*

Description: CHIP deductible

Recode:

Universe: HHSTAT_C=1 and CHIP_C in (1,2)

Universe Description: Sample children 0-17 with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0500.00.1

Keywords: Deductible

Notes:

Evaluation Report:

Unweighted frequencies:

CHDEDUC_C CHIP deductible

Code	Description	Frequency	Percent
1	Yes	10	5.10
2	No	179	91.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	3.57

Frequency Missing: 5853

Variable Information:

Variable: CHHDHP_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.

Fills: *^HDHPDED..... Deductible threshold (may change in future year)*

Description: CHIP HDHP

Recode:

Universe: HHSTAT_C=1 and CHIP_C in (1,2) and CHDEDUC_C=1

Universe Description: Sample children 0-17 with Children's Health insurance Program (CHIP) with a deductible

Sources:

Question ID: INS.0510.00.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

CHHDHP_C CHIP HDHP

Code	Description	Frequency	Percent
1	Deductible is less than $1,650	8	80.00
2	Deductible is $1,650 or more	1	10.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	10.00

Frequency Missing: 6039

Variable Information:

Variable: CHFLG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: CHIP reassignment flag

Recode: Yes

Universe: HHSTAT_C=1 and CHIP_C in (1, 2)

Universe Description: Sample children 0-17 with Children's Health Insurance Program (CHIP)

Sources:

Question ID:

Keywords:

Notes: Flag indicating Sample Child was reassigned from private health insurance to State Children's Health Insurance Program (CHIP)

Evaluation Report:

Unweighted frequencies:

CHFLG_C CHIP reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to CHIP from private	5	100.00

Frequency Missing: 6044

Variable Information:

Variable: OTHPUB_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: State-sponsored health plan recode

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND08_C

Question ID:

Keywords: State-sponsored health plan

Notes:

Evaluation Report:

Unweighted frequencies:

OTHPUB_C State-sponsored health plan recode

Code	Description	Frequency	Percent
1	Yes, information	40	0.66
2	Yes, but no information	0	0.00
3	No	5984	98.93
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: OPXCHNG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Was ^SCNAME's state-sponsored plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: *^SCNAME.....* *Sample child's name*

^MARKETPLACE..... *Health Insurance marketplace names*

Description: State-sponsored plan through Marketplace

Recode:

Universe: HHSTAT_C=1 and OTHPUB_C in (1,2)

Universe Description: Sample children 0-17 with state-sponsored plan

Sources:

Question ID: INS.0530.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

Evaluation Report:

Unweighted frequencies:

OPXCHNG_C State-sponsored plan through Marketplace

Code	Description	Frequency	Percent
1	Yes	5	12.50
2	No	26	65.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	9	22.50

Frequency Missing: 6009

Variable Information:

Variable: OPPREM_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this state-sponsored plan?

Fills: *^SCNAME..... Sample child's name*

Description: Pay premium for state-sponsored plan

Recode:

Universe: HHSTAT_C=1 and OTHPUB_C in (1,2)

Universe Description: Sample children 0-17 with state-sponsored plan

Sources:

Question ID: INS.0540.00.1

Keywords: Premium

Notes:

Evaluation Report:

Unweighted frequencies:

OPPREM_C Pay premium for state-sponsored plan

Code	Description	Frequency	Percent
1	Yes	7	17.50
2	No	32	80.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	2.50

Frequency Missing: 6009

Variable Information:

Variable: OPDEDUC_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's state-sponsored plan have an annual deductible?

* **Read if necessary:** *A deductible is different from a copay (copayment).*

Fills: *^SCNAME..... Sample child's name*

Description: State-sponsored plan deductible

Recode:

Universe: HHSTAT_C=1 and OTHPUB_C in (1,2)

Universe Description: Sample children 0-17 with state-sponsored plan

Sources:

Question ID: INS.0550.00.1

Keywords: Deductible

Notes:

Evaluation Report:

Unweighted frequencies:

OPDEDUC_C State-sponsored plan deductible

Code	Description	Frequency	Percent
1	Yes	4	10.00
2	No	34	85.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	5.00

Frequency Missing: 6009

Variable Information:

Variable: OPHDHP_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.

Fills: *^HDHPDED..... Deductible threshold (may change in future year)*

Description: State-sponsored plan HDHP

Recode:

Universe: HHSTAT_C=1 and OTHPUB_C in (1,2) and OPDEDUC_C=1

Universe Description: Sample children 0-17 with a state-sponsored plan with a deductible

Sources:

Question ID: INS.0560.00.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes:

Evaluation Report:

Unweighted frequencies:

OPHDHP_C State-sponsored plan HDHP

Code	Description	Frequency	Percent
1	Deductible is less than $1,650	1	25.00
2	Deductible is $1,650 or more	3	75.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6045

Variable Information:

Variable: PLEXCHOP_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Exchange company coding, NCHS (state-sponsored plan)

Recode: Yes

Universe: HHSTAT_C=1 and OTHPUB_C in (1,2)

Universe Description: Sample children 0-17 with state-sponsored plan

Sources: OPNAME_C

Question ID:

Keywords: State-sponsored health plan

Notes: Internal coding of other state-sponsored plan name from verbatim field into four categories

Evaluation Report:

Unweighted frequencies:

PLEXCHOP_C Exchange company coding, NCHS (state-sponsored plan)

Code	Description	Frequency	Percent
1	Company provides exchange plans	26	65.00
2	Not an exchange company	6	15.00
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	8	20.00

Frequency Missing: 6009

Variable Information:

Variable: OPFLG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: State-sponsored reassignment flag

Recode: Yes

Universe: HHSTAT_C=1 and OTHPUB_C in (1,2)

Universe Description: Sample children 0-17 with state-sponsored plan

Sources:

Question ID:

Keywords: State-sponsored health plan

Notes: Flag indicating child was reassigned from private health insurance to other state-sponsored plan

Evaluation Report:

Unweighted frequencies:

OPFLG_C State-sponsored reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to other public from private	1	100.00

Frequency Missing: 6048

Variable Information:

Variable: OTHGOVR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Other government program public use file recode

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND09R_C

Question ID:

Keywords: Other government program; Medicare

Notes: This variable includes responses to other government program and/or Medicare

Evaluation Report:

Unweighted frequencies:

OTHGOVR_C Other government program public use file recode

Code	Description	Frequency	Percent
1	Yes, information	27	0.45
2	Yes, but no information	0	0.00
3	No	5997	99.14
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: OGXCHNGR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Was ^SCNAME's other government plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: *^SCNAME..... Sample child's name*

^MARKETPLACE..... Health Insurance marketplace names

Description: Other government program through Marketplace

Recode: Yes

Universe: HHSTAT_C=1 and OTHGOVR_C in (1,2)

Universe Description: Sample children 0-17 with other government program

Sources: OGXCHNG_C

Question ID:

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

Evaluation Report:

Unweighted frequencies:

OGXCHNGR_C Other government program through Marketplace

Code	Description	Frequency	Percent
1	Yes	0	0.00
2	No	25	92.59
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	7.41

Frequency Missing: 6022

Variable Information:

Variable: OGPREMR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A health insurance premium is the amount ^SCNAME or a family member pays each month for health care coverage. Does ^SCNAME or a family member pay a premium for this other government plan?

Fills: *^SCNAME..... Sample child's name*

Description: Pay premium for other government program

Recode: Yes

Universe: HHSTAT_C=1 and OTHGOVR_C in (1,2)

Universe Description: Sample children 0-17 with other government program

Sources: OGPREM_C

Question ID:

Keywords: Premium

Notes:

Evaluation Report:

Unweighted frequencies:

OGPREMR_C Pay premium for other government program

Code	Description	Frequency	Percent
1	Yes	4	14.81
2	No	22	81.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	3.70

Frequency Missing: 6022

Variable Information:

Variable: OGDEDUCR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does ^SCNAME's other government plan have an annual deductible?

* **Read if necessary:** *A deductible is different from a copay (copayment).*

Fills: *^SCNAME..... Sample child's name*

Description: Other government program deductible

Recode: Yes

Universe: HHSTAT_C=1 and OTHGOVR_C in (1,2)

Universe Description: Sample children 0-17 with other government program and/or Medicare

Sources: OGDEDUC_C

Question ID:

Keywords: Deductible

Notes:

Evaluation Report:

Unweighted frequencies:

OGDEDUCR_C Other government program deductible

Code	Description	Frequency	Percent
1	Yes	2	7.41
2	No	24	88.89
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	3.70

Frequency Missing: 6022

Variable Information:

Variable: OGHDHPR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.

Fills: *^HDHPDED..... Deductible threshold (may change in future year)*

Description: Other government program HDHP

Recode: Yes

Universe: HHSTAT_C=1 and OTHGOVR_C in (1,2) and OGDEDUCR_C=1

Universe Description: Sample children 0-17 with other government program with a deductible

Sources: OGHDHP_C

Question ID:

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes:

Evaluation Report:

Unweighted frequencies:

OGHDHPR_C Other government program HDHP

Code	Description	Frequency	Percent
1	Deductible is less than $1,650	0	0.00
2	Deductible is $1,650 or more	2	100.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6047

Variable Information:

Variable: PLEXCHOGR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Exchange company coding, NCHS (other government program)

Recode: Yes

Universe: HHSTAT_C=1 and OTHGOVR_C in (1,2)

Universe Description: Sample children 0-17 with other government program

Sources: OGNAME_C

Question ID:

Keywords: Other government program

Notes: Internal coding of other government program name from verbatim field into four categories

Evaluation Report:

Unweighted frequencies:

PLEXCHOGR_C Exchange company coding, NCHS (other government program)

Code	Description	Frequency	Percent
1	Company provides exchange plans	5	18.52
2	Not an exchange company	20	74.07
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	2	7.41

Frequency Missing: 6022

Variable Information:

Variable: OGFLGR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Other government reassignment flag

Recode: Yes

Universe: HHSTAT_C=1 and OTHGOVR_C in (1,2)

Universe Description: Sample children 0-17 with other government program

Sources:

Question ID:

Keywords: Other government program

Notes: Flag indicating Sample Child was reassigned from private health insurance to other government program

Evaluation Report:

Unweighted frequencies:

OGFLGR_C Other government reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to other government from private	0	

Frequency Missing: 6049

Variable Information:

Variable: MILITARY_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Military health care coverage recode

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND06_C

Question ID:

Keywords: TRICARE (CHAMPUS); CHAMP-VA; Military health care

Notes:

Evaluation Report:

Unweighted frequencies:

MILITARY_C Military health care coverage recode

Code	Description	Frequency	Percent
1	Yes, information	187	3.09
2	Yes, but no information	0	0.00
3	No	5837	96.50
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: MILSPC2_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Earlier I recorded that ^SCNAME is covered by military related health care.
What types of military related health care ^areisSEX_C ^heshe_C covered by?

* **Enter all that apply, separate with commas.**

Fills:

^SCNAME..... *Sample child's name*

^areisSEX_C..... *is/are*

^heshe_C..... *He/She/They*

Description: Types of military health care - TRICARE

Recode:

Universe: HHSTAT_C=1 and MILITARY_C in (1,2)

Universe Description: Sample children 0-17 with military health care coverage

Sources: MILSPC_C

Question ID: INS.0620.02.1

Keywords: TRICARE (CHAMPUS)

Notes:

Evaluation Report:

Unweighted frequencies:

MILSPC2_C Types of military health care - TRICARE

Code	Description	Frequency	Percent
1	Mentioned	160	85.56
2	Not mentioned	26	13.90
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.53

Frequency Missing: 5862

Variable Information:

Variable: MILSPC3_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Earlier I recorded that ^SCNAME is covered by military related health care.
What types of military related health care ^areisSEX_C ^heshe_C covered by?

* **Enter all that apply, separate with commas.**

Fills:

^SCNAME..... *Sample child's name*

^areisSEX_C..... *is/are*

^heshe_C..... *He/She/They*

Description: Types of military health care - CHAMP-VA

Recode:

Universe: HHSTAT_C=1 and MILITARY_C in (1,2)

Universe Description: Sample children 0-17 with military health care coverage

Sources: MILSPC_C

Question ID: INS.0620.03.1

Keywords: CHAMP-VA

Notes:

Evaluation Report:

Unweighted frequencies:

MILSPC3_C Types of military health care - CHAMP-VA

Code	Description	Frequency	Percent
1	Mentioned	26	13.90
2	Not mentioned	160	85.56
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.53

Frequency Missing: 5862

Variable Information:

Variable: IHS_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Indian Health Service recode

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND07_C

Question ID:

Keywords: Indian Health Service

Notes:

Evaluation Report:

Unweighted frequencies:

IHS_C Indian Health Service recode

Code	Description	Frequency	Percent
1	Yes	25	0.41
2	No	5999	99.17
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HILAST_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: How long has it been since ^SCNAME last had health care coverage that paid for doctor's visits or hospital stays?

Fills: *^SCNAME..... Sample child's name*

Description: How long since last health coverage

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without health insurance

Sources:

Question ID: INS.0630.00.1

Keywords: Uninsured

Notes: Do not use HILAST_C to estimate uninsured children.

Evaluation Report:

Unweighted frequencies:

HILAST_C How long since last health coverage

Code	Description	Frequency	Percent
0	Never	64	22.46
1	Within the past year (anytime less than 12 months ago)	116	40.70
2	Within the last 2 years (1 year but less than 2 years ago)	43	15.09
3	Within the last 3 years (2 years but less than 3 years ago)	15	5.26
4	Within the last 5 years (3 years but less than 5 years ago)	14	4.91
5	Within the last 10 years (5 years but less than 10 years ago)	7	2.46
6	10 years ago or more	5	1.75
7	Refused	0	0.00
8	Not Ascertained	21	7.37
9	Don't Know	0	0.00

Frequency Missing: 5764

Variable Information:

Variable: HILASTMY_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 2

Question Text: In the past 12 months, how many months was ^SCNAME without coverage?

* **If less than 1 month, enter '1'.**

Fills: *^SCNAME..... Sample child's name*

Description: Number of months without coverage

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C=1

Universe Description: Sample children 0-17 without coverage for less than a year

Sources:

Question ID: INS.0640.00.1

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

HILASTMY_C Number of months without coverage

Code	Description	Frequency	Percent
01-12	Range of values	114	98.28
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	2	1.72

Frequency Missing: 5933

Variable Information:

Variable: HISTOPJOB_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

Think about the last time that ^SCNAME did have health care coverage. I am going to read a list of reasons why someone might no longer be enrolled in coverage. Please tell me, yes or no, if this is a reason why ^SCNAME is no longer enrolled in ^hisher_C last health care plan.

The policyholder retired, lost a job, or changed employer?

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Lost job or changed employers

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)

Universe Description: Sample children 0-17 without coverage for less than 3 years

Sources:

Question ID: INS.0650.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

HISTOPJOB_C Lost job or changed employers

Code	Description	Frequency	Percent
1	Yes	45	25.86
2	No	128	73.56
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.57

Frequency Missing: 5875

Variable Information:

Variable: HISTOPMISS_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ***Read if necessary:** *Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because...*

A deadline was missed for signing up or paying for ^hisher_C coverage?

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Missed deadline

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)

Universe Description: Sample children 0-17 without coverage for less than 3 years

Sources:

Question ID: INS.0660.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

HISTOPMISS_C Missed deadline

Code	Description	Frequency	Percent
1	Yes	32	18.39
2	No	139	79.89
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	1.72

Frequency Missing: 5875

Variable Information:

Variable: HISTOPAGE_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: *__Read if necessary:__ *Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because...*

^HeShe_C became ineligible because of ^hisher_C age or because ^heshe_C left school?

Fills:

^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^HeShe_C.....	*He/She/They*

Description: Ineligible because of age/left school

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)

Universe Description: Sample children 0-17 without coverage for less than 3 years

Sources:

Question ID: INS.0670.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

HISTOPAGE_C Ineligible because of age/left school

Code	Description	Frequency	Percent
1	Yes	5	2.87
2	No	167	95.98
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	1.15

Frequency Missing: 5875

Variable Information:

Variable: HISTOPCOST_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: *__Read if necessary:__ *Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because...*

The cost for the coverage increased?

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Cost increase

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)

Universe Description: Sample children 0-17 without coverage for less than 3 years

Sources:

Question ID: INS.0680.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

HISTOPCOST_C Cost increase

Code	Description	Frequency	Percent
1	Yes	40	22.99
2	No	131	75.29
7	Refused	1	0.57
8	Not Ascertained	0	0.00
9	Don't Know	2	1.15

Frequency Missing: 5875

Variable Information:

Variable: HISTOPELIG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

* **Read if necessary:** *Is ^SCNAME no longer enrolled in ^hisher_C last health care plan because...*

^HeShe_C had Medicaid, CHIP, or other public coverage, but ^werewas_C no longer eligible?

Fills:

^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^HeShe_C.....	*He/She/They*
^werewas_C.....	*was/were*

Description: Not eligible for Medicaid, CHIP, or other public coverage

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2 and HILAST_C in (1, 2,3)

Universe Description: Sample children 0-17 without coverage for less than 3 years

Sources:

Question ID: INS.0690.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

HISTOPELIG_C Not eligible for Medicaid, CHIP, or other public coverage

Code	Description	Frequency	Percent
1	Yes	55	31.61
2	No	117	67.24
7	Refused	1	0.57
8	Not Ascertained	0	0.00
9	Don't Know	1	0.57

Frequency Missing: 5875

Variable Information:

Variable: RSNHICOST_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^INSREASONS_C Is ^SCNAME currently uninsured because coverage is not affordable?

Fills: *^INSREASONS_C.....* *RSNHICOST_C Introduction*

^SCNAME..... *Sample child's name*

Description: Not affordable

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources:

Question ID: INS.0700.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

RSNHICOST_C Not affordable

Code	Description	Frequency	Percent
1	Yes	141	49.47
2	No	121	42.46
7	Refused	2	0.70
8	Not Ascertained	21	7.37
9	Don't Know	0	0.00

Frequency Missing: 5764

Variable Information:

Variable: RSNHIWANT_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because...

...your family does not need or want coverage for ^SCNAME?

Fills: *^PLUSCOSTC..... In addition to cost, is/Is*

^SCNAME..... Sample child's name

Description: Do not need or want coverage

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources:

Question ID: INS.0710.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

RSNHIWANT_C Do not need or want coverage

Code	Description	Frequency	Percent
1	Yes	44	15.44
2	No	217	76.14
7	Refused	2	0.70
8	Not Ascertained	21	7.37
9	Don't Know	1	0.35

Frequency Missing: 5764

Variable Information:

Variable: RSNHIELIG_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because...*

...^heshe_C ^areisSEX_C not eligible for coverage?

Fills:

^PLUSCOSTC.....	*In addition to cost, is/Is*
^SCNAME.....	*Sample child's name*
^heshe_C.....	*He/She/They*
^areisSEX_C.....	*is/are*

Description: Not eligible for coverage

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources:

Question ID: INS.0720.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

RSNHIELIG_C Not eligible for coverage

Code	Description	Frequency	Percent
1	Yes	63	22.11
2	No	190	66.67
7	Refused	2	0.70
8	Not Ascertained	21	7.37
9	Don't Know	9	3.16

Frequency Missing: 5764

Variable Information:

Variable: RSNHICONF_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because...*

...the process of signing up for coverage for ^SCNAME is too difficult or confusing?

Fills: *^PLUSCOSTC.....* *In addition to cost, is/Is*

^SCNAME..... *Sample child's name*

Description: Signing up too difficult or confusing

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources:

Question ID: INS.0730.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

RSNHICONF_C Signing up too difficult or confusing

Code	Description	Frequency	Percent
1	Yes	52	18.25
2	No	205	71.93
7	Refused	2	0.70
8	Not Ascertained	21	7.37
9	Don't Know	5	1.75

Frequency Missing: 5764

Variable Information:

Variable: RSNHIMEET_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: *__Read if necessary:__ *There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because...*

...your family cannot find a plan that meets ^SCNAME's needs?

Fills: *^PLUSCOSTC..... In addition to cost, is/Is*

^SCNAME..... Sample child's name

Description: Cannot find a plan that meets the needs

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources:

Question ID: INS.0740.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

RSNHIMEET_C Cannot find a plan that meets the needs

Code	Description	Frequency	Percent
1	Yes	38	13.33
2	No	218	76.49
7	Refused	2	0.70
8	Not Ascertained	21	7.37
9	Don't Know	6	2.11

Frequency Missing: 5764

Variable Information:

Variable: RSNHIWAIT_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: *__Read if necessary:__ *There are other reasons that people do not have health insurance coverage. ^PLUSCOSTC ^SCNAME currently uninsured because...*

...you applied for coverage for ^SCNAME but it has not started yet?

Fills: *^PLUSCOSTC..... In addition to cost, is/Is*

^SCNAME..... Sample child's name

Description: Coverage has not started yet

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources:

Question ID: INS.0750.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

RSNHIWAIT_C Coverage has not started yet

Code	Description	Frequency	Percent
1	Yes	41	14.39
2	No	219	76.84
7	Refused	1	0.35
8	Not Ascertained	21	7.37
9	Don't Know	3	1.05

Frequency Missing: 5764

Variable Information:

Variable: RSNHIOTH_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is there another reason that ^SCNAME currently does not have health insurance coverage?

Fills: *^SCNAME..... Sample child's name*

Description: Another reason

Recode:

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources:

Question ID: INS.0760.00.1

Keywords: Uninsured

Notes:

Evaluation Report:

Unweighted frequencies:

RSNHIOTH_C Another reason

Code	Description	Frequency	Percent
1	Yes	9	3.16
2	No	251	88.07
7	Refused	1	0.35
8	Not Ascertained	21	7.37
9	Don't Know	3	1.05

Frequency Missing: 5764

Variable Information:

Variable: RSNHIJOB_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is there another reason that ^SCNAME currently does not have health insurance coverage?

Fills: *^SCNAME..... Sample child's name*

Description: Lost job

Recode: Yes

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources: RSNHIOTHSP_C

Question ID:

Keywords: Uninsured

Notes: This variable was added as a result of coding the verbatim responses in RSNHIOTHSP_C.

Evaluation Report:

Unweighted frequencies:

RSNHIJOB_C Lost job

Code	Description	Frequency	Percent
1	Yes	7	2.46
2	No	257	90.18
7	Refused	0	0.00
8	Not Ascertained	21	7.37
9	Don't Know	0	0.00

Frequency Missing: 5764

Variable Information:

Variable: RSNHIMISS_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is there another reason that ^SCNAME currently does not have health insurance coverage?

Fills: *^SCNAME..... Sample child's name*

Description: Missed deadline

Recode: Yes

Universe: HHSTAT_C=1 and MEDICAID_C=3 and PRIVATE_C=3 and CHIP_C=3 and OTHPUB_C=3 and OTHGOVR_C=3 and MILITARY_C=3 and IHS_C=2

Universe Description: Sample children 0-17 without coverage

Sources: RSNHIOTHSP_C

Question ID:

Keywords: Uninsured

Notes: This variable was added as a result of coding the verbatim responses in RSNHIOTHSP_C.

Evaluation Report:

Unweighted frequencies:

RSNHIMISS_C Missed deadline

Code	Description	Frequency	Percent
1	Yes	3	1.05
2	No	261	91.58
7	Refused	0	0.00
8	Not Ascertained	21	7.37
9	Don't Know	0	0.00

Frequency Missing: 5764

Variable Information:

Variable: HINOTYR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: In the past 12 months, was there any time when ^SCNAME did NOT have ANY health insurance or coverage?

Fills: *^SCNAME..... Sample child's name*

Description: No health coverage during past 12 months

Recode:

Universe: HHSTAT_C=1 and (HIKIND01R_C=1 or HIKIND04_C=1 or HIKIND05_C=1 or HIKIND06_C=1 or HIKIND07_C=1 or HIKIND08_C=1 or HIKIND09R_C=1 or MCAIDPRB_C=1)

Universe Description: Sample children 0-17 with health insurance coverage indicated at the time of data collection

Sources:

Question ID: INS.0780.00.1

Keywords: Uninsured

Notes: Do not use HINOTYR_C to estimate the uninsured or those with coverage. This variable is based on the original responses to the questions about type of health insurance coverage. There are some children for whom it is later determined through the editing process that they do not have coverage and are included in the universe for this question.

Evaluation Report:

Unweighted frequencies:

HINOTYR_C No health coverage during past 12 months

Code	Description	Frequency	Percent
1	Yes	179	3.11
2	No	5578	96.77
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	6	0.10

Frequency Missing: 285

Variable Information:

Variable: HINOTMYR_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 2

Question Text: In the past 12 months, about how many months was ^SCNAME without coverage?

* **If less than 1 month, enter '1'.**

Fills: *^SCNAME..... Sample child's name*

Description: Months without coverage in past 12 months

Recode:

Universe: HHSTAT_C=1 and (HIKIND01R_C=1 or HIKIND04_C=1 or HIKIND05_C=1 or HIKIND06_C=1 or HIKIND07_C=1 or HIKIND08_C=1 or HIKIND09R_C=1 or MCAIDPRB_C=1) and HINOTYR_C = 1

Universe Description: Sample children 0-17 with health insurance coverage indicated at the time of data collection who had a period of uninsurance in the past 12 months

Sources:

Question ID: INS.0790.00.1

Keywords: Uninsured

Notes: Do not use HINOTMYR_C to estimate the uninsured or those with coverage. This variable is based on the original responses to the questions about type of health insurance coverage. There are some children for whom it is later determined through the editing process that they do not have coverage and are included in the universe for this question.

Evaluation Report:

Unweighted frequencies:

HINOTMYR_C Months without coverage in past 12 months

Code	Description	Frequency	Percent
01-12	Range of values	175	97.77
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	4	2.23

Frequency Missing: 5870

Variable Information:

Variable: HICOV_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

The next questions are about health insurance. Include health insurance obtained through employment or purchased directly as well as government programs like Medicare, Medicaid, and the Children's Health Insurance Program that provide medical care or help pay medical bills. Is ^SCNAME covered by any kind of health insurance or some other kind of health care plan?

Fills: *^SCNAME..... Sample child's name*

Description: Have health insurance

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: INS.0010.00.1

Keywords:

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HICOV_C Have health insurance

Code	Description	Frequency	Percent
1	Yes	5787	95.67
2	No	256	4.23
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing:

Variable Information:

Variable: HIKIND01R_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - private health insurance public use file

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND01_C; HIKIND03_C

Question ID:

Keywords: Private health insurance

Notes: This variable does not take into account the editing process of the INS section. This variable includes responses to "private" and "Medigap." Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND01R_C Kind(s) of health insurance - private health insurance public use file

Code	Description	Frequency	Percent
1	Mentioned	3576	59.12
2	Not mentioned	2448	40.47
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HIKIND04_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - Medicaid

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND_C

Question ID: INS.0020.04.1

Keywords: Medicaid

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND04_C Kind(s) of health insurance - Medicaid

Code	Description	Frequency	Percent
1	Mentioned	1562	25.82
2	Not mentioned	4462	73.76
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HIKIND05_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - CHIP

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND_C

Question ID: INS.0020.05.1

Keywords: Children's Health Insurance Program; CHIP

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND05_C Kind(s) of health insurance - CHIP

Code	Description	Frequency	Percent
1	Mentioned	178	2.94
2	Not mentioned	5846	96.64
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HIKIND06_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - military related health care

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND_C

Question ID: INS.0020.06.1

Keywords: Military; TRICARE (CHAMPUS); VA health care; CHAMP-VA

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND06_C Kind(s) of health insurance - military related health care

Code	Description	Frequency	Percent
1	Mentioned	184	3.04
2	Not mentioned	5840	96.54
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HIKIND07_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - Indian Health Service

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND_C

Question ID: INS.0020.07.1

Keywords: Indian Health Service

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND07_C Kind(s) of health insurance - Indian Health Service

Code	Description	Frequency	Percent
1	Mentioned	25	0.41
2	Not mentioned	5999	99.17
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HIKIND08_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - State-sponsored health plan

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND_C

Question ID: INS.0020.08.1

Keywords: State-sponsored health plan

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND08_C Kind(s) of health insurance - State-sponsored health plan

Code	Description	Frequency	Percent
1	Mentioned	302	4.99
2	Not mentioned	5722	94.59
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HIKIND09R_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - Other government program public use file

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND02_C; HIKIND09_C

Question ID:

Keywords: Other government program

Notes: This variable does not take into account the editing process of the INS section. This variable includes responses to "other government program" and "Medicare." Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND09R_C Kind(s) of health insurance - Other government program public use file

Code	Description	Frequency	Percent
1	Mentioned	96	1.59
2	Not mentioned	5928	98.00
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: HIKIND10_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

What kinds of health insurance or health care coverage does ^SCNAME have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, state-sponsored health plan, or an other government program?

* **Enter all that apply, separate with commas.**

Fills: *^SCNAME..... Sample child's name*

Description: Kind(s) of health insurance - No coverage of any type

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: HIKIND_C

Question ID: INS.0020.10.1

Keywords: Uninsured

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

HIKIND10_C Kind(s) of health insurance - No coverage of any type

Code	Description	Frequency	Percent
1	Mentioned	281	4.65
2	Not mentioned	5743	94.94
7	Refused	8	0.13
8	Not Ascertained	0	0.00
9	Don't Know	17	0.28

Frequency Missing:

Variable Information:

Variable: MCAIDPRB_C

Module: Child

Section: INS : Health Insurance

File(s): Child

Data Type: Numeric

Length: 1

Question Text: **?[F1]**

There is a program called Medicaid that pays for health care for persons in need. ^STATEMA Is ^SCNAME covered by Medicaid?

Fills:

^STATEMA..... *In ^STATENAME it is also called ^STMEDICAID.*

^STATENAME..... *State name*

^STMEDICAID..... *State Medicaid name*

^SCNAME..... *Sample child's name*

Description: Medicaid coverage probe

Recode:

Universe: HHSTAT_C=1 and HIKIND10_C IN (1,7,8,9)

Universe Description: Sample children 0-17 who indicated they are uninsured or refused or don't know their type of health insurance

Sources:

Question ID: INS.0030.00.1

Keywords: Medicaid probe

Notes: This variable does not take into account the editing process of the INS section. Caution with the use of this variable.

Evaluation Report:

Unweighted frequencies:

MCAIDPRB_C Medicaid coverage probe

Code	Description	Frequency	Percent
1	Yes	21	6.86
2	No	268	87.58
7	Refused	8	2.61
8	Not Ascertained	0	0.00
9	Don't Know	9	2.94

Frequency Missing: 5743

Variable Information:

Variable: PAYBLL12M_C

Module: Child

Section: PAY : Difficulty Paying for Health Care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: In the past 12 months, did anyone in your family have problems paying or were unable to pay any medical bills?

* **Read if necessary:** *Include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.*

Description: Problems paying medical bills, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: PAY.0020.00.1

Keywords: cost; healthcare expense

Notes: During the interview, an introduction to this section asked respondents to include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

Unweighted frequencies:

PAYBLL12M_C Problems paying medical bills, past 12 months

Code	Description	Frequency	Percent
1	Yes	743	12.28
2	No	5265	87.04
7	Refused	2	0.03
8	Not Ascertained	31	0.51
9	Don't Know	8	0.13

Frequency Missing:

Variable Information:

Variable: PAYNOBLLNW_C

Module: Child

Section: PAY : Difficulty Paying for Health Care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does anyone in your family currently have any medical bills that you are unable to pay at all?

Description: Unable to pay medical bills

Recode:

Universe: HHSTAT_C=1 and PAYBLL12M_C IN (1,7,9)

Universe Description: Sample children 0-17 who were reported to have someone in their family with problems paying medical bills in the past 12 months or refused or don't know

Sources:

Question ID: PAY.0030.00.1

Keywords: cost; healthcare expense

Notes: During the interview, an introduction to this section asked respondents to include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1238

Unweighted frequencies:

PAYNOBLLNW_C Unable to pay medical bills

Code	Description	Frequency	Percent
1	Yes	469	62.28
2	No	273	36.25
7	Refused	2	0.27
8	Not Ascertained	0	0.00
9	Don't Know	9	1.20

Frequency Missing: 5296

Variable Information:

Variable: PAYWORRY_C

Module: Child

Section: PAY : Difficulty Paying for Health Care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: If ^SCNAME gets sick or has an accident, how worried are you that your family will be able to pay ^hisher_C medical bills? Are you very worried, somewhat worried, or not at all worried?

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Get sick or have accident, worry about paying medical bills

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: PAY.0040.00.1

Keywords: cost; healthcare expense

Notes: During the interview, an introduction to this section asked respondents to include bills for doctors, dentists, hospitals, therapists, medication, equipment, nursing home or home care.

Evaluation Report:

Unweighted frequencies:

PAYWORRY_C Get sick or have accident, worry about paying medical bills

Code	Description	Frequency	Percent
1	Very worried	511	8.45
2	Somewhat worried	1432	23.67
3	Not at all worried	4081	67.47
7	Refused	2	0.03
8	Not Ascertained	15	0.25
9	Don't Know	8	0.13

Frequency Missing:

Variable Information:

Variable: EVERCOVD_C

Module: Child

Section: CVL : Long COVID

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has ^SCNAME ever had COVID-19?

* **Read if necessary:** *Include being told by a doctor or other health professional that ^SCNAME had or likely had COVID-19. Also include antibodies or blood tests as well as other forms of testing for COVID-19, such as a nasal swabbing or throat swabbing. Also include if ^SCNAME had close contact with someone who had COVID-19 and ^SCNAME had symptoms.*

Fills: *^SCNAME..... Sample child's name*

Description: Ever had COVID-19

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample Children 0-17

Sources:

Question ID: CVL.0020.00.3

Keywords: covid; coronavirus; pandemic; virus

Notes:

Evaluation Report:

Unweighted frequencies:

EVERCOVD_C Ever had COVID-19

Code	Description	Frequency	Percent
1	Yes	2446	40.44
2	No	3503	57.91
7	Refused	9	0.15
8	Not Ascertained	21	0.35
9	Don't Know	70	1.16

Frequency Missing:

Variable Information:

Variable: LONGCOVD2_C

Module: Child

Section: CVL : Long COVID

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Did ^SCNAME have any symptoms lasting 3 months or longer that ^heshe_C did not have before having COVID-19?

* **Read if necessary:** *Long term symptoms may include tiredness or fatigue, difficulty thinking, concentrating, forgetfulness or memory problems, sometimes referred to as "brain fog," difficulty breathing or shortness of breath, joint or muscle pain, fast-beating or pounding heart (also known as heart palpitations), chest pain, dizziness on standing, smell or taste loss or alteration in ability to smell or taste, ^menstrual and inability to exercise.*

Fills:

^SCNAME..... Sample child's name

^heshe_C..... He/She/They

^menstrual..... menstrual changes

Description: Had COVID-19 symptoms for 3 or more months

Recode:

Universe: HHSTAT_C=1 and EVERCOVD_C=1

Universe Description: Sample Children 0-17 who have ever had COVID-19

Sources:

Question ID: CVL.0030.00.3

Keywords: covid; coronavirus; pandemic; virus

Notes:

Evaluation Report:

Unweighted frequencies:

LONGCOVD2_C Had COVID-19 symptoms for 3 or more months

Code	Description	Frequency	Percent
1	Yes	66	2.70
2	No	2375	97.10
7	Refused	1	0.04
8	Not Ascertained	0	0.00
9	Don't Know	4	0.16

Frequency Missing: 3603

Variable Information:

Variable: SYMPNOW1_C

Module: Child

Section: CVL : Long COVID

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME have symptoms NOW?

Fills: *^SCNAME..... Sample child's name*

Description: Currently has COVID-19 symptoms

Recode:

Universe: HHSTAT_C=1 and LONGCOVD2_C=1

Universe Description: Sample Children 0-17 who have ever had COVID-19 and had symptoms lasting 3 months or longer

Sources:

Question ID: CVL.0040.00.3

Keywords: covid; coronavirus; pandemic; virus

Notes:

Evaluation Report:

Unweighted frequencies:

SYMPNOW1_C Currently has COVID-19 symptoms

Code	Description	Frequency	Percent
1	Yes	22	33.33
2	No	44	66.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5983

Variable Information:

Variable: LCVDACT_C

Module: Child

Section: CVL : Long COVID

File(s): Child

Data Type: Numeric

Length: 1

Question Text: How much do these long-term symptoms reduce ^SCNAME's ability to carry out day-to-day activities compared with the time before ^SCNAME had COVID-19? Would you say not at all, a little, or a lot?

Fills: *^SCNAME..... Sample child's name*

Description: COVID-19 impacts activities

Recode:

Universe: HHSTAT_C=1 and SYMPNOW1_C=1

Universe Description: Sample Children 0-17 with COVID-19 symptoms lasting 3 months or longer that they did not have prior to having coronavirus or COVID-19 and they have symptoms now

Sources:

Question ID: CVL.0050.00.3

Keywords: covid; coronavirus; pandemic; virus

Notes:

Evaluation Report:

Unweighted frequencies:

LCVDACT_C COVID-19 impacts activities

Code	Description	Frequency	Percent
1	Not at all	9	40.91
2	A little	9	40.91
3	A lot	4	18.18
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 6027

Variable Information:

Variable: DENPREV_C

Module: Child

Section: DNC : Dental Care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: About how long has it been since ^SCNAME last had a dental examination or cleaning?

* **Read if necessary:** *Include cleanings from all types of dental care providers such as dentists, orthodontists, oral surgeons, dental hygienists, and all other dental specialists.*

Fills: *^SCNAME..... Sample child's name*

Description: Time since last dental exam/cleaning

Recode:

Universe: HHSTAT_C=1 and (1<=AGEP_C<=17)

Universe Description: Sample children 1-17

Sources:

Question ID: DNC.0020.00.2

Keywords: dental visit; oral health

Notes: Answer categories of times longer than the sample child's age were not eligible to be selected.

Evaluation Report:

Unweighted frequencies:

DENPREV_C Time since last dental exam/cleaning

Code	Description	Frequency	Percent
0	Never	510	8.86
1	Within the past year (anytime less than 12 months ago)	4822	83.73
2	Within the last 2 years (1 year but less than 2 years ago)	254	4.41
3	Within the last 3 years (2 years but less than 3 years ago)	66	1.15
4	Within the last 5 years (3 years but less than 5 years ago)	46	0.80
5	Within the last 10 years (5 years but less than 10 years ago)	14	0.24
6	10 years ago or more	7	0.12
7	Refused	3	0.05
8	Not Ascertained	20	0.35
9	Don't Know	17	0.30

Frequency Missing: 290

Variable Information:

Variable: DENDL12M_C

Module: Child

Section: DNC : Dental Care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, has ^SCNAME been DELAYED in getting dental care because of the cost?

Fills: *^SCNAME..... Sample child's name*

Description: Delayed dental care due to cost, past 12 months

Recode:

Universe: HHSTAT_C=1 and (1<=AGEP_C<=17)

Universe Description: Sample children 1-17

Sources:

Question ID: DNC.0030.00.2

Keywords: dental visit; oral health; unmet health needs

Notes:

Evaluation Report:

Unweighted frequencies:

DENDL12M_C Delayed dental care due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	276	4.79
2	No	5458	94.77
7	Refused	0	0.00
8	Not Ascertained	20	0.35
9	Don't Know	5	0.09

Frequency Missing: 290

Variable Information:

Variable: DENNG12M_C

Module: Child

Section: DNC : Dental Care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when ^SCNAME needed dental care, but DID NOT GET IT because of the cost?

Fills: *^SCNAME..... Sample child's name*

Description: Needed dental care but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT_C=1 and (1<=AGEP_C<=17)

Universe Description: Sample children 1-17

Sources:

Question ID: DNC.0040.00.2

Keywords: dental visit; oral health; forgone care; unmet health needs

Notes:

Evaluation Report:

Unweighted frequencies:

DENNG12M_C Needed dental care but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	191	3.32
2	No	5545	96.28
7	Refused	0	0.00
8	Not Ascertained	20	0.35
9	Don't Know	3	0.05

Frequency Missing: 290

Variable Information:

Variable: LASTDR_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: About how long has it been since ^SCNAME last saw a doctor or other health professional about ^hisher_C health?

* **Read if necessary:** *Do not include appointments by video or phone.*

* **Read if necessary:** *Include doctors seen while a patient in a hospital.*

* **Read if necessary:** *Do not include dental care.*

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Time since last saw doctor

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: UTZ.0020.00.1

Keywords: doctor visit; health care provider; health care use

Notes: Answer categories of times longer than the sample child's age were not eligible to be selected.

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192

Unweighted frequencies:

LASTDR_C Time since last saw doctor

Code	Description	Frequency	Percent
0	Never	15	0.25
1	Within the past year (anytime less than 12 months ago)	5722	94.59
2	Within the last 2 years (1 year but less than 2 years ago)	202	3.34
3	Within the last 3 years (2 years but less than 3 years ago)	44	0.73
4	Within the last 5 years (3 years but less than 5 years ago)	22	0.36
5	Within the last 10 years (5 years but less than 10 years ago)	7	0.12
6	10 years ago or more	4	0.07
7	Refused	2	0.03
8	Not Ascertained	23	0.38
9	Don't Know	8	0.13

Frequency Missing:

Variable Information:

Variable: WELLNESS_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Was this a well ^babychild visit, physical, or general purpose check-up?

* **Read if necessary:** *This kind of visit typically includes: height and weight measurements, vaccinations, and vision or hearing checks. The doctor or other health professional may also discuss topics related to ^SCNAME's health such as ^hisher_C growth and development, diet and exercise, safety, and sleep patterns. These visits are usually scheduled in advance and occur when ^hesheistheyare_C not sick.*

* **Read if necessary:** *If a wellness exam was combined with a sick care visit, include this visit.*

* **Read if necessary:** *An obstetrician/gynecologist (OB/GYN) may perform this visit.*

Fills:

^babychild.....	*baby/child*
^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^hesheistheyare_C.....	*he is/she is/they are*

Description: Was last visit a wellness visit

Recode:

Universe: HHSTAT_C=1 and LASTDR_C IN (1,2,3,4,5,6)

Universe Description: Sample children 0-17 who were reported to have seen a doctor

Sources:

Question ID: UTZ.0030.00.1

Keywords: preventive care; wellness visit; health care use

Notes:

Evaluation Report:

Unweighted frequencies:

WELLNESS_C Was last visit a wellness visit

Code	Description	Frequency	Percent
1	Yes	5322	88.69
2	No	672	11.20
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	5	0.08

Frequency Missing: 48

Variable Information:

Variable: WELLVIS_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: About how long has it been since ^SCNAME last saw a doctor or other health professional for a well ^babychild visit, physical, or general purpose check-up?

* **Read if necessary:** *This kind of visit typically includes: height and weight measurements, vaccinations, and vision or hearing checks. The doctor or other health professional may also discuss topics related to ^SCNAME's health such as ^hisher_C growth and development, diet and exercise, safety, and sleep patterns. These visits are usually scheduled in advance and occur when ^hesheistheyare_C not sick.*

* **Read if necessary:** *If a wellness exam was combined with a sick care visit, include this visit.*

* **Read if necessary:** *An obstetrician/gynecologist (OB/GYN) may perform this visit.*

Fills:

^SCNAME.....	*Sample child's name*
^babychild.....	*baby/child*
^hisher_C.....	*his/her/their*
^hesheistheyare_C.....	*he is/she is/they are*

Description: Time since last wellness visit

Recode:

Universe: HHSTAT_C=1 and WELLNESS_C IN (2,7,9)

Universe Description: Sample children 0-17 who were reported to have seen a doctor, but the last visit was not a wellness visit or they didn't know or refused whether it was a wellness visit

Sources:

Question ID: UTZ.0040.00.1

Keywords: preventive care; wellness visit; health care use

Notes: Answer categories of times longer than the sample child's age were not eligible to be selected.

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192

Unweighted frequencies:

WELLVIS_C Time since last wellness visit

Code	Description	Frequency	Percent
0	Never	21	3.09
1	Within the past year (anytime less than 12 months ago)	546	80.41
2	Within the last 2 years (1 year but less than 2 years ago)	73	10.75
3	Within the last 3 years (2 years but less than 3 years ago)	14	2.06
4	Within the last 5 years (3 years but less than 5 years ago)	15	2.21
5	Within the last 10 years (5 years but less than 10 years ago)	2	0.29
6	10 years ago or more	1	0.15
7	Refused	4	0.59
8	Not Ascertained	0	0.00

9	Don't Know	3	0.44

Frequency Missing: 5370

Variable Information:

Variable: USUALPL_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is there a place that ^SCNAME USUALLY goes to if ^hesheistheyare_C sick and needs health care?

Fills: *^SCNAME.....* *Sample child's name*

^hesheistheyare_C..... *he is/she is/they are*

Description: Have a usual place for care

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: UTZ.0050.00.1

Keywords: regular doctor; access; primary care; health care use

Notes:

Evaluation Report:

Unweighted frequencies:

USUALPL_C Have a usual place for care

Code	Description	Frequency	Percent
1	Yes	5773	95.44
2	There is NO place	161	2.66
3	There is MORE THAN ONE place	83	1.37
7	Refused	2	0.03
8	Not Ascertained	23	0.38
9	Don't Know	7	0.12

Frequency Missing:

Variable Information:

Variable: USPLKIND_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: What kind of place ^isitgomostoften - a doctor's office or health center; an urgent care center, a clinic in a drug store or grocery store; a hospital emergency room; or some other place?

* **Read if necessary:** *A doctor's office or health center is a place where ^heshe_C see^s the same doctor or the same group of doctors every visit, where you usually need to make an appointment ahead of time, and where ^hisher_C medical records are on file.*

* **Read if necessary:** *Urgent care centers, and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.*

Fills:

^isitgomostoften.....	*is it/^doesheshedothey go to most often*
^doesheshedothey.....	*does he/does she/do they*
^heshe_C.....	*He/She/They*
^s.....	*s*
^hisher_C.....	*his/her/their*

Description: Type of place for usual care

Recode:

Universe: HHSTAT_C=1 and USUALPL_C IN (1,3,7,9)

Universe Description: Sample children 0-17 with one or more usual places of care or don't know or refused

Sources:

Question ID: UTZ.0060.00.1

Keywords: usual place; primary care; health care use

Notes:

Evaluation Report:

Unweighted frequencies:

USPLKIND_C Type of place for usual care

Code	Description	Frequency	Percent
1	A doctor's office or health center	5524	94.19
2	Urgent care center or clinic in a drug store or grocery store	264	4.50
3	Hospital emergency room	43	0.73
4	Some other place	15	0.26
5	Does not go to one place most often	13	0.22
7	Refused	2	0.03
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing: 184

Variable Information:

Variable: RETAILHC12MTC_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Retail health clinics are located in a pharmacy, grocery store, or supercenter.

During the past 12 months, how many times has ^SCNAME gone to a retail health clinic about ^hisher_C health?

* **Enter 96 if number is 96 or greater.**

* **Read if necessary:** *Common examples of retail health clinics include places like CVS Minute Clinic, Walgreens Health Clinic, or clinics in a Walmart or Kroger supermarket. These clinics can provide common services such as certain vaccinations, as well as testing for or treatment of minor uncomplicated illnesses.*

Fills: *^SCNAME..... Sample child's name*

^hisher_C..... his/her/their

Description: Number of times visited retail health clinics, past 12 months, top-coded

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: RETAILHC12M_C

Question ID:

Keywords: healthcare facility; convenient care clinic

Notes: This is a top-code created for the Public Use file.

Evaluation Report:

Unweighted frequencies:

RETAILHC12MTC_C Number of times visited retail health clinics, past 12 months, top-coded

Code	Description	Frequency	Percent
0	0 times	5323	88.00
1	1 time	370	6.12
2	2 times	217	3.59
3	3 times	40	0.66
4	4 times	23	0.38
5	5+ times	40	0.66
7	Refused	4	0.07
8	Not Ascertained	25	0.41
9	Don't Know	7	0.12

Frequency Missing:

Variable Information:

Variable: URGCC12MTC_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how many times has ^SCNAME gone to an urgent care center or clinic in a drug store or grocery store about ^hisher_C health?

* **Enter '96' if number is 96 or greater.**

* **Read if necessary:** *Urgent care centers and clinics in drug stores or grocery stores are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.*

* **Read if necessary:** *This is different from a hospital emergency room.*

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Number of times visited urgent care, past 12 months, top-coded

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: URGCC12M_C

Question ID:

Keywords: healthcare facility; walk-in clinic; acute care

Notes: This is a top-code created for the Public Use file.

Evaluation Report:

Unweighted frequencies:

URGCC12MTC_C Number of times visited urgent care, past 12 months, top-coded

Code	Description	Frequency	Percent
0	0 times	4176	69.04
1	1 time	1016	16.80
2	2 times	503	8.32
3	3 times	151	2.50
4	4 times	67	1.11
5	5+ times	96	1.59
7	Refused	3	0.05
8	Not Ascertained	25	0.41
9	Don't Know	12	0.20

Frequency Missing:

Variable Information:

Variable: EMERG12MTC_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how many times has ^SCNAME gone to a hospital emergency room about ^hisher_C health?

* **Read if necesary:** *This includes emergency room visits that resulted in a hospital admission.*

* **Enter '96' if number is 96 or more.**

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Number of times visited hospital emergency room, past 12 months, top-coded

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: EMERGE12M_C

Question ID:

Keywords: healthcare facility; emergency department (ED)

Notes: This is a top-code created for the Public Use file.

Evaluation Report:

Unweighted frequencies:

EMERG12MTC_C Number of times visited hospital emergency room, past 12 months, top-coded

Code	Description	Frequency	Percent
0	0 times	4981	82.34
1	1 time	708	11.70
2	2 times	229	3.79
3	3 times	57	0.94
4	4+ times	40	0.66
7	Refused	3	0.05
8	Not Ascertained	26	0.43
9	Don't Know	5	0.08

Frequency Missing:

Variable Information:

Variable: HOSPONGT_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, has ^SCNAME been hospitalized overnight? ^PAST12MER_C

Fills:

^SCNAME.....	*Sample child's name*
^PAST12MER_C.....	*Do not include an overnight stay in the emergency room.*

Description: Hospitalized overnight, past 12 months

Recode:

Universe: HHSTAT_C=1 and (1<=AGEP_C<=17)

Universe Description: Sample children 1-17

Sources:

Question ID: UTZ.0090.00.1

Keywords: hospital stay

Notes:

Evaluation Report:

Unweighted frequencies:

HOSPONGT_C Hospitalized overnight, past 12 months

Code	Description	Frequency	Percent
1	Yes	158	2.74
2	No	5573	96.77
7	Refused	1	0.02
8	Not Ascertained	25	0.43
9	Don't Know	2	0.03

Frequency Missing: 290

Variable Information:

Variable: MEDDL12M_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, has medical care BEEN DELAYED for ^SCNAME because of the cost?

Fills: *^SCNAME..... Sample child's name*

Description: Delayed medical care due to cost, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: UTZ.0100.00.1

Keywords: unmet health needs; healthcare expense; delay

Notes:

Evaluation Report:

Unweighted frequencies:

MEDDL12M_C Delayed medical care due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	81	1.34
2	No	5939	98.18
7	Refused	1	0.02
8	Not Ascertained	28	0.46
9	Don't Know	0	0.00

Frequency Missing:

Variable Information:

Variable: MEDNG12M_C

Module: Child

Section: UTZ : Utilization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when ^SCNAME needed medical care, but DID NOT GET IT because of the cost?

Fills: *^SCNAME..... Sample child's name*

Description: Needed medical care but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: UTZ.0110.00.1

Keywords: forgone care; unmet health needs; healthcare expense

Notes:

Evaluation Report:

Unweighted frequencies:

MEDNG12M_C Needed medical care but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	76	1.26
2	No	5942	98.23
7	Refused	1	0.02
8	Not Ascertained	28	0.46
9	Don't Know	2	0.03

Frequency Missing:

Variable Information:

Variable: VIRAPP12M_C

Module: Child

Section: TLH : Telehealth

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, has ^SCNAME had an appointment with a doctor, nurse, or other health professional by video or by phone?

Fills: *^SCNAME..... Sample child's name*

Description: Virtual medical appointment, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: TLH.0010.00.1

Keywords: virtual medical appointment; health care utilization; telemedicine; telehealth

Notes:

Evaluation Report:

Unweighted frequencies:

VIRAPP12M_C Virtual medical appointment, past 12 months

Code	Description	Frequency	Percent
1	Yes	804	13.29
2	No	5203	86.01
7	Refused	1	0.02
8	Not Ascertained	28	0.46
9	Don't Know	13	0.21

Frequency Missing:

Variable Information:

Variable: RX12M_C

Module: Child

Section: PMD : Prescription medications

File(s): Child

Data Type: Numeric

Length: 1

Question Text: At any time in the past 12 months, did ^SCNAME take prescription medication?

Fills: *^SCNAME..... Sample child's name*

Description: Took prescription medication, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: PMD.0010.00.1

Keywords: prescribed medicine; drugs; rx

Notes:

Evaluation Report:

Unweighted frequencies:

RX12M_C Took prescription medication, past 12 months

Code	Description	Frequency	Percent
1	Yes	2534	41.89
2	No	3469	57.35
7	Refused	4	0.07
8	Not Ascertained	29	0.48
9	Don't Know	13	0.21

Frequency Missing:

Variable Information:

Variable: RXDL12M_C

Module: Child

Section: PMD : Prescription medications

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you DELAY filling a prescription for ^SCNAME to save money?

Fills: *^SCNAME..... Sample child's name*

Description: Delayed filling prescription to save money, past 12 months

Recode:

Universe: HHSTAT_C=1 and RX12M_C=1

Universe Description: Sample children 0-17 who had taken prescription medication in the past 12 months

Sources:

Question ID: PMD.0020.00.1

Keywords: prescribed medicine; drugs; rx; cost; nonadherence

Notes:

Evaluation Report:

Unweighted frequencies:

RXDL12M_C Delayed filling prescription to save money, past 12 months

Code	Description	Frequency	Percent
1	Yes	48	1.89
2	No	2485	98.07
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.04

Frequency Missing: 3515

Variable Information:

Variable: RXDG12M_C

Module: Child

Section: PMD : Prescription medications

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when ^SCNAME needed prescription medication, but DID NOT GET IT because of the cost?

Fills: *^SCNAME..... Sample child's name*

Description: Needed prescription medication but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: PMD.0030.00.1

Keywords: prescribed medicine; drugs; rx; cost; forgone care; nonadherence

Notes:

Evaluation Report:

Unweighted frequencies:

RXDG12M_C Needed prescription medication but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	64	1.06
2	No	5954	98.43
7	Refused	0	0.00
8	Not Ascertained	30	0.50
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: SHTFLU12M_C

Module: Child

Section: IMM : Immunization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: There are two types of flu vaccinations. One is a shot and the other is a spray, mist, or drop in the nose. During the past 12 months, has ^SCNAME had a flu vaccination?

* **Read if necessary:** *A flu vaccination is usually given in the fall and protects against influenza for the flu season.*

Fills: *^SCNAME..... Sample child's name*

Description: Flu vaccine, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: IMM.0010.00.1

Keywords: flu shot; flu vaccination; influenza

Notes:

Evaluation Report:

Unweighted frequencies:

SHTFLU12M_C Flu vaccine, past 12 months

Code	Description	Frequency	Percent
1	Yes	2534	41.89
2	No	3377	55.83
7	Refused	15	0.25
8	Not Ascertained	33	0.55
9	Don't Know	90	1.49

Frequency Missing:

Variable Information:

Variable: SHTFLUNUM_C

Module: Child

Section: IMM : Immunization

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how many flu vaccinations has ^SCNAME received?

Fills: *^SCNAME..... Sample child's name*

Description: Number of flu vaccines, past 12 months

Recode:

Universe: HHSTAT_C=1 and SHTFLU12M_C=1

Universe Description: Sample children 0-17 who have had a flu shot in the past 12 months

Sources:

Question ID: IMM.0020.00.1

Keywords: flu shot; flu vaccination; influenza

Notes:

Evaluation Report:

Unweighted frequencies:

SHTFLUNUM_C Number of flu vaccines, past 12 months

Code	Description	Frequency	Percent
1	1 vaccination	2318	91.48
2	2 or more vaccinations	190	7.50
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	26	1.03

Frequency Missing: 3515

Variable Information:

Variable: FLUVAC1M_C

Module: Child

Section: IMM : Immunization

File(s): Child

Data Type: Numeric

Length: 2

Question Text: * **1 of 2**

During what month and year did ^SCNAME receive ^hisher_C most recent flu vaccine?

* **Enter month of most recent flu vaccine.**

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Month of most recent flu vaccine

Recode:

Universe: HHSTAT_C=1 and SHTFLUNUM_C IN (1,2)

Universe Description: Sample children 0-17 who have had one or more flu shots in the past 12 months

Sources:

Question ID: IMM.0030.01.1

Keywords: flu shot; flu vaccination; influenza

Notes:

Evaluation Report:

Unweighted frequencies:

FLUVAC1M_C Month of most recent flu vaccine

Code	Description	Frequency	Percent
01	January	154	6.14
02	February	82	3.27
03	March	60	2.39
04	April	38	1.52
05	May	36	1.44
06	June	37	1.48
07	July	28	1.12
08	August	123	4.90
09	September	409	16.31
10	October	766	30.54
11	November	436	17.38
12	December	170	6.78
97	Refused	2	0.08
98	Not Ascertained	0	0.00
99	Don't Know	167	6.66

Frequency Missing: 3541

Variable Information:

Variable: FLUVAC1Y_C

Module: Child

Section: IMM : Immunization

File(s): Child

Data Type: Numeric

Length: 4

Question Text: * **2 of 2**

* **Enter year of most recent flu vaccine.**

Description: Year of most recent flu vaccine

Recode:

Universe: HHSTAT_C=1 and ((1<=FLUVAC1M_C<=12) or FLUVAC1M_C=99)

Universe Description: Sample children 0-17 who have had one or more flu shots in the past 12 months and gave month or don't know month of flu shot

Sources:

Question ID: IMM.0030.02.1

Keywords: flu shot; flu vaccination; influenza

Notes:

Evaluation Report:

Unweighted frequencies:

FLUVAC1Y_C Year of most recent flu vaccine

Code	Description	Frequency	Percent
Year	Year	2479	98.92
9997	Refused	0	0.00
9998	Not Ascertained	0	0.00
9999	Don't Know	27	1.08

Frequency Missing: 3543

Variable Information:

Variable: FLUVAC2M_C

Module: Child

Section: IMM : Immunization

File(s): Child

Data Type: Numeric

Length: 2

Question Text: * **1 of 2**

During what month and year did ^SCNAME receive the flu vaccine before that one?

* **Enter month of the flu vaccine.**

Fills: *^SCNAME..... Sample child's name*

Description: Month of next most recent flu vaccine

Recode:

Universe: HHSTAT_C=1 and SHTFLUNUM_C=2

Universe Description: Sample children 0-17 who have had two or more flu shots in the past 12 months

Sources:

Question ID: IMM.0040.01.1

Keywords: flu shot; flu vaccination; influenza

Notes:

Evaluation Report:

Unweighted frequencies:

FLUVAC2M_C Month of next most recent flu vaccine

Code	Description	Frequency	Percent
01	January	11	5.79
02	February	10	5.26
03	March	9	4.74
04	April	4	2.11
05	May	4	2.11
06	June	6	3.16
07	July	5	2.63
08	August	12	6.32
09	September	18	9.47
10	October	36	18.95
11	November	15	7.89
12	December	10	5.26
97	Refused	3	1.58
98	Not Ascertained	0	0.00
99	Don't Know	47	24.74

Frequency Missing: 5859

Variable Information:

Variable: FLUVAC2Y_C

Module: Child

Section: IMM : Immunization

File(s): Child

Data Type: Numeric

Length: 4

Question Text: * **2 of 2**

* **Enter year of next most recent flu vaccine.**

Description: Year of next most recent flu vaccine

Recode:

Universe: HHSTAT_C=1 and ((1<=FLUVAC2M_C<=12) or FLUVAC2M_C=99)

Universe Description: Sample Children 0-17 who have had two or more flu shots in the past 12 months and gave month or don't know month of 2nd vaccine dose

Sources:

Question ID: IMM.0040.02.1

Keywords: flu shot; flu vaccination; influenza

Notes:

Evaluation Report:

Unweighted frequencies:

FLUVAC2Y_C Year of next most recent flu vaccine

Code	Description	Frequency	Percent
Year	Year	163	87.17
9997	Refused	0	0.00
9998	Not Ascertained	0	0.00
9999	Don't Know	24	12.83

Frequency Missing: 5862

Variable Information:

Variable: SHTCVD192_C

Module: Child

Section: CVV : COVID-19 vaccination

File(s): Child

Data Type: Numeric

Length: 1

Question Text: The next questions are about coronavirus or COVID-19 vaccination.

During the past 12 months, has ^SCNAME had at least one dose of a COVID-19 vaccination?

*__Read if necessary:__ *COVID-19 vaccines approved for use in the United States are made by Pfizer-BioNTech, also called Comirnaty® (koe-mir'-na-tee), Moderna, also called Spikevax®, and Novavax. Approved vaccines vary by age.*

Fills: *^SCNAME..... Sample child's name*

Description: COVID-19 vaccination, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample Children 0-17

Sources:

Question ID: CVV.0010.00.3

Keywords: vaccine

Notes: Variable name has changed, as the reference period for this question changed in 2025.

Evaluation Report:

Unweighted frequencies:

SHTCVD192_C COVID-19 vaccination, past 12 months

Code	Description	Frequency	Percent
1	Yes	704	11.64
2	No	5231	86.48
7	Refused	18	0.30
8	Not Ascertained	35	0.58
9	Don't Know	61	1.01

Frequency Missing:

Variable Information:

Variable: CVDVAC1M3_C

Module: Child

Section: CVV : COVID-19 vaccination

File(s): Child

Data Type: Numeric

Length: 2

Question Text: * **1 of 2**

During what month and year did ^SCNAME receive ^hisher_C MOST RECENT COVID-19 vaccination?

* **Enter month of most recent COVID-19 vaccination.**

Fills: *^SCNAME..... Sample child's name*

^hisher_C..... his/her/their

Description: Month of most recent COVID-19 vaccine

Recode:

Universe: HHSTAT_C=1 and SHTCVD192_C=1

Universe Description: Sample Children who have had at least one COVID-19 vaccination during the past 12 months

Sources:

Question ID: CVV.0030.01.3

Keywords: coronavirus; vaccine dose

Notes:

Evaluation Report:

Unweighted frequencies:

CVDVAC1M3_C Month of most recent COVID-19 vaccine

Code	Description	Frequency	Percent
01	January	35	4.97
02	February	21	2.98
03	March	21	2.98
04	April	18	2.56
05	May	8	1.14
06	June	15	2.13
07	July	8	1.14
08	August	36	5.11
09	September	94	13.35
10	October	223	31.68
11	November	108	15.34
12	December	36	5.11
97	Refused	2	0.28
98	Not Ascertained	0	0.00
99	Don't Know	79	11.22

Frequency Missing: 5345

Variable Information:

Variable: CVDVAC1Y3_C

Module: Child

Section: CVV : COVID-19 vaccination

File(s): Child

Data Type: Numeric

Length: 4

Question Text: * **2 of 2**

* **Enter year of most recent COVID-19 vaccination.**

Description: Year of most recent COVID-19 vaccine

Recode:

Universe: HHSTAT_C=1 and (1<=CVDVAC1M3_C<=12 or CVDVAC1M3_C=99)

Universe Description: Sample Children who gave month of most recent COVID-19 vaccination or don't know

Sources:

Question ID: CVV.0030.02.3

Keywords: coronavirus; vaccine dose

Notes:

Evaluation Report:

Unweighted frequencies:

CVDVAC1Y3_C Year of most recent COVID-19 vaccine

Code	Description	Frequency	Percent
Year	Year	658	93.73
9997	Refused	1	0.14
9998	Not Ascertained	0	0.00
9999	Don't Know	43	6.13

Frequency Missing: 5347

Variable Information:

Variable: EYEEX12M_C

Module: Child

Section: PTC : Physical and other therapeutic care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, has ^SCNAME had an eye exam from an eye specialist such as an optometrist, ophthalmologist, or eye doctor?

Fills: *^SCNAME..... Sample child's name*

Description: Had eye exam, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: PTC.0010.00.2

Keywords: vision test; specialist; examination

Notes:

Evaluation Report:

Unweighted frequencies:

EYEEX12M_C Had eye exam, past 12 months

Code	Description	Frequency	Percent
1	Yes	2534	41.89
2	No	3449	57.02
7	Refused	1	0.02
8	Not Ascertained	35	0.58
9	Don't Know	30	0.50

Frequency Missing:

Variable Information:

Variable: THERA12M_C

Module: Child

Section: PTC : Physical and other therapeutic care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME receive physical therapy, speech therapy, rehabilitative therapy, or occupational therapy?

* **Read if necessary:** *Do not include mental health therapy.*

Fills: *^SCNAME..... Sample child's name*

Description: Received physical/speech/rehabilitative/occupational therapy, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: PTC.0020.00.2

Keywords: therapist; specialist; PT; OT; RT

Notes:

Evaluation Report:

Unweighted frequencies:

THERA12M_C Received physical/speech/rehabilitative/occupational therapy, past 12 months

Code	Description	Frequency	Percent
1	Yes	676	11.18
2	No	5333	88.16
7	Refused	1	0.02
8	Not Ascertained	36	0.60
9	Don't Know	3	0.05

Frequency Missing:

Variable Information:

Variable: HOMEHC12M_C

Module: Child

Section: PTC : Physical and other therapeutic care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME receive care at home from a nurse or other health professional?

Fills: *^SCNAME..... Sample child's name*

Description: Received care at home, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: PTC.0030.00.2

Keywords: home health visit; visiting nurse

Notes:

Evaluation Report:

Unweighted frequencies:

HOMEHC12M_C Received care at home, past 12 months

Code	Description	Frequency	Percent
1	Yes	100	1.65
2	No	5913	97.75
7	Refused	0	0.00
8	Not Ascertained	36	0.60
9	Don't Know	0	0.00

Frequency Missing:

Variable Information:

Variable: MHRX_C

Module: Child

Section: MHC : Mental health care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME take any prescription medication to help with ^hisher_C emotions, concentration, behavior or mental health?

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Took medication for emotions, concentration, behavior, or mental health, past 12 months

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: MHC.0010.00.1

Keywords: prescribed medication; drugs; rx

Notes:

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192

Unweighted frequencies:

MHRX_C Took medication for emotions, concentration, behavior, or mental health, past 12 months

Code	Description	Frequency	Percent
1	Yes	503	9.24
2	No	4909	90.16
7	Refused	1	0.02
8	Not Ascertained	31	0.57
9	Don't Know	1	0.02

Frequency Missing: 604

Variable Information:

Variable: MHTHRPY_C

Module: Child

Section: MHC : Mental health care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME receive counseling or therapy from a mental health professional such as a psychiatrist, psychologist, psychiatric nurse, or clinical social worker?

Fills: *^SCNAME..... Sample child's name*

Description: Received counseling or therapy from mental health professional, past 12 months

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: MHC.0020.00.1

Keywords: mental health therapist; specialist

Notes:

Evaluation Report:

Unweighted frequencies:

MHTHRPY_C Received counseling or therapy from mental health professional, past 12 months

Code	Description	Frequency	Percent
1	Yes	677	12.43
2	No	4730	86.87
7	Refused	3	0.06
8	Not Ascertained	33	0.61
9	Don't Know	2	0.04

Frequency Missing: 604

Variable Information:

Variable: MHTHDLY_C

Module: Child

Section: MHC : Mental health care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, has ^SCNAME been DELAYED in getting counseling or therapy from a mental health professional because of the cost?

Fills: *^SCNAME..... Sample child's name*

Description: Delayed counseling or therapy due to cost, past 12 months

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: MHC.0030.00.1

Keywords: mental health therapist; specialist; unmet health needs

Notes: In a prior question in this section, respondents were given examples of mental health professionals: psychiatrist, psychologist, psychiatric nurse, clinical social worker.

Evaluation Report:

Unweighted frequencies:

MHTHDLY_C Delayed counseling or therapy due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	82	1.51
2	No	5327	97.83
7	Refused	1	0.02
8	Not Ascertained	33	0.61
9	Don't Know	2	0.04

Frequency Missing: 604

Variable Information:

Variable: MHTHND_C

Module: Child

Section: MHC : Mental health care

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when ^SCNAME needed counseling or therapy from a mental health professional, but DID NOT GET IT because of the cost?

Fills: *^SCNAME..... Sample child's name*

Description: Needed counseling or therapy but did not get it due to cost, past 12 months

Recode:

Universe: HHSTAT_C=1 and (2<=AGEP_C<=17)

Universe Description: Sample children 2-17

Sources:

Question ID: MHC.0040.00.1

Keywords: mental health therapist; specialist; forgone care; unmet health needs

Notes: In a prior question in this section, respondents were given examples of mental health professionals: psychiatrist, psychologist, psychiatric nurse, clinical social worker.

Evaluation Report:

Unweighted frequencies:

MHTHND_C Needed counseling or therapy but did not get it due to cost, past 12 months

Code	Description	Frequency	Percent
1	Yes	87	1.60
2	No	5322	97.74
7	Refused	1	0.02
8	Not Ascertained	33	0.61
9	Don't Know	2	0.04

Frequency Missing: 604

Variable Information:

Variable: SDQ1_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: I am going to read a list of items that describe children. For each item, please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.

^SCNAME is considerate of other people's feelings?

Fills: *^SCNAME..... Sample child's name*

Description: Considerate of other people's feelings

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0020.00.2

Keywords: considerate

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ1_C Considerate of other people's feelings

Code	Description	Frequency	Percent
1	Not true	148	3.05
2	Somewhat true	687	14.17
3	Certainly true	3964	81.75
7	Refused	4	0.08
8	Not Ascertained	34	0.70
9	Don't Know	12	0.25

Frequency Missing: 1200

Variable Information:

Variable: SDQ2_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is restless, overactive, cannot stay still for long? Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.

Fills: *^SCNAME..... Sample child's name*

Description: Restless, cannot stay still

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0030.00.2

Keywords: hyperactive; restless; attention

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ2_C Restless, cannot stay still

Code	Description	Frequency	Percent
1	Not true	3192	65.83
2	Somewhat true	1108	22.85
3	Certainly true	503	10.37
7	Refused	7	0.14
8	Not Ascertained	34	0.70
9	Don't Know	5	0.10

Frequency Missing: 1200

Variable Information:

Variable: SDQ3_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME often complains of headaches, stomach-aches or sickness?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Complains of headaches

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0040.00.2

Keywords: stomach aches; headaches

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ3_C Complains of headaches

Code	Description	Frequency	Percent
1	Not true	3800	78.37
2	Somewhat true	787	16.23
3	Certainly true	220	4.54
7	Refused	6	0.12
8	Not Ascertained	34	0.70
9	Don't Know	2	0.04

Frequency Missing: 1200

Variable Information:

Variable: SDQ4_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME shares readily with other ^TOYSGAMES?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills:

^SCNAME.....	*Sample child's name*
^TOYSGAMES.....	*children; for example, toys, treats, pencils/youth; for example, books, games, food*

Description: Shares readily

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0050.00.2

Keywords: shares

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ4_C Shares readily

Code	Description	Frequency	Percent
1	Not true	280	5.77
2	Somewhat true	794	16.37
3	Certainly true	3726	76.84
7	Refused	5	0.10
8	Not Ascertained	35	0.72
9	Don't Know	9	0.19

Frequency Missing: 1200

Variable Information:

Variable: SDQ5_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME often loses ^hisher_C temper?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

^hisher_C..... his/her/their

Description: Often loses temper

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0060.00.2

Keywords: temper

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ5_C Often loses temper

Code	Description	Frequency	Percent
1	Not true	3315	68.36
2	Somewhat true	1207	24.89
3	Certainly true	284	5.86
7	Refused	6	0.12
8	Not Ascertained	36	0.74
9	Don't Know	1	0.02

Frequency Missing: 1200

Variable Information:

Variable: SDQ6_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME ^SOLITARY?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills:

^SCNAME.....	*Sample child's name*
^SOLITARY.....	*is rather solitary, prefers to play alone/would rather be alone than with other youth*

Description: Solitary, prefers to be alone

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0070.00.2

Keywords: loner; solitary

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ6_C Solitary, prefers to be alone

Code	Description	Frequency	Percent
1	Not true	3341	68.90
2	Somewhat true	1070	22.07
3	Certainly true	392	8.08
7	Refused	6	0.12
8	Not Ascertained	36	0.74
9	Don't Know	4	0.08

Frequency Missing: 1200

Variable Information:

Variable: SDQ7_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is generally well behaved, usually does what adults request?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Well behaved

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0080.00.2

Keywords: cooperative; well-behaved; obedient

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ7_C Well behaved

Code	Description	Frequency	Percent
1	Not true	147	3.03
2	Somewhat true	802	16.54
3	Certainly true	3856	79.52
7	Refused	6	0.12
8	Not Ascertained	36	0.74
9	Don't Know	2	0.04

Frequency Missing: 1200

Variable Information:

Variable: SDQ8_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME has many worries, or often seems worried?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Many worries

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0090.00.2

Keywords: worried; depressed

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ8_C Many worries

Code	Description	Frequency	Percent
1	Not true	3593	74.10
2	Somewhat true	979	20.19
3	Certainly true	230	4.74
7	Refused	6	0.12
8	Not Ascertained	36	0.74
9	Don't Know	5	0.10

Frequency Missing: 1200

Variable Information:

Variable: SDQ9_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is helpful if someone is hurt, upset or feeling ill?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Helpful to others

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0100.00.2

Keywords: thoughtful; helpful

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ9_C Helpful to others

Code	Description	Frequency	Percent
1	Not true	197	4.06
2	Somewhat true	555	11.45
3	Certainly true	4047	83.46
7	Refused	8	0.16
8	Not Ascertained	36	0.74
9	Don't Know	6	0.12

Frequency Missing: 1200

Variable Information:

Variable: SDQ10_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is constantly fidgeting or squirming?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Constantly fidgeting/squirming

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0110.00.2

Keywords: unable to concentrate; fidgeting; attention

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ10_C Constantly fidgeting/squirming

Code	Description	Frequency	Percent
1	Not true	3384	69.79
2	Somewhat true	908	18.73
3	Certainly true	510	10.52
7	Refused	6	0.12
8	Not Ascertained	37	0.76
9	Don't Know	4	0.08

Frequency Missing: 1200

Variable Information:

Variable: SDQ11_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME has at least one good friend?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: At least one good friend

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0120.00.2

Keywords: friendship

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ11_C At least one good friend

Code	Description	Frequency	Percent
1	Not true	139	2.87
2	Somewhat true	157	3.24
3	Certainly true	4504	92.89
7	Refused	6	0.12
8	Not Ascertained	40	0.82
9	Don't Know	3	0.06

Frequency Missing: 1200

Variable Information:

Variable: SDQ12_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME often fights with other ^childyouth or bullies them?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

^childyouth..... children/youth

Description: Often fights with others

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0130.00.2

Keywords: bully; fights

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ12_C Often fights with others

Code	Description	Frequency	Percent
1	Not true	4478	92.35
2	Somewhat true	250	5.16
3	Certainly true	73	1.51
7	Refused	5	0.10
8	Not Ascertained	41	0.85
9	Don't Know	2	0.04

Frequency Missing: 1200

Variable Information:

Variable: SDQ13_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is often unhappy, depressed or tearful?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Often unhappy/depressed/tearful

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0140.00.2

Keywords: depressed; unhappy

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ13_C Often unhappy/depressed/tearful

Code	Description	Frequency	Percent
1	Not true	4315	88.99
2	Somewhat true	409	8.43
3	Certainly true	75	1.55
7	Refused	6	0.12
8	Not Ascertained	41	0.85
9	Don't Know	3	0.06

Frequency Missing: 1200

Variable Information:

Variable: SDQ14_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is generally liked by other ^childyouth?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

^childyouth..... children/youth

Description: Liked by other children/youth

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0150.00.2

Keywords: friendship; social

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ14_C Liked by other children/youth

Code	Description	Frequency	Percent
1	Not true	87	1.79
2	Somewhat true	423	8.72
3	Certainly true	4281	88.29
7	Refused	5	0.10
8	Not Ascertained	41	0.85
9	Don't Know	12	0.25

Frequency Missing: 1200

Variable Information:

Variable: SDQ15_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is easily distracted, ^hisher_C concentration wanders?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

^hisher_C..... his/her/their

Description: Easily distracted

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0160.00.2

Keywords: unable to concentrate; distracted; attention

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ15_C Easily distracted

Code	Description	Frequency	Percent
1	Not true	2708	55.85
2	Somewhat true	1427	29.43
3	Certainly true	664	13.69
7	Refused	5	0.10
8	Not Ascertained	42	0.87
9	Don't Know	3	0.06

Frequency Missing: 1200

Variable Information:

Variable: SDQ16_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is nervous ^CLINGY in new situations, ^heshe_C easily lose^s confidence?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills:

^SCNAME.....	*Sample child's name*
^CLINGY.....	*or clingy*
^heshe_C.....	*He/She/They*
^s.....	*s*

Description: Nervous in new situation

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0170.00.2

Keywords: behavior; nervous; clingy; lack of confidence

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ16_C Nervous in new situation

Code	Description	Frequency	Percent
1	Not true	2832	58.40
2	Somewhat true	1446	29.82
3	Certainly true	520	10.72
7	Refused	5	0.10
8	Not Ascertained	42	0.87
9	Don't Know	4	0.08

Frequency Missing: 1200

Variable Information:

Variable: SDQ17_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is kind to younger children?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Kind to younger children

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0180.00.2

Keywords: behavior; kindness

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ17_C Kind to younger children

Code	Description	Frequency	Percent
1	Not true	68	1.40
2	Somewhat true	238	4.91
3	Certainly true	4489	92.58
7	Refused	5	0.10
8	Not Ascertained	42	0.87
9	Don't Know	7	0.14

Frequency Missing: 1200

Variable Information:

Variable: SDQ18_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME often lies or cheats?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Lies or cheats

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0190.00.2

Keywords: behavior; lies; cheats

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ18_C Lies or cheats

Code	Description	Frequency	Percent
1	Not true	4106	84.68
2	Somewhat true	585	12.06
3	Certainly true	103	2.12
7	Refused	5	0.10
8	Not Ascertained	42	0.87
9	Don't Know	8	0.16

Frequency Missing: 1200

Variable Information:

Variable: SDQ19_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME is picked on or bullied by other ^childyouth?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

^childyouth..... children/youth

Description: Picked on or bullied by others

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0200.00.2

Keywords: victimized; bullied

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ19_C Picked on or bullied by others

Code	Description	Frequency	Percent
1	Not true	3898	80.39
2	Somewhat true	716	14.77
3	Certainly true	169	3.49
7	Refused	8	0.16
8	Not Ascertained	42	0.87
9	Don't Know	16	0.33

Frequency Missing: 1200

Variable Information:

Variable: SDQ20_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME often offers to help others, such as parents, teachers, and ^other children?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

^other..... other

Description: Offers to help others

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0210.00.2

Keywords: behavior; helpful

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ20_C Offers to help others

Code	Description	Frequency	Percent
1	Not true	154	3.18
2	Somewhat true	888	18.31
3	Certainly true	3754	77.42
7	Refused	6	0.12
8	Not Ascertained	42	0.87
9	Don't Know	5	0.10

Frequency Missing: 1200

Variable Information:

Variable: SDQ21_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME thinks things out before acting?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Thinks things out before acting

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0220.00.2

Keywords: behavior; thinks; thoughtful

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ21_C Thinks things out before acting

Code	Description	Frequency	Percent
1	Not true	488	10.06
2	Somewhat true	2065	42.59
3	Certainly true	2229	45.97
7	Refused	7	0.14
8	Not Ascertained	42	0.87
9	Don't Know	18	0.37

Frequency Missing: 1200

Variable Information:

Variable: SDQ22_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME steals from home, school or elsewhere?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Steals from home/school/elsewhere

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0230.00.2

Keywords: behavior; steals

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ22_C Steals from home/school/elsewhere

Code	Description	Frequency	Percent
1	Not true	4651	95.92
2	Somewhat true	94	1.94
3	Certainly true	54	1.11
7	Refused	6	0.12
8	Not Ascertained	43	0.89
9	Don't Know	1	0.02

Frequency Missing: 1200

Variable Information:

Variable: SDQ23_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME gets along better with adults than with other ^childyouth?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

^childyouth..... children/youth

Description: Gets along better with adults than children/youth

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0240.00.2

Keywords: gets along; behavior

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ23_C Gets along better with adults than children/youth

Code	Description	Frequency	Percent
1	Not true	2843	58.63
2	Somewhat true	1302	26.85
3	Certainly true	628	12.95
7	Refused	7	0.14
8	Not Ascertained	45	0.93
9	Don't Know	24	0.49

Frequency Missing: 1200

Variable Information:

Variable: SDQ24_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME has many fears, is easily scared?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Many fears, easily scared

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0250.00.2

Keywords: fear; anxiety

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ24_C Many fears, easily scared

Code	Description	Frequency	Percent
1	Not true	3826	78.90
2	Somewhat true	744	15.34
3	Certainly true	222	4.58
7	Refused	5	0.10
8	Not Ascertained	46	0.95
9	Don't Know	6	0.12

Frequency Missing: 1200

Variable Information:

Variable: SDQ25_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^SCNAME has a good attention span, sees work through to the end?

* **Read if necessary:** *Please tell me if it has been NOT TRUE, SOMEWHAT TRUE, or CERTAINLY TRUE for ^SCNAME DURING THE PAST SIX MONTHS.*

Fills: *^SCNAME..... Sample child's name*

Description: Good attention span

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0260.00.2

Keywords: concentration; good attention

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQ25_C Good attention span

Code	Description	Frequency	Percent
1	Not true	507	10.46
2	Somewhat true	1590	32.79
3	Certainly true	2694	55.56
7	Refused	7	0.14
8	Not Ascertained	46	0.95
9	Don't Know	5	0.10

Frequency Missing: 1200

Variable Information:

Variable: SDQIMP1_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Overall, do you think that ^SCNAME has difficulties in one or more of the following areas: emotions, concentration, behavior, or being able to get along with other people? Would you say no difficulties, minor difficulties, definite difficulties, or severe difficulties?

Fills: *^SCNAME..... Sample child's name*

Description: Difficulties with emotions, behaviors

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID: SDQ.0270.00.2

Keywords: behavioral disorders; impact; social impariment

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP1_C Difficulties with emotions, behaviors

Code	Description	Frequency	Percent
1	No - no difficulties	3098	63.89
2	Yes - minor difficulties	1328	27.39
3	Yes - definite difficulties	307	6.33
4	Yes - severe difficulties	61	1.26
7	Refused	5	0.10
8	Not Ascertained	50	1.03
9	Don't Know	0	0.00

Frequency Missing: 1200

Variable Information:

Variable: SDQIMP2_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: How long have these difficulties been present? Would you say less than a month, 1-5 months, 6-12 months, or over a year?

Description: Length of time with difficulties

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources:

Question ID: SDQ.0280.00.2

Keywords: behavioral disorders; impact; social impariment; chronicity; duration

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP2_C Length of time with difficulties

Code	Description	Frequency	Percent
1	Less than a month	70	4.13
2	1-5 months	108	6.37
3	6-12 months	196	11.56
4	Over a year	1311	77.30
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	10	0.59

Frequency Missing: 4353

Variable Information:

Variable: SDQIMP3_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Do the difficulties upset or distress ^SCNAME? Would you say not at all, only a little, a medium amount, or a great deal?

Fills: *^SCNAME..... Sample child's name*

Description: Difficulties upset/distress SC

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources:

Question ID: SDQ.0290.00.2

Keywords: behavioral disorders; impact; social impariment; chronicity

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP3_C Difficulties upset/distress SC

Code	Description	Frequency	Percent
1	Not at all	429	25.29
2	Only a little	659	38.86
3	A medium amount	432	25.47
4	A great deal	169	9.96
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	6	0.35

Frequency Missing: 4353

Variable Information:

Variable: SDQIMP4_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Do the difficulties interfere with ^SCNAME's everyday life in the following areas?

...Home life? Would you say not at all, only a little, a medium amount, or a great deal?

Fills: *^SCNAME..... Sample child's name*

Description: Difficulties interfere with home life

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources:

Question ID: SDQ.0300.00.2

Keywords: behavioral disorders; impact; social impariment; chronicity

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP4_C Difficulties interfere with home life

Code	Description	Frequency	Percent
1	Not at all	786	46.34
2	Only a little	565	33.31
3	A medium amount	240	14.15
4	A great deal	102	6.01
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	2	0.12

Frequency Missing: 4353

Variable Information:

Variable: SDQIMP5_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *Do the difficulties interfere with ^SCNAME's everyday life in the following areas?*

...Friendships?

* **Read if necessary:** *Would you say not at all, only a little, a medium amount, or a great deal?*

Fills: *^SCNAME..... Sample child's name*

Description: Difficulties intefere with friendships

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources:

Question ID: SDQ.0310.00.2

Keywords: behavioral disorders; impact; social impariment; chronicity

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP5_C Difficulties intefere with friendships

Code	Description	Frequency	Percent
1	Not at all	942	55.54
2	Only a little	451	26.59
3	A medium amount	181	10.67
4	A great deal	116	6.84
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	5	0.29

Frequency Missing: 4353

Variable Information:

Variable: SDQIMP6_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *Do the difficulties interfere with ^SCNAME's everyday life in the following areas?*

...Classroom learning?

* **Read if necessary:** *Would you say not at all, only a little, a medium amount, or a great deal?*

Fills: *^SCNAME..... Sample child's name*

Description: Difficulties intefere with classroom learning

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources:

Question ID: SDQ.0320.00.2

Keywords: behavioral disorders; impact; social impariment; chronicity; education

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP6_C Difficulties intefere with classroom learning

Code	Description	Frequency	Percent
1	Not at all	647	38.15
2	Only a little	547	32.25
3	A medium amount	304	17.92
4	A great deal	185	10.91
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	12	0.71

Frequency Missing: 4353

Variable Information:

Variable: SDQIMP7_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *Do the difficulties interfere with ^SCNAME's everyday life in the following areas?*

...Leisure activities?

* **Read if necessary:** *Would you say not at all, only a little, a medium amount, or a great deal?*

Fills: *^SCNAME..... Sample child's name*

Description: Difficulties intefere with leisure activities

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources:

Question ID: SDQ.0330.00.2

Keywords: behavioral disorders; impact; social impariment; chronicity

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP7_C Difficulties intefere with leisure activities

Code	Description	Frequency	Percent
1	Not at all	1117	65.86
2	Only a little	389	22.94
3	A medium amount	127	7.49
4	A great deal	60	3.54
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	2	0.12

Frequency Missing: 4353

Variable Information:

Variable: SDQIMP8_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Do the difficulties put a burden on you or the family as a whole? Would you say not at all, only a little, a medium amount, or a great deal?

Description: Difficulties put burden on family

Recode:

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources:

Question ID: SDQ.0340.00.2

Keywords: behavioral disorders; impact; social impariment; chronicity

Notes: SDQ is Strengths and Difficulties Questionnaire. The SDQ questions are copyrighted by Robert Goodman, Ph.D., FRCPSYCH, MRCP. State and local agencies may use these questions without charge and without seeking separate permission provided the wording is not modified, all the questions are retained, and Dr. Goodman's copyright is acknowledged.

Evaluation Report:

Unweighted frequencies:

SDQIMP8_C Difficulties put burden on family

Code	Description	Frequency	Percent
1	Not at all	874	51.53
2	Only a little	469	27.65
3	A medium amount	214	12.62
4	A great deal	137	8.08
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	1	0.06

Frequency Missing: 4353

Variable Information:

Variable: SDQEMOT_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Emotional Subscale Score

Recode: Yes

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources: SDQ3_C; SDQ8_C; SDQ13_C; SDQ16_C; SDQ24_C

Question ID:

Keywords:

Notes: Recode, emotional subscale score used for SDQ total score.

Evaluation Report:

Unweighted frequencies:

SDQEMOT_C Emotional Subscale Score

Code	Description	Frequency	Percent
0-10	Sum Total	4802	99.03
88	Not Ascertained	47	0.97

Frequency Missing: 1200

Variable Information:

Variable: SDQCOND_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Conduct Subscale Score

Recode: Yes

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources: SDQ5_C; SDQ7_C; SDQ12_C; SDQ18_C; SDQ22_C

Question ID:

Keywords:

Notes: Recode, conduct subscale score used for SDQ total score.

Evaluation Report:

Unweighted frequencies:

SDQCOND_C Conduct Subscale Score

Code	Description	Frequency	Percent
0-10	Sum Total	4802	99.03
88	Not Ascertained	47	0.97

Frequency Missing: 1200

Variable Information:

Variable: SDQHYPE_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Hyperactivity Subscale Score

Recode: Yes

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources: SDQ2_C; SDQ10_C; SDQ15_C; SDQ21_C; SDQ25_C

Question ID:

Keywords:

Notes: Recode, hyperactivity subscale score used for SDQ total score.

Evaluation Report:

Unweighted frequencies:

SDQHYPE_C Hyperactivity Subscale Score

Code	Description	Frequency	Percent
0-10	Sum Total	4800	98.99
88	Not Ascertained	49	1.01

Frequency Missing: 1200

Variable Information:

Variable: SDQPEER_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Peer problem Subscale Score

Recode: Yes

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources: SDQ6_C; SDQ11_C; SDQ14_C; SDQ19_C; SDQ23_C

Question ID:

Keywords:

Notes: Recode, peer problem subscale score used for SDQ total score.

Evaluation Report:

Unweighted frequencies:

SDQPEER_C Peer problem Subscale Score

Code	Description	Frequency	Percent
0-10	Sum Total	4800	98.99
88	Not Ascertained	49	1.01

Frequency Missing: 1200

Variable Information:

Variable: SDQPROS_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Prosocial Subscale Score

Recode: Yes

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources: SDQ1_C; SDQ4_C; SDQ9_C; SDQ17_C; SDQ20_C

Question ID:

Keywords:

Notes: Recode, prosocial subscale score used for SDQ total score.

Evaluation Report:

Unweighted frequencies:

SDQPROS_C Prosocial Subscale Score

Code	Description	Frequency	Percent
0-10	Sum Total	4805	99.09
88	Not Ascertained	44	0.91

Frequency Missing: 1200

Variable Information:

Variable: SDQTOT_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: SDQ total score

Recode: Yes

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17)

Universe Description: Sample children 4-17

Sources:

Question ID:

Keywords: SDQEMOT_C; SDQCOND_C; SDQHYPE_C; SDQPEER_C

Notes: Recode, SDQ total score. Please see the Survey Description document for more information.

Evaluation Report:

Unweighted frequencies:

SDQTOT_C SDQ total score

Code	Description	Frequency	Percent
0-40	Sum Total	4802	99.03
88	Not Ascertained	47	0.97

Frequency Missing: 1200

Variable Information:

Variable: SDQIMPTOT_C

Module: Child

Section: SDQ : Child Mental Health - SDQ Questionnaire

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: SDQ Impact Score

Recode: Yes

Universe: HHSTAT_C=1 and (4<=AGEP_C<=17) and SDQIMP1_C IN (2,3,4)

Universe Description: Sample children 4-17 who have had minor, definite or severe difficulties with emotions, concentration, behavior, or being able to get along with other people

Sources: SDQIMP3_C; SDQIMP4_C; SDQIMP5_C; SDQIMP6_C; SDQIMP7_C

Question ID:

Keywords:

Notes: Recode, SDQ Impact Score. Please see the Survey Description document for more information.

Evaluation Report:

Unweighted frequencies:

SDQIMPTOT_C SDQ Impact Score

Code	Description	Frequency	Percent
0-10	Sum Total	1673	98.64
88	Not Ascertained	23	1.36

Frequency Missing: 4353

Variable Information:

Variable: VIOLENEV_C

Module: Child

Section: SLE : Stressful Life Events

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has ^SCNAME ever been the victim of violence or witnessed violence in ^hisher_C neighborhood?

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Victim of/witnessed violence

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: SLE.0020.00.2

Keywords: ACE; adverse childhood experiences; social environment

Notes:

Evaluation Report:

Unweighted frequencies:

VIOLENEV_C Victim of/witnessed violence

Code	Description	Frequency	Percent
1	Yes	322	5.32
2	No	5632	93.11
7	Refused	16	0.26
8	Not Ascertained	67	1.11
9	Don't Know	12	0.20

Frequency Missing:

Variable Information:

Variable: JAILEV1_C

Module: Child

Section: SLE : Stressful Life Events

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Has ^SCNAME ever been separated from a parent or guardian because the parent or guardian went to jail, prison, or a detention center?

Fills: *^SCNAME..... Sample child's name*

Description: Ever separated from parent who was incarcerated

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: SLE.0030.00.2

Keywords: ACE; adverse childhood experiences; social environment; incarceration

Notes:

Evaluation Report:

Unweighted frequencies:

JAILEV1_C Ever separated from parent who was incarcerated

Code	Description	Frequency	Percent
1	Yes	358	5.92
2	No	5601	92.59
7	Refused	19	0.31
8	Not Ascertained	67	1.11
9	Don't Know	4	0.07

Frequency Missing:

Variable Information:

Variable: MENTDEPEV_C

Module: Child

Section: SLE : Stressful Life Events

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Did ^SCNAME ever live with anyone who was mentally ill or severely depressed?

Fills: *^SCNAME..... Sample child's name*

Description: Ever lived with anyone mentally ill or severely depressed

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: SLE.0040.00.2

Keywords: ACE; adverse childhood experiences; social environment

Notes:

Evaluation Report:

Unweighted frequencies:

MENTDEPEV_C Ever lived with anyone mentally ill or severely depressed

Code	Description	Frequency	Percent
1	Yes	444	7.34
2	No	5500	90.92
7	Refused	21	0.35
8	Not Ascertained	68	1.12
9	Don't Know	16	0.26

Frequency Missing:

Variable Information:

Variable: ALCDRUGEV_C

Module: Child

Section: SLE : Stressful Life Events

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Did ^SCNAME ever live with anyone who had a problem with alcohol or drugs?

Fills: *^SCNAME..... Sample child's name*

Description: Ever lived with anyone with alcohol/drug problem

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: SLE.0050.00.2

Keywords: ACE; adverse childhood experiences; social environment; substance use

Notes:

Evaluation Report:

Unweighted frequencies:

ALCDRUGEV_C Ever lived with anyone with alcohol/drug problem

Code	Description	Frequency	Percent
1	Yes	505	8.35
2	No	5447	90.05
7	Refused	17	0.28
8	Not Ascertained	68	1.12
9	Don't Know	12	0.20

Frequency Missing:

Variable Information:

Variable: TBILCDCMG_C

Module: Child

Section: TBI : Concussions - past 12 months

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, as a result of a blow or jolt to the head, has ^SCNAME been knocked out or lost consciousness, been dazed or confused, or had a gap in ^hisher_C memory?

* **Read if necessary**: *Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone that may have occurred in the past 12 months.*

Fills: *^SCNAME..... Sample child's name*

^hisher_C..... his/her/their

Description: Lost consciousness, dazed or confused, or had gap in memory, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample Children 0-17

Sources:

Question ID: TBI.0020.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

Evaluation Report:

Unweighted frequencies:

TBILCDCMG_C Lost consciousness, dazed or confused, or had gap in memory, past 12 months

Code	Description	Frequency	Percent
1	Yes	92	1.52
2	No	5884	97.27
7	Refused	2	0.03
8	Not Ascertained	70	1.16
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: TBIHLSBMC_C

Module: Child

Section: TBI : Concussions - past 12 months

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, as a result of a blow or jolt to the head, has ^SCNAME had headaches, sensitivity to light or noise, balance problems, or changes in mood or behavior?

* **Read if necessary**: *Please think about all head injuries, for example, from playing sports, car accidents, falls, or being hit by something or someone that may have occurred in the past 12 months.*

Fills: *^SCNAME..... Sample child's name*

Description: Headache, sensitivities, balance problems or mood change past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample Children 0-17

Sources:

Question ID: TBI.0030.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

Evaluation Report:

Unweighted frequencies:

TBIHLSBMC_C Headache, sensitivities, balance problems or mood change past 12 months

Code	Description	Frequency	Percent
1	Yes	97	1.60
2	No	5878	97.17
7	Refused	3	0.05
8	Not Ascertained	70	1.16
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: TBISPORT_C

Module: Child

Section: TBI : Concussions - past 12 months

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^CDCMG_C Was ^SCNAME playing a sport or participating in a physical or recreational activity, such as playing on the playground, biking, or pick-up games, when ^heshe_C experienced any of these blows or jolts to the head?

* **Read if necessary:** *Include team or league sports competitions or practices.*

* **Read if necessary:** *Include organized and non-organized sports.*

* **Read if necessary:** *A pick-up game is when a group of players get together and spontaneously start a game, like basketball or soccer.*

Fills:

^CDCMG_C.....	*Think about the blows or jolts to the head that caused ^SCNAME to lose consciousness...*
^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^heshe_C.....	*He/She/They*

Description: Blow or jolt to head while playing sports or rec activity, past 12 months

Recode:

Universe: HHSTAT_C=1 and (TBILCDCMG_C=1 or TBIHLSBMC_C=1)

Universe Description: Sample Children 0-17 who experienced TBI symptoms from a blow or jolt to the head over the past 12 months

Sources:

Question ID: TBI.0040.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

Evaluation Report:

Unweighted frequencies:

TBISPORT_C Blow or jolt to head while playing sports or rec activity, past 12 months

Code	Description	Frequency	Percent
1	Yes	93	68.38
2	No	43	31.62
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5913

Variable Information:

Variable: TBILEAGUE_C

Module: Child

Section: TBI : Concussions - past 12 months

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Was ^SCNAME participating in an organized team or league sports competition or practice when ^heshe_C experienced any of these blows or jolts to the head?

Fills: *^SCNAME.....* *Sample child's name*

^heshe_C..... *He/She/They*

Description: Blow or jolt to head while playing organized sports, past 12 months

Recode:

Universe: HHSTAT_C=1 and TBISPORT_C=1

Universe Description: Sample Children 0-17 who had a sports or recreational related injury

Sources:

Question ID: TBI.0050.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

Evaluation Report:

Unweighted frequencies:

TBILEAGUE_C Blow or jolt to head while playing organized sports, past 12 months

Code	Description	Frequency	Percent
1	Yes	50	53.76
2	No	43	46.24
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5956

Variable Information:

Variable: TBIEVAL_C

Module: Child

Section: TBI : Concussions - past 12 months

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, as a result of a blow or jolt to the head, was ^SCNAME evalauted for a concussion or brain injury by a doctor, nurse, paramedic, athletic trainer, or other health professional?

Fills: *^SCNAME..... Sample child's name*

Description: Evaluated for concussion, past 12 months

Recode:

Universe: HHSTAT_C=1 and (TBILCDCMG_C=1 or TBIHLSBMC_C=1)

Universe Description: Sample Children 0-17 who experienced TBI symptoms from a blow or jolt to the head over the past 12 months

Sources:

Question ID: TBI.0060.00.3

Keywords: traumatic brain injury; TBI; serious head injury

Notes:

Evaluation Report:

Unweighted frequencies:

TBIEVAL_C Evaluated for concussion, past 12 months

Code	Description	Frequency	Percent
1	Yes	99	72.79
2	No	36	26.47
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.74

Frequency Missing: 5913

Variable Information:

Variable: VSLVYR1_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: These next questions are about problems with ^SCNAME's voice, swallowing, speech, or language.

During the past 12 months, did ^SCNAME have problems or difficulty with ^hisher_C VOICE, such as having a hoarse, raspy, tired, or strained voice, or trouble speaking loud enough to be heard?

Fills: *^SCNAME.....* *Sample child's name*

^hisher_C..... *his/her/their*

Description: Voice problem in the past 12 months

Recode:

Universe: HHSTAT_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample Children 3-17

Sources:

Question ID: VSL.0010.00.3

Keywords: dysphonia

Notes: Section VSL was previously fielded in 2022. An introduction to the section was added to the question text in 2025, and the variable name was updated from VSLVYR_C to VSLVYR1_C

Evaluation Report:

Unweighted frequencies:

VSLVYR1_C Voice problem in the past 12 months

Code	Description	Frequency	Percent
1	Yes	183	3.55
2	No	4908	95.17
7	Refused	2	0.04
8	Not Ascertained	62	1.20
9	Don't Know	2	0.04

Frequency Missing: 892

Variable Information:

Variable: VSLVDYS_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with ^hisher_C voice?

* **Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.**

Fills: *^heshe_C..... He/She/They*

^hisher_C..... his/her/their

Description: Duration of voice problem

Recode:

Universe: HHSTAT_C=1 and VSLVYR1_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a voice problem in the past 12 months

Sources:

Question ID: VSL.0020.00.3

Keywords: dysphonia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLVDYS_C Duration of voice problem

Code	Description	Frequency	Percent
1	1 to 6 days (“less than a week”)	110	60.11
2	7 to 13 days (“one week or more, but less than two weeks”)	30	16.39
3	14 to 29 days (“2 weeks or more, but less than a month”)	10	5.46
4	30 to 89 days (“a month or more, but less than 3 months”)	8	4.37
5	90 days to 179 days (“3 months or more, but less than 6 months”)	3	1.64
6	180 days or more (“6 months or more”)	22	12.02
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5866

Variable Information:

Variable: VSLVDIF_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how much difficulty did ^heshe_C have with ^hisher_C voice? Would you say a little, a lot, or somewhere in between?

Fills: *^heshe_C.....* *He/She/They*

^hisher_C..... *his/her/their*

Description: Amount of difficulty with voice problem

Recode:

Universe: HHSTAT_C=1 and VSLVYR1_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a voice problem in the past 12 months

Sources:

Question ID: VSL.0030.00.3

Keywords: dysphonia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLVDIF_C Amount of difficulty with voice problem

Code	Description	Frequency	Percent
1	A little	107	58.47
2	A lot	19	10.38
3	Somewhere in between	57	31.15
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5866

Variable Information:

Variable: VSLSWYR_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME have problems or difficulty with SWALLOWING, such as having difficulty eating solid food, taking pills, or drinking liquids?

Fills: *^SCNAME..... Sample child's name*

Description: Swallowing problem in the past 12 months

Recode:

Universe: HHSTAT_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17

Sources:

Question ID: VSL.0040.00.3

Keywords: dysphagia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLSWYR_C Swallowing problem in the past 12 months

Code	Description	Frequency	Percent
1	Yes	113	2.19
2	No	4980	96.57
7	Refused	2	0.04
8	Not Ascertained	61	1.18
9	Don't Know	1	0.02

Frequency Missing: 892

Variable Information:

Variable: VSLSWDYS_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with swallowing?

* **Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.**

Fills: *^heshe_C.....* *He/She/They*

Description: Duration of swallowing problem

Recode:

Universe: HHSTAT_C=1 and VSLSWYR_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a swallowing problem in the past 12 months

Sources:

Question ID: VSL.0050.00.3

Keywords: dysphagia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLSWDYS_C Duration of swallowing problem

Code	Description	Frequency	Percent
1	1 to 6 days (“less than a week”)	59	52.21
2	7 to 13 days (“one week or more, but less than two weeks”)	16	14.16
3	14 to 29 days (“2 weeks or more, but less than a month”)	8	7.08
4	30 to 89 days (“a month or more, but less than 3 months”)	5	4.42
5	90 days to 179 days (“3 months or more, but less than 6 months”)	5	4.42
6	180 days or more (“6 months or more”)	20	17.70
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5936

Variable Information:

Variable: VSLSWDIF_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how much difficulty did ^heshe_C have with swallowing? Would you say a little, a lot, or somewhere in between?

Fills: *^heshe_C.....* *He/She/They*

Description: Amount of difficulty with swallowing problem

Recode:

Universe: HHSTAT_C=1 and VSLSWYR_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a swallowing problem in the past 12 months

Sources:

Question ID: VSL.0060.00.3

Keywords: dysphagia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLSWDIF_C Amount of difficulty with swallowing problem

Code	Description	Frequency	Percent
1	A little	52	46.02
2	A lot	28	24.78
3	Somewhere in between	33	29.20
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5936

Variable Information:

Variable: VSLSPYR_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME have problems or difficulty with ^hisher_C SPEECH, such as stuttering, repeating words, or not being able to pronounce words correctly?

* **Read if necessary:** *This refers to the language ^heshe_C is most comfortable with, not a second or third language.*

Fills:

^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^heshe_C.....	*He/She/They*

Description: Speech problem in the past 12 months

Recode:

Universe: HHSTAT_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17

Sources:

Question ID: VSL.0070.00.3

Keywords: speech fluency

Notes:

Evaluation Report:

Unweighted frequencies:

VSLSPYR_C Speech problem in the past 12 months

Code	Description	Frequency	Percent
1	Yes	366	7.10
2	No	4726	91.64
7	Refused	2	0.04
8	Not Ascertained	61	1.18
9	Don't Know	2	0.04

Frequency Missing: 892

Variable Information:

Variable: VSLSPDYS_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with ^hisher_C speech?

* **Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.**

Fills: *^heshe_C..... He/She/They*

^hisher_C..... his/her/their

Description: Duration of speech problem

Recode:

Universe: HHSTAT_C=1 and VSLSPYR_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a speech problem in the past 12 months

Sources:

Question ID: VSL.0080.00.3

Keywords: speech fluency

Notes:

Evaluation Report:

Unweighted frequencies:

VSLSPDYS_C Duration of speech problem

Code	Description	Frequency	Percent
1	1 to 6 days (“less than a week”)	39	10.66
2	7 to 13 days (“one week or more, but less than two weeks”)	19	5.19
3	14 to 29 days (“2 weeks or more, but less than a month”)	15	4.10
4	30 to 89 days (“a month or more, but less than 3 months”)	22	6.01
5	90 days to 179 days (“3 months or more, but less than 6 months”)	12	3.28
6	180 days or more (“6 months or more”)	256	69.95
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.82

Frequency Missing: 5683

Variable Information:

Variable: VSLSPDIF_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how much difficulty did ^heshe_C have with ^hisher_C speech? Would you say a little, a lot, or somewhere in between?

Fills: *^heshe_C.....* *He/She/They*

^hisher_C..... *his/her/their*

Description: Amount of difficulty with speech problem

Recode:

Universe: HHSTAT_C=1 and VSLSPYR_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a speech problem in the past 12 months

Sources:

Question ID: VSL.0090.00.3

Keywords: speech fluency

Notes:

Evaluation Report:

Unweighted frequencies:

VSLSPDIF_C Amount of difficulty with speech problem

Code	Description	Frequency	Percent
1	A little	155	42.35
2	A lot	79	21.58
3	Somewhere in between	131	35.79
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.27

Frequency Missing: 5683

Variable Information:

Variable: VSLSPST_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME's speech problems or difficulty include stuttering, trouble pronouncing words correctly, or both?

Fills: *^SCNAME..... Sample child's name*

Description: Stuttering problem in the past 12 months

Recode:

Universe: HHSTAT_C=1 and VSLSPYR_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a speech problem in the past 12 months

Sources:

Question ID: VSL.0100.00.3

Keywords: speech fluency

Notes:

Evaluation Report:

Unweighted frequencies:

VSLSPST_C Stuttering problem in the past 12 months

Code	Description	Frequency	Percent
1	Stuttering	41	11.20
2	Trouble pronouncing words correctly	219	59.84
3	Both	99	27.05
7	Refused	2	0.55
8	Not Ascertained	0	0.00
9	Don't Know	5	1.37

Frequency Missing: 5683

Variable Information:

Variable: VSLLGYR_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME have problems or difficulty with LANGUAGE, such as difficulty using, learning, or understanding words, sentences, or conversational interactions?

* **Read if necessary:** *This refers to the language ^heshe_C is most comfortable with, not a second or third language.*

Fills: *^SCNAME..... Sample child's name*

^heshe_C..... He/She/They

Description: Language problem in the past 12 months

Recode:

Universe: HHSTAT_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17

Sources:

Question ID: VSL.0110.00.3

Keywords: aphasia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLLGYR_C Language problem in the past 12 months

Code	Description	Frequency	Percent
1	Yes	220	4.27
2	No	4870	94.43
7	Refused	3	0.06
8	Not Ascertained	61	1.18
9	Don't Know	3	0.06

Frequency Missing: 892

Variable Information:

Variable: VSLLGDYS_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, about how many days, weeks, or months did ^heshe_C have problems or difficulty with language?

* **Do not read categories unless the respondent says they don't know, at which time you can read the wording in parentheses.**

Fills: *^heshe_C.....* *He/She/They*

Description: Duration of language problem

Recode:

Universe: HHSTAT_C=1 and VSLLGYR_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a language problem in the past 12 months

Sources:

Question ID: VSL.0120.00.3

Keywords: aphasia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLLGDYS_C Duration of language problem

Code	Description	Frequency	Percent
1	1 to 6 days (“less than a week”)	22	10.00
2	7 to 13 days (“one week or more, but less than two weeks”)	10	4.55
3	14 to 29 days (“2 weeks or more, but less than a month”)	7	3.18
4	30 to 89 days (“a month or more, but less than 3 months”)	7	3.18
5	90 days to 179 days (“3 months or more, but less than 6 months”)	11	5.00
6	180 days or more (“6 months or more”)	162	73.64
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.45

Frequency Missing: 5829

Variable Information:

Variable: VSLLGDIF_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how much difficulty did ^heshe_C have with language? Would you say a little, a lot, or somewhere in between?

Fills: *^heshe_C..... He/She/They*

Description: Amount of difficulty with language problem

Recode:

Universe: HHSTAT_C=1 and VSLLGYR_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a language problem in the past 12 months

Sources:

Question ID: VSL.0130.00.3

Keywords: aphasia

Notes:

Evaluation Report:

Unweighted frequencies:

VSLLGDIF_C Amount of difficulty with language problem

Code	Description	Frequency	Percent
1	A little	67	30.45
2	A lot	72	32.73
3	Somewhere in between	79	35.91
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.91

Frequency Missing: 5829

Variable Information:

Variable: VSLBRAIN_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Did any of ^SCNAME's ^VSLTYPE_C problems or difficulty follow a head or brain injury?

Fills: *^SCNAME.....* *Sample child's name*

^VSLTYPE_C..... *VSL problems experienced in the past 12 months*

Description: VSL problems following a brain injury

Recode:

Universe: HHSTAT_C=1 and (VSLVYR1_C=1 or VSLSWYR_C=1 or VSLSPYR_C=1 or VSLLGYR_C=1) and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a voice, swallowing, speech, or language problem in the past 12 months

Sources:

Question ID: VSL.0140.00.3

Keywords: communication disorders

Notes:

Evaluation Report:

Unweighted frequencies:

VSLBRAIN_C VSL problems following a brain injury

Code	Description	Frequency	Percent
1	Yes	11	1.79
2	No	600	97.88
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.33

Frequency Missing: 5436

Variable Information:

Variable: VSLPA_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^SCNAME see a speech-language pathologist, doctor, or other health care professional for evaluation, treatment, or rehabilitation services of ^hisher_C ^VSLTYPE_C problems or difficulty?

* **Read if necessary:** *Health care professionals can include early intervention specialists, ENT doctors, otolaryngologists, audiologists, rehabilitation specialists, occupational or physical therapists, internal medicine doctors, neurologists, gerontologists, and others.*

Fills:

^SCNAME.....	*Sample child's name*
^hisher_C.....	*his/her/their*
^VSLTYPE_C.....	*VSL problems experienced in the past 12 months*

Description: Saw a doctor for treatment in the past 12 months

Recode:

Universe: HHSTAT_C=1 and (VSLVYR1_C=1 or VSLSWYR_C=1 or VSLSPYR_C=1 or VSLLGYR_C=1) and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a voice, swallowing, speech, or language problem in the past 12 months

Sources:

Question ID: VSL.0150.00.3

Keywords: communication disorders; health care use

Notes:

Evaluation Report:

Unweighted frequencies:

VSLPA_C Saw a doctor for treatment in the past 12 months

Code	Description	Frequency	Percent
1	Yes	260	42.41
2	No	353	57.59
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Frequency Missing: 5436

Variable Information:

Variable: VSLPALF_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: How did those evaluation, treatment, or rehabilitation services affect ^hisher_C life as a whole? Has ^hisher_C life improved greatly, improved somewhat, stayed the same, or gotten worse?

Fills: *^hisher_C.....* *his/her/their*

Description: Seeing a doctor for treatment in the past 12 months affected life

Recode:

Universe: HHSTAT_C=1 and VSLPA_C=1 and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who saw a speech-language pathologist or doctor for treatment

Sources:

Question ID: VSL.0160.00.3

Keywords: communication disorders; health care use

Notes:

Evaluation Report:

Unweighted frequencies:

VSLPALF_C Seeing a doctor for treatment in the past 12 months affected life

Code	Description	Frequency	Percent
1	Improved greatly	127	48.85
2	Improved somewhat	90	34.62
3	Stayed the same	40	15.38
4	Gotten worse	2	0.77
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.38

Frequency Missing: 5789

Variable Information:

Variable: VSLBTWR_C

Module: Child

Section: VSL : Voice, Swallowing, Speech, and Language Communication Disorders

File(s): Child

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did ^hisher_C problems or difficulty with ^VSLTYPE_C get a lot better, get a little better, stay the same, get a little worse, or get a lot worse?

Fills: *^hisher_C.....* *his/her/their*

^VSLTYPE_C..... *VSL problems experienced in the past 12 months*

Description: VSL problem better or worse

Recode:

Universe: HHSTAT_C=1 and (VSLVYR1_C=1 or VSLSWYR_C=1 or VSLSPYR_C=1 or VSLLGYR_C=1) and (3<=AGEP_C<=17)

Universe Description: Sample children 3-17 who had a voice, swallowing, speech, or language problem in the past 12 months

Sources:

Question ID: VSL.0170.00.3

Keywords: communication disorders

Notes:

Evaluation Report:

Unweighted frequencies:

VSLBTWR_C VSL problem better or worse

Code	Description	Frequency	Percent
1	Get a lot better	315	51.39
2	Get a little better	174	28.38
3	Stay the same	117	19.09
4	Get a little worse	5	0.82
5	Get a lot worse	1	0.16
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.16

Frequency Missing: 5436

Variable Information:

Variable: RELCHPARENTP1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Relationship of first residential parent to sample child

Recode: Yes

Universe: HHSTAT_C = 1

Universe Description: Sample children 0-17

Sources: RELCHPARENT1_C

Question ID:

Keywords: parent-child

Notes: Relationship type of first residential parent to sample child. "Other" includes both cases that could not be coded due to conflicting answers between household respondent and the sample child respondent as well as foster parents. “No residential parent” includes cases in which no parent is living with the sample child. This recode replaces RELCHPARP1_C.

Evaluation Report:

Unweighted frequencies:

RELCHPARENTP1_C Relationship of first residential parent to sample child

Code	Description	Frequency	Percent
1	Biological or Adoptive	5721	94.67
2	Step	76	1.26
3	Other	68	1.13
4	No residential parent	109	1.80
7	Refused	0	0.00
8	Not Ascertained	69	1.14
9	Don't Know	0	0.00

Frequency Missing: 6

Variable Information:

Variable: RELCHPARENTP2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Relationship of second residential parent to sample child

Recode: Yes

Universe: HHSTAT_C = 1

Universe Description: Sample children 0-17

Sources: RELCHPARENT2_C

Question ID:

Keywords: parent-child

Notes: Relationship type of second residential parent to sample child. "Other" includes both cases that could not be coded due to conflicting answers between household respondent and the sample child respondent as well as foster parents. “No second residential parent” includes cases in which no or only one parent is living with the sample child. This recode replaces RELCHPARP2_C.

Evaluation Report:

Unweighted frequencies:

RELCHPARENTP2_C Relationship of second residential parent to sample child

Code	Description	Frequency	Percent
1	Biological or Adoptive	4017	66.55
2	Step	153	2.53
3	Other	34	0.56
4	No second residential parent	1783	29.54
7	Refused	0	0.00
8	Not Ascertained	47	0.78
9	Don't Know	2	0.03

Frequency Missing: 13

Variable Information:

Variable: MARITAL1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^AreyouIspar married, living with a partner together as an unmarried couple, or neither?

Fills: *^AreyouIspar..... Are you/Is {Value of ALIAS}*

Description: Marital status of first residential parent of sample child

Recode:

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: MARITAL_C

Question ID: PAR.0090.01.1

Keywords: cohabitating; relationship; civil status; domestic partnership; single

Notes:

Evaluation Report:

Unweighted frequencies:

MARITAL1_C Marital status of first residential parent of sample child

Code	Description	Frequency	Percent
1	Married	4100	69.09
2	Living with a partner together as an unmarried couple	535	9.02
3	Neither	1247	21.01
7	Refused	2	0.03
8	Not Ascertained	50	0.84
9	Don't Know	0	0.00

Frequency Missing: 115

Variable Information:

Variable: MARITAL2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text: ^AreyouIspar married, living with a partner together as an unmarried couple, or neither?

Fills: *^AreyouIspar..... Are you/Is {Value of ALIAS}*

Description: Marital status of second residential parent of sample child

Recode:

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children 0-17 with at least two residential parents

Sources: MARITAL_C

Question ID: PAR.0090.02.1

Keywords: cohabitating; relationship; civil status; domestic partnership; single

Notes:

Evaluation Report:

Unweighted frequencies:

MARITAL2_C Marital status of second residential parent of sample child

Code	Description	Frequency	Percent
1	Married	3789	89.09
2	Living with a partner together as an unmarried couple	395	9.29
3	Neither	19	0.45
7	Refused	2	0.05
8	Not Ascertained	48	1.13
9	Don't Know	0	0.00

Frequency Missing: 1796

Variable Information:

Variable: PCNTPARNTS_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Count of all residential parents of the sample child

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: PARENTS_FINAL01-PARENTS_FINAL04

Question ID:

Keywords: family structure

Notes: Count of the number of parents residing with the sample child, based on the total number of non-zero person numbers stored in PARENTS_FINAL01-PARENTS_FINAL04. This recode is top-coded at 2.

Evaluation Report:

Unweighted frequencies:

PCNTPARNTS_C Count of all residential parents of the sample child

Code	Description	Frequency	Percent
0	0 parents	115	1.90
1	1 parent	1681	27.79
2	2+ parents	4253	70.31
8	Not Ascertained	0	0.00

Frequency Missing:

Variable Information:

Variable: MARSTAT1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Marital status of the sample child's first residential parent

Recode: Yes

Universe: HHSTAT_C = 1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: MARITAL1_C; SPOUSLIV1_C; EVERMARR1_C; WIDIVSEP1_C

Question ID:

Keywords: civil status; family structure; relationship

Notes: Marital status recode with categories comparable to R_MARITL in the 1997-2018 NHIS.

Evaluation Report:

Unweighted frequencies:

MARSTAT1_C Marital status of the sample child's first residential parent

Code	Description	Frequency	Percent
1	Married, spouse is present	3959	66.72
2	Married, spouse is not present	140	2.36
3	Married, spouse presence unknown	1	0.02
4	Widowed	58	0.98
5	Divorced	402	6.77
6	Separated	95	1.60
7	Never married	689	11.61
8	Living with a partner	535	9.02
9	Unknown marital status	55	0.93

Frequency Missing: 115

Variable Information:

Variable: MARSTAT2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Marital status of the sample child's second residential parent

Recode: Yes

Universe: HHSTAT_C = 1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children 0-17 with at least two residential parents

Sources: MARITAL2_C; SPOUSLIV2_C; EVERMARR2_C; WIDIVSEP2_C

Question ID:

Keywords: civil status; family structure; relationship

Notes: Marital status recode with categories comparable to R_MARITL in the 1997-2018 NHIS.

Evaluation Report:

Unweighted frequencies:

MARSTAT2_C Marital status of the sample child's second residential parent

Code	Description	Frequency	Percent
1	Married, spouse is present	3787	89.04
2	Married, spouse is not present	2	0.05
3	Married, spouse presence unknown	0	0.00
4	Widowed	2	0.05
5	Divorced	4	0.09
6	Separated	0	0.00
7	Never married	12	0.28
8	Living with a partner	395	9.29
9	Unknown marital status	51	1.20

Frequency Missing: 1796

Variable Information:

Variable: LEGMSTAT1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Legal marital status of the sample child's first residential parent

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: MARSTAT1_C; EVRMARRIED1_C; LEGALSTAT1_C

Question ID:

Keywords: civil status; family structure; relationship

Notes: Legal marital status recode with categories comparable to CDCMSTAT in the 1997-2018 NHIS.

Evaluation Report:

Unweighted frequencies:

LEGMSTAT1_C Legal marital status of the sample child's first residential parent

Code	Description	Frequency	Percent
1	Separated	118	1.99
2	Divorced	539	9.09
3	Married	4104	69.18
4	Single/never married	1043	17.58
5	Widowed	66	1.11
9	Unknown legal marital status	62	1.05

Frequency Missing: 117

Variable Information:

Variable: LEGMSTAT2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Legal marital status of the sample child's second residential parent

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children 0-17 with at least two residential parents

Sources: MARSTAT2_C; EVRMARRIED2_C; LEGALSTAT2_C

Question ID:

Keywords: civil status; family structure; relationship

Notes: Legal marital status recode with categories comparable to CDCMSTAT in the 1997-2018 NHIS.

Evaluation Report:

Unweighted frequencies:

LEGMSTAT2_C Legal marital status of the sample child's second residential parent

Code	Description	Frequency	Percent
1	Separated	9	0.21
2	Divorced	92	2.16
3	Married	3791	89.14
4	Single/never married	285	6.70
5	Widowed	4	0.09
9	Unknown legal marital status	72	1.69

Frequency Missing: 1796

Variable Information:

Variable: PARAGETC1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Age of sample child's first residential parent, top-and bottom-coded

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: AGE_FINAL

Question ID:

Keywords: cohabitate; domestic partnership; family

Notes: Top-coded at 70 and bottom-coded at 20 for public use.

Evaluation Report:

Unweighted frequencies:

PARAGETC1_C Age of sample child's first residential parent, top-and bottom-coded

Code	Description	Frequency	Percent
20	20 years or younger	19	0.32
21-69	21-69 years	5884	99.16
70	70+ years	23	0.39
97	Refused	4	0.07
98	Not Ascertained	0	0.00
99	Don't Know	2	0.03

Frequency Missing: 115

Variable Information:

Variable: PARSEX1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sex of sample child's first residential parent

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: SEX_FINAL

Question ID:

Keywords: cohabitate; domestic partnership; family

Notes:

Evaluation Report:

Unweighted frequencies:

PARSEX1_C Sex of sample child's first residential parent

Code	Description	Frequency	Percent
1	Male	2423	40.83
2	Female	3507	59.10
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Frequency Missing: 115

Variable Information:

Variable: PARWORK1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: First residential parent of sample child works for pay at job/business

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: FEMWORK_C

Question ID:

Keywords: job; employment; work status

Notes:

Evaluation Report:

Unweighted frequencies:

PARWORK1_C First residential parent of sample child works for pay at job/business

Code	Description	Frequency	Percent
1	Yes	4765	80.37
2	No	1104	18.62
7	Refused	5	0.08
8	Not Ascertained	55	0.93
9	Don't Know	0	0.00

Frequency Missing: 120

Variable Information:

Variable: PARWKFT1_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sample child's first residential parent works 35+ hours per week

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1 and PARWORK1_C = 1

Universe Description: Sample children 0-17 with at least one residential parent who was working for pay at job/business

Sources: FEMWKFT_C

Question ID:

Keywords: job; weekly hours; employment; work status; full-time

Notes:

Evaluation Report:

Unweighted frequencies:

PARWKFT1_C Sample child's first residential parent works 35+ hours per week

Code	Description	Frequency	Percent
1	Yes	4061	85.23
2	No	697	14.63
7	Refused	2	0.04
8	Not Ascertained	1	0.02
9	Don't Know	4	0.08

Frequency Missing: 1284

Variable Information:

Variable: PARAGETC2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Age of sample child's second residential parent, top-and bottom-coded

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children 0-17 with at least two residential parents

Sources: AGE_FINAL

Question ID:

Keywords: cohabitate; domestic partnership; family

Notes: Top-coded at 70 and bottom-coded at 20 for public use.

Evaluation Report:

Unweighted frequencies:

PARAGETC2_C Age of sample child's second residential parent, top-and bottom-coded

Code	Description	Frequency	Percent
20	20 years or younger	5	0.12
21-69	21-69 years	4237	99.62
70	70+ years	3	0.07
97	Refused	3	0.07
98	Not Ascertained	0	0.00
99	Don't Know	3	0.07

Frequency Missing: 1796

Variable Information:

Variable: PARSEX2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sex of sample child's second residential parent

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children aged 0-17 with at least two residential parents

Sources: SEX_FINAL

Question ID:

Keywords: cohabitate; domestic partnership; family

Notes:

Evaluation Report:

Unweighted frequencies:

PARSEX2_C Sex of sample child's second residential parent

Code	Description	Frequency	Percent
1	Male	2124	49.94
2	Female	2126	49.99
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.07

Frequency Missing: 1796

Variable Information:

Variable: PARWORK2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Second residential parent of sample child works for pay at job/business

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children 0-17 with at least two residential parents

Sources: FEMWORK_C

Question ID:

Keywords: job; employment; work status

Notes:

Evaluation Report:

Unweighted frequencies:

PARWORK2_C Second residential parent of sample child works for pay at job/business

Code	Description	Frequency	Percent
1	Yes	3543	83.44
2	No	656	15.45
7	Refused	6	0.14
8	Not Ascertained	40	0.94
9	Don't Know	1	0.02

Frequency Missing: 1803

Variable Information:

Variable: PARWKFT2_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sample child's second residential parent works 35+ hours per week

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2 and PARWORK2_C = 1

Universe Description: Sample children 0-17 with at least two residential parents who were working for pay at job/business

Sources: FEMWKFT_C

Question ID:

Keywords: job; weekly hours; employment; work status; full-time

Notes:

Evaluation Report:

Unweighted frequencies:

PARWKFT2_C Sample child's second residential parent works 35+ hours per week

Code	Description	Frequency	Percent
1	Yes	3136	88.51
2	No	399	11.26
7	Refused	3	0.08
8	Not Ascertained	1	0.03
9	Don't Know	4	0.11

Frequency Missing: 2506

Variable Information:

Variable: SCPARHISP_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sample child has the same Hispanic ethnicity as ALL residential parents

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: PARENTS_FINAL; HISPALLP

Question ID:

Keywords: cohabitate; domestic partnership; family; hispanic origin

Notes:

Evaluation Report:

Unweighted frequencies:

SCPARHISP_C Sample child has the same Hispanic ethnicity as ALL residential parents

Code	Description	Frequency	Percent
1	Yes	5536	93.29
2	No	379	6.39
9	Unknown	19	0.32

Frequency Missing: 115

Variable Information:

Variable: HISPPARSC_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: All residential parents of the sample child are of the same Hispanic ethnicity

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children 0-17 with at least two residential parents

Sources: PARENTS_FINAL; HISPALLP

Question ID:

Keywords: cohabitate; domestic partnership; family; hispanic origin

Notes:

Evaluation Report:

Unweighted frequencies:

HISPPARSC_C All residential parents of the sample child are of the same Hispanic ethnicity

Code	Description	Frequency	Percent
1	Yes	3892	91.51
2	No	344	8.09
9	Unknown	17	0.40

Frequency Missing: 1796

Variable Information:

Variable: SCPARRAC_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sample child has the same race as ALL residential parents

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: PARENTS_FINAL; RACEALLP

Question ID:

Keywords: cohabitate; domestic partnership; family

Notes:

Evaluation Report:

Unweighted frequencies:

SCPARRAC_C Sample child has the same race as ALL residential parents

Code	Description	Frequency	Percent
1	Yes	4846	81.66
2	No	513	8.65
9	Unknown	575	9.69

Frequency Missing: 115

Variable Information:

Variable: RACPARSC_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: All residential parents of the sample child are of the same race

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 2

Universe Description: Sample children 0-17 with at least two residential parents

Sources: PARENTS_FINAL; RACEALLP

Question ID:

Keywords: cohabitate; domestic partnership; family

Notes:

Evaluation Report:

Unweighted frequencies:

RACPARSC_C All residential parents of the sample child are of the same race

Code	Description	Frequency	Percent
1	Yes	3499	82.27
2	No	354	8.32
9	Unknown	400	9.41

Frequency Missing: 1796

Variable Information:

Variable: MAXPAREDUP_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 2

Question Text:

Description: Highest level of education of all SC's parents

Recode: Yes

Universe: HHSTAT_C=1 and PARENTS_CNT_FINAL >= 1

Universe Description: Sample children 0-17 with at least one residential parent

Sources: EDUC; PARENTS_FINAL01-PARENTS_FINAL04

Question ID:

Keywords: schooling; educational attainment

Notes: Indicates the sample child's parent with the highest education. Grades 0-11 include those who never attended school, completed kindergarten only, or grades 1-11. In 2019-2024, the category 0 for “Never attended/kindergarten only” was listed as a separate category even though the data for this level was combined with those in “grades 1-11".

Evaluation Report:

Unweighted frequencies:

MAXPAREDUP_C Highest level of education of all SC's parents

Code	Description	Frequency	Percent
01	Grade 0-11	278	4.60
02	12th grade, no diploma	70	1.16
03	GED or equivalent	102	1.69
04	High School Graduate	975	16.13
05	Some college, no degree	637	10.54
06	Associate degree: occupational, technical, or vocational program	200	3.31
07	Associate degree: academic program	530	8.77
08	Bachelor's degree (Example: BA, AB, BS, BBA)	1576	26.08
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	1103	18.25
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	466	7.71
97	Refused	4	0.07
98	Not Ascertained	0	0.00
99	Don't Know	102	1.69

Frequency Missing: 6

Variable Information:

Variable: PARSAMEOPP_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: In two-parent SC families, are the parents of the same sex or opposite sex?

Recode: Yes

Universe: HHSTAT_C = 1 and PCNTNFPAR_C = 2

Universe Description: Sample children 0-17 living in families with 2 parents (who are not foster parents)

Sources: PARSEX1_C; PARSEX2_C

Question ID:

Keywords: family

Notes:

Evaluation Report:

Unweighted frequencies:

PARSAMEOPP_C In two-parent SC families, are the parents of the same sex or opposite sex?

Code	Description	Frequency	Percent
blank	SC not living with two parents	1796	29.69
1	SC in two parent family, parents are opposite sex	4214	69.66
2	SC in two parent family, parents are same sex	36	0.60
9	Unknown	3	0.05

Frequency Missing:

Variable Information:

Variable: SCFAMSTR_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Family structure of sample child

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: PCNTPARNTS; FOSTPAR; MARSTAT_C; MARITAL_C; EVRMARRIED_C; SPOUSLIV_C; PARENTS_FINAL01-PARENTS_FINAL04; RELCHPARENTP1_C

Question ID:

Keywords: parental relationship; household structure

Notes: Family structure recode used in Child Summary Health Statistics tables.

Evaluation Report:

Unweighted frequencies:

SCFAMSTR_C Family structure of sample child

Code	Description	Frequency	Percent
1	Single parent, never married	655	10.83
2	Single parent, ever married	669	11.06
3	Married parents residing in the same household as SC	3758	62.13
4	Cohabiting parents residing in the same household as SC	398	6.58
5	At least 1 related or unrelated adult (not a parent) in the same household as SC	244	4.03
6	Could not be coded	325	5.37

Frequency Missing:

Variable Information:

Variable: SCPARENTSC_C

Module: Child

Section: PAR : Parent Demographics

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sample child relationship to sample adult

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: SAMEFAM_FLG; PARENTS_FINAL01-PARENTS_FINAL04

Question ID:

Keywords: Parental relationship

Notes:

Evaluation Report:

Unweighted frequencies:

SCPARENTSC_C Sample child relationship to sample adult

Code	Description	Frequency	Percent
1	Sample adult is parent of sample child	4348	71.88
2	Sample adult is not parent of sample child	625	10.33
3	No sample adult in sample child's family	979	16.18
9	Unknown	97	1.60

Frequency Missing:

Variable Information:

Variable: NATUSBORN_C

Module: Child

Section: NAT : Nativity

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Was ^SCNAME born in the United States or a U.S. territory?

Fills: *^SCNAME..... Sample child's name*

Description: Born in U.S. or U.S. territory

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: NAT.0010.00.1

Keywords: United States; birthplace

Notes:

Evaluation Report:

Unweighted frequencies:

NATUSBORN_C Born in U.S. or U.S. territory

Code	Description	Frequency	Percent
1	Yes	5646	93.34
2	No	324	5.36
7	Refused	7	0.12
8	Not Ascertained	71	1.17
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: YRSINUS_C

Module: Child

Section: NAT : Nativity

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Years that sample child has been in the United States

Recode: Yes

Universe: HHSTAT_C=1 and NATUSBORN_C=2

Universe Description: Sample children 0-17 born outside of the United States or US territory

Sources: NATUSLG_C

Question ID:

Keywords: birthplace; foreign born

Notes:

Evaluation Report:

Unweighted frequencies:

YRSINUS_C Years that sample child has been in the United States

Code	Description	Frequency	Percent
1	Less than 1 year	12	3.70
2	1 to less than 5 years	151	46.60
3	5 to less than 10 years	95	29.32
4	10 to less than 15 years	49	15.12
5	15 years or more	13	4.01
9	Unknown	4	1.23

Frequency Missing: 5725

Variable Information:

Variable: CITZNSTP_C

Module: Child

Section: NAT : Nativity

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Citizenship status

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: NATUSBORN_C; CITIZEN_C; NATCTZN_C

Question ID:

Keywords: nativity; naturalized

Notes:

Evaluation Report:

Unweighted frequencies:

CITZNSTP_C Citizenship status

Code	Description	Frequency	Percent
1	Yes, a citizen of the United States	5748	95.02
2	No, not a citizen of the United States	221	3.65
7	Refused	8	0.13
8	Not Ascertained	71	1.17
9	Don't Know	1	0.02

Frequency Missing:

Variable Information:

Variable: PCNTADWKP1_C

Module: Child

Section: FEM : Employment of family members

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in sample child's family who are working (top-coded)

Recode: Yes

Universe: HHSTAT_C = 1

Universe Description: Sample children 0-17

Sources: FEMWORK_C; FEMWORK_A; FAMILYC_FLG

Question ID:

Keywords: employed; related adults

Notes: Information on FEMWORK_C and FEMWORK_A was collected in the Child and Adult interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2 and 3 are actual counts but categories 5, 6, 7, and 8 are NOT counts and are labels indicating cases where the work status of some or all adult family members could not be ascertained. This recode differs from the 2022 recode PCNTADTWKP_C where a value of 8 (not ascertained) was assigned to sample children who had any adult family members with unknown work status.

Evaluation Report:

Unweighted frequencies:

PCNTADWKP1_C Number of adults in sample child's family who are working (top-coded)

Code	Description	Frequency	Percent
0	0 adults	309	5.11
1	1 adult	2027	33.51
2	2 adults	3020	49.93
3	3+ adults (at least 3, may have unknown)	596	9.85
5	at least 2 adults, has unknown	13	0.21
6	at least 1 adult, has unknown	30	0.50
7	0 adults, has unknown	8	0.13
8	not ascertained (all unknown)	46	0.76

Frequency Missing:

Variable Information:

Variable: PCNTADWFP1_C

Module: Child

Section: FEM : Employment of family members

File(s): Child

Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in sample child's family who are working full-time (top-coded)

Recode: Yes

Universe: HHSTAT_C = 1

Universe Description: Sample children 0-17

Sources: FEMWKFT_C; FEMWKFT_A; FAMILYC_FLG

Question ID:

Keywords: full-time employment; employed full-time; related adults

Notes: Information on FEMWKFT_C and FEMWKFT_A was collected in the Child and Adult interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2, and 3 are actual counts but categories 5, 6, 7, and 8 are NOT counts and are labels indicating cases where the full-time work status of some or all adult family members could not be ascertained. This recode differs from the 2022 recode PCNTADTWFP_C where a value of 8 (not ascertained) was assigned to sample children who had any adult family members with unknown full-time work status.

Evaluation Report:

Unweighted frequencies:

PCNTADWFP1_C Number of adults in sample child's family who are working full-time (top-coded)

Code	Description	Frequency	Percent
0	0 adults	641	10.60
1	1 adult	2610	43.15
2	2 adults	2381	39.36
3	3+ adults (at least 3, may have unknown)	292	4.83
5	at least 2 adults, has unknown	11	0.18
6	at least 1 adult, has unknown	41	0.68
7	0 adults, has unknown	24	0.40
8	not ascertained (all unknown)	49	0.81

Frequency Missing:

Variable Information:

Variable: INCWRKO_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ^YOUFAM18YRS_C receive income from wages, salaries, commissions, bonuses, tips, or self-employment?

* **Read if necessary:** *For the purpose of this survey, ^SCNAME's family includes ^FAMVERSC_fill*

Fills:

^LASTYEAR.....	*Last year*
^YOUFAM18YRS_C.....	*you/you or any family members 18 or older*
^SCNAME.....	*Sample child's name*
^FAMVERSC_fill.....	*List of all people in Sample Child's family*

Description: Income from wages

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: INC.0020.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

INCWRKO_C Income from wages

Code	Description	Frequency	Percent
1	Yes	5654	93.47
2	No	318	5.26
7	Refused	8	0.13
8	Not Ascertained	66	1.09
9	Don't Know	3	0.05

Frequency Missing:

Variable Information:

Variable: INCINTER_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ANY FAMILY MEMBERS receive income from interest-bearing accounts or investments, dividends from stocks or mutual funds, net rental income, royalty income, or income from estates and trusts?

Fills: *^LASTYEAR..... Last year*

Description: Income from accounts

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: INC.0030.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

INCINTER_C Income from accounts

Code	Description	Frequency	Percent
1	Yes	1584	26.19
2	No	4298	71.05
7	Refused	50	0.83
8	Not Ascertained	66	1.09
9	Don't Know	51	0.84

Frequency Missing:

Variable Information:

Variable: INCSSRR_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *In ^LASTYEAR, did ^YOUFAMHERE_C receive...*

Income from Social Security or Railroad Retirement?

Fills: *^LASTYEAR..... Last year*

^YOUFAMHERE_C..... you/you or any family members

Description: Income from Social Security or Railroad Retirement

Recode:

Universe: HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))

Universe Description: Sample children 0-17 where the sample child respondent did not refuse both the income from wages and income from accounts questions

Sources:

Question ID: INC.0031.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

INCSSRR_C Income from Social Security or Railroad Retirement

Code	Description	Frequency	Percent
1	Yes	466	7.80
2	No	5473	91.58
7	Refused	14	0.23
8	Not Ascertained	1	0.02
9	Don't Know	22	0.37

Frequency Missing: 73

Variable Information:

Variable: INCSSISSDI_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *In ^LASTYEAR, did ANY FAMILY MEMBERS receive...*

Supplemental Security Income, SSI, or Social Security Disability Income, SSDI, which are different from Social Security?

Fills: *^LASTYEAR..... Last year*

Description: Family income from SSI/SSDI

Recode:

Universe: HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))

Universe Description: Sample children 0-17 where the sample child respondent did not refuse both the income from wages and income from accounts questions

Sources:

Question ID: INC.0040.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

INCSSISSDI_C Family income from SSI/SSDI

Code	Description	Frequency	Percent
1	Yes	332	5.56
2	No	5603	93.76
7	Refused	15	0.25
8	Not Ascertained	2	0.03
9	Don't Know	24	0.40

Frequency Missing: 73

Variable Information:

Variable: SSISSDIBTH_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Was this Supplemental Security Income, SSI, Social Security Disability Income, SSDI, or both?

Description: Which family income SSI/SSDI

Recode:

Universe: HHSTAT_C=1 and INCSSISSDI_C=1

Universe Description: Sample children 0-17 where someone in the family gets SSI or SSDI

Sources:

Question ID: INC.0050.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

SSISSDIBTH_C Which family income SSI/SSDI

Code	Description	Frequency	Percent
1	SSI	128	38.55
2	SSDI	158	47.59
3	Both SSI and SSDI	35	10.54
7	Refused	2	0.60
8	Not Ascertained	0	0.00
9	Don't Know	9	2.71

Frequency Missing: 5717

Variable Information:

Variable: SSISSDIDSB_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Was this received as a disability benefit?

Description: SSI/SSDI due to disability

Recode:

Universe: HHSTAT_C=1 and INCSSISSDI_C=1

Universe Description: Sample children 0-17 where someone in the family gets SSI or SSDI

Sources:

Question ID: INC.0060.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

SSISSDIDSB_C SSI/SSDI due to disability

Code	Description	Frequency	Percent
1	Yes	280	84.34
2	No	48	14.46
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	1.20

Frequency Missing: 5717

Variable Information:

Variable: INCWELF_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ^YOUFAMHERE_C receive...

Any public assistance or welfare payments from the state or local welfare office?

Fills: *^LASTYEAR.....* *Last year*

^YOUFAMHERE_C..... *you/you or any family members*

Description: Income from public assistance

Recode:

Universe: HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))

Universe Description: Sample children 0-17 where the sample child respondent did not refuse both the income from wages and income from accounts questions

Sources:

Question ID: INC.0090.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

INCWELF_C Income from public assistance

Code	Description	Frequency	Percent
1	Yes	300	5.02
2	No	5650	94.54
7	Refused	12	0.20
8	Not Ascertained	2	0.03
9	Don't Know	12	0.20

Frequency Missing: 73

Variable Information:

Variable: INCRETIRE_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *In ^LASTYEAR, did ^YOUFAMHERE_C receive...*

Income from retirement, survivor, or disability pensions?

Fills: *^LASTYEAR..... Last year*

^YOUFAMHERE_C..... you/you or any family members

Description: Income from retirement

Recode:

Universe: HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))

Universe Description: Sample children 0-17 where the sample child respondent did not refuse both the income from wages and income from accounts questions

Sources:

Question ID: INC.0100.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

INCRETIRE_C Income from retirement

Code	Description	Frequency	Percent
1	Yes	310	5.19
2	No	5635	94.29
7	Refused	14	0.23
8	Not Ascertained	2	0.03
9	Don't Know	15	0.25

Frequency Missing: 73

Variable Information:

Variable: INCOTHR_C

Module: Child

Section: INC : Family Income

File(s): Child

Data Type: Numeric

Length: 1

Question Text: * **Read if necessary:** *In ^LASTYEAR, did ^YOUFAMHERE_C receive...*

Any other sources of income such as VA payments from the Veterans Benefits Administration, unemployment compensation, child support, or alimony?

Fills: *^LASTYEAR.....* *Last year*

^YOUFAMHERE_C..... *you/you or any family members*

Description: Income from other sources

Recode:

Universe: HHSTAT_C=1 and (INCWRKO_C IN (1,2,9) or INCINTER_C in (1,2,9))

Universe Description: Sample children 0-17 where the sample child respondent did not refuse both the income from wages and income from accounts questions

Sources:

Question ID: INC.0110.00.1

Keywords: financial sources

Notes:

Evaluation Report:

Unweighted frequencies:

INCOTHR_C Income from other sources

Code	Description	Frequency	Percent
1	Yes	665	11.13
2	No	5282	88.39
7	Refused	15	0.25
8	Not Ascertained	2	0.03
9	Don't Know	12	0.20

Frequency Missing: 73

Variable Information:

Variable: IMPNUM_C

Module: Child

Section: INC : Family Income

File(s): Childinc, Child

Data Type: Numeric

Length: 2

Question Text:

Description: Imputation number

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID:

Keywords:

Notes: The codebook includes imputation 1 from the 10 imputations available. Please see imputed income files for all 10 imputed values.

Evaluation Report:

Unweighted frequencies:

IMPNUM_C Imputation number

Code	Description	Frequency	Percent
01-10	Imputation number	6049	100.00

Frequency Missing:

Variable Information:

Variable: POVRATTC_C

Module: Child

Section: INC : Family Income

File(s): Childinc, Child

Data Type: Numeric

Length: 5

Question Text:

Description: Sample Child family poverty ratio (top-coded)

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: FAMINC_C

Question ID:

Keywords:

Notes: Published poverty thresholds for the previous calendar year were obtained from the Census Bureau and used in these calculations. Please see the Survey Description Document for more information. This variable is based on the imputed income value from the first imputation only. Please see imputed income files for all 10 imputed values.

Evaluation Report:

Unweighted frequencies:

POVRATTC_C Sample Child family poverty ratio (top-coded)

Code	Description	Frequency	Percent
00.00-11.99	0.00 to 11.99	5765	95.31
12.00	12.00+	284	4.69

Frequency Missing:

Variable Information:

Variable: RATCAT_C

Module: Child

Section: INC : Family Income

File(s): Childinc, Child

Data Type: Numeric

Length: 2

Question Text:

Description: Ratio of family income to poverty threshold for Sample Child's family

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources: FAMINC_C

Question ID:

Keywords: income; poverty

Notes: Published poverty thresholds for the previous calendar year were obtained from the Census Bureau and used in these calculations. Please see the Survey Description Document for more information. This variable is based on the imputed income value from the first imputation only. Please see imputed income files for all 10 imputed values.

Evaluation Report:

Unweighted frequencies:

RATCAT_C Ratio of family income to poverty threshold for Sample Child's family

Code	Description	Frequency	Percent
01	0.00 - 0.49	217	3.59
02	0.50 - 0.74	181	2.99
03	0.75 - 0.99	272	4.50
04	1.00 - 1.24	293	4.84
05	1.25 - 1.49	276	4.56
06	1.50 - 1.74	294	4.86
07	1.75 - 1.99	282	4.66
08	2.00 - 2.49	516	8.53
09	2.50 - 2.99	503	8.32
10	3.00 - 3.49	423	6.99
11	3.50 - 3.99	415	6.86
12	4.00 - 4.49	269	4.45
13	4.50 - 4.99	305	5.04
14	5.00 or greater	1803	29.81
98	Not Ascertained	0	0.00

Frequency Missing:

Variable Information:

Variable: IMPINCFLG_C

Module: Child

Section: INC : Family Income

File(s): Childinc, Child

Data Type: Numeric

Length: 1

Question Text:

Description: Imputed Sample Child family income imputation flag

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

IMPINCFLG_C Imputed Sample Child family income imputation flag

Code	Description	Frequency	Percent
Blank	No Sample Adult or Sample Child in household	0	0.00
0	Income reported	5041	83.34
1	Income imputed; no other information	297	4.91
2	Income imputed; reported in income brackets	711	11.75

Frequency Missing:

Variable Information:

Variable: INCTCFLG_C

Module: Child

Section: INC : Family Income

File(s): Childinc, Child

Data Type: Numeric

Length: 1

Question Text:

Description: Sample child family income top-code flag

Recode: Yes

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID:

Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

INCTCFLG_C Sample child family income top-code flag

Code	Description	Frequency	Percent
0	No	5648	93.37
1	Yes	401	6.63

Frequency Missing:

Variable Information:

Variable: FSNAP12M_C

Module: Child

Section: FOO : Food Related Programs

File(s): Child

Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months did any family members living here receive ^FSSNAPNM?

* **Read if necessary:** *This program puts money on a SNAP EBT card that you can only use to buy food.*

Fills: *^FSSNAPNM..... food stamp benefits/[state food stamp program name]*

Description: Receive food stamps, past 12 months

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: FOO.0010.00.1

Keywords: income; food stamps

Notes:

Evaluation Report:

Unweighted frequencies:

FSNAP12M_C Receive food stamps, past 12 months

Code	Description	Frequency	Percent
1	Yes	995	16.45
2	No	4963	82.05
7	Refused	12	0.20
8	Not Ascertained	71	1.17
9	Don't Know	8	0.13

Frequency Missing:

Variable Information:

Variable: FWIC12M_C

Module: Child

Section: FOO : Food Related Programs

File(s): Child

Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months did any family members living here receive benefits from the WIC program, that is, the Women, Infants, and Children program?

Description: Received WIC benefits, past 12 months

Recode:

Universe: HHSTAT_C=1 and (PCNTF1255_C >= 1 or PCNTC05_C >= 1)

Universe Description: Sample children 0-17 living in families with females 12-55 years of age or children 0-5 years of age

Sources:

Question ID: FOO.0030.00.1

Keywords: income; food stamps; WIC

Notes: The universe description for this question is based on rostering information for the number of females ages 12-55 (PCNTF1255_C) and the number of children ages 0-5 (PCNTC05_C) in the sample child family, and these variable are not available in the public use file.

Evaluation Report:

Unweighted frequencies:

FWIC12M_C Received WIC benefits, past 12 months

Code	Description	Frequency	Percent
1	Yes	528	9.06
2	No	5213	89.48
7	Refused	11	0.19
8	Not Ascertained	70	1.20
9	Don't Know	4	0.07

Frequency Missing: 223

Variable Information:

Variable: FLUNCH12M1_C

Module: Child

Section: FOO : Food Related Programs

File(s): Child

Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months, did ^SCCHILDFAM_C receive free or reduced-price breakfasts or lunches at school?

* **Read if necessary:** *The National School Lunch Program and the School Breakfast Program provide cash assistance to states to operate breakfast and lunch programs in schools and residential childcare institutions. The programs provide low-price or free breakfasts and lunches to low-income children in kindergarten through 12th grade.*

Fills: *^SCCHILDFAM_C..... ^SCNAME/any child in your family*

^SCNAME..... Sample child's name

Description: Free or reduced meals at school past 12 months

Recode:

Universe: HHSTAT_C=1 and PCNTC517_C ge 1

Universe Description: Sample Children 0-17 living in families with children between the ages of 5-17

Sources:

Question ID: FOO.0040.00.1

Keywords: meal assistance

Notes: The universe description for this question is based on rostering information for the number of children ages 5-17 (PCNTC517_C) in the sample child family, and this variable is not available in the public use file.

Evaluation Report:

Unweighted frequencies:

FLUNCH12M1_C Free or reduced meals at school past 12 months

Code	Description	Frequency	Percent
1	Yes	2418	48.33
2	No	2505	50.07
7	Refused	7	0.14
8	Not Ascertained	44	0.88
9	Don't Know	29	0.58

Frequency Missing: 1046

Variable Information:

Variable: HOUYRSLIV_C

Module: Child

Section: HOU : Housing

File(s): Child

Data Type: Numeric

Length: 1

Question Text: About how long has ^SCNAME lived in this house/apartment?

Fills: *^SCNAME..... Sample child's name*

Description: Length of time in house/apartment

Recode:

Universe: HHSTAT_C=1 and (1<=AGEP_C<=17)

Universe Description: Sample children 1-17

Sources:

Question ID: HOU.0010.00.1

Keywords: house tenure

Notes:

Evaluation Report:

Unweighted frequencies:

HOUYRSLIV_C Length of time in house/apartment

Code	Description	Frequency	Percent
1	Less than 1 year	661	11.48
2	1 to 3 years	1773	30.79
3	4 to 10 years	2340	40.63
4	More than 10 years	904	15.70
7	Refused	5	0.09
8	Not Ascertained	75	1.30
9	Don't Know	1	0.02

Frequency Missing: 290

Variable Information:

Variable: HOUTENURE_C

Module: Child

Section: HOU : Housing

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is this house/apartment owned or rented by you ^SOMEFAM_C?

* **If house has a mortgage, record as owned.**

Fills: *^SOMEFAM_C..... or someone in your family*

Description: Residence owned or rented

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: HOU.0020.00.1

Keywords: house tenure

Notes:

Evaluation Report:

Unweighted frequencies:

HOUTENURE_C Residence owned or rented

Code	Description	Frequency	Percent
1	Owned or being bought	4116	68.04
2	Rented	1788	29.56
3	Other arrangement	65	1.07
7	Refused	8	0.13
8	Not Ascertained	72	1.19
9	Don't Know	0	0.00

Frequency Missing:

Variable Information:

Variable: HOUGVASST_C

Module: Child

Section: HOU : Housing

File(s): Child

Data Type: Numeric

Length: 1

Question Text: Is anyone in your family paying lower rent because the Federal, State, or local government is paying part of the cost?

* **Read if necessary:** *Federal, State, or Local government housing programs for persons with low income may take many forms. Government housing assistance could come from monetary assistance to help pay rent, a program called "Section 8," direct payments to landlords, vouchers, or other types of assistance from a local housing authority. Living in public housing is considered housing assistance from the government.*

Description: Paying lower rent

Recode:

Universe: HHSTAT_C=1 and HOUTENURE_C=2

Universe Description: Sample children 0-17 living in a house/apartment that is being rented

Sources:

Question ID: HOU.0030.00.1

Keywords: low rent

Notes:

Evaluation Report:

Unweighted frequencies:

HOUGVASST_C Paying lower rent

Code	Description	Frequency	Percent
1	Yes	204	11.41
2	No	1579	88.31
7	Refused	4	0.22
8	Not Ascertained	0	0.00
9	Don't Know	1	0.06

Frequency Missing: 4261