

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRrSsTt
UuVvWwXxYyZz

0123456789

ÀàÁáÂâÃãÄäÅå Æ æ
Çç ÈéÉèÊêËë ÌíÎîÏï Ññ
ÒòÓóÔôÕõÖö Øø Œœ
Ýýÿŷ žž

<[{()}]>*.,'"'+!#\$%&:;-~
_ | ^ ` ~ ¨ ° ¥ ¢ € £ £ @ ~
± × ÷ ° ® © ™

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRrSsTt
UuVvWwXxYyZz

0123456789

ÀàÁáÂâÃãÄäÅå Æ æ
Çç ÈéÉèÊêËë ÌíÎîÏï Ññ
ÒóÔôÕõ Öö Øø Œœ
Ýýÿÿ Žž

<[{()}]>*.,'"'+!#\$%&:;-_~
_ | ^ ` ~ ¨ ° ¥ ¢ € £ £ @ ~
± × ÷ ° ® © ™

21 pt.

The Character Generator Protocol (CHARGEN) is a service of the Internet Protocol Suite stated in RFC 864 in 1983 by Jon Postel. It is intended for testing, debugging, and measurement purposes.

A host may connect to a server that supports the Character Generator Protocol on either Transmission Control Protocol (TCP) or User Datagram Protocol (UDP) port number 19.

Upon opening a TCP connection, the server starts sending arbitrary characters to the connecting host and continues until the host closes the connection.

In the UDP implementation of the protocol, the server sends a UDP datagram containing a random number (between 0 and 512) of characters every time it receives a datagram from the connecting host.

Any data received by the server is discarded.

36 pt.

The Character Generator Protocol (CHARGEN) is a service of the Internet Protocol Suite stated in RFC 864 in 1983 by Jon Postel. It is intended for testing, debugging, and measurement purposes.

A host may connect to a server that supports the Character Generator Protocol on either Transmission Control Protocol (TCP) or User Datagram Protocol (UDP) port number 19.

48 pt.

Upon opening a TCP connection, the server starts sending arbitrary characters to the connecting host and continues until the host closes the connection.

60 pt.

**In the UDP
implementation of
the protocol, the
server sends a UDP
datagram containing
a random number
(between 0 and 512)
of characters every
time it receives a
datagram from the
connecting host.**

72 pt.

**Any data received
by the server is
discarded.**

90 pt.

**Wonderful
Xenophobia**

Marvin Gaye

~

Got to give it up