Game Hacking:
How to not be a script kiddie



Chris & Ravi



Downloads


Write meeting flag on board

Games are just code!


- Stack
- Heap
- Libc
- All reversing concepts apply

Game Code VS Regular Application Code

Assault Cube:



Spotify:



Common Attack Vectors

- Exploit from within game
 - (teleport challenge)
- Recon/ social engineering
- Modify game state in memory
- Exploit bugs in game code- code execution?
- Code injection!

Exploiting In-Game



Minecraft - 1.9 DUPLICATION GLITCH (Anything) [Tutorial] MCPE / Bedrock / Xbox / Switch

Skippy 6 Gaming 51K views · 3 weeks ago

Help me get to 300k! Join SQUAD6 6 Whitps://goo.gl/M0q1tx Whow to DUPLICATE ANYTHING and Diamonds Glitch for Minecraft ...



Minecraft Duplication Glitch! EASY DIAMONDS!! DUPLICATE ANY RESOURCE ITEM! PS4/ Console Edition

ThunderCatGaming • 46K views • 1 month ago

Y000, What is up guys?? This is ThunderCat Gaming here today with another AWESOME Minecraft Duplication Glitch!



Minecraft - 1.8 DUPLICATION GLITCH [Anything + XP] MCPE / Xbox / Bedrock

Skippy 6 Gaming 117K views • 2 months ago

Help me get to 300k! Join SQUAD6 ∮ ✓ https://goo.gl/MOq1tx ✓ Today I am going to show you how to do a DIAMOND DUPLICATION ...

Exploiting In-Game



Recon/ Social Engineering



Using a Fortnite Cheat to get FREE V-BUCKS

Sernandoe 2 1.4M views • 4 months ago

Fortnite CHEATER Tried Giving Me FREE V-BUCKS Twitter: https://twitter.com/sernandoe Subscribe Here - http://goo.gl/jps6WY ...

Modify Game Memory

- Must be done while game running
- Scan memory for known value
- Change value, rescan
- Eventually find where that value is stored
- ASLR? Never heard of it

Modify Game Memory





Exploit Bugs in Game Code


Example: Integer overflow/ underflow (Civilization)



Code Injection

- The crown jewel of game hacking
- Layer escalation: low level (C++) -> C# (.NET)
- Unmanaged: C++/ Machine Code
- Managed: C#/ IL/ CLR


Cheat Engine



The Target: AssaultCube

Flags will be reported to the console in the top left!

To exit the game, type 'exit' into the chat (open chat with 'T')



Set your ammo to a very large value!

Set your X coordinate to > 1000 for a flag!

Disable the part of the code that causes health to decrease.

Use static analysis to find a hidden flag in the binary!

Challenge 5: Buffer Overflow

Goal: Overwrite a stack variable to a desired value

Challenge 5: Buffer Overflow

Input Vector: the chat field!

To try this, send a message where the first character is

Challenge 5: Buffer Overflow

Called every time a message is sent where the first character is '%':

```
void sigPwny_vulnerable_buffer_1 (char* buf) {
   int canary = 0xDEADBEEF;
   char local buffer[4];
   int length = 0;
   char* cursor = buf;
   while (*(cursor++)) { length++; }
   length = (length > sizeof(local_buffer) + 4) ? sizeof(local_buffer) + 4 : length;
   memcpy(local_buffer, buf, length);
   conoutf("The canary is: %x", canary);
   if (canary == 0x78786168) {
```

Goal: Leak a variable from the stack.

The variable is of the form:

0x50xxxx50 and is on the stack
near the problematic call.

To try it, send a message where the first character is '#'. The output in the top is the result of your format string.

When you have the variable, convert it from ASCII and send the 4-character message (without a # sign).

Creative 🍑 Challenge 👋

- Create the best hacked client you can!
- Work alone or with a partner
- Post a cheats montage á la 2009 to Youtube
- Coolest hacks win lots of pwnypoints!