

READEASE-LIBRARY MANAGEMENT SYSTEM

A MINI-PROJECT REPORT

Submitted by

SHAUN PAUL MOSES 220701266

SIHABUTHEEN HAQ P S 220701278


in partial fulfillment of the award of the degree

of

BACHELOR OF ENGINEERING

IN

COMPUTER SCIENCE AND ENGINEERING



RAJALAKSHMI ENGINEERING COLLEGE, CHENNAI

An Autonomous Institute

CHENNAI-602105

2023-2024

BONAFIDE CERTIFICATE

Certified that this project **“READEASE-LIBRARY MANAGEMENT SYSTEM”** is the bonafide work of **“ SHAUN PAUL MOSES (220701266), SIHABUTHEEN HAQ P S (220701278)”** who carried out the project work under my supervision.

SIGNATURE

Dr.R.SABITHA

Professor and Academic Head,
Computer Science and Engineering,
Rajalakshmi Engineering College
(Autonomous),
Thandalam, Chennai-602 105

SIGNATURE

Ms.V.JANANEE

Assistant Professor(SG)
Computer Science and Engineering,
Rajalakshmi Engineering College,
(Autonomous),
Thandalam, Chennai-602 105

Submitted for the Practical examination to be Held on _

—

INTERNAL EXAMINER

EXTERNAL EXAMINER

ABSTRACT

Read Ease: A Comprehensive Library Management System

The "Read Ease" project is a sophisticated library management system designed to streamline and enhance the operations of a modern library. This system leverages cutting-edge technology to offer a robust, user-friendly platform that caters to the needs of librarians, staff, and patrons. The primary objective of Read Ease is to facilitate efficient management of library resources, improve user experience, and ensure seamless access to information.

Key features of Read Ease include an intuitive cataloging system, efficient circulation management, and real-time inventory tracking. The cataloging system allows for easy classification and indexing of books and other media, ensuring quick retrieval and accurate record-keeping. Circulation management features support automated check-in/check-out processes, reservation handling, and overdue notifications, significantly reducing manual workload and human error.

Read Ease also incorporates advanced search functionalities, enabling users to effortlessly locate materials through various search parameters such as title, author, genre, and publication date. Additionally, the system supports digital resource integration.

TABLE OF CONTENTS

1.INTRODUCTION

1. INTRODUCTION
2. OBJECTIVES
3. MODULES

2. SURVEY OF TECHNOLOGIES

1. SOFTWARE DESCRIPTION
2. LANGUAGES

2.2.1 SQL

2.2.2 PYTHON

3. REQUIREMENTS AND ANALYSIS

3.1 REQUIREMENT SPECIFICATION

3.2 HARDWARE AND SOFTWARE REQUIREMENTS

3.3 ARCHITECTURE DIAGRAM

3.4 ER DIAGRAM

3.5 NORMALIZATION

4. PROGRAM CODE

5. RESULTS AND

DISCUSSION6.CONCLUSION

7.REFERENCES

CHAPTER 1

1.1 .INTRODUCTION

In this program User can perform basic library management operations like issuing books, returning the issued books and displaying records of the issued books with the user details. Each book in the library has a unique identification number. The user issues the book by entering the book ID and the user details. Each user can issue only one book at a time. When the user returns the issued book, the book is available in the library for issuing again. The record of the issued book with user details can also be viewed.

1.2 OBJECTIVES:

1. Enhance Operational Efficiency:

- Develop a system that automates routine tasks such as cataloging, circulation, and inventory management to reduce manual workload and minimize human error.
- Implement a streamlined and user-friendly interface for both librarians and patrons to facilitate quick and easy access to library resources.

2. Improve User Experience:

- Integrate advanced search functionalities and personalized recommendations to help users find and access materials effortlessly.
- Create a comprehensive user account management system that allows patrons to track their borrowings, reading history, and receive notifications about due dates and reserved items.

3. Ensure Data Security and Integrity:

- Incorporate robust authentication and authorization mechanisms to protect user data and library resources.
- Implement regular data backup procedures and ensure compliance with privacy and data protection standards to safeguard against data loss and unauthorized access.

4. Support Scalability and Adaptability:

- Design the system to be scalable to accommodate libraries of various sizes and adaptable to evolving technological advancements and user needs.
- Provide tools for generating detailed reports and analytics to help library administrators make informed decisions and improve overall library management and resource utilization

1.3 MODULES

☐ User Management Module:

- **User Registration and Authentication:** Manage user sign-ups, logins, password recovery, and authentication processes.
- **User Profiles:** Allow users to update personal information, view borrowing history, and manage account settings.

☐ **Catalog Management Module:**

- **Resource Cataloging:** Enable librarians to add, update, and delete library resources such as books, e-books, audiobooks, journals, and other media.
- **Classification and Indexing:** Support various classification systems (e.g., Dewey Decimal, Library of Congress) for efficient organization and retrieval of resources.

☐ **Search and Retrieval Module:**

- **Advanced Search:** Provide robust search functionalities allowing users to search by title, author, genre, publication date, ISBN, and other parameters.
- **Filtering and Sorting:** Enable users to filter and sort search results based on different criteria.

CHAPTER -2

SURVEY OF TECHNOLOGIES

2.1 . SOFTWARE DESCRIPTION

The software for the READEASE-Library Management System is developed using Python, which is known for its simplicity and efficiency. The graphical user interface is created using Tkinter and CustomTkinter, libraries that are popular for developing desktop applications in Python. MySQL is employed as the database management system to store and manage data related to book availability. Together, these technologies create a robust and user-friendly application for library Online library .

2.2 LANGUAGES

2.2.1 SQL

Structured Query Language (SQL) is a standard programming language used for managing and manipulating relational databases. In this project, SQL is used extensively to perform various database operations such as creating tables, inserting data, updating records, and fetching data from the database.

The primary SQL operations involved in the project are:

Create Tables: SQL commands are used to define the structure of the database, creating tables to store ticket information.

Insert Data: SQL INSERT statements are used to add initial movie and ticket data into the database.

Update Data: SQL UPDATE statements are used to modify the number of available tickets after a booking is made .

Select Data: SQL SELECT statements are used to retrieve the list of available tickets, which are then displayed in the GUI.

2.2.2 Python

Python is the primary programming language used to develop the Movie Ticket Booking System. It is widely known for its readability and ease of use, making it an ideal choice for both novice and experienced developers. Python's extensive library support allows for rapid development and integration of various functionalities.

Key Python components and libraries used in the project include:

Tkinter and CustomTkinter: These libraries are used to create the graphical user interface (GUI) of the application. Tkinter is the standard GUI toolkit for Python, while CustomTkinter provides additional customization options for creating modern and visually appealing interfaces.

MySQL Connector: This is a Python library that facilitates communication between Python and MySQL databases. It allows the execution of SQL queries from within the Python code, enabling seamless database operations.

File Handling:

Python's built-in file handling capabilities are used to generate and save text files containing booking details, providing users with a tangible record of their transactions.

CHAPTER -3

3.1 REQUIREMENT ANALYSIS

Functional Requirements:

1. User Registration and Login:

- ⑩ Users should be able to register with personal details (name, email, password).
- ⑩ The system must support login/logout functionality.

2. Book Catalog Management:

- ⑩ Administrators should be able to add, update, and remove book records.
- ⑩ Each book record should include title, author, genre, publication year, ISBN, and a summary.

3. Book Search and Browsing:

- ⑩ Users should be able to search for books by title, author, genre, or ISBN.
- ⑩ Search results should include book details and availability status.

4. Borrowing and Returning Books:

- ⑩ Users should be able to borrow available books, with the system tracking the borrow date and due date.
- ⑩ The system should handle the return process and update the book's availability status.

5. User Account Management:

- ⑩ Users should have a personal dashboard to view their borrowing history and current borrowed books.
- ⑩ Notifications for due dates and overdue books should be sent via email.

6. Book Reservation:

- ⑩ Users should be able to reserve books that are currently checked out.
- ⑩ The system should notify users when a reserved book becomes available.

7. Reviews and Ratings:

- ⑩ Users should be able to leave reviews and ratings for books they have read.
- ⑩ Reviews should be visible to other users to help them choose books.

Non-Functional Requirements:

1. Performance:

- ⑩ The system should handle at least 200 concurrent users with response times for searches and page loads within 3 seconds.

2. Scalability:

- ⑩ The system should be designed to scale to accommodate a growing number of users and books without major changes.

3. Reliability:

- ⑩ The system should have an uptime of 99.5%, with reliable data backups to prevent loss of user and book information.

4. Usability:

- ⑩ The user interface should be simple and intuitive, allowing users to easily find and borrow books.
- ⑩ The design should follow accessibility standards to support users with disabilities.

5. Security:

- ⑩ User data should be protected through secure authentication (e.g., HTTPS, hashed passwords).
- ⑩ The system should comply with data privacy regulations (e.g., GDPR, CCPA).

6. Maintainability:

- ⑩ The system should have a modular architecture to facilitate easy maintenance and updates.
- ⑩ Code should be well-documented and follow coding standards for clarity and consistency.

7. Compatibility:

- ⑩ The system should be compatible with major web browsers (Chrome, Firefox, Safari, Edge).
- ⑩ It should have a responsive design to ensure usability on both desktop and mobile devices.

3.2 HARDWARE AND SOFTWARE REQUIREMENTS


HARDWARE SPECIFICATION

PROCESSOR : INTEL i3
MEMORY SIZE : 4GB
HDD : 256GB


SOFTWARE SPECTFICATION

OPERATING SYSTEM : WINDOWS 11
GUI INTERFACE : PYTHON
BACKEND : MY SQL

3.3 ARCHITECTURE DIAGRAM



3.4 ER DIAGRAM:



3.5 NORMALIZATION

Normalization Steps:

1. First Normal Form (1NF):

Ensure each table column contains atomic values and each column contains values of a single type.

2. Second Normal Form (2NF):

Ensure the database is in 1NF.

Remove partial dependencies; all non-key attributes should be fully functionally dependent on the primary key.

3. Third Normal Form (3NF):

Ensure the database is in 2NF.

Remove transitive dependencies; non-key attributes should not depend on other non-key attributes.

```
mysql> select * from library ;
```

product_id	book_name	author	category	year
1	The Vanishing Half	Brit Bennett	Literary Fiction	2020
2	Where the Crawdads Sing	Delia Owens	Mystery	2018
3	The Silent Patient	Alex Michaelides	Psychological Thriller	2019
4	The Nightingale	Kristin Hannah	Historical Fiction	2015
5	Educated	Tara Westover	Memoir	2018
6	The Tattooist of Auschwitz	Heather Morris	Historical Fiction	2018
7	Before We Were Yours	Lisa Wingate	Historical Fiction	2017
8	Little Fires Everywhere	Celeste Ng	Contemporary Fiction	2017
9	The Hate U Give	Angie Thomas	Young Adult	2017
10	Becoming	Michelle Obama	Autobiography	2018
11	Born a Crime	Trevor Noah	Memoir	2016
12	The Catcher in the Rye	J.D. Salinger	Classic	1951
13	To Kill a Mockingbird	Harper Lee	Classic	1960
14	1984	George Orwell	Dystopian	1949
15	The Great Gatsby	F. Scott Fitzgerald	Literary Fiction	1925
16	Pride and Prejudice	Jane Austen	Classic	1813
17	Moby-Dick	Herman Melville	Adventure	1851
18	The Adventures of Huckleberry Finn	Mark Twain	Adventure	1884
20	Don Quixote	Miguel de Cervantes	Classic	1605
21	Frankenstein	Mary Shelley	Gothic	1818
22	Jane Eyre	Charlotte Brontë	Gothic	1847
23	The Picture of Dorian Gray	Oscar Wilde	Gothic Fiction	1890
24	The Road	Cormac McCarthy	Post-Apocalyptic Fiction	2006
25	The Hitchhiker's Guide to the Galaxy	Douglas Adams	Science Fiction	1979

```
24 rows in set (0.00 sec)
```

```
mysql> select * from saved_books;
```

id	product_id	book_name
1	5	Educated
1	26	Gone with the wind

```
2 rows in set (0.00 sec)
```

```
mysql> select * from user;
+----+-----+-----+-----+
| id | name          | username | password |
+----+-----+-----+-----+
| 1  | Sihabutheen  | siha123 | 123      |
| 2  | shaun paul moses | shaun   | 321      |
+----+-----+-----+-----+
2 rows in set (0.00 sec)
```

1st Normal Form (1NF)

- ⑩ **User Table:** Each column contains atomic values, and there are no repeating groups.
- ⑩ **Library Table:** Each column contains atomic values, and there are no repeating groups.
- ⑩ **Saved Books Table:** Each column contains atomic values, and there are no repeating groups.

2nd Normal Form (2NF)

- ⑩ **User Table:** There is only one candidate key (id), so all non-key attributes are fully functionally dependent on the primary key.
- ⑩ **Library Table:** There is only one candidate key (product_id), so all non-key attributes are fully functionally dependent on the primary key.
- ⑩ **Saved Books Table:** It has a composite primary key (id, product_id). The table is in 2NF if all non-key attributes are fully functionally dependent on the whole primary key, and since it has no other non-key attributes, it satisfies 2NF.

3rd Normal Form (3NF)

- ⑩ **User Table:** There are no transitive dependencies. All non-key attributes (name, username, password) depend directly on the primary key (id).
- ⑩ **Library Table:** There are no transitive dependencies. All non-key attributes (book_name, author, category, year) depend directly on the primary key (product_id).
- ⑩ **Saved Books Table:** There are no transitive dependencies. The table has no non-key attributes other than the composite primary key.

In conclusion:

- ⑩ **User Table:** In 3NF because all attributes depend solely on the primary key.
- ⑩ **Library Table:** In 3NF because all attributes depend solely on the primary key.
- ⑩ **Saved Books Table:** In 3NF because it has a composite key, and all columns depend solely on that composite key.

Benefits of Normalization:

- Reduced data redundancy: Eliminating the repeated book_name minimizes storage space and reduces the risk of inconsistencies.
- Improved data integrity: Updates to book names only need to be made in the Library table, ensuring consistency across the system.
- Simpler maintenance: The database structure becomes clearer and easier to manage.

While this is a minor improvement, it demonstrates the principles of data normalization. In more complex scenarios, normalization can significantly improve database efficiency and maintainability.

CHAPTER – 4

PROGRAM : (Python)

```
from tkinter import *
from tkinter import messagebox
import mysql.connector
from tkinter import ttk
from tkinter import font

class ReadEase:

    def __init__(self,root):
        window =self.root=root
        window.geometry("420x420")
        window.resizable(False,False)

        window.title("ReadEase")
        self.menu_visible = FALSE;
        self.login_register_frame = Frame(self.root)
        self.login_register_frame.config(bg='black')
        self.login_register_frame.pack(fill=BOTH , expand=TRUE)

        self.main_widget_frame = Frame(self.root)
        self.main_widget_frame.config(bg='black')
        self.main_widget_frame.pack_forget()
        self.id = None

        self.create_login_register()

        self.conn = mysql.connector.connect(
            host='localhost',
            user='root',
            password='Sihab@8117',
            database='readease'
        )
        self.c = self.conn.cursor()

        self.c.execute('create table if not exists user (id int AUTO_INCREMENT primary key,name
varchar(16),username varchar(16) ,password varchar(8) not null)')

        self.c.execute('create table if not exists saved_books(id int ,product_id int ,book_name
varchar(50) ,foreign key (id) references user(id))')
```



```

        font=('Arial',10,'bold'),
        fg='white',
        bg='black',
    )
    self.repassword_entry = Entry(self.login_register_frame , font=("Arial"),show="*")
    self.register_register = Button(self.login_register_frame ,
        text = 'Register',
        font=("Comic Sans" ,13),
        command =self.Register,
        width=12
    )
    self.back_to_login = Button(self.login_register_frame ,
        text = 'Back to Login',
        font=("Comic Sans" ,13),
        command=self.show_login,
        width=12
    )
    self.back_to_login_label = Label(self.login_register_frame ,
        text='Back to Login page ->',
        font=('Arial',10,'bold'),
        fg='white',
        bg='black',
    )
def  create_readease_panel_login(self):
    self.readease_label = Label(self.login_register_frame ,
        text="READEASE" ,
        font =('Arial' ,30,'bold') ,
        fg='white' ,bg='black' ,
        relief=SUNKEN ,
        bd=10,
        padx=1000)
def login_to(self):
    self.welcome_check=True
    user =self.username_entry.get()
    password = self.password_entry.get()
    self.c.execute('SELECT username, password FROM user WHERE username = %s',
(user,))
    userpass = self.c.fetchone()
    self.c.execute('Select id from user WHERE username = %s', (user,))
    id = self.c.fetchone()
    if userpass:
        u , p = userpass
        if u==user and p == password:
            self.id = id
            self.create_main_widget()
        else :
            messagebox.showerror("Error", "Invalid email or password please try again")
            self.des_detail()
    else :
        messagebox.showerror("Error", "please Register !!!")
        self.des_detail()

def Register(self) :
    name = self.name_entry.get()
    uname = self.username_entry.get()
    password = self.password_entry.get()

```

```

repassword =self.repassword_entry.get()

self.c.execute('select username from user where username = %s',(uname,))
result=self.c.fetchone()

if password != repassword :
    messagebox.showerror("Password not matched", "Password Must be matched ! please
try again .")
elif result is not None :
    messagebox.showerror("Try another username ", "Username already Exists Try another
username !")
    self.des_detail()
elif name =="" or uname =="" or password =="" or repassword=="":
    messagebox.showerror("Empty field found !" , "All the fields are required .please fill
!!!")
else:
    try:
        self.c.execute('insert into user(name,username ,password) values (%s,%s,%s)'
,(name,uname,password,))
        self.conn.commit()
        messagebox.showinfo("Success", "Registration successful! Please login.")
    except mysql.connector.Error as err:
        messagebox.showerror("Error", str(err))
        self.des_detail()

def show_login(self):
    self.login_register_frame.pack(fill=BOTH , expand=TRUE)
    self.main_widget_frame.pack_forget()

    for widget in self.login_register_frame.winfo_children():
        widget.pack_forget()
        widget.place_forget()
    self.root.config(menu=FALSE)
    self.create_readease_panel_login()

    self.readease_label.pack()
    self.login_page.place(x=180,y=90)
    self.username.place(x=70 , y=150)
    self.username_entry.place(x=170,y=150)
    self.password_label.place(x=70 ,y=200)
    self.password_entry.place(x=170,y=200)
    self.login.place(x= 170 ,y= 250 )
    self.new_register.place(x=70 ,y=319)
    self.register.place(x=240 ,y=315)

def show_register(self):
    for widget in self.login_register_frame.winfo_children():
        widget.pack_forget()
        widget.place_forget()
    self.readease_label.pack()

    self.register_page.place(x=170,y=80)

    self.name_label.place(x=60 ,y=120)
    self.name_entry.place(x= 200,y=120)

```



```

self.username.place(x=60 ,y=160)
self.username_entry.place(x= 200,y=160)
self.password_label.place(x=60 ,y=200)
self.password_entry.place(x= 200,y=200)
self.repassword_label.place(x=60 ,y=240)
self.repassword_entry.place(x= 200,y=240)
self.register_register.place(x=250 ,y= 290 )
self.back_to_login_label.place(x=80 ,y=355)
self.back_to_login.place(x=250 ,y=350)

```

```

def des_detail(self):
    self.username_entry.delete(0,'end')
    self.password_entry.delete(0,'end')
    self.repassword_entry.delete(0,'end')
    self.name_entry.delete(0,'end')

```

```

def show_message(self):
    try:
        self.c.execute('select name from user where id =%s',self.id)
        name =self.c.fetchone()
        name = name[0]
    except mysql.connector.Error as err:
        messagebox.showerror("Error", str(err))
    if self.welcome_check:

        self.nav=Label(self.main_widget_frame ,
            text=f" wait for 5 seconds, it will automatically redirect library page",
            font=('Arial',10,'bold'),
            fg='white',
            bg='black',
            pady=100
        )
        self.welcome =Label(self.main_widget_frame ,
            text=f"Welcome { name} ,",
            font=('Arial',15,'bold'),
            fg='white',
            bg='black'
        )

        self.nav.place(x=10,y=80)
        self.welcome.place(x=30 ,y=60)
        self.root.after(5000,self.show_library)

```

```

def create_main_widget(self) :

    self.des_detail()
    self.login_register_frame.pack_forget()
    self.login_register_frame.place_forget()
    self.main_widget_frame.pack(fill =BOTH ,expand=TRUE)
    self.main_widget_frame.config(bg='black')

    self.readease_label = Label(self.main_widget_frame ,
        text="READEASE" ,
        font =( 'Arial' ,20,'bold') ,
        fg='white' ,bg='black' ,
        relief=SUNKEN ,

```

```

        bd=10,
        padx = 125,
    )
self.readease_label.place(x=0,y=0)

try:
    self.c.execute('select name from user where id =%s',self.id)
    name =self.c.fetchone()
    name = name[0]
except mysql.connector.Error as err:
    messagebox.showerror("Error", str(err))

self.menu_bar = Menu(self.root)

self.root.config(menu=self.menu_bar)
global option_state
option_state = False

self.toggle_menu = Menu(self.menu_bar, tearoff=0 ,bg='black' ,fg='white')
self.menu_bar.add_cascade(label="Menu", menu=self.toggle_menu )
self.toggle_menu.add_command(label="profile" ,background='black' ,foreground='white'
,command =self.show_profile )
self.toggle_menu.add_command(label="library",background='black' ,foreground='white'
,command=self.show_library )
self.toggle_menu.add_command(label="saved books",background='black'
,foreground='white' ,command=self.show_saved_books )
self.toggle_menu.add_command(label="change password",background='black'
,foreground='white',command=self.show_change_password)
self.toggle_menu.add_command(label="logout",background='black' ,foreground='white'
,command=self.show_login)

self.create_profile()
self.create_library()
self.create_saved_books()
self.create_change_password()

self.category = Menu(self.menu_bar, tearoff=0 ,bg='black' ,fg='white')
self.menu_bar.add_cascade(label="Category", menu=self.category )

if self.welcome_check:
    self.menu_bar.entryconfig(2, state="disabled")
    self.menu_bar.entryconfig(1, state= "disabled")
    self.show_message()

def hide_main_frame(self):
    self.welcome_check = False
    for widget in self.main_widget_frame.winfo_children():
        widget.pack_forget()
        widget.place_forget()

def cat_click(self,cat ,list):
    self.search_library_entry.delete(0,'end')
    if list == '0':
        self.insert_listbox(cat)
    elif list == '1':

```

```

        self.insert_saved_listbox(cat)
        self.deselect_all()

    def insert_to_category(self):
        self.category.add_command(label='all ',background='black',foreground='white'
        ,command=lambda:self.cat_click("all",'0') )
        self.c.execute('select DISTINCT category from library')
        while True:
            row = self.c.fetchone()
            if row is None:
                break
            self.category.add_command(label=row ,background='black',foreground='white'
            ,command=lambda cat = row[0]: self.cat_click(cat,'0') )

    def insert_to_saved(self):

        self.category.add_command(label='all ',background='black',foreground='white',
        command=lambda: self.cat_click("all",'1'))
        self.c.execute('select DISTINCT product_id from saved_books where id = %s',self.id)
        rows = self.c.fetchall()

        rows = tuple(item[0] for item in rows)
        placeholders = ', '.join(['%s'] * len(rows))
        query = f'SELECT category FROM library WHERE product_id IN ({placeholders})'
        self.c.execute(query, rows)
        results = self.c.fetchall()
        results = tuple(item[0] for item in results)
        results= set(results)
        results=tuple(results)

        for row in results:
            self.category.add_command(label=row ,background='black',foreground='white' ,
            command=lambda row = row : self.cat_click(row,'1'))

    def change_password(self):
        id=self.id[0]
        old_password = self.old_password_entry.get()
        new_password = self.new_password_entry.get()
        try :
            self.c.execute('select password from user where id=%s',(id,))
        except mysql.connector.Error as err:
            messagebox.showerror("Error", str(err))

        check_old_password = self.c.fetchone()

        if new_password == " or old_password==" :
            messagebox.showerror("Password field Empty"," password field is empty please
            provide password")
        elif check_old_password[0] != old_password :
            messagebox.showerror("incorrect password" ,"Old password not matched !")
        else:
            try:
                self.c.execute('update user set password =%s where id =%s',(new_password,id))

```

```

        self.conn.commit()
        self.show_profile()
        messagebox.showinfo("Password changed","Password changed successfully")

    except mysql.connector.Error as err:
        messagebox.showerror("Error", str(err))
    self.old_password_entry.delete(0,'end')
    self.new_password_entry.delete(0,'end')

def deselect_all(self):
    self.book_listbox.selection_clear(0,END)
    self.listbox_saved.selection_clear(0,END)

def delete_listbox(self):
    if self.book_listbox.size()==0:
        messagebox.showinfo("Empty !","Library is Empty please add Books")
        return
    index=self.book_listbox.curselection()
    index=self.book_listbox.get(index)
    if index:
        product_key = int(index.split(":")[0])
        self.c.execute('delete from library where product_id = %s',(product_key,))
        self.c.execute('delete from saved_books where product_id = %s',(product_key,))
        self.conn.commit()
    if self.book_listbox.size()==1:
        messagebox.showinfo("Empty !","Library is Empty please add Books")
    self.deselect_all()
    self.show_library()

def delete_saved_listbox(self):
    if self.listbox_saved.size()==0:
        messagebox.showinfo("Empty !"," Empty please add Books")
        return
    index=self.listbox_saved.curselection()
    index=self.listbox_saved.get(index)
    if index:
        product_key = int(index.split(":")[0])
        self.c.execute('delete from saved_books where product_id = %s and id
=s', (product_key,self.id[0],))
        self.conn.commit()
    if self.listbox_saved.size()==1:
        messagebox.showinfo("Empty !","Empty please add Books")
    self.deselect_all()
    self.show_saved_books()

def show_book_info(self ,product_id):
    self.book_info =Toplevel(self.root)
    self.book_info.geometry("450x350")
    self.book_info.title("book_info new book")
    self.book_info.resizable(False,False)
    self.book_info_window_frame = Frame(self.book_info)
    self.book_info_window_frame.config(bg='black')

```

```

self.book_info_window_frame.pack(fill=BOTH , expand=TRUE)

self.c.execute('select book_name,author,category,year from library where product_id
=%s',(product_id,))
bookname ,author,category,year = self.c.fetchone()

self.i_book_id =Label(self.book_info_window_frame,
                      text='Book id', font=('Arial',10,'bold'),
                      fg='white',
                      bg='black'
                      )
self.i_book_name =Label(self.book_info_window_frame,
                        text='Book name', font=('Arial',10,'bold'),
                        fg='white',
                        bg='black'
                        )
self.i_category =Label(self.book_info_window_frame,
                       text='Book Category', font=('Arial',10,'bold'),
                       fg='white',
                       bg='black'
                       )
self.i_author =Label(self.book_info_window_frame,
                    text='Author name', font=('Arial',10,'bold'),
                    fg='white',
                    bg='black'
                    )
self.i_yop =Label(self.book_info_window_frame,
                 text='year of publishing :',
                 font=('Arial',10,'bold'),
                 fg='white',
                 bg='black'
                 )

self.i_book_id_value =Label(self.book_info_window_frame,
                            text=product_id,
                            font=('Arial',10,'bold'),
                            fg='white',
                            bg='black'
                            )
self.i_book_name_value =Label(self.book_info_window_frame,
                              text =bookname,
                              font=('Arial',10,'bold'),
                              fg='white',
                              bg='black'
                              )
self.i_category_value =Label(self.book_info_window_frame,
                             text =category,
                             font=('Arial',10,'bold'),
                             fg='white',
                             bg='black'
                             )
self.i_author_value =Label(self.book_info_window_frame,
                           text=author,

```

```

        font=('Arial',10,'bold'),
        fg='white',
        bg='black'
    )
self.i_yop_value=Label(self.book_info_window_frame,
    text =year,
    font=('Arial',10,'bold'),
    fg='white',
    bg='black'
)

self.i_book_id.place(x=50,y=50)
self.i_book_name.place(x=50,y=100)
self.i_category.place(x=50,y=150)
self.i_author.place(x=50,y=200)
self.i_yop.place(x=50,y=250)

self.i_book_id_value.place(x=200,y=50)

self.i_book_name_value.place(x=200,y=100)
self.i_category_value.place(x=200,y=150)
self.i_author_value.place(x=200,y=200)
self.i_yop_value.place(x=200,y=250)

def on_double_click(self,event):
    index = self.book_listbox.curselection()
    if index:
        index=self.book_listbox.get(index)
        product_id = int(index.split(":")[0])
        self.show_book_info(product_id)
        self.deselect_all()
    else :
        index = self.listbox_saved.curselection()
        if index:
            index=self.listbox_saved.get(index)
            product_id = int(index.split(":")[0])
            self.show_book_info(product_id)
            self.deselect_all()

def save_user_book(self):
    id=self.id[0]
    index=self.book_listbox.curselection()
    index=self.book_listbox.get(index)
    if index:
        product_key = int(index.split(":")[0])
        self.c.execute('select product_id from saved_books where product_id=%s and id
=%s',(product_key,id,))
        check = self.c.fetchone()
        if check == None :
            try:
                book = index.split(":")[1].strip()
                self.c.execute('insert into saved_books(id ,product_id,book_name)
values(%s,%s,%s)',(id,product_key,book,))
                self.conn.commit()
                messagebox.showinfo("Book saved !","selected book was saved successully !")

```

```

        self.deselect_all()
    except mysql.connector.Error as err:
        messagebox.showerror("Error", str(err))
    else:
        messagebox.showerror("Already saved !","Selected book was already saved !")
        self.deselect_all()
self.deselect_all()

def library_search_command(self):
    entry = self.search_library_entry.get().lower()
    entry = f"{entry.lower()}%"
    try :
        self.c.execute('select distinct(product_id) from library where lower(book_name) LIKE
%s',(entry,))
        books = self.c.fetchall()
        self.insert_listbox(p_id = books)
    except mysql.connector.Error as err:
        messagebox.showerror("Error","No book found !!!")
        self.show_library()
    return

def saved_search_command(self):
    entry = self.search_saved_entry.get().lower()
    entry = f"{entry.lower()}%"
    try :
        self.c.execute('select distinct(product_id) from saved_books where lower(book_name)
LIKE %s',(entry,))
        books = self.c.fetchall()
        self.insert_saved_listbox(p_id = books)
    except mysql.connector.Error as err:
        messagebox.showerror("Error","No book found !!!")
        self.show_saved_books()
    return

def create_library(self):
    self.library_page = Label(self.main_widget_frame,
        text='Library',
        font=('Comic Sans',13,'bold'),
        fg='white',
        bg='black')
    self.save_btn = Button(self.main_widget_frame ,
        text = 'Save',
        font=("Comic Sans" ,13),
        width=10,
        command=self.save_user_book
    )
    self.add_btn = Button(self.main_widget_frame ,
        text = 'Add',
        font=("Comic Sans" ,13),
        width=10,
        command = self.add_window
    )
    self.delete_btn = Button(self.main_widget_frame ,
        text = 'Delete',
        font=("Comic Sans" ,13),
        width=10,

```

```

        command=self.delete_listbox
    )
self.book_listbox = Listbox(self.main_widget_frame,
                             font=('Comic Sans', 12),
                             width=45,
                             height=15,
                             bg='#040404',
                             fg='white')

self.list_scrollbar = Scrollbar(self.main_widget_frame, orient=VERTICAL,
command=self.book_listbox.yview,bg='gray')
self.book_listbox.config(yscrollcommand=self.list_scrollbar.set ,
selectmode=EXTENDED)
self.book_listbox.bind('<Double-Button-1>', self.on_double_click)

# create search library
self.search_library_entry = Entry( self.main_widget_frame ,font = "Arial")
self.search_library_button = Button(self.main_widget_frame ,
                                     text ='Search',
                                     font=("Comic Sans" ,11),
                                     width=10,
                                     command=self.library_search_command
                                     )

def del_item_insert_listbox(self):
    self.book_listbox.delete(0, 'end')

def del_item_insert_saved_listbox(self):
    self.listbox_saved.delete(0, 'end')

def insert_listbox(self ,cat ='all' ,p_id = None):

    if p_id != None :
        values = [item[0] for item in p_id]
        placeholders = ', '.join(['%s'] * len(values))
        query = f'SELECT * FROM library WHERE product_id IN ({placeholders})'

    self.library_select_category = cat
    self.create_side_bar_library()

    self.del_item_insert_listbox()
    if cat != 'all':
        if p_id != None :
            self.c.execute(query, values)
        else :
            self.c.execute('Select * from library where category =%s ',(cat,))

    else:
        if p_id != None :
            self.c.execute(query, values)
        else :
            self.c.execute('Select * from library')

    while True:

```



```

        row = self.c.fetchone()
        if row is None:
            break
        index,book_name,author,category,year =row
        self.book_listbox.insert(END,f"{index}: {book_name}")

def insert_saved_listbox(self ,cat ='all' ,p_id = None):
    self.saved_select_category = cat
    self.del_item_insert_saved_listbox()
    self.create_side_bar_saved()

    if p_id != None :
        values = [item[0] for item in p_id]
        placeholders = ', '.join(['%s'] * len(values))
        query = f'SELECT product_id,book_name FROM saved_books WHERE product_id
IN ({placeholders}) AND id =%s'
        values = values + [self.id[0]]
        try :
            self.c.execute(query , values)
        except mysql.connector.Error as err:
            messagebox.showerror("Error", str(err))
            self.show_saved_books()
    else :
        self.c.execute('Select product_id,book_name from saved_books where id = %s',self.id)
        rows = self.c.fetchall()
        for row in rows:
            product_key,bookname = row
            if cat != 'all':
                self.c.execute('select category from library where product_id =%s',(product_key,))
                result = self.c.fetchone()
                if cat == result[0]:
                    self.listbox_saved.insert(END,f"{product_key}: {bookname}")

            else :
                self.listbox_saved.insert(END,f"{product_key}: {bookname}")

def add_to_library(self):
    self.deselect_all()
    book_name = self.book_name_entry.get()
    category = self.category_entry.get()
    author= self.author_name_entry.get()
    yop = self.year_selector.get()

    if book_name == "":
        messagebox.showerror("book name field is empty please fill now !")
    elif category == "":
        messagebox.showerror("category field is empty please fill now !")
    elif author == "":
        messagebox.showerror("author field is empty please fill now !")
    elif yop == "":
        messagebox.showerror("year of publishing field is empty please fill now !")
    else :
        try:

```

```

        self.c.execute('select book_name ,author ,year from library where book_name=%s
and category=%s and year=%s',(book_name,category,yop,))
        check = self.c.fetchone()
        if check ==None:
            self.c.execute('insert into library(book_name,author,category,year)
values(%s,%s,%s,%s)',(book_name,author,category,yop,))
            self.conn.commit()
            self.show_library()
            self.add.destroy()
            messagebox.showinfo("Added !" ,"Selected Book is successfully Added Thank
you !")

```

```

        else:
            messagebox.showinfo("already Added" ,"book is Already added")
            self.add.destroy()
    except mysql.connector.Error as err:
        messagebox.showerror("Error", str(err))

```

```

def add_window(self):
    self.deselect_all()
    self.add =Toplevel(self.root)
    self.add.geometry("400x400")
    self.add.title("Add new Book")
    self.add.resizable(False,False)
    self.add_window_frame = Frame(self.add)
    self.add_window_frame.config(bg='black')
    self.add_window_frame.pack(fill=BOTH , expand=TRUE)

```

```

self.book_name =Label(self.add_window_frame,
                        text='Book name', font=('Arial',10,'bold'),
                        fg='white',
                        bg='black')
self.book_name_entry =Entry (self.add_window_frame,
                              font =("Arial")
                              )

```

```

self.category =Label(self.add_window_frame,
                      text='Category', font=('Arial',10,'bold'),
                      fg='white',
                      bg='black')
self.category_entry =Entry (self.add_window_frame,
                             font =("Arial")
                             )

```

```

self.author_name =Label(self.add_window_frame,
                         text='Author name', font=('Arial',10,'bold'),
                         fg='white',
                         bg='black')
self.author_name_entry =Entry (self.add_window_frame,
                                font =("Arial")
                                )

```

```

self.yop =Label(self.add_window_frame,
                text='published year :',
                font=('Arial',10,'bold'),
                fg='white',
                bg='black')

self.add_button =Button(self.add_window_frame ,
                        text ='Add',
                        font=("Comic Sans" ,13),
                        width=10,
                        command=self.add_to_library
                        )

self.year_var = StringVar()
self.year_selector = ttk.Combobox(self.add_window_frame, textvariable=self.year_var
,state='readonly')
self.year_selector['values'] = tuple(range(1900, 2024))


self.book_name.place(x=50 ,y=70)
self.book_name_entry.place(x=160 ,y=70)
self.category.place(x=50 ,y=120)
self.category_entry.place(x=160 ,y=120)
self.author_name.place(x=50 , y=170)
self.author_name_entry.place(x=160 , y=170)
self.yop.place(x=50 , y=220)
self.year_selector.place(x=160 ,y=220)

self.add_button.place(x=140 ,y=270)

def create_side_bar_library_filter(self):

    self.c.execute('select count(book_name) from library where category =
%s',(self.library_select_category,))
    total_book = self.c.fetchone()

    total_category =self.library_select_category
    self.c.execute('select count(distinct(author)) from library where category =
%s',(self.library_select_category,))
    total_author = self.c.fetchone()

    self.total_book_library_filter_value.config(text = total_book)
    self.category_library_filter_value.config(text = total_category)

    self.author_library_filter_value.config(text = total_author)

def create_side_bar_saved_filter(self):
    self.c.execute(' select count(sb.book_name) from saved_books sb join library l on
sb.product_id = l.product_id where l.category = %s and sb.id =
%s',(self.saved_select_category,self.id[0],))
    total_book = self.c.fetchone()
    self.c.execute(' select count(l.author) from saved_books sb join library l on sb.product_id
= l.product_id where l.category = %s and sb.id = %s',(self.saved_select_category,self.id[0],))
    total_author = self.c.fetchone()
    category = self.saved_select_category

    self.total_book_saved_filter_value.config(

```

```

        text=total_book)
self.category_saved_filter_value.config(
    text=category)

self.author_saved_filter_value .config(
    text=total_author)

def create_side_bar_library(self):
    self.c.execute('select count(book_name) from library')
    total_book = self.c.fetchone()
    self.c.execute('select count(distinct(category)) from library')
    total_category = self.c.fetchone()
    self.c.execute('select count(distinct(author)) from library')
    total_author = self.c.fetchone()

    self.total_book_library =Label(self.main_widget_frame,
        text='Total Books',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.category_library =Label(self.main_widget_frame,
        text='Category ',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.author_library =Label(self.main_widget_frame,
        text='author',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')

    self.total_book_library_value =Label(self.main_widget_frame,
        text=total_book,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.category_library_value =Label(self.main_widget_frame,
        text=total_category,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.author_library_value =Label(self.main_widget_frame,
        text=total_author,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')

    if self.library_select_category == 'all':
        self.total_book_library_filter_value =Label(self.main_widget_frame,
            text=total_book,
            font=('Comic Sans',11,'bold'),
            fg='white',
            bg='black')
        self.category_library_filter_value =Label(self.main_widget_frame,
            text='All',
            font=('Comic Sans',8,'bold'),

```

```

        fg='white',
        bg='black')

    self.author_library_filter_value = Label(self.main_widget_frame,
        text=total_author,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
else :
    self.create_side_bar_library_filter()

def create_side_bar_saved(self):
    self.c.execute('select count(book_name) from saved_books where id = %s',self.id)
    total_book = self.c.fetchone()
    self.c.execute('select product_id from saved_books where id = %s',self.id)
    product_id = self.c.fetchall()

    flattened_values = tuple(value[0] for value in product_id)

    placeholders = ', '.join(['%s'] * len(flattened_values))
    query = f'SELECT count(distinct(category)) FROM library WHERE product_id IN ({placeholders})'

    self.c.execute(query, flattened_values)
    results = self.c.fetchone()
    category = results

    query = f'SELECT count(distinct(author)) FROM library WHERE product_id IN ({placeholders})'
    self.c.execute(query ,flattened_values)
    authors = self.c.fetchone()

    self.total_book_saved =Label(self.main_widget_frame,
        text="Total Books",
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.category_saved =Label(self.main_widget_frame,
        text='Category',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.author_saved =Label(self.main_widget_frame,
        text='author',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.total_book_saved_value =Label(self.main_widget_frame,
        text=total_book,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.category_saved_value =Label(self.main_widget_frame,
        text=category,

```

font=('Comic Sans',11,'bold'),

```

        fg='white',
        bg='black')
self.author_saved_value = Label(self.main_widget_frame,
        text=authors,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')

if self.saved_select_category == 'all':
    self.total_book_saved_filter_value =Label(self.main_widget_frame,
        text=total_book,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.category_saved_filter_value =Label(self.main_widget_frame,
        text = 'All',
        font=('Comic Sans',8,'bold'),
        fg='white',
        bg='black')

    self.author_saved_filter_value = Label(self.main_widget_frame,
        text=authors,
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
else :
    self.create_side_bar_saved_filter()

def create_side_bar_common(self):
    underline_font = font.Font(family="Comic Sans", size=13, weight="bold",
underline=True)
    self.total_book_sidebar =Label(self.main_widget_frame,
        text='Total Books                :',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.total_category_sidebar=Label(self.main_widget_frame,
        text='Total category :',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black')
    self.filter_sidebar=Label(self.main_widget_frame,
        text='Filter',
        font=underline_font,
        fg='white',
        bg='black')
    self.author_sidebar =Label(self.main_widget_frame,
        text='author                :',
        font=('Comic Sans',11,'bold'),
        fg='white',
        bg='black'
    )

def create_saved_books(self):
    self.saved_book_page =Label(self.main_widget_frame,
        text='saved books',

```

```

        font=('Comic Sans',13,'bold'),
        fg='white',
        bg='black')
self.delete_btn_saved =Button(self.main_widget_frame ,
        text ='Delete',
        font=("Comic Sans" ,13),
        width=10,
        command=self.delete_saved_listbox
    )
self.listbox_saved = Listbox(self.main_widget_frame,
        font=('Comic Sans', 12),
        width=45,
        height=15,
        bg ='#040404',
        fg='white')
self.scrollbar_saved = Scrollbar(self.main_widget_frame,
        orient=VERTICAL,
        command=self.listbox_saved.yview,
        bg='gray')
self.listbox_saved.config(yscrollcommand=self.scrollbar_saved.set ,
        selectmode=EXTENDED)
self.listbox_saved.bind('<Double-Button-1>', self.on_double_click)


self.search_saved_entry = Entry( self.main_widget_frame ,font = "Arial")
self.search_saved_button = Button(self.main_widget_frame ,
        text ='Search',
        font=("Comic Sans" ,11),
        width=10,
        command=self.saved_search_command
    )


def create_change_password(self):
    self.change_password_page =Label(self.main_widget_frame,
        text='Change Password',
        font=('Comic Sans',15,'bold'),
        fg='white',
        bg='black')

    self.old_password =Label(self.main_widget_frame,
        text='Enter old password :',
        font=('Arial',10,'bold'),
        fg='white',
        bg='black')
    self.new_password =Label(self.main_widget_frame,
        text='Enter new password :',
        font=('Arial',10,'bold'),
        fg='white',
        bg='black')
    self.old_password_entry = Entry (self.main_widget_frame,
        font =("Arial")
    )
    self.new_password_entry = Entry (self.main_widget_frame,
        font =("Arial"),
        show="*"
    )

```



```

self.change_password_btn = Button(self.main_widget_frame ,
                                   text = 'Change',
                                   font = ("Comic Sans" , 13),
                                   width = 12,
                                   command = self.change_password

                                   )

def show_library(self):
    self.hide_main_frame()
    self.create_main_widget()
    self.insert_listbox()
    self.insert_to_category()
    self.create_side_bar_common()
    self.create_side_bar_library()

    self.library_page.place(x=5 , y=55)
    self.search_library_entry.place(x=80 , y=56, width=280)
    self.search_library_button.place(x=365, y=56, width = 50 , height=23)
    self.book_listbox.place(x=5, y=80)

    self.list_scrollbar.place(x=396, y=80, height=289)
    self.add_btn.place(x=30, y=380)
    self.save_btn.place(x=160 , y=380)
    self.delete_btn.place(x=290 , y=380)
    self.total_book_sidebar.place( x= 430 , y=80)
    self.total_category_sidebar.place(x=430 , y =120)
    self.author_sidebar.place(x=430 , y=160)
    self.filter_sidebar.place(x=485 , y=200)
    self.total_book_library.place(x=430 , y=240)
    self.category_library.place(x=430 , y=320)
    self.author_library.place(x=430 , y=280)

    self.total_book_library_filter_value.place(x=550 , y=240)
    self.category_library_filter_value.place(x=430 , y=360)
    self.author_library_filter_value.place(x=550 , y=280)

    self.total_book_library_value.place(x=550 , y=80)
    self.category_library_value.place(x=550 , y =120)
    self.author_library_value.place(x=550, y=160)

    window.geometry("600x420")

def show_saved_books(self):
    self.hide_main_frame()
    self.create_main_widget()
    self.insert_saved_listbox()
    self.insert_to_saved()
    self.create_side_bar_common()
    self.create_side_bar_saved()

    self.saved_book_page.place(x=5 , y=55)

```

```

self.search_saved_entry.place(x=110 ,y=56,width=250)
self.search_saved_button.place(x=365,y=56,width =50 ,height=23)
self.listbox_saved.place(x=5, y=80)
self.scrollbar_saved.place(x=396, y=80, height=289)


self.delete_btn_saved.place(x=160 ,y=380)
self.total_book_sidebar.place( x= 430 , y=80)
self.total_category_sidebar.place(x=430 ,y =120)
self.author_sidebar.place(x=430 ,y=160)
self.filter_sidebar.place(x=485 ,y=200)
self.total_book_saved.place(x=430 ,y=240)
self.category_saved.place(x=430 ,y=320)
self.author_saved.place(x=430 ,y=280)


self.total_book_saved_filter_value.place(x=550 ,y=240)
self.category_saved_filter_value.place(x=430,y=360)
self.author_saved_filter_value.place(x=550 ,y=280)


self.total_book_saved_value.place(x=550 , y=80)
self.category_saved_value.place(x=550 ,y=120)
self.author_saved_value.place(x=550 ,y =160)


window.geometry("600x420")


def show_change_password(self):
    self.hide_main_frame()
    self.create_main_widget()
    self.menu_bar.entryconfig(2, state="disabled")


    self.change_password_page.place(x=120,y=80)
    self.old_password.place(x=50 ,y=150)
    self.old_password_entry.place(x=200 ,y=150)
    self.new_password.place(x=50 ,y=200)
    self.new_password_entry.place(x=200 ,y=200)
    self.change_password_btn.place(x =200 ,y =250)
    window.geometry("420x420")


def create_profile(self):
    self.c.execute('select name, username from user where id = %s', self.id)
    name ,username = self.c.fetchone()
    self.c.execute('select count(id) from saved_books where id =%s',self.id)
    saved_books = self.c.fetchone()


    self.profile_page =Label(self.main_widget_frame,
                             text='Profile',
                             font=('Comic Sans',15,'bold'),
                             fg='white',
                             bg='black')


    self.show_name =Label(self.main_widget_frame,
                          text='Name',
                          fg='white',
                          font=('Arial',10,'bold'),

```

```

        bg='black')
self.show_username =Label(self.main_widget_frame,
        text='UserName  :',
        font=('Arial',10,'bold'),
        fg='white',
        bg='black')
self.show_savedbooks =Label(self.main_widget_frame,
        text='Books          :',
        font=('Arial',10,'bold'),
        fg='white',
        bg='black')

self.show_name_value =Label(self.main_widget_frame,
        text=name,
        font=('Arial',10,'bold'),
        fg='white',
        bg='black')

self.show_username_value =Label(self.main_widget_frame,
        text=username,
        font=('Arial',10,'bold'),
        fg='white',
        bg='black')
self.show_savedbooks_value =Label(self.main_widget_frame,
        text =saved_books[0],
        font=('Arial',10,'bold'),
        fg='white',
        bg='black')

def show_profile(self):
    self.hide_main_frame()

    self.create_main_widget()

    #hide menu bar
    self.menu_bar.entryconfig(2, state="disabled")




    self.profile_page.place(x=150 ,y=80)
    self.show_name_value.place(x=150,y=130)
    self.show_username_value.place(x=150,y=170)
    self.show_name.place(x=50,y=130)
    self.show_username.place(x=50,y=170)
    self.show_savedbooks.place(x=50,y=210)
    self.show_savedbooks_value.place(x=150,y=210)
    window.geometry("420x420")




window = Tk()




app = ReadEase(window)
window.mainloop()




```

5. RESULTS









ReadEase

READEASE

Register

Name :

Username :

Password :

Re Enter Password :

Register

Back to Login page ->
Back to Login

DATABASE – MYSQL :

```
mysql> select * from user;
```

id	name	username	password
1	sihabutheen	siha123	123
2	shaun paul moses	shaun	321

```
2 rows in set (0.00 sec)
```

```
mysql> select * from library ;
```

product_id	book_name	author	category	year
1	The Vanishing Half	Brit Bennett	Literary Fiction	2020
2	Where the Crawdads Sing	Delia Owens	Mystery	2018
3	The Silent Patient	Alex Michaelides	Psychological Thriller	2019
4	The Nightingale	Kristin Hannah	Historical Fiction	2015
5	Educated	Tara Westover	Memoir	2018
6	The Tattooist of Auschwitz	Heather Morris	Historical Fiction	2018
7	Before We Were Yours	Lisa Wingate	Historical Fiction	2017
8	Little Fires Everywhere	Celeste Ng	Contemporary Fiction	2017
9	The Hate U Give	Angie Thomas	Young Adult	2017
10	Becoming	Michelle Obama	Autobiography	2018
11	Born a Crime	Trevor Noah	Memoir	2016
12	The Catcher in the Rye	J.D. Salinger	Classic	1951
13	To Kill a Mockingbird	Harper Lee	Classic	1960
14	1984	George Orwell	Dystopian	1949
15	The Great Gatsby	F. Scott Fitzgerald	Literary Fiction	1925
16	Pride and Prejudice	Jane Austen	Classic	1813
17	Moby-Dick	Herman Melville	Adventure	1851
18	The Adventures of Huckleberry Finn	Mark Twain	Adventure	1884
20	Don Quixote	Miguel de Cervantes	Classic	1605
21	Frankenstein	Mary Shelley	Gothic	1818
22	Jane Eyre	Charlotte Brontë	Gothic	1847
23	The Picture of Dorian Gray	Oscar Wilde	Gothic Fiction	1890
24	The Road	Cormac McCarthy	Post-Apocalyptic Fiction	2006
25	The Hitchhiker's Guide to the Galaxy	Douglas Adams	Science Fiction	1979

```
24 rows in set (0.00 sec)
```

```
mysql> select * from saved_books;
```

id	product_id	book_name
1	5	Educated
1	26	Gone with the Wind

```
2 rows in set (0.00 sec)
```


CHAPTER -6

CONCLUSIONS

Readease, our online library management system, represents a modern solution for managing library resources with ease and accessibility. By harnessing the power of digital technology, users can seamlessly add, delete, and save books to the library from anywhere, at any time. Readease empowers librarians and users alike by offering a streamlined platform for organizing and accessing literary resources. The integration of features such as online book management and real-time updates ensures efficiency and convenience in library operations. With Readease, the traditional constraints of physical libraries are transcended, opening up a world of literary exploration and knowledge dissemination. As we continue to innovate and improve, Readease remains committed to enhancing the reading experience for all users, fostering a culture of lifelong learning and discovery

CHAPTER – 7

REFERENCES

- 1 . Manish Kumar Srivastava, A.K Tiwari, “A Study of Behavior of Maruti SX4 and Honda City Custo Jaipur”, Pacific Business Review- Quarterly Referred Journal, Zenith International Journal of Multi disciplinary Research Vol.4, Issue 4, pp. 77-90, Apr2011.
2. M.Prasanna Mohan Raj, Jishnu Sasikumar, S.Sriram , “A Study of Customers Brand Preference inSUVS and MUVS: Effect on Marketing Mix Variables”, International Referred Research Journal Vol.- IV, Issue-1, pp. 48-58, Jan2013.
3. Nikhil Monga, Bhuvender Chaudhary, “Car Market and Buying behavior - study on ConsumerPerception”, IJRMEC Vol.2, Issue-2, pp. 44-63, Feb2012 .

- ⑩ Tkinter Documentation: [Link to Tkinter Documentation](#)
- ⑩ MySQL Documentation: [Link to MySQL Documentation](#)
- ⑩ Python Documentation: [Link to Python Documentation](#)