PHILIPS

www.philips.com

Trilogy Evo*lution of care*

simple, connected, portable, reliable, adaptable

May 2019

innovation you

Introduction

The Trilogy Evo ventilator provides:

Invasive and non-invasive positive pressure ventilation for the care of patients ≥2.5 kg through adults.

The ventilator can measure, display, record, and alarm SpO_2, FiO_2, CO_2, respiratory rate, and pulse rate data when integrated with the appropriate accessories.

The ventilator is suitable for use in institutional, home, and non-emergency transport settings; for example: wheelchair, personal vehicle, or ambulance.



Simple

Connected

Portable

Reliable

Adaptable



Simple

User-friendly platform

Patient-friendly performance

8” touchscreen

Note that the background images are only visible on screen while in limited access.



Simple

To prevent accidental therapy changes, use the **touchscreen lock**.

This is a temporary touchscreen lock, which can be changed back by tapping anywhere on the screen and following the onscreen instruction.

For automatic touchscreen lock, go to the Options screen then Device Options and select Automatic Touchscreen Lock On.



Simple

Modes and settings: **Trilogy to Trilogy Evo**

Trilogy	Trilogy Evo	Description
AC	**A/C - VC**	**Assist Control (Volume Control) mode** provides volume-controlled mandatory or assist-control breaths. The set inspiratory time applies to all breaths.
CV		If you want to replicate **CV mode** where the ventilator triggers and cycles all breaths then set the trigger type to OFF.
PC	**A/C - PC**	**Assist Control (Pressure Control) mode** provides pressure-controlled mandatory or assist-control breaths. The set inspiratory time applies to all breaths. *Optional AVAPS.*
T		If you want to replicate **T mode** where the ventilator triggers and cycles all breaths then set the trigger type to OFF.
S	**PSV**	**Pressure Support Ventilation mode** is patient-triggered, pressure-limited, and flow-cycled. The patient determines the breath rate and timing so it is recommended to set back-up ventilation. *Optional: AVAPS and Ti min/max.*

Simple

Modes and settings: **Trilogy to Trilogy Evo**

Trilogy	Trilogy Evo	Description
PC-SIMV	**SIMV-PC**	**Synchronized Intermittent Mandatory Ventilation (Pressure Control) mode** is a pressure control mode that provides a mixture of mandatory, assist-control and spontaneous breaths with optional pressure support. It guarantees one mandatory breath in each cycle. The breath rate determines the length of the cycle. *Optional: Inspiratory Time min/max. for the spontaneous breaths.*
SIMV	**SIMV-VC**	**Synchronized Intermittent Mandatory Ventilation (Volume Control) mode** is similar to SIMV-PC, but with volume control.
AC (MPV on)	**MPV-VC**	**Mouthpiece Ventilation (Volume Control)** provides on-demand volume-control ventilation using a Kiss trigger® that detects when the patient engages with the mouthpiece. No exhalation valve is required.
PC (MPV on)	**MPV-PC**	**Mouthpiece Ventilation (Pressure Control)** is similar to MPV-VC, but with pressure control.

Simple

Modes and settings: **Trilogy to Trilogy Evo**

Trilogy	Trilogy Evo	Description
S/T	**S/T**	**Spontaneous/Timed** is a bi-level therapy mode where each breath is patient-triggered and patient-cycled, or ventilator-triggered and ventilator-cycled.
CPAP	**CPAP**	In **Continuous Positive Airway Pressure mode**, all breaths are spontaneous with the CPAP set pressure delivered in both inhalation and exhalation.
AVAPS-AE	**AVAPS-AE**	**AVAPS-Auto EPAP mode** automatically adjusts pressure support, to maintain the target tidal volume, and EPAP, to maintain a patent airway, within the set min/max ranges; and simplifies the set-up of the backup breath rate when set to auto. *Note: auto back-up rate maximum is 20bpm. Optional: Inspiratory Time min/max.*

Simple

Modes and settings: **Trilogy to Trilogy Evo**

Trilogy	Trilogy Evo	Description
-	**Inspiratory Time Min/Max**	Once enabled, this setting treats inspiration time as a variable value for patient-initiated, patient-cycled breaths. It is available in S/T, PSV, SIMV-PC, SIMV-VC, and AVAPS-AE modes, under Advanced in the Prescription Settings window.
AVAPS Rate	**AVAPS Speed**	This sets the maximum rate of change in pressure between the min and max values while AVAPS is seeking a volume target.
-	**PC Breath (AVAPS-AE)**	Available in AVAPS-AE mode. When PC Breath is on, the set inspiratory time applies to all breaths.
Sigh	**Sigh**	In Trilogy Evo, available in A/C-VC mode under Advanced in the Prescription window. Sigh volume can be set between 1.5 – 2.5 times the set volume and the frequency between 50 – 250 breaths. While in Trilogy, sigh was fixed at 1.5 times the set volume every 100 breaths.
-	**Back-up Ventilation**	Available under Advanced in the Prescription window. When turned on an Apnea interval needs to be set in the alarm settings tab. Within the apnea interval; if no breaths are triggered by the patient, the vent delivers breaths at the set pressure of volume based on the Backup Rate and Backup Insp Time.

Portable

Ultimate Portability

15 hours of battery.*

Hot swappable detachable battery provides uninterrupted therapy.**



*Nominal run time per method in International Electrotechnical Commission (7.5 hr/battery). Detachable battery charge time 0% to 80% is 2.5 hours, Internal battery charge time 0% to 100% is 3.5 hours. A/C-VC mode ActivePAP circuit, PEEP 3cmH_2O and Vt 800ml.

**When the internal battery is charged, batteries can be replaced without the ventilator pausing therapy.

Adaptable

Oxygen

FiO_2 sensor access on back panel

Up to 30Lpm low flow O_2

Oxygen Blending Module (optional)



Adaptable

Five prescriptions

Program up to 5 Prescriptions (presets) and select a name from the list of available prescription names.



Adaptable
Circuits



Passive



Active PAP



Active Flow



Dual Limb



MPV

Adaptable

Dynamic parameters

Available with:

Passive, Active Flow, and Dual Limb

NOT available in ActivePAP

Available in modes:

A/C-PC, A/C-VC, SIMV-PC, SIMV-VC

on Mandatory and Assist Control breaths

(VIM and PIM breaths)




PHILIPS